



California Regional Water Quality Control Board Los Angeles Region



Matthew Rodriguez
Secretary for
Environmental Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
(213) 576-6600 • FAX (213) 576-6640
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

September 30, 2011

Mr. Mauricio de la Barra
13900 NW Passage, Apt 107
Marina Del Rey, CA 90292

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT 3663
MANDEVILLE CANYON ROAD, LOS ANGELES, CALIFORNIA (ORDER NO. R4-2004-0146,
SERIES NO. 007, CI-9120)**


Dear Ms. Wilson:

In our letter dated July 25, 2006, we informed Mr. Marc Romero (the former owner) that the subject discharge is regulated under Order No. R4-2004-0146, which specifies Waste Discharge Requirements (WDR).

As the current owner of the subject residence, you requested the termination of the WDR coverage under Board Order No. R4-2004-0146 in the letter dated September 13, 2011. Because the property currently consists of a vacant lot with no improvements of any kind, there is no discharge taking place and no discharge is expected in the near future. Therefore, you no longer need the WDR. The coverage for the subject residence, under Board Order No. R4-2004-0146, is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang, at (213) 620-6122 or the Chief of Groundwater Permitting Unit, Dr. Eric Wu, at (213) 576-6683.

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. Hyginus Mmeje, City of Los Angeles, Bureau of Sanitation, WESD

California Environmental Protection Agency