STATE OF CALIFORNIA CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LOS ANGELES REGION

MONITORING AND REPORTING PROGRAM NO. <u>CI-9227</u> FOR FORMER THRIFTY STATION NO. 249 11304 CULVER BOULEVARD, CULVER CITY (OZONE INJECTION FOR GROUNDWATER CLEANUP) (ORDER NO. R4-2005-0030) (SERIES NO. 072) (ID NO. R-25093)

. <u>REPORTING REQUIREMENTS</u>

A. Thrifty Oil Co. (hereinafter Discharger) shall implement this monitoring program on the effective date of this enrollment (February 13, 2007) under Regional Board Order No. R4-2005-0030.

Monitoring reports shall be received by the dates in the following schedule:

Reporting Period

Report Due

January – March April – June July – September October – December

April 15 July 15 October 15 January 15

The first monitoring report under this Program is due by July 15, 2007.

- B. If there is no discharge or injection during any reporting period, the report shall so state.
- C. By January 30 of each year, beginning January 30, 2008, the Discharger shall submit an annual summary report to the Regional Board. The report shall contain both tabular and graphical summaries of the monitoring data obtained during the previous calendar year. In addition, the Discharger shall explain the compliance record and the corrective actions taken or planned, which may be needed to bring the discharge into full compliance with the waste discharge requirements (WDRs).
- D. Each monitoring report shall contain a separate section titled "Summary of Non-Compliance" which discusses the compliance record and the corrective actions taken or planned that may be needed to bring the discharge into full compliance with WDRs. This section shall be located at the front of the report and shall clearly list all non-compliance with discharge requirements, as well as all excursions of effluent limitations.
- E. The Discharger shall comply with requirements contained in Section G of Order No. R4-2005-0030 "*Monitoring and Reporting Requirements*" in addition to the aforementioned requirements.

T-1

Thrifty Oil Co.

Monitoring and Reporting Program No. CI-9227

UST File No. R-25093 Order No. R4-2005-0030

II. INJECTION MONITORING REQUIREMENTS

The quarterly reports shall contain the following information regarding the injection activities. If there is no injection, during any reporting period, the report shall so state:

- 1. Location Map showing injection points.
- 2. Written summary defining:
 - Depth of injection points and depth to groundwater;
 - Quantity of ozone solutions injected per injection point; and
 - Total amount of ozone injected at site.
- 3. Monthly visual inspection at each injection well shall be conducted to evaluate the well casing integrity for a period of three months after each injection. The quarterly report shall include a summary of the visual inspection.

III. GROUNDWATER MONITORING PROGRAM

A groundwater-monitoring program shall be designed to detect and evaluate impacts associated with the injection activities. The Discharger shall sample up-gradient well MW-7, cross-gradient wells MW-3 and TDD-1R and downgradient well MW-6 (see enclosed Figure 1) to provide groundwater quality information prior to and after the ozone injection. These sampling stations shall not be changed and any proposed change of monitoring locations shall be identified and approved by the Regional Board Executive Officer (Executive Officer) prior to their use. Groundwater from the wells noted above shall be monitored for the duration of the remediation in accordance with the following discharge monitoring program:

	·	······	
<u>CONSTITUENT</u>	<u>UNITS¹</u>	<u>TYPE OF</u> <u>SAMPLE</u>	MINIMUM FREQUENCY OF ANALYSIS
pH⁵	pH units	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Temperature ⁵	۴	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Oxidation-reduction potential ⁵	milivolts	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Specific conductivity ⁵	µmhos/cm	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Ferrous iron	µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Dissolved Oxygen ⁵	µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Total petroleum hydrocarbons (as gasoline and as diesel)	µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Benzene	µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Ethylbenzene	µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
Toluene	µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴

Thrifty Oil Co. Monitoring and Reporting Program No. CI-9227

UST File No. R-25093 Order No. R4-2005-0030

		<u> </u>
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
μg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
μg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L ′	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
µg/L	grab	Bi-weekly ² /Monthly ³ /Quarterly ⁴
mg/L	grab	Quarterly
µg/L	grab	Quarterly ⁶
µg/L	grab	Quarterly ⁶
	μg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μg/L μg/L μg/L μg/L μg/L μg/L μg/L	μg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabmg/Lgrabmg/Lgrabmg/Lgrabmg/Lgrabmg/Lgrabmg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrabμg/Lgrab

mg/L: milligrams per liter; µg/L: micrograms per liter; µmhos/cm: microohms per centimeter;

°F: degree Fahrenheit.

² Bi-weekly sampling for the first month of injection.
³ Monthly sampling is required for the next two months of injection.
⁴ Quarterly sampling thereafter.
⁵ Field instrument may be used to measure this parameter.
⁶ Monitoring is required only for the well(s) that this constituent is detected in the baseline samples(s).

Thrifty Oil Co.

Monitoring and Reporting Program No. CI-9227

UST File No. R-25093 Order No. R4-2005-0030

All groundwater monitoring reports must include, at minimum, the following:

- a. Well identification, date and time of sampling;
- b. Sampler identification, and laboratory identification:
- c. Quarterly observation of groundwater levels, recorded to 0.01 feet mean sea level and groundwater flow direction.

IV. MONITORING FREQUENCIES

Specifications in this monitoring program are subject to periodic revisions. Monitoring requirements may be modified or revised by the Executive Officer based on review of monitoring data submitted pursuant to this Order. Monitoring frequencies may be adjusted to a less frequent basis or parameters and locations dropped by the Executive Officer if the Discharger makes a request and the request is backed by statistical trends of monitoring data submitted.

V. CERTIFICATION STATEMENT

Each report shall contain the following completed declaration:

"I certify under penalty of law that this document, including all attachments and supplemental information, was prepared under my direction or supervision in accordance with a system designed to assure that gualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment.

Executed on the _____day of ______at

(Signature)

(Title)"


All records and reports submitted in compliance with this Order are public documents and will be made available for inspection during business hours at the office of the California Regional Water Quality Control Board, Los Angeles Region, upon request by interested parties. Only proprietary information, and only at the request of the Discharger, will be treated as confidential.

Ordered by:

David A. Bachorowski, AEO Date: February 13, 2007 Jonathan S. Bishop

Executive Officer

T-4



\ .