

California Regional Water Quality Control Board

Los Angeles Region

Linda S. Adams Cal/EPA Secretary 320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles



Arnold Schwarzenegger

Governor

June 30, 2010

Mr. Karl Bewley ConocoPhillips Company 3900 Kilroy Airport Way, Suite 210 Long Beach, CA 90806

TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS – 76 STATION 254817, 3601 INGLEWOOD AVENUE, REDONDO BEACH, CALIFORNIA (ORDER NO. R4-2007-0019, SERIES NO. 039, CI-9340)

Dear Mr. Bewley:

In our letter dated November 21, 2007, we informed you that the subject discharge is regulated under Order No. R4-2007-0019, (Series No. 039), which specifies your General Waste Discharge Requirements (WDR).

In a letter dated June 8, 2010, you notified the Regional Board that you ceased ozone injection for this site and that you requested termination of the WDR.

Because the ongoing remediation does not plan to continue to inject ozone, you no longer need the WDR. The coverage under Board Order No. R4-2007-0019, (Series No. 039) for the subject facility is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Acting Section Chief of Groundwater Permitting and Landfills, Dr. Rebecca Chou, at (213) 620-6156.

Sincerely,

Samuel Unger, P.E.

Interim Executive Officer

cc: Ms. Yvonne Shanks, State Water Resources Control Board, Underground Storage Tank Cleanup Fund

Mr. Tim Smith, Los Angeles Department of Public Works, Environmental Program Division

Ms. Nancy Matsumoto, Water Replenishment District of Southern California

Mr. Jay Badiei, Delta Environmental Consultants, Inc.