



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

December 14, 2015

Mr. Charles Brashear
Doubletree Cheviot Holdings, LLC
7301 Vista Del Mar, Suite A-109
Playa Del Rey, California 90293

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– CHEVIOT HILLS SHOPPING CENTER, 9836 NATIONAL BOULEVARD, LOS ANGELES,
CALIFORNIA (ORDER NO. R4-2007-0019, SERIES NO. 153, CI-9673, GLOBAL ID.
WDR100001294)**

Dear Mr. Brashear,


On March 7, 2011, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In a letter December 4, 2015, you notified the Regional Board that you ceased injection of sodium permanganate, 3-D Microemulsion (3DMe), and Hydrogen Release Compound Primer (HRC Primer) at the subject site and requested termination of the WDR.

Since Doubletree Cheviot Holdings, LLC has no plan to inject sodium permanganate, 3DMe, and HRC Primer in the future, the coverage for the subject facility under Regional Board Order No. R4-2007-0019 is hereby terminated, with the exception of enforcement under the terms of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. Alejandro Fuan, The Reynolds Group

CHARLES STRINGER, CHAIR | SAMUEL UNGER, EXECUTIVE OFFICER

320 West 4th St., Suite 200, Los Angeles, CA 90013 | www.waterboards.ca.gov/losangeles