



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

November 30, 2016

Ms. Sarah E. Courtney
The Boeing Company
2201 Seal Beach Boulevard
Seal Beach, CA 90740-5603

TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS FOR THE BOEING COMPANY, FORMER HUGHES AIRCRAFT COMPANY, ELECTRON DYNAMICS DIVISION SITE, 3100 WEST LOMITA BOULEVARD, TORRANCE, CALIFORNIA (FILE NO. 12-086, CI-9978, ORDER NO. R4-2014-0187, SERIES NO. 048, GLOBAL ID WDR100007517)

Dear Ms. Courtney:

On October 23, 2015, the Los Angeles Regional Water Quality Control Board (Regional Board) informed you that the re-injection of groundwater treated by liquid-phase granular activated carbon (GAC) to reduce the concentration of volatile organic compounds (VOCs) is regulated under Regional Board Order No. R4-2014-0187, which specifies your Waste Discharge Requirements (WDR).

In a letter dated September 30, 2016, you requested the termination of the WDR coverage under Regional Board Order No. R4-2014-0187 because no injection of treated groundwater has occurred and no future injection of treated groundwater is planned due to Boeing's change of treatment and disposal plans. As a result, the WDR is no longer needed. The coverage for the subject facility, under Regional Board Order No. R4-2014-0187, is hereby terminated with the exception of enforcement under the term of the permit.

If you have any additional questions, please contact the Project Manager, Mr. David Koo at (213) 620-6155 (david.koo@waterboards.ca.gov) or the Groundwater Permitting Unit Chief, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,

A handwritten signature in blue ink that reads "Samuel Unger".

Samuel Unger, P.E.
Executive Officer

cc: Mr. Steven Hariri, Department of Toxic Substances Control
Mr. Steve Netto, Hargis + Associates, Inc.