

Los Angeles Regional Water Quality Control Board

May 20, 2019

Mr. Ken Eppinger
Claremont McKenna College
Facilities and Campus Services
742 Amherst Avenue
Claremont, CA 91711

REVISED WASTE DISCHARGE REQUIREMENTS – CLAREMONT LANDFILL, CLAREMONT, CALIFORNIA (FILE NO. 66-016, ORDER NO. 00-070, CI-5766, GEOTRACKER GLOBAL ID L10002913798)

Dear Mr. Eppinger:

Section 13263 of the California Water Code provides for the periodic review and revision by the Los Angeles Regional Water Quality Control Board (Regional Water Board) of waste discharge requirements (WDRs) for an existing discharge. Regional Water Board Order No. 00-070 adopted on May 25, 2000, prescribed WDRs for the Claremont Landfill (Landfill) in Claremont, California. Because WDRs for the Landfill no longer accurately reflect current conditions, we intend to revise them.

Enclosed is a copy of the tentative WDRs consisting of:

1. Board Order No. R4-2019-0XXX specifying WDRs,
2. Monitoring and Reporting Program (CI-5766), and
3. Standard Provisions Applicable to Waste Discharge Requirements

In accordance with administrative procedures, the Regional Water Board will consider the enclosed WDRs and comments received in writing, at a public hearing to be held on **July 11, 2019**, beginning at 9:00 a.m. at the City of Simi Valley Council Chambers, 2929 Tapo Canyon Drive, Simi Valley, California 93063.

In order to be fully evaluated by Regional Water Board staff and included in the Regional Water Board's agenda packet, written comments must be received by the Regional Water Board by 5:00 p.m. on **June 20, 2019**. Failure to comply with these requirements is grounds for the Regional Water Board to refuse to admit the proposed written comment or exhibit into evidence. Timely submittal of written comments is encouraged to ensure that all comments are accurately and fully included in the administrative record, that Regional Water Board staff is able to provide a timely review, and that Regional Water Board Members have sufficient time to fully consider the comments and issues raised.


Mr. Ken Eppinger
Claremont Landfill

May 20, 2019

The agenda for the meeting will be posted at the Regional Board's website at [https://www.waterboards.ca.gov/losangeles/board info/agenda/index.html](https://www.waterboards.ca.gov/losangeles/board%20info/agenda/index.html) approximately one week prior to the meeting.

If you have any questions, please contact Mr. Enrique Casas (Project Manager) at (213) 620-2299 or enrique.casas@waterboards.ca.gov, or me, at (213) 620-2253 or wen.yang@waterboards.ca.gov.

Sincerely,


Wen Yang, Ph.D., C.E.G
Senior Engineering Geologist
Land Disposal Unit

Enclosures:

1. Tentative WDRs Order No. R4-2019-0XXX
2. Tentative Monitoring and Reporting Program CI-5766
3. Standard Provisions

cc: Brianna St. Pierre, State Water Resource Control Board
(Brianna.St.Pierre@waterboards.ca.gov)
Benjamin Escotto, California Department of Resources Recycling and Recovery
(Benjamin.Escotto@calrecycle.ca.gov)
Dorcas Hanson-Lugo, County of Los Angeles Department of Public Health
(dlugo@ph.lacounty.gov)
Tony Spinrad, Arcadia Reclamation, Inc.
(tspinrad@yellowironinv.com)
Tara Schultz, City Manager, City of Claremont
(contact@ci.claremont.ca.us)
Jeannette Vagnozzi
(citymanager@ci.upland.ca.us)