

DISTRIBUTION LIST

Oscar Balaguer
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Vicki Clark, Staff Attorney
Environmental Defense Center
906 Garden Street
Santa Barbara, CA 93101

Betty Courtney
California Department of Fish and Game
Streambed Alteration Team
4949 View Ridge Avenue
San Diego, CA 92123

Jessie Altstatt
Santa Barbara Channel Keeper
714 Bond Street
Santa Barbara, CA 93103

Phuong Trinh
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Aaron Setran (WTR-8)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Dave Smith
Supervisor, Wetlands Regulatory Office (WTR-8)
US EPA, Region 9
75 Hawthorne
San Francisco, CA 94105

Diane Noda
U.S. Fish and Wildlife Service
2493 Portola Road, Suite B
Ventura, CA 93003

ATTACHMENT A

Project Information File No. 07-008

1. Applicant: Paul Yamazaki
Department of Transportation (Caltrans)
100 South Main Street
Los Angeles, CA 90012
Phone: (213) 897-1971 Fax: (213) 897-0685
2. Applicant's Agent: None
3. Project Name: 07- Ven- 150 PM 9.6 Coyote Creek Bridge
4. Project Location: West of the City of Ojai near Lake Casitas, Ventura County

<u>Longitude</u>	<u>Latitude:</u>
119.3605°	34.4121°
119.3605°	34.4120°
119.3603°	34.4122°
119.3606°	34.4121°
119.3607°	34.4122°
119.3603°	34.4120°
119.3602°	34.4121°
119.3606°	34.4123°

5. Type of Project: Bridge Widening Construction
6. Project Purpose: The proposed project (Project) will widen the Coyote Creek bridge to meet the Caltrans current highway standards for bridge widths and rails. Upgraded concrete barriers will provide a safe recovery area for errant vehicles and emergency parking.
7. Project Description: The Project will upgrade the bridge rails and widen the bridge structure of the State Route 150 Coyote Creek Overflow Bridge. Retaining walls are also proposed for purposes of roadway widening, structural safety and longevity along the highway.

ATTACHMENT A

Project Information File No. 07-008

Footings and abutments will be extended. Small amounts of earthwork and excavation at structural support sections will be conducted, as well as cast-in-place construction to widen bridge structure. Grading on slope will be performed to create access routes for staging work equipment. Retaining walls at the approaches will be constructed.

Construction will cause a permanent loss of riparian acreage of 0.012 acres of jurisdictional wetland habitat and 0.004 acres of streambed beneath the bridge. In addition, up to 0.126 acres of disturbed shoulder and low-density chaparral habitat next to the highway will be permanently affected by the widening of the shoulder, to match the bridge. For temporary equipment access and grading, up to 0.089 acres of streambed will be affected. A repair will also be made to a five feet deep scoured hole on the upstream side of the existing slope paving.

Wildlife species that have the potential to be affected by the construction project include nesting migratory birds, particularly swallows on the bridge, night roosting bats and to a lesser extent, wildlife which might use the bridge underpass to cross the road.

8. Federal Agency/Permit: U.S. Army Corps of Engineers
NWP Nos. 14 & 33 (Permit No. 2007-00112-PHT)
9. Other Required Regulatory Approvals: California Department of Fish and Game
Streambed Alteration Agreement
10. California Environmental Quality Act Compliance: On December 12, 2006 Caltrans determined the proposed project is Categorical Exempt from CEQA Pursuant to CEQA Guidelines (CATEX), Section 15061 *Review for Exemption* (b)(3) “Where it can be seen with certainty that there is no possibility that the activity in question may have a significant effect on the environment,” as long as the best management practices listed in the attached CATEX Continuation sheet are followed.
11. Receiving Water: Coyote Creek and Lake Casitas (Hydrologic Unit No. 402.20)

ATTACHMENT A

Project Information File No. 07-008

12. Designated Beneficial Uses: MUN*, GWR, REC-1, WARM, COLD, WILD, MIGR, SPWN, WET
- *Conditional beneficial use
13. Impacted Waters of the United States: Federal jurisdictional wetlands: 0.012 permanent acres (20 linear feet).
- Non-wetland waters (streambed): 0.089 temporary acres (204 linear feet) and 0.004 permanent acres (11 linear feet).
14. Dredge Volume: None
15. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- Work will be schedule to occur outside of rainy season and at times of low flow.
 - Gravel bags, hay bales, or silt fences will be implemented to create a water barrier around the work area.
 - Stationary equipment such as motors and pumps located within or adjacent to a water body shall be positioned over drip pans.
 - The exterior of vehicles and equipment that will encroach on a water body within the project shall be maintained free of loose grease, oil, fuel, and residues.
 - Heavy equipment driven in wet portions of a water body to accomplish work shall be clean of petroleum residue, and water levels shall be below gearboxes of the equipment in use, or lubricants and fuels are sealed such that inundation by water

ATTACHMENT A

Project Information File No. 07-008

shall not result in leaks.

- Equipment will not park below the high water mark unless allowed by permits.
- Hydroseeding will be implemented on temporary impact areas (i.e. access paths) as a measure to provide erosion control.
- Silt fences will be placed below the toe of slope as required, down slope of exposed soil areas, and around temporary stockpiles as required.

17. Proposed Compensatory Mitigation:

The Applicant has proposed to restore or enhance 0.036 acres of wetland habitat and 0.012 acres of vegetated streambed with in-lieu fees, and to restore 0.089 acres of vegetated streambed temporary impacts onsite.

18. Required Compensatory Mitigation:

The Applicant shall provide compensatory mitigation for impacts to jurisdictional wetland habitat (0.012 acres) at a minimum of 5:1 area replacement ratio for a total of 0.060 acres. For impacts to vegetated streambed (0.004 acres permanent and 0.089 acres temporary) the applicant shall provide mitigation at a minimum of 3:1 area replacement ratio for permanent impacts, and 1:1 for temporary impacts, for a total of 0.101 acres.

See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 07-008

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. **16**, are incorporated as additional conditions herein.

ATTACHMENT B

Conditions of Certification File No. 07-008

5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, the approved maintenance plan, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.
6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact Rodney Nelson, Land Disposal Unit, at (213) 620-6119 for further information.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.

ATTACHMENT B

Conditions of Certification File No. 07-008

12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
14. If rain is predicted after operations have begun, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
15. Sediment removal at each phase shall not go beyond the extent as defined in the application packet.
16. The grading, stabilization and re-vegetation will be phased to limit the exposed or working face such that the graded area can be stabilized within 24 hours after the first prediction of rain during the 5-day forecast or within 24 hours after final grading of the phased area.
17. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste. Sufficient time should be allowed to obtain any such permits (generally 180 days). If groundwater is encountered without the benefit of appropriate permits, the Applicant shall cease all activities in the areas where groundwater is present, file a Report of Waste Discharge to this Regional Board, and obtain any necessary permits prior to discharging waste.
18. All project activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
19. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points.

ATTACHMENT B

Conditions of Certification File No. 07-008

Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:

- pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)
- Downstream TSS shall be maintained at ambient levels
- Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%.

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

20. The Applicant shall restore the proposed **0.089 acres** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
21. The Applicant shall provide COMPENSATORY MITIGATION to offset the proposed temporal and permanent loss of waters of the United States. Table I below lists the impact by water body type, permanent and temporary impact, the impact ratio and mitigation requirements, and onsite and offsite mitigation. Actual mitigation must be greater than or equal to the required mitigation. The mitigation site shall be located within the Ventura River Watershed unless otherwise approved by this Regional Board. As an alternative, the Applicant may provide adequate funding to a third party organization for the creation, enhancement, or restoration of riparian habitat within waters of the United States/Federal jurisdictional wetlands.

ATTACHMENT B

**Conditions of Certification
File No. 07-008**

TABLE I

Jurisdictional Wetland (in Acres)				
Impact	Mitigation Ratio	Mitigation Required	Proposed Mitigation	
Permanent 0.012	5:1	0.060	In lieu fees:	0.036
Temporary	0	0	Needed to match requirement:	0.024
Total		0.060		0.060
Vegetated Streambed (in Acres)				
Impact	Mitigation Ratio	Mitigation Required	Proposed Mitigation	
Permanent 0.004	3:1	0.012	In lieu fees:	0.012
Temporary 0.089	1:1	0.089		
			Needed to match requirement:	0.089
Total		0.101		0.101

22. If The Applicant proposes funding to a third-party organization for the creation or restoration of wetlands or vegetated streambed riparian habitat within waters of the United States/Federal jurisdictional wetlands, then funding shall apply to mitigation acreage only, exclusive of administrative costs. The mitigation site shall be located within the Ventura River Watershed unless otherwise approved by the Regional Board Executive Officer. The Applicant shall submit a **Proposed Mitigation Report** which shall include:
- (a) Documentation from the third party indicating that funds have been used for mitigation acreage only, which do not include administrative costs.
 - (b) The boundary of the mitigation site shall be clearly identified on a map of suitable resolution and quality and shall also be defined by latitude and longitude.
 - (c) The type(s) of mitigation shall be described (e.g., removal of exotics and/or replanting with native species, etc.)
 - (d) Success criteria shall be established.

This information shall be submitted to the Regional Board Executive Officer for approval prior to any disturbance within waters of the United States and shall include copies of all agreements made between the Applicant and a third party organization regarding compensatory mitigation efforts.

23. All open space and mitigation areas shall be placed within a conservation easement to ensure preservation in perpetuity. Documentation of proper easement placement shall be submitted to the Regional Board within one year.

ATTACHMENT B

Conditions of Certification File No. 07-008

24. The Applicant shall submit to this Regional Board **Annual Mitigation Monitoring Reports** (Annual Reports) by **January 1st** of each year for a minimum period of **five (5) years** following this issuance of 401 Certification or until mitigation/(project) success/(completion) has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. The Annual Reports shall describe the status of other agreements (e.g., mitigation banking) or any delays in the mitigation process. At a minimum the Annual Reports shall include the following documentation and answered appropriately whether or not mitigation has been performed:
- (e) Color photo documentation of the pre- and post-project and mitigation site conditions;
 - (f) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
 - (g) The overall status of project including a detailed schedule of work;
 - (h) Copies of all permits revised as required in Additional Condition 1;
 - (i) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
 - (j) A certified Statement of “no net loss” of wetlands associated with this project;
 - (k) Discussion of any monitoring activities and exotic plant control efforts; and
 - (l) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
25. Prior to any subsequent maintenance activities within the subject drainages, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the drainage’s existing condition; (c) the area of proposed temporary impact within waters of the State; (c) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (d) any proposed compensatory mitigation. Notifications must be submitted a minimum of **three (3) weeks** prior to commencing work activities.
26. All applications, reports, or information submitted to the Regional Board shall be signed:

ATTACHMENT B

**Conditions of Certification
File No. 07-008**

- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official or other duly authorized employee.
27. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

“I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _____ day of _____ at _____.

(Signature)
(Title)”

28. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **07-008**. Submittals shall be sent to the attention of the 401 Certification Unit.
29. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
30. The project shall comply with the local regulations associated with the Regional Board’s **Municipal Stormwater Permit** issued to the Department of Transportation (Caltrans) under NPDES No. CAS000003 and Waste Discharge Requirements Order No. 99 - 06 - DWQ. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 99-08-DWQ. All

ATTACHMENT B

Conditions of Certification File No. 07-008

stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.

31. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
32. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
33. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
 - (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
 - (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.

ATTACHMENT B

Conditions of Certification

File No. 07-008

34. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.