



**PERMIT TO OPERATE**

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for the annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner  
or Operator:

BREITBURN OPERATING, LP  
515 S FLOWER ST, SUITE 4800  
LOS ANGELES, CA 90071

ID 172870

**Equipment Location:** 1450 BASTANCHURY RD, FULLERTON, CA 92835

**Equipment Description :**

CRUDE OIL/GAS/WATER SEPARATION FACILITY, EAST COYOTE FIELD, SUNNY HILLS/HDU SITES  
CONSISTING OF:

1. WASH TANK, 3,000 BBL CAPACITY, 29'-9" DIA. X 24'-0"., FIXED ROOF, VENTED TO VAPOR RECOVERY SYSTEM.
2. TWO SHIPPING TANKS, EACH 2,000 CAPACITY, 29'-9" DIA. X 16'-0" H., FIXED ROOF, VENTED TO VAPOR RECOVERY SYSTEM.
3. DRAIN TANK, 100 BBL CAPACITY, 9'-2" DIA. X 8'-0" H., FIXED ROOF, VENTED TO VAPOR RECOVERY SYSTEM.
4. FREE WATER KNOCKOUT VESSEL, 20,000 GALLON CAPACITY, VENTED TO FUEL GAS GATHERING SYSTEM.
5. CONDENSATE STORAGE VESSEL, 4,100 GALLON CAPACITY, VENTED TO FUEL GAS GATHERING SYSTEM.
6. SUM (SAND PIT), 20'-0: L. X 6'-0" W. X 8'-0" D.
7. LACT CHARGE PUMP, CENTRIFUGAL, DOUBLE MECHANICAL SEAL.
8. OIL RECYCLE PUMP, CENTRIFUGAL, DOUBLE MECHANICAL SEAL.
9. SHIPPING TANK BOTTOM RECYCLE PUMP, CENTRIFUGAL, DOUBLE MECHANICAL SEAL.
10. DRAIN TANK PUMP.
11. SUMP PUMP.
12. CONDENSATE PUMP.
13. VAPOR RECOVERY SYSTEM (SEPARATE APPLICATION).
14. FUEL GAS GATHERING SYSTEM (SEPARATE APPLICATION)

**FILE COPY**



**PERMIT TO OPERATE**

**Conditions :**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THIS FACILITY SHALL NOT BE OPERATED UNLESS THE WASH TANK, THE SHIPPING TANKS, AND THE DRAIN TANK ARE VENTED TO THE VAPOR RECOVERY SYSTEM WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
4. THIS FACILITY SHALL NOT BE OPERATED UNLESS THE FREE WATER KNOCKOUT VESSEL AND THE CONDENSATE STORAGE VESSEL ARE VENTED TO THE FUEL GAS GATHERING SYSTEM WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
5. THIS FACILITY SHALL KEEP ADEQUATE RECORDS OF LIQUIDS STORED IN THE WASH TANK SAND SHIPPING TANKS, AND THE TRUE VAPOR PRESSURE OF SUCH LIQUID TO COMPLY WITH RULE 463, SECTION (B) (4), AMENDED DECEMBER 7, 1990.
6. THE VOC CONTENT OF LIQUID ENTERING THE SAND PIT SHALL BE LESS THAN 5 MG PER LITER, AS DETERMINED BY EPA TEST METHODS 413.2 OR 418.1 AND IF NECESSARY, EPA TEST METHOD 8240. SAMPLING SHALL OCCUR AT THE INLET OF THE SUMP (SAND PIT).
7. RUPTURE DISCS SHALL BE INSTALLED FOR THE PRESSURIZED RELIEF VALVES OF THE FREE WATER KNOCK OUT VESSEL AND THE CONDENSATE TANK. ADEQUATE RECORDS SHALL BE RETAINED TO PROVE THIS INSTALLATION.
8. THIS FACILITY SHALL COMPLY WITH ALL THE REQUIREMENTS OF RULE 1173.

**FILE COPY**



**PERMIT TO OPERATE**

**NOTICE**

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

A handwritten signature in black ink that reads "Dorris M. Bailey".

By Dorris M. Bailey/MR02

9/25/2013

**FILE COPY**