

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 21865 Copley Drive, Diamond Bar, CA 91765

Page 1 Permit No. G5385

PERMIT TO CONSTRUCT/OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership. If the billing for the annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner or Operator:

ID 150203

BREITBURN OPERATING L.P. 515 S FLOWER ST, STE. 4800 LOS ANGELES, CA 90071

Equipment Location:

142 W ROSECRANS AVE, LOS ANGELES, CA 90059

Equipment Description:

CRUDE OIL PRODUCTION/SEPARATION FACILITY CONSISTING OF:

- 1. GAS SEPARATOR, 3'-6" DIA. X 12'-0" H., PRESSURE VESSEL.
- 2. WASH TANK, 15'-4 5/8" DIA. X 24'-0" H., 750 BBL, CAPACITY WITH A FIXED ROOF VENTED TO A VAPOR RECOVERY SYSTEM.
- 3. L.A.C.T. CRUDE OIL TANK NO. 10022, 21'-6" DIA. X 16'-0" H., 1,000 BBL, CAPACITY WITH A FIXED ROOF VENTED TO A VAPOR RECOVERY SYSTEM.
- 4. PRODUCED WATER TANK, 21'-6" DIA. X 8'-0" H., 500 BBL, CAPACITY WITH A FIXED RECOVERY SYSTEM.
- 5. PRODUCED WATER TANK, BAKER TYPE, 500 BBL, CAPACITY, VENTED TO A VAPOR RECOVERY SYSTEM.
- 6. SUMP PIT, 4'-0" W. X 12'-0" L. X 5'-0" H., WITH CENTRIFIGUL PUMP, PACKED GLAND WITH A 2-H.P. MOTOR.
- 7. WEMCO FLOTATION UNIT, 70 BBL CAPACITY, VENTED TO A VAPOR RECOVERY SYSTEM.
- 8. HEATER TREATER, 4'-0" DIA. X 20'-0" L., 350,000 BTU/HR, NATURAL GAS FIRED.
- 9. CIRCULATION OIL PUMP, CENTRIFUGAL, PACKED GLAND WITH A 1/2-HP MOTOR.
- 10. FREE WATER KNOCKOUT, 7'-0" DIA. X 32'-0" L., PRESSURE VESSEL.
- 11. SHIPPING PUMP, POSITIVE DISPLACEMENT, 20-H.P.
- 12. L.A.C.T. TANK BOTTOMS PUMP, CENTRIFUGAL, 10-H.P.
- 13. CRUDE OIL TRUCK LOADING RACK, BOTTOM LOADING, WITH A VAPOR RECOVERY LINE VENTED TO A VAPOR RECOVERY SYSTEM.



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 21865 Copley Drive, Diamond Bar, CA 91765

Page 2 Permit No. G5385 A/N 502399

PERMIT TO CONSTRUCT/OPERATE

Conditions:

- 1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
- 2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
- 3. THE FACILITY SHALL NOT BE OPERATED UNLESS THE REJECT/WASH TANK, LACT TANK NO. 10022, PRODUCED WATER BAKER TANK, AND WEMCO UNIT ARE ALL VENTING TO THE AIR POLLUTION CONTROL EQUIPMENT, WHICH IS IN FULL USE AND HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
- 4. THE OPERATOR SHALL MAINTAIN THE CRUDE OIL TRANSFER EQUIPMENT SUCH THAT THERE ARE NO OVERFILLS AND NO LIQUID OR VAPOR LEAKS DURING DISCONNECT OPERATION.
- 5. THE TANK TRUCK LOADING SHALL NOT BE OPERATED UNLESS IT IS VENTED ONLY TO THE VAPOR RECOVERY SYSTEM WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED A PERMIT TO OPERATE BY THE EXECUTIVE OFFICER.
- 6. TANK TRUCK LOADING OF CRUDE OIL AT THIS FACILITY SHALL NOT EXCEED 476 BARRELS IN ANY ONE DAY OR 14,478 BARRELS IN ANY ONE MONTH.
- 7. THE OPERATOR SHALL MONITOR AND RECORD THE AMOUNT OF CRUDE OIL LOADED AT THIS FACILITY.
- 8. THROUGHPUT RECORDS AND RECORDS REQUIRED BY RULE 1173 SHALL BE MAINTAINED IN A FORMAT APPROVED BY THE EXECUTIVE OFFICER. THE RECORDS SHALL BE KEPT IN A FILE FOR A MINIMUM OF TWO YEARS AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
- 9. THIS FACILITY SHALL COMPLY WITH RULES 1148.1 AND 1173.



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT 21865 Copley Drive, Diamond Bar, CA 91765

Page 3 Permit No. G5385 A/N 502399

PERMIT TO CONSTRUCT/OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Deri on Bail

By Dorris M.Bailey/MS10 12/9/2009