STORM WATER POLLUTION PREVENTION PLAN and MONITORING PROGRAM REVIEW SHEET

GENERAL INDUSTRIAL ACTIVITIES STORM WATER PERMIT WATER QUALITY ORDER NO. 97-03-DWQ

FACILITY NAME							
FACILITY CONTACT Name Title Company Street Address City, State Zip		REV					
		Nar Titl Cor Stre	e npany	'ACT			
Indication of WDID#			□ YES		□ NO		
STORM WATER POLLUTION PREVENTION P		Not Applicable	Included	Not Included	Incomplete	Comments	
Signed Certification (C.	9 and C.10)						
Pollution Prevention Team	(A.3.a)						
Existing Facility Plans	(A.3.b)						
Facility Site Map(s)							
Facility boundaries	(A.4.a)						
Drainage areas	(A.4.a)						
Direction of flow	(A.4.a)						
On-site water bodies	(A.4.a)						
Areas of soil erosion	(A.4.a)						
Nearby water bodies	(A.4.a)						
Municipal storm drain inlets	(A.4.a)						
Points of discharge	(A.4.b)						
Structural control measures	(A.4.b)						
Impervious areas	(A.4.c)						
(paved areas, buildings, covered areas, roofed ar							
Location of directly exposed materials	(A.4.d)						
Locations of significant spills and leaks	(A.4.d)						
Storage areas / Storage tanks	(A.4.e)						
Shipping and receiving areas	(A.4.e)						
Fueling areas	(A.4.e)						
Vehicle and equipment storage and maintenance Material handling / Material processing							
Waste treatment / Waste disposal	(A.4.e) (A.4.e)						
Dust generation / Particulate generation	(A.4.e)						
gonoranon / I arabaiano gonoranon	\· ··~/	ı	1	1	1		

Items in parentheses refer to specific sections of the General Permit

Reviewer _____

STORM WATER POLLUTION PREVENTION I	PLAN	Not Applicable	Included	Not Included	Incomplete	Comments
List of Significant Materials For each material listed:	(A.5)					
Storage location						
Receiving and shipping location						
Handling location						
Quantity						
Frequency						
Description of Potential Pollution Source	es(A.6)					
Industrial processes	(A.6.a.i)					
Material handling and storage areas	(A.6.a.ii)					
Dust and particulate generating activities	(A.6.a.iii)					
Significant spills and leaks	(A.6.a.iv)					
Non-storm water discharges	(A.6.a.v)					
Soil erosion	(A.6.a.vi)					
BOT COMON	(11.0.0.1)					
Assessment of Potential Pollutant Source	es(A.7)					
Areas likely to be sources of pollutants	(A.7.a.i)					
Pollutants likely to be present	(A.7.a.ii)					
Storm Water Best Management Practice	s (A.8)					
Existing BMPs						
Existing BMPs to be revised and/or implemente	d					
New BMPs to be implemented						
Non-structural BMPs	(A.8.a)	-	ı	I.		
Good housekeeping	(A.8.a.i)					
Preventative maintenance	(A.8.a.ii)					
Spill response	(A.8.a.iii)					
Material handling and storage	(A.8.a.iv)					
Employee training	(A.8.a.v)					
Waste handling / Waste recycling	(A.8.a.vi)					
Recordkeeping and internal reporting	(A.8.a.vii)					
Erosion control and site stabilization	(A.8.a.viii)					
Inspections	(A.8.a.ix)					
Quality assurance	(A.8.a.x)					
Structural BMPs	(A.8.b)		1	1		
Overhead coverage	(A.8.b.i)					
Retention ponds	(A.8.b.ii)					
Control devices	(A.8.b.iii)					
Secondary containment structures	(A.8.b.iv)					
Treatment	(A.8.b.v)					
Annual Comprehensive Site Compliance						
Review of visual observations,	(A.9.a)					
inspections, and sampling analysis						
Visual inspection of potential pollution sources	(A.9.b)					
Review and evaluation of BMPs	(A.9.c)					
Evaluation report	(A.9.d)					

	arentheses			

\mathbf{r}	leviewer		

Quarterly Non-Storm Water Discharge Visual Observations (B.3) Observations to be conducted (B.3.c) (Ian-March, April-June, July-September, October-December) (B.3.a) All drainage areas (B.3.a) Look for presence of unauthorized NSWDs (B.3.a) Observe authorized NSWDs (B.3.b) Maintain observation records (B.3.d) Storm Water Discharge Visual Observations (B.4) Once per month during wet season (B.4.a) (October 1-May 31) Observe during first hour of discharge (B.4.a) Observe stored or contained (B.4.a) Observe stored or contained (B.4.a) Observe stored or contained (B.4.c) Document discharge characteristics (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from one additional storm during wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Sample for ontained storm water (B.5.a) Sampling of contained storm water (B.5.a) Sampling of pth frest, C., CTOC or O&G (B.5.a) Sampling of pth, TSS, SC, TOC or O&G (B.5.c.i) Samplin	MONITORING PROGRAM	Not Applicable	Included	Not Included	Incomplete	Comments	
Observations to be conducted (B.3.c) (Jan-March, April-June, July-September, October-December) All drainage areas (B.3.a) (Dos for presence of unauthorized NSWDs (B.3.a) (Dos for presence of unauthorized NSWDs (B.3.b) (B.3.d) (B.3		(B.3)				•	
(Jan-March, April-June, July-September, October-December) All drainage areas (B.3.a) Observe authorized NSWDs (B.3.b) Maintain observation records (B.3.b) Maintain observation records (B.3.d) Storm Water Discharge Visual Observations (B.4) Once per month during wet season (October 1-May 31) Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) Storm water at time of discharge Preceded by three working days dry weather Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) Sampling of contained storm water (B.5.a) Sampling of contained storm water (B.5.a) Sampling preceded by at least three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)		` /					
All drainage areas (B.3.a) Look for presence of unauthorized NSWDs (B.3.a) Observe authorized NSWDs (B.3.b) Maintain observation records (B.3.d) Storm Water Discharge Visual Observations (B.4) Once per month during wet season (B.4.a) (October 1-May 31) Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Samples ollected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) Sampling of contained storm water (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)							
Observe authorized NSWDs (B.3.b) Maintain observation records (B.3.d) Storm Water Discharge Visual Observations (B.4) Once per month during wet season (B.4.a) (October 1-May 31) Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) Storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.a) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Guidelines parameters (B.6.)							
Observe authorized NSWDs (B.3.b) Maintain observation records (B.3.d) Storm Water Discharge Visual Observations (B.4) Once per month during wet season (B.4.a) (October 1-May 31) Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) Storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.a) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Guidelines parameters (B.6.)	Look for presence of unauthorized NSWDs	(B.3.a)					
Storm Water Discharge Visual Observations (B.4) Once per month during wet season (B.4.a) (October 1-May 31) Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Other analytical parameters listed in Table D (B.5.c.iii) Other analytical parameters (B.6.6)		(B.3.b)					
Once per month during wet season (B.4.a) (October 1-May 31) Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6.)	Maintain observation records	(B.3.d)					
Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	Storm Water Discharge Visual Observati	ions (B.4)					
Observe during first hour of discharge (B.4.a) All drainage areas (B.4.a) Observe stored or contained (B.4.a) storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	Once per month during wet season	(B.4.a)					
All drainage areas (B.4.a) Observe stored or contained (B.4.a) storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)							
Observe stored or contained storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)							
storm water at time of discharge Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) Sampling preceded by at least (B.5.a) Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)							
Preceded by three working days dry weather (B.4.c) Document discharge characteristics (B.4.c) Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) sampling preceded by at least (B.5.a) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)		(B.4.a)					
Sampling and Analysis Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	-	(B.4.c)					
Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	Document discharge characteristics	(B.4.c)					
Samples to be collected during first hour of discharge (B.5.a) Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	-						
Sample from first storm of the wet season (B.5.a) Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)				1	I		
Sample from one additional storm during wet season (B.5.a) Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)							
Samples collected from all discharge locations (B.5.a) Sampling of contained storm water (B.5.a) at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	-	. ,					
Sampling of contained storm water at time of discharge Sampling preceded by at least (B.5.b) three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation (B.6)							
at time of discharge Sampling preceded by at least three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities Other analytical parameters listed in Table D Storm Water Effluent Limitation Guidelines parameters (B.6)							
three working days without storm water discharges Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	at time of discharge	(B.5.a)					
Sampling for pH, TSS, SC, TOC or O&G (B.5.c.i) Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)							
Sampling for toxic chemicals and other pollutants likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	· ·						
likely present in storm water discharges in significant quantities (B.5.c.ii) Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)		, ,					
Other analytical parameters listed in Table D (B.5.c.iii) Storm Water Effluent Limitation Guidelines parameters (B.6)	ikely present in storm water discharges in signif	icant					
Storm Water Effluent Limitation Guidelines parameters (B.6)	•						
Guidelines parameters (B.6)	• •	(B.5.c.iii)					
		(P, C)					
DESCRIPTION OF SAUDITION OF SAUDITS	*						
	<u> </u>						
1 0		. ,					
Identification of analytical methods (B.10.b) and method detection limits	and method detection limits						
Retention of all records for at least five years (B.13)	Retention of all records for at least five years						
Annual Report to be submitted by July 1 each year (B.14)	•		I	1	İ		

1 1 2		` /					
Identification of analytical methods		(B.10.b)					
and method detection limits							
Retention of all records for at least f	ive years	(B.13)					
Annual Report to be submitted by Ju	(B.14)						
General Comments:							
-							
-							
_							
Items in parentheses refer to specific sections of the General Permit					Rev	iewer	