



---

## North Coast Regional Water Quality Control Board

April 29, 2021

Certified Mail 7016 0750 0001 0048 7303

Stoyan Barakov  
Skylar2019 LLC  
2850 Jefferson Lane  
Concord, CA 94519

Dear Stoyan Barakov,

**Subject: Notice of Violation and Transmittal of Inspection Report for March 23, 2021 Inspection of Humboldt County Assessor's Parcels 206-151-015**

File: Cannabis Program Inspections, Humboldt County, March 2021 Humboldt County Inspections, CIWQS Place ID 873634

This letter is to notify you of observed violations of the requirements listed below for unauthorized discharges to waters of the state from the above-referenced parcel (Property):

1. California Water Code (Water Code) Section 13260 and 13264

**Within 30 days**, please contact Regional Water Board staff to discuss your plan to correct the observed violations.

### Background

On March 23, 2021, staff from the Regional Water Board, accompanied by staff of the California Department of Fish and Wildlife (CDFW), Humboldt County Hazardous Materials, and various law enforcement personnel led by the Humboldt County Sheriff's Office, inspected the subject Property. The purpose of the inspection was to evaluate onsite development and conditions, and to identify and assess any impacts or threatened impacts to the quality and beneficial uses of waters of the state.

Attached is a copy of the water quality inspection report (Attachment B – March 23, 2021 Inspection Report). Please review the Inspection Report carefully and completely.

---

GREGORY A. GIUSTI , CHAIR | MATTHIAS ST. JOHN, EXECUTIVE OFFICER

The Inspection Report contains recommendations for correcting observed violations and advises you of the Regional Water Board permits necessary for instream work and projects/activities that result in discharges of waste to receiving waters.

### **Relevant Requirements**

During the inspection, Regional Water Board staff identified several features and conditions on the Property that represent violations of water quality requirements and regulations. Attachment A – Regulatory Citations, provides references to these, and related, requirements and regulations.

### **Observed Violations**

As documented in the March 23, 2021 Inspection Report, Regional Water Board staff observed violations Water Code sections 13260 and 13264.

### **Additional Potential Liabilities**

The Regional Water Board is in the process of considering whether the violations of the Water Code warrant further enforcement. We encourage you to take steps, to correct the violations as soon as possible, securing any applicable permits from this and other agencies prior to conducting work. Please note that the existing conditions, as observed and documented in the Inspection Report, may represent continuing violations of the Water Code.

Please note that correcting the conditions of non-compliance at the Property does not preclude enforcement for the violations alleged in this notice. As noted above, the Regional Water Board reserves its right to fully enforce the law against any violation and threatened violation by taking enforcement actions such as a cleanup and abatement order, time schedule order, administrative civil liabilities, and referral to the California Attorney General's office.

### **Directive to Obtain Regulatory Coverage Prior to Future Activities Involving or Resulting in Discharges of Waste to Waters of the State**

During the March 23, 2021, inspection, staff observed cannabis cultivation operations of sufficient size and scope to require regulatory coverage under the State Water Resources Control Board (State Water Board) Order No. WQ-2017-0023-DWQ, *General Waste Discharge Requirements and Waiver of Waste Discharge Requirements for Discharges of Waste Associated with Cannabis Cultivation Activities* (Statewide General Order).

Please be aware that, pursuant to Water Code sections 13260 and 13264, if you elect to resume/continue cannabis cultivation on the subject Property, you must either:

- 1) Enroll the property under the Statewide General Order by providing the information required in the online application process. The application can be accessed at: [https://www.waterboards.ca.gov/water\\_issues/programs/cannabis/](https://www.waterboards.ca.gov/water_issues/programs/cannabis/)

Submit the application fee within **30 days** of submitting the on-line application. Failure to submit the application fee within 30 days will result in the application being voided and authorization terminated. Payments shall be identified using the Fee Payment Application Number (found on the Notice of Receipt). All checks or money orders shall be made payable to: "State Water Resources Control Board," and shall be delivered to:

(By US Mail):

Accounting Office  
Attn: Water Quality Fees – Cannabis General Order  
P.O. Box 1888  
Sacramento, CA 95812-1888

(In person or by courier delivery):

Accounting Office  
Attn: Water Quality Fees – Cannabis General Order  
1001 I Street  
Sacramento, CA 95814-2828

OR:

- 2) File a Report of Waste Discharge in order to obtain individual Waste Discharge Requirements (WDRs) specific to your property.

Please submit the appropriate documents and payments to:

North Coast Water Board  
Attn: Diana Henriouille  
Enforcement Unit  
5550 Skylane Boulevard, Suite A  
Santa Rosa, CA 95403

Water Code section 13260 states, in relevant part:

(a) Each of the following persons shall file with the appropriate regional board a report of the discharge, containing the information which may be required by the regional board:

(1) Any person discharging waste, or proposing to discharge waste, within any region that could affect the quality of the waters of the state, other than into a community sewer system.

Water Code section 13264 states, in relevant part:

(a) No person shall initiate any new discharge of waste or make any material changes in any discharge...prior to the filing of the report required by Section 13260 and no person shall take any of these actions after filing the report but before whichever of the following occurs first:

(1) The issuance of waste discharge requirements pursuant to Section 13263.

Failure to comply with Water Code sections 13260 and 13264 may result in an administrative civil liability under Water code sections 13261 and 13265 not to exceed \$1,000 per violation for each day in which each violation occurs.

Future correspondence regarding this matter will be sent to you at this address unless an alternative address is provided to the Regional Water Board. Failure to accept mail from the Regional Water Board is not a valid excuse for non-compliance with any future enforcement orders, and a failure to respond or otherwise appear at a future enforcement proceeding could subject you to a default order and the imposition of administrative civil liability.

If you have questions about what is required of you to comply with the requirements outlined above, please contact Regional Water Board staff Adona White at [Adona.White@waterboards.ca.gov](mailto:Adona.White@waterboards.ca.gov) or by phone at (707) 576-2672 to advise as to your plan and schedule to correct the alleged violations as documented in the inspection report.

You may also contact me at [Diana.Henriouille@waterboards.ca.gov](mailto:Diana.Henriouille@waterboards.ca.gov) or by phone at (707) 576-2350. Additionally, we are available to meet with you if you wish to discuss this letter or our waste discharge regulatory programs in further detail.

Sincerely,

Diana Henriouille, P.E.  
Enforcement Unit

210429\_ACW\_er\_Skylar2019\_NOV

Attachments: Attachment A - Regulatory Citations  
Attachment B – March 23, 2021, Inspection Report

Certified Mail – Return Receipt requested

**cc:**

**North Coast Regional Water Quality Control Board**

[Northcoast.Cannabis@waterboards.ca.gov](mailto:Northcoast.Cannabis@waterboards.ca.gov)

Claudia Villacorta, [Claudia.Villacorta@waterboards.ca.gov](mailto:Claudia.Villacorta@waterboards.ca.gov)

Kason Grady, [Kason.Grady@waterboards.ca.gov](mailto:Kason.Grady@waterboards.ca.gov)

Adona White, [Adona.White@waterboards.ca.gov](mailto:Adona.White@waterboards.ca.gov)

**Department of Fish and Wildlife**

Ryan Bourque, [Ryan.Bourque@wildlife.ca.gov](mailto:Ryan.Bourque@wildlife.ca.gov)

Scott Bauer, [Scott.Bauer@wildlife.ca.gov](mailto:Scott.Bauer@wildlife.ca.gov)

Lt. Douglas Wilson, [Douglas.Willson@wildlife.ca.gov](mailto:Douglas.Willson@wildlife.ca.gov)

**Division of Water Rights**

Stormer Feiler, [Stormer.Feiler@waterboards.ca.gov](mailto:Stormer.Feiler@waterboards.ca.gov)

Taro Murano, [Taro.Murano@waterboards.ca.gov](mailto:Taro.Murano@waterboards.ca.gov)

**Humboldt County Sherriff's Office**

Conan Moore, [CMoore@co.humboldt.ca.us](mailto:CMoore@co.humboldt.ca.us)

**Humboldt County Hazardous Materials**

Maje Hoyos, [MHoyos@co.humboldt.ca.us](mailto:MHoyos@co.humboldt.ca.us)

Matthew Swoveland, [MSwoveland@co.humboldt.ca.us](mailto:MSwoveland@co.humboldt.ca.us)

Attachment A – Regulatory Citations

Regulatory Section	Citation
California Water Code Section 13260	<p>“(a) Each of the following persons shall file with the appropriate regional board a report of the discharge, containing the information that may be required by the regional board:</p> <p>(1) A person discharging waste, or proposing to discharge waste, within any region that could affect the quality of the waters of the state, other than into a community sewer system.</p> <p>(2) A person who is a citizen, domiciliary, or political agency or entity of this state discharging waste, or proposing to discharge waste, outside the boundaries of the state in a manner that could affect the quality of the waters of the state within any region.”</p>
California Water Code Section 13261(a)	<p>“A person who fails to furnish a report or pay a fee under Section 13260 when so requested by a regional board is guilty of a misdemeanor and may be liable civilly in accordance with subdivision (b).”</p>
California Water Code Section 13264 (a)	<p>“No person shall initiate any new discharge of waste or make any material changes in any discharge, or initiate a discharge to, make any material changes in a discharge to, or construct, an injection well, prior to the filing of the report required by Section 13260 and no person shall take any of these actions after filing the report but before whichever of the following occurs first:”</p>
California Water Code Section 13265(a)	<p>“Any person discharging waste in violation of Section 13264, after such violation has been called to his attention in writing by the regional board, is guilty of a misdemeanor and may be liable civilly in accordance with subdivision (b). Each day of such discharge shall constitute a separate offense.”</p>

## FACILITIES INSPECTION REPORT

Region/Office: 1	Status: Performed	Reg. Measure ID: 443011
Program Type: IRRICANNABIS	WDID:	Order Number:
Scheduled Insp. Date:	Actual Insp. Date: 03/23/2021	

### Discharger Information

Party ID: 623682	Discharger Organization Name: Skylar2019 LLC		
Address: 2851 Jefferson Lane	City, State, Zip: Concord, CA 94519		
Discharger Contact Person:	Stoyan Barakov	Discharger Contact Phone:	424-522-2448
Discharger Contact Email Address: barakov78@gmail.com			

### Facility Information

Place ID: 873634	Facility Name: Skylar2019 LLC		
Address: 1174 Cummings Creek Road	City, State, Zip: Carlotta, CA 95528		
County: Humboldt	Latitude: 40.52528	Longitude: -123.99501	Method: Map Interpolation (digital)

### Lead Inspector Information

Lead Inspector Party ID: 526285	Lead Inspector Name: Adona White		
Inspector Type:	<input checked="" type="checkbox"/> State	<input type="checkbox"/> State Contractor	<input type="checkbox"/> EPA Contractor
	<input type="checkbox"/> EPA and State (EPA Lead)	<input type="checkbox"/> EPA and State (State Lead)	<input type="checkbox"/> EPA (Regional)

## INSPECTION TYPE

Inspection Type: Complaint inspection

## VIOLATIONS

Were Violations noted during this inspection?  Yes  No

Violation ID	Violation Type	Occurrence Date	Rank	Description
1089020	Other Codes	03/23/2021	U	California Water Code Section 13260 and 13264: cannabis cultivation operations of sufficient size and scope to require regulatory coverage under Order No. WQ-2017-0023-DWQ

**INSPECTION SUMMARY (REQUIRED) (500 character limit)**

Recommendations:

1. Properly store & contain potting soil, cultivation-related waste, and chemicals, including pesticides and petroleum products to prevent spillage and potential for migration/transport into receiving waters.
2. Haul away and properly dispose of excess soil & other debris as needed to prevent discharge to waters of the state.
3. If the owner and/or tenants choose to continue to cultivate cannabis, enroll for coverage under and take steps to comply with Order No. WQ-2017.

**GENERAL NOTES (OPTIONAL) (2000 character limit)**

My inspection was associated with a criminal search warrant executed by the Humboldt County Sheriff's Office. I viewed only portions of the Property and made the following general observations:

1. Several locations of uncontained and inadequately disposed of potting soil.
2. Unpermitted indoor cannabis cultivation, powered by diesel generators.
3. Soil and refuse pushed over steep slope, above Class I watercourse.
4. Improper storage of fuels, with large volume of diesel fuel stored in large tanker trailer, and indications of drips and spills, assessed by Humboldt County Hazardous Material Unit.
5. Septic appears to have input from indoor cultivation building.
6. Well provides water.
7. No stream crossings observed.

For Internal Use (Optional)

Reviewed By:	(1)	(2)	(3)
CIWQS Entry Date:		Regional Board File Number:	CIWQS Inspection ID: