



GAVIN NEWSOM
GOVERNOR



JARED BLUMENFELD
SECRETARY FOR
ENVIRONMENTAL PROTECTION

North Coast Regional Water Quality Control Board

June 11, 2021

Certified Mail 7016 2070 0000 6486 1831

Cassady Mandzik
PO Box 534
Laytonville, CA 95454

Dear Cassady Mandzik,

**Subject: Notice of Violation and Transmittal of Inspection Report for
May 13, 2021 Inspection of Mendocino County Assessor's
Parcel Number (APN) 031-010-19-01**

**File: Cannabis Program Inspections, Mendocino County, May 2021 Inspections,
CIWQS Place ID: 874452**

This letter is to notify you of observed violations of the requirements listed below for unauthorized discharges to waters of the state from the above-referenced parcel (Property):

1. Water Quality Control Plan for the North Coast Region (Basin Plan) Section 4.2.1 at WQ3.
2. California Water Code (Water Code) sections 13260 and 13264

Within 30 days of this letter, please contact Regional Water Board staff to discuss your plan to correct the observed violations.

Background

On May 13, 2021, staff from the Regional Water Board, accompanied by staff of the California Department of Fish and Wildlife (CDFW), State Water Resources Control Board Division of Water Rights, and various law enforcement personnel, inspected the subject Property.

The purpose of the inspection was to evaluate onsite development and conditions, and to identify and assess any impacts or threatened impacts to the quality and beneficial uses of waters of the state.

GREGORY A. GIUSTI, CHAIR | MATTHIAS ST. JOHN, EXECUTIVE OFFICER

Attached is a copy of the water quality inspection report (Attachment B – May 13, 2021 Inspection Report). Please review the Inspection Report carefully and completely. The Inspection Report contains recommendations for correcting observed violations and advises you of the Regional Water Board permits necessary for instream work and projects/activities that result in discharges of waste to receiving waters.

Relevant Requirements

During the inspection, Regional Water Board staff identified several features and conditions on the Property that represent violations of water quality requirements and regulations. Attachment A – Regulatory Citations, provides references to these, and related, requirements and regulations.

Observed Violations

As documented in the May 13, 2021 Inspection Report, Regional Water Board staff observed violations of the Basin Plan Section 4.2.1 Prohibitions 1 and 2, and Water Code sections 13260 and 13264. Staff observed these violations at Property locations identified in the May 13, 2021, Inspection Report as WQ3 and WQ5.

Additional Potential Liabilities

The Regional Water Board is in the process of considering whether the violations of the Water Code, and the Basin Plan warrant further enforcement. We encourage you to take steps, to correct the violations as soon as possible, securing any applicable permits from this and other agencies prior to conducting work. Please note that the existing conditions, as observed and documented in the Inspection Report, may represent continuing violations of the Water Code and Basin Plan.

Please note that correcting the conditions of non-compliance at the Property does not preclude enforcement for the violations alleged in this notice. As noted above, the Regional Water Board reserves its right to fully enforce the law against any violation and threatened violation by taking enforcement actions such as a cleanup and abatement order, time schedule order, administrative civil liabilities, and referral to the California Attorney General's office. Administrative civil liabilities may be assessed on a daily basis in the amount up to \$5,000 for each day the violation occurs or up to \$10 per gallon, but not both pursuant to Water Code section 13350.

Directive to Obtain Regulatory Coverage Prior to Future Activities Involving or Resulting in Discharges of Waste to Waters of the State

During the May 13, 2021, inspection, staff observed cannabis cultivation operations of sufficient size and scope to require regulatory coverage under the State Water Resources Control Board (State Water Board) Order No. WQ-2017-0023-DWQ,

General Waste Discharge Requirements and Waiver of Waste Discharge Requirements for Discharges of Waste Associated with Cannabis Cultivation Activities (Statewide General Order).

Please be aware that, pursuant to Water Code sections 13260 and 13264, if you elect to resume/continue cannabis cultivation on the subject Property, you must either:

- 1) Enroll the property under the Statewide General Order by providing the information required in the online application process. The application can be accessed at: https://www.waterboards.ca.gov/water_issues/programs/cannabis/

Submit the application fee within **30 days** of submitting the on-line application. Failure to submit the application fee within 30 days will result in the application being voided and authorization terminated. Payments shall be identified using the Fee Payment Application Number (found on the Notice of Receipt). All checks or money orders shall be made payable to: "State Water Resources Control Board," and shall be delivered to:

(By US Mail):

Accounting Office
Attn: Water Quality Fees – Cannabis General Order
P.O. Box 1888
Sacramento, CA 95812-1888

(In person or by courier delivery):

Accounting Office
Attn: Water Quality Fees –Cannabis General Order
1001 I Street
Sacramento, CA 95814-2828

OR:

- 2) File a Report of Waste Discharge in order to obtain individual Waste Discharge Requirements (WDRs) specific to your property.

Please submit the appropriate documents and payments to:

North Coast Water Board
Attn: Diana Henrioule
Enforcement Unit
5550 Skylane Boulevard, Suite A
Santa Rosa, CA 95403

Water Code section 13260 states, in relevant part:

(a) Each of the following persons shall file with the appropriate regional board a report of the discharge, containing the information which may be required by the regional board:

(1) Any person discharging waste, or proposing to discharge waste, within any region that could affect the quality of the waters of the state, other than into a community sewer system.

Water Code section 13264 states, in relevant part:

(a) No person shall initiate any new discharge of waste or make any material changes in any discharge...prior to the filing of the report required by Section 13260 and no person shall take any of these actions after filing the report but before whichever of the following occurs first:

(1) The issuance of waste discharge requirements pursuant to Section 13263.

Failure to comply with Water Code sections 13260 and 13264 may result in an administrative civil liability under Water code sections 13261 and 13265 not to exceed \$1,000 per violation for each day in which each violation occurs.

Future correspondence regarding this matter will be sent to you at this address unless an alternative address is provided to the Regional Water Board. Failure to accept mail from the Regional Water Board is not a valid excuse for non-compliance with any future enforcement orders, and a failure to respond or otherwise appear at a future enforcement proceeding could subject you to a default order and the imposition of administrative civil liability.

If you have questions about what is required of you to comply with the requirements outlined above, please contact Regional Water Board staff Brian Fuller at Brian.Fuller@waterboards.ca.gov or by phone at (707) 576-2806 to advise as to your plan and schedule to correct the alleged violations as documented in the inspection report.

You may also contact me at Diana.Henrioule@waterboards.ca.gov or by phone at (707) 576-2350. Additionally, we are available to meet with you if you wish to discuss this letter or our waste discharge regulatory programs in further detail.

Sincerely,

Diana Henrioule, P.E.
Enforcement Unit

210611_BMF_er_Mandzik_NOVInsRpt

Attachments: Attachment A - Regulatory Citations
Attachment B – May 13, 2021, Inspection Report

Certified Mail – Return Receipt requested

cc: North Coast Regional Water Quality Control Board

Northcoast.Cannabis@waterboards.ca.gov

Claudia Villacorta, Claudia.Villacorta@waterboards.ca.gov

Kason Grady, Kason.Grady@waterboards.ca.gov

Brian Fuller, Brian.Fuller@waterboards.ca.gov

Department of Fish and Wildlife

Ryan Bourque, Ryan.Bourque@wildlife.ca.gov

Scott Bauer, Scott.Bauer@wildlife.ca.gov

Warden Eric Agoitia, Eric.Agoitia@wildlife.ca.gov

Division of Water Rights

Stormer Feiler, Stormer.Feiler@waterboards.ca.gov

Taro Murano, Taro.Murano@waterboards.ca.gov

Chris Baimas, Chris.Baimas@Waterboards.ca.gov

Ryan Babb, Ryan.Babb@waterboards.ca.gov

Attachment A – Regulatory Citations

Regulatory Section	Citation
Basin Plan Section 4.2.1, Prohibition 1	Prohibits “[t]he discharge of soil, silt, bark, slash, sawdust, or other organic and earthen material from any logging, construction, or associated activity of whatever nature into any stream or watercourse in the basin in quantities deleterious to fish, wildlife, or other beneficial uses.”
Basin Plan Section 4.2.1, Prohibition 2	Prohibits “[t]he placing or disposal of soil, silt, bark, slash, sawdust, or other organic and earthen material from any logging, construction, or associated activity of whatever nature at locations where such material could pass into any stream or watercourse in the basin in quantities which could be deleterious to fish, wildlife, or other beneficial uses.”
California Water Code Section 13260	<p>“(a) Each of the following persons shall file with the appropriate regional board a report of the discharge, containing the information that may be required by the regional board:</p> <p>(1) A person discharging waste, or proposing to discharge waste, within any region that could affect the quality of the waters of the state, other than into a community sewer system.</p> <p>(2) A person who is a citizen, domiciliary, or political agency or entity of this state discharging waste, or proposing to discharge waste, outside the boundaries of the state in a manner that could affect the quality of the waters of the state within any region.”</p>
California Water Code Section 13261(a)	“A person who fails to furnish a report or pay a fee under <u>Section 13260</u> when so requested by a regional board is guilty of a misdemeanor and may be liable civilly in accordance with subdivision (b).”
California Water Code Section 13264 (a)	“No person shall initiate any new discharge of waste or make any material changes in any discharge, or initiate a discharge to, make any material changes in a discharge to, or construct, an injection well, prior to the filing of the report required by Section 13260 and no person shall take any of these actions after filing the report but before whichever of the following occurs first:”
California Water Code Section 13265(a)	“Any person discharging waste in violation of <u>Section 13264</u> , after such violation has been called to his attention in writing by the regional board, is guilty of a misdemeanor and may be

Regulatory Section	Citation
	liable civilly in accordance with subdivision (b). Each day of such discharge shall constitute a separate offense.”
California Water Code Section 13350	“A person who (1) violates a cease and desist order or cleanup and abatement order hereafter issued, reissued, or amended by a regional board or the state board, or (2) in violation of a waste discharge requirement, waiver condition, certification, or other order or prohibition issued, reissued, or amended by a regional board or the state board, discharges waste, or causes or permits waste to be deposited where it is discharged, into the waters of the state, or (3) causes or permits any oil or any residuary product of petroleum to be deposited in or on any of the waters of the state, except in accordance with waste discharge requirements or other actions or provisions of this division, shall be liable civilly, and remedies may be proposed, in accordance with subdivision (d) or (e).”
Federal Clean Water Act Section 401	Section 401 (a)(1) “Any applicant for a Federal license or permit to conduct any activity including, but not limited to, the construction or operation of facilities, which may result in any discharge into the navigable waters, shall provide the licensing or permitting agency a certification from the State in which the discharge originates”
Federal Clean Water Act Section 404	Section 404(a) provides, in relevant part, “The Secretary may issue permits...for the discharge of dredged or fill material into the navigable waters...” The Code of Federal Regulations defines the term “dredged material” as material that is excavated or dredged from waters of the United States. 33 C.F.R. § 323.2(c). The term “discharge or dredged material” mean any addition of dredge material into the waters of the United States. 33 C.F.R. § 323.2(d)(1). The Code of Federal Regulations defines “fill material” as material placed in waters of the United States that has the effect of replacing any portion of a water of the United States with dry land or changing the bottom elevation of any portion of a water of the United States. 33 C.F.R. § 323.2(e)(1). The term “discharge of fill material” means the additional of fill material into waters of the United States. 33 C.F.R. § 323.2(f).

FACILITIES INSPECTION REPORT

Region/Office: 1	Status: Performed	Reg. Measure ID: 443595
Program Type: IRRICANNABIS	WDID:	Order Number:
Scheduled Insp. Date:	Actual Insp. Date: 05/13/2021	

Discharger Information

Party ID: 624905	Discharger Organization Name: Mandzik, Cassady
Address: Po Box 534	City, State, Zip: Laytonville, CA 95454
Discharger Contact Person:	Discharger Contact Phone:
Discharger Contact Email Address:	

Facility Information

Place ID 874452	Facility Name: Cassady Mandzik		
Address:	City, State, Zip: Covelo, CA 95428		
County: Mendocino	Latitude: 39.9699	Longitude: -123.47507	Method: Map Interpolation (digital)

Lead Inspector Information

Lead Inspector Party ID: 568606	Lead Inspector Name: Brian Fuller
Inspector Type:	<input checked="" type="checkbox"/> State <input type="checkbox"/> State Contractor <input type="checkbox"/> EPA Contractor <input type="checkbox"/> EPA (Regional) <input type="checkbox"/> EPA and State (EPA Lead) <input type="checkbox"/> EPA and State (State Lead)

INSPECTION TYPE

Inspection Type: Complaint inspection

VIOLATIONS

Were Violations noted during this inspection? Yes No

Violation ID	Violation Type	Occurrence Date	Rank	Description
1090958	Basin Plan Prohibition	05/13/2021	B	Water Quality Control Plan for the North Coast Region (Basin Plan) Section 4.2.1 at WQ3.
1090959	Unauthorized Discharge	05/13/2021	B	California Water Code section 13260 and 13264 for unauthorized discharge of waste at WQ5.

INSPECTION SUMMARY (REQUIRED) (500 character limit)

Recommendations:

1. Enroll in Cannabis General Order, address impacts from existing facilities & ensure future development and uses are in conformance with current regulations.
2. Engage a qualified professional to perform a forensic wetland delineation around WQ4, develop and submit a work plan to remove cultivation facilities from required setbacks & restore impacted aquatic resources.
3. Submit application for and obtain 401 WQC from Water Board before performing any instream work.

GENERAL NOTES (OPTIONAL) (2000 character limit)

My inspection was associated with a criminal search warrant and I viewed only portions of the Property. Please see the attached Map and Appendices for locations and details about features of concern to water quality.

At WQ1, I observed refuse that threatened to discharge to a watercourse. At WQ2, I observed a diesel fuel tank without secondary containment. At WQ3 I observed a road leading to a cultivation area fording a watercourse. I observed piles of plastic waste and other refuse uncontained at the edges of a cultivation area at WQ4. I observed topography and vegetation upslope from the cultivation area at WQ5 that are consistent with wetland habitat. At WQ6, I observed waste fertilizer containers uncontained near a water tank.

For Internal Use (Optional)

Reviewed By:	(1)	(2)	(3)
CIWQS Entry Date:		Regional Board File Number:	CIWQS Inspection ID:

Inspection Maps and Photolog for inspection conducted, May 13, 2021

Map and photo selection completed by Brian Fuller, PG, Engineering Geologist
Inspection Map





Figure 1: Map of Property, including inspection points of interest.

Photo Appendix:



Photo 1—Watercourse in the vicinity of WQ 1. Pooled water is visible in the watercourse and a waste plastic pot is visible in the left of the image.



Photo 2—Pile of refuse within 50 feet of watercourse pictured in previous image.



Photo 3—Diesel fuel tank without secondary containment located at WQ2



Photo 4—Watercourse fording road at WQ3.



Photo 5—Looking west where watercourse meets upslope edge of road at WQ3.



Photo 6—Watercourse upstream of road crossing at WQ3.



Photo 7—Watercourse upstream of road crossing at WQ3.



Photo 8—Runoff from overflowing tank, in back left of image, pools on road in foreground of image.



Photo 9—Runoff from previous image exiting road.



Photo 10—Large pile of refuse located at WQ4.



*Photo 11—Looking east at cultivation area constructed in suspected wetlands at WQ5. Plant genera *Juncus* and *Equisetum* are visible growing at the borders of the cultivation area.*



*Photo 12—Looking north at suspected wetlands from same location as previous image. Plant genus *Juncus* dominates the vegetation in the middle of the image.*



Photo 13—Waste fertilizer containers near water tank at WQ 6



Photo 14—Waste plastic bag formerly containing high-concentration nutrients is sitting in pooled water in the vicinity of WQ6. The pooled water runs off into suspected wetlands to the north.