

Attachment #2: Los Angeles River Trash TMDLs All Reaches

Table 6. Los Angeles River Trash TMDL: Implementation Schedule.⁴⁵
 (Required percent reductions based on initial baseline wasteload allocation of each city)

| Year | Implementation | Waste Load Allocation | Compliance Point |
|----------------|--|---|---|
| 1 Sept 2008 | Implementation: Year 1 | 60% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 60% of the baseline load |
| 2 Sept 2009 | Implementation: Year 2 | 50% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 55% of the baseline load calculated as a 2-year annual average |
| 3 Sept 2010 | Implementation: Year 3⁴⁶ | 40% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 50% of the baseline load calculated as a rolling 3-year annual average |
| 4 Sept 2011 | Implementation: Year 4 | 30% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 40% of the baseline load calculated as a rolling 3-year annual average |
| 5 Sept 2012 | Implementation: Year 5 | 20% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 30% of the baseline load calculated as a rolling 3-year annual average |
| 6 Sept 2013 | Implementation: Year 6 | 10% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 20% of the baseline load calculated as a rolling 3-year annual average |
| 7 Sept 2014 | Implementation: Year 7 | 0% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 10% of the baseline load calculated as a rolling 3-year annual average |
| 8 Sept 2015 | Implementation: Year 8 | 0% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 3.3% of the baseline load calculated as a rolling 3-year annual average |
| 9 Sept 2016 | Implementation: Year 9 | 0% of Baseline Waste Load Allocations for the Municipal permittees; and Caltrans | Compliance is 0% of the baseline load calculated as a rolling 3-year annual average |