

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Ceres, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	Oxygen MOL % 100.00%	Oxygen/ Argon MOL % 100.00%	Carbon Dioxide MOL % 91.79%	Acetone UG/M3 56.43%	Naphthalene UG/M3 46.54%	Ethanol UG/M3 23.34%	2-Butanone (Methyl Ethyl Ketone) UG/M3 22.50%	Chloroform UG/M3 15.84%	Benzene UG/M3 9.95%	Tetrachloro- ethane UG/M3 8.57%	Freon 12 UG/M3 8.60%	Toluene UG/M3 8.40%	Methane UG/M3 7.50%	Carbon Disulfide UG/M3 6.40%	Isopropanol UG/M3 5.49%
						100.00%	100.00%	91.79%	56.43%	46.54%	23.34%	22.50%	15.84%	9.95%	8.57%	8.60%	8.40%	7.50%	6.40%	5.49%
N24413SVB	24413 NEPTUNE AVE	2012-10-11	14:59	Back	20			1.2	<29	<0.61	<9.3	<14	<6	<8.9	<8.4	<6.1	<4.6	<0.0025	<15	<12
N24413SVH	24413 NEPTUNE AVE	2012-10-11	15:15	House	18			2.3	<29	<0.6	<9.1	<14	<5.9	<8.9	<8.2	<6	<4.6	<0.0024	<15	<12
N24413SVH	24413 NEPTUNE AVE	2012-10-11	15:15	House	18			2.4	<29	<0.6	<9.1	<14	<5.9	<8.9	<8.2	<6	<4.6	<0.0024	<15	<12
N24413SVF	24413 NEPTUNE AVE	2012-10-11	15:34	Front	20			0.96	100	8.4	<9.7	<15	<6.3	<4.1	<8.8	<6.4	1200	<0.0026	<16	<13
R24413SVH	24413 RAVENNA AVE	2010-07-12	09:12	House	19			1.2	18	<2.4 Q	<9.1	<13.6	<5.9	<3.8	<8.2	<6	<4.5	<0.0024	<8.8	<12
R24413SVG	24413 RAVENNA AVE	2010-07-12	09:53	Garage	20			0.086	43	<2.4 Q	11	7.2	<5.9	<3.8	<8.2	<6	<4.5	<0.0024	<8.8	<12
R24413SVB	24413 RAVENNA AVE	2010-07-17	10:38	Back	10			1.2	<11	<2.3 Q	<9.3	<14	<6	<3.9	<8.4	<6.1	<4.6	<0.0023	<14	<11
R24413SVG	24413 RAVENNA AVE	2012-09-20	14:50	Garage	19			1.7	<29	0.831, b	<9.3	<14	<6	<3.9	<8.4	<6.1	<4.6	<0.0025	<15	<12
R24413SVH	24413 RAVENNA AVE	2012-09-20	14:50	Garage	19			1.7	<29	0.831, b	<9.3	<14	<6	<3.9	<8.4	<6.1	<4.6	<0.0025	<15	<12
R24413SVH	24413 RAVENNA AVE	2012-09-20	15:06	House	15			4.9	<28	1.1, b	<8.8	<12	<5.7	<8.7	<7.5	<5.6	<4.4	<0.0023	<14	<11
R24413SVB	24413 RAVENNA AVE	2012-09-20	15:31	Back	12			9.8	34	1.1, b	11	<14	<5.6	<3.6	<7.8	<5.7	<4.3	<0.0023	<14	<11
N24413SVB	24413 NEPTUNE AVE	2011-01-21	09:15	Back A	20			<0.0023	36	<1.3	<8.8	<3.4	8	<3.7	<7.9	<5.8	<4.4	0.014	<8.6	<11
N24413SVF	24413 NEPTUNE AVE	2011-01-21	10:01	Front	20			0.042	21	<1.3	<8.6	<3.4	5.8	<3.6	<7.8	<5.7	<4.3	<0.0023	<8.6	<11
N24413SVF	24413 NEPTUNE AVE	2011-01-21	10:01	Front	20			0.036	24	2.1	<8.5	<3.4	8.4	<3.6	<7.8	<5.7	<4.3	<0.0023	<8.6	<11
N24413SVH	24413 NEPTUNE AVE	2011-01-21	11:00	House	19			0.42	71	2.1	<9.1	<10	5.2	<2.7	<5.8	<4.2	<3.1	<0.0017	<11	<8.4
N24413SVH	24413 NEPTUNE AVE	2012-07-13	15:12	House	14			4.2	<20	<5.2	<6.4	<10	<4	<2.6	<5.6	<4.4	<3.1	<0.0016	<10	<7.9
N24413SVH	24413 NEPTUNE AVE	2012-07-13	15:37	Front	20			0.55	21	<5.1	<6.2	<9.7	<4	<2.6	<5.6	<4.4	<3.1	<0.0017	<11	<8.4
P24413SVH	24413 PANAMA AVE	2010-09-13	08:57	House	17			3.7	25	2.81	<8.3	5.4	<5.4	<5.5	<7.5	<5.4	<4.1	<0.0022	<8.4	<11
P24413SVF	24413 PANAMA AVE	2010-09-13	09:32	Front	21			0.19	<11	7.51	17	<8.4	<5.6	27	<7.8	<5.7	13	<0.0025	<2.6	<11
P24413SVF	24413 PANAMA AVE	2010-09-13	09:32	Front	21			0.2	25	0.861	<17	<17	<1.7	<1.7	<1.7	2.3	<1.7	<0.15	<17	5.1
P24413SVB	24413 PANAMA AVE	2010-09-13	10:13	Back	20			0.13	31	1.61	<9.1	<3.6	<5.9	<8.9	<8.2	<6	<4.8	<0.0024	<3.8	<12
P24413SVF	24413 PANAMA AVE	2012-05-18	09:15	Front	21			0.29	<20	0.681, b	<6.2	<8.8	<4	<2.6	<5.6	<4.4	<3.1	<0.0017	<10	<8.2
P24413SVF	24413 PANAMA AVE	2012-05-18	09:56	Front	21			0.38	<20	0.611, b	<6.2	<9.7	<4	<2.6	<5.6	<4.4	<3.1	<0.0016	<10	<8.1
P24413SVH	24413 PANAMA AVE	2012-05-18	10:15	House	18			3.4	<18	0.611, b	<5.8	<9	<3.8	<2.5	<5.2	<3.8	<2.9	<0.0017	<9.5	<7.5
P24413SVB	24413 PANAMA AVE	2012-05-18	10:44	Back	21			0.74	<19	0.421, b	<5.9	<9.2	<3.8	<2.5	<5.2	<3.8	<2.9	<0.0017	<9.5	<7.5
N24413SVH	24413 NEPTUNE AVE	2010-06-16	09:13	House	21			0.17	53	<2.4	14	13	<5.8	8.9	<6	<5.9	<4.5	<0.0024	<3.8	<12
N24413SVF	24413 NEPTUNE AVE	2010-06-16	10:13	Front	20			0.16	32	<2.4	<8.9	<3.5	<5.8	<8.8	<8	<5.9	<4.5	<0.0024	<3.8	<12
N24413SVB	24413 NEPTUNE AVE	2010-06-16	11:03	Back	19			0.1	30	<2.4	10	4	<5.9	<8.9	<8.1	<6	<4.6	<0.0024	<3.8	<12
N24413SVH	24413 NEPTUNE AVE	2012-08-03	09:46	House	21			0.21	23	<3	<6.1	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
N24413SVF	24413 NEPTUNE AVE	2012-08-03	10:11	Front	20			2.2	<26	<4.2	921	<13	<5.3	<3.5	<7.4	<5.4	<4.1	<0.0017	<14	<11
N24413SVF	24413 NEPTUNE AVE	2012-08-03	10:11	Front	20			2.2	<26	<4.2	921	<13	<5.3	<3.5	<7.4	<5.4	<4.1	<0.0017	<14	<11
N24413SVB	24413 NEPTUNE AVE	2012-08-03	10:31	Back	19			2.5	<19	<4.6	<9.3	<1409	<2.5	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<0.17 U	<21 U	<21 U
N24413SVB	24413 NEPTUNE AVE	2012-08-03	10:31	Back	19			2.5	<19	<4.6	<9.3	<1409	<2.5	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<0.17 U	<21 U	<21 U
R24413SVB	24413 RAVENNA AVE	2009-09-21	15:24	Back	21			0.2	<7.4	<1.9	<5.8	<3.3	20	<2.5	<5.1	<3.8	<2.9	<0.0016	<2.4	<7.6
R24413SVF	24413 RAVENNA AVE	2009-09-21	16:49	Front	21			<0.019	<9.1	<2.4	<7.2	<2.8	20	<3.2	<6.5	<4.7	<3.8	<0.0019	<3	<8.4
R24413SVF	24413 RAVENNA AVE	2010-07-12	14:47	Front	21			0.043	18	<2.4 Q	<9.1	<3.6	18	<3.9	<8.2	<6	<4.6	<0.0024	<3.8	<12
R24413SVB	24413 RAVENNA AVE	2010-07-12	15:27	Back	21			0.37	39	<2.4 Q	15	13	6.1	<3.8	<8.2	<6	<4.5	<0.0024	<3.8	<12
R24413SVH	24413 RAVENNA AVE	2011-02-09	14:06	House A	20			0.26	<11	1.61, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.0024	<3.8	<12
R24413SVH	24413 RAVENNA AVE	2011-02-09	14:38	Front	21			0.059	<11	1.71, b	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24413 RAVENNA AVE	2011-02-09	15:19	Back	21			0.24	<11	0.551, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.0024	<3.8	<12
R24413SVF	24413 RAVENNA AVE	2012-06-15	14:37	Front	21			0.067	<19	<0.31	<5.9	<9.2	11	<2.5	<5.3	<3.9	<3	<0.0016	<9.5	<7.7
R24413SVF	24413 RAVENNA AVE	2012-06-15	14:37	Front	21			0.063	<19	<0.31	<5.9	<9.2	11	<2.5	<5.3	<3.9	<3	<0.0016	<9.5	<7.7
R24413SVB	24413 RAVENNA AVE	2012-06-15	14:54	Back	20			0.1	<20	<0.32	<6.2	<9.7	<4	<2.6	<5.6	<4.4	<3.1	<0.0016	<10	<8.1
R24413SVH	24413 RAVENNA AVE	2012-06-15	15:19	House A	20			0.9	<19	<0.32	<6.1	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
R24413SVB	24420 PANAMA AVE	2010-09-15	14:19	Back	18			1.2	<11	<1.3	10	<8.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVF	24420 PANAMA AVE	2011-02-17	13:51	Front A	21			0.35	<26	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
R24413SVB	24420 PANAMA AVE	2011-02-17	14:25	Back	20			0.34	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4			

Table B-2
Sub-Slab Soil Vapor Results
Former Xist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Oxygen	Oxygen/ Argon	Carbon Dioxide	Acetone	Napthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethylene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol				
						MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	91.79%	56.43%	46.54%	23.34%	22.50%	15.84%	9.95%	9.57%	8.60%	7.50%	6.40%	5.49%					
M24422SVF	24422 MARBELLA AVE	2010-09-15	10:20	Front	19			0.86	<11	<1.4	13	<3.5	18	<3.8	<8.1	<5.9	<4.5	<0.00053	<3.7	<13				
M24422SVF	24422 MARBELLA AVE	2010-09-15	10:20	Front	19		20.4	1.05	23	<1.4	<17	<17	14	<1.7	<1.7	2.3	<1.7	<0.16	<1.7	<13				
M24422SVH	24422 MARBELLA AVE	2010-09-15	11:34	House	20			0.29	<11	4.6, b	<8.7	<3.4	<5.8	<3.7	<7.8	<5.7	<4.3	<0.00023	<3.6	<11				
M24422SVH	24422 MARBELLA AVE	2012-07-12	10:03	House	21			0.46	<19	<3	6.1	<9.5	<3.9	<2.6	<5.5	<4	4.6	<0.00016	<10	<7.9				
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back	21			0.16	<19	<3.1	<6.2	<9.7	<4	<2.6	<3.6	<4	<3.1	<0.00016	<10	<8.1				
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back	21		21.5	0.17	<21 U	<0.87 U	<21 U	<21 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<0.17 U	<21 U	<21 U				
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front	19			1.9	<19	<3	<6	<3.3	4.5	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8				
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front	19		19.6	1.94	<20 U	<0.82 U	<20 U	<20 U	3.8	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<0.16 U	<20 U	<20 U				
M24422SVB	24422 NEPTUNE AVE	2009-09-21	11:40	Back	16			<0.026	16	<3.9	<9.9	<3.5	48	<4.2	<5.9	<6.5	<4.5	<0.00026	<4.1	<13				
M24422SVF	24422 NEPTUNE AVE	2009-09-21	12:50	Front	16			2.5	<11	<3	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00022	<3.8	<12				
M24422SVH	24422 NEPTUNE AVE	2010-07-09	09:27	House	17			0.94	<11	<2.3 U, U	<8.8	<3.4	<5.7	3.7	<7.9	<5.8	17	<0.00023	<3.6	<11				
M24422SVF	24422 NEPTUNE AVE	2010-07-09	10:12	Front	19			1.8	18	<1.4	20	<3.7	<8.2	<4	<8.5	<6.2	<4.7	<0.00025	<3.9	<12				
M24422SVB	24422 NEPTUNE AVE	2010-07-09	10:51	Back	18			0.93	21	<2.4 U, U	<9	<3.5	11	5.8	<8.1	<5.9	<4.5	<0.00031	<3.7	<12				
M24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back	21			<0.025	12	<1.4	13	<3.7	<6.2	<4	<8.5	<6.2	<4.7	<0.00025	<3.9	<12				
M24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back	21			<0.025	<12	<1.4	20	<3.7	<8.2	<4	<8.5	<6.2	<4.7	<0.00025	<3.9	<12				
M24422SVH	24422 NEPTUNE AVE	2011-01-20	15:38	House	19			0.64	15	<1.3	15	<3.4	<5.6	<3.6	<7.7	<5.6	<4.4	<0.00024	<3.6	<12				
M24422SVF	24422 NEPTUNE AVE	2011-01-20	15:58	Front	21			0.29	<11	<1.3	10	<3.5	<5.7	<3.8	<4	<8	<6.1	<0.00032	<3.5	<10				
R24422SVH	24422 RAVENNA AVE	2011-01-19	09:32	House	18			1	<15	2.1, b	<12	<4.7	<7.9	<5.1	<11	<8	<6.1	<0.00032	<3.5	<10				
R24422SVH	24422 RAVENNA AVE	2011-01-19	10:20	Back A	20			0.076	79	2.1, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
R24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front	21			<0.023	17	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11				
R24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front	21			<0.023	23	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11				
R24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A	21			0.54	<18	3.2, b	<8.8	<14	<5.7	<3.8	<8.1	<5.9	<4.4	<0.00024	<3.8	<12				
R24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A	21			0.53	<20	0.63, b	<10	<29	<12	<7.7	<16	<12	<9.1	<0.00048	<30	<24				
R24422SVH	24422 RAVENNA AVE	2012-12-20	10:11	House	19			1.7	99	0.64, b	10	<14	<5.9	<3.8	<8	<6.1	<4.4	<0.00024	<3.8	<12				
R24422SVF	24422 RAVENNA AVE	2012-12-20	10:35	Front	21			0.046	<27	<0.56	<6.5	<13	<5.6	<3.6	<7.7	<5.6	<4.4	<0.00024	<3.8	<12				
M24422SVH	24423 MARBELLA AVE	2010-06-02	13:55	House	21			0.03	26	<4	<6.5	<4.9	<5.6	<3.6	<5.9	<5.7	<4.3	<0.00023	<3.8	<12				
M24422SVB	24423 MARBELLA AVE	2010-06-02	14:35	Back	20			0.034	19	<4.2	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
M24422SVG	24423 MARBELLA AVE	2010-06-02	15:41	Garage	22			<0.024	34	<4.2	<9.1	<3.9	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
M24422SVG	24423 MARBELLA AVE	2012-06-21	10:00	Garage	22		21.6	0.047	<19	1.2, b	<6.1 PF	<8.5	<3.9	<2.6	<5.5	<4	<3	<0.00018	<10	<7.9				
M24422SVH	24423 MARBELLA AVE	2012-06-21	10:06	House	22			0.12	<18	<0.76 U	<18 U	<18 U	<18 U	3.8	2.1	<1.8 U	<0.17 U	<18 U	<3.6 U					
M24422SVB	24423 MARBELLA AVE	2012-06-21	10:52	Back	22			0.093	<19	0.54, b	<9.1	<3.9	<3.9	<2.5	250 PE	<3.8	<2.9	<0.00016	<9.6	<7.6				
M24422SVB	24423 MARBELLA AVE	2012-06-21	10:52	Back	22		21.5	<0.16 U	<17 U	<0.72 U	29	<3.7 U	<3.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<0.00022	<10	<7.9				
M24422SVH	24423 NEPTUNE AVE	2010-09-23	14:34	House	17			14	99	<15	<21	13	990	<19	<14	180	17	<0.00024	<3.8	<12				
M24422SVF	24423 NEPTUNE AVE	2010-09-23	15:18	Front	20			<0.023	99	<6.2	<9.5	<7.8	<5.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11					
M24422SVB	24423 NEPTUNE AVE	2010-09-23	16:01	Back	18			0.025	20	<6	<8.6	<3.4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11				
M24422SVH	24423 NEPTUNE AVE	2011-01-12	11:21	House	4.9			12	22	<1.8	20	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00016	<9.8	<7.9				
M24422SVH	24423 NEPTUNE AVE	2011-01-12	11:21	House	4.9			12	18	<1.8	22	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00016	<9.8	<7.9				
M24422SVF	24423 NEPTUNE AVE	2011-10-26	12:54	Front	21			0.25	48	1.1, b	<6.4	<10	<4.1	<3.9	<8.2	<6	<4.6	<0.00016	<9.8	<7.9				
M24422SVH	24423 NEPTUNE AVE	2011-10-26	13:44	House	7.6			11	27	2.8, b	12	<9.3	9.2	<4.5	<3.9	23	<3	<0.00016	<9.8	<7.9				
M24422SVH	24423 NEPTUNE AVE	2011-10-26	13:44	House	7.7			10	15	0.97, b	<6	<9.4	8.1	<2.6	<5.4	<4	<3	<0.00016	<9.8	<7.9				
M24422SVB	24423 NEPTUNE AVE	2011-10-26	14:24	Back	20			0.1	9.9	0.6, b	<6.1	<9.5	<3.9	<2.0	<5.4	<4	<3	<0.00016	<9.8	<7.9				
M24422SVH	24423 NEPTUNE AVE	2012-10-12	15:02	House	19			1.7	33	<0.59	20	<14	6.5	<3.8	<8.1	<5.9	6.5	<0.00024	<15	<10				
M24422SVB	24423 NEPTUNE AVE	2012-10-12	15:21	Back	18			0.05	<29	<0.6	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<10				
M24422SVB	24423 NEPTUNE AVE	2012-10-12	15:21	Back	18			0.058	<29	<0.6	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<10				
M24422SVF	24423 NEPTUNE AVE	2012-10-12	15:43	Front	21			0.38	<28	<0.59	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.3	<0.00024	<15	<10				
R24422SVF	24423 RAVENNA AVE	2009-09-24	09:10	Back	20			<0.023	52	3.7	<4.6	5.9	100	<3.9	<7.8	<5.7	<4.3	<0.00023	<3.6	<11				
R24422SVF	24423 RAVENNA AVE	2009-09-24	10:25	Front	20			0.53	52	<3.2	<9.5	5.4	<6.2	<4	<8.6	<6.2	<4.8	<0.00025	<3.9	<12				
R24422SVF	24423 RAVENNA AVE	2009-09-24	10:25	Front	20			0.52	50	<3.2	<9.5	5.4	<6.2	<4	<8.6	<6.2	<4.8	<0.00025	<3.9	<12				
R24422SVB	24423 RAVENNA AVE	2012-10-26	14:39	Back	19			0.72	<30	5.8, b	<9.7	<15	9.4	<4.1	<8.7	<6.4	<4.8	<0.00026	<14	<11				
R24422SVH	24423 RAVENNA AVE	2012-10-26	14:55	House	18			1.3	<28	2.6, b	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<14	<11				
R24422SVF	24423 RAVENNA AVE	2012-10-26	15:08	Front	20			0.39	<27	1.5, b	<8.7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<14	<11				

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Canyon, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection	Analyte Units		Oxygen/ Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethylene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
						Oxygen	Argon														
						MOL %	MOL %														
						100.00%	100.00%	91.79%	56.43%	46.54%	23.94%	22.50%	15.84%	9.05%	8.57%	8.60%	8.40%	7.50%	5.40%	5.49%	
M24435SVB	24426 MARBELLA AVE	2009-09-18	12:32	Back	20				0.041	45	7.43	<11	6	<7	<4.6	<4.6	<7.1	<5.4	<0.00029	5.7	<14
M24435SVF	24426 MARBELLA AVE	2009-09-21	10:04	Front	21				<0.024	<11	4.63	<9	<3.5	<5.8	<4.8	<4.1	<5.9	<4.5	<0.00024	<3.7	<12
M24435SVH	24426 MARBELLA AVE	2011-10-06	13:43	House	19				1.4	18	0.691, b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
M24435SVH	24426 MARBELLA AVE	2011-10-06	13:43	House	19				1.4	13	<0.48	<9.1	<14	<5.9	<3.9	<8.4	<6.1	<4.6	<0.00024	<15	<12
M24435SVF	24426 MARBELLA AVE	2011-10-06	14:23	Front	21				0.15	<12	<0.49	<9.3	<14	<6	<3.9	<8.4	<6	<4.6	<0.00025	<15	<12
M24435SVB	24426 MARBELLA AVE	2011-10-06	14:53	Back	21				0.27	<11	<0.46	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<14	<11
M24435SVH	24426 MARBELLA AVE	2012-02-23	14:59	House	18				2	14	1.8, b	<6.3	<9.9	<4.1	<2.7	<5.7	<4.2	<3.2	<0.00017	<10	<8.2
M24435SVF	24426 MARBELLA AVE	2012-02-23	15:36	Front	21				0.11	14	1.8, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8
M24435VFD	24426 MARBELLA AVE	2012-02-23	15:36	Front	21				0.11	11	0.47, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8
M24435SVB	24426 MARBELLA AVE	2012-02-23	16:17	Back	21				0.45	19	0.55, b	<5.7	<9	<3.7	<2.4	<3.8	<2.9	<2.9	<0.00015	<9.5	<7.5
M24435SVB	24426 NEPTUNE AVE	2009-09-17	09:22	Back	21				0.025	47	5.27	<8.7	8.6	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00015	<9.5	<7.5
M24435SVF	24426 NEPTUNE AVE	2009-09-17	10:19	Front	18				3.6	<11	<2.8	<8.4	<3.3	<5.6	<3.6	<7.6	<5.5	<4.2	<0.00023	<3.6	<11
M24435SVH	24426 NEPTUNE AVE	2010-06-25	15:03	Back	21				0.23	34	<3.3	9.6	8.6	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
M24435SVH	24426 NEPTUNE AVE	2010-06-25	16:13	House	20				0.51	210	<2.4	8.81	3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24435SVF	24426 NEPTUNE AVE	2010-07-07	10:03	Front	16				4.7	55	<1.3 O, U	<8.8	4.4	<5.7	17	<7.9	<5.8	<4.4	0.00033	<3.6	19
M24435SVF	24426 NEPTUNE AVE	2010-05-15	09:27	Front	16				4.2	44	<1.4	<9.1	3.8	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12
M24435SVH	24426 NEPTUNE AVE	2010-10-29	14:46	House	20				0.67	<11	<1.3	<8.5	<3.3	<5.5	<3.6	<7.7	<5.6	<4.2	<0.00023	6.3	<11
M24435SVB	24426 NEPTUNE AVE	2010-10-29	15:02	Back	21				0.11	16	<1.3	<8.7	<3.4	<5.6	<3.7	<7.8	<5.7	<4.4	<0.00023	19	<11
M24435SVB	24426 NEPTUNE AVE	2010-10-29	15:02	Back	21				0.1	14	<1.3	<8.7	<3.4	<5.6	<3.7	<7.8	<5.7	<4.4	<0.00023	<3.6	<11
M24435SVF	24426 NEPTUNE AVE	2010-10-29	15:31	Front	18				2.3	15	<1.3	<8.7	<3.4	<5.6	<3.7	<7.8	<5.7	<4.4	<0.00023	<3.6	<11
P24435SVB	24435 PANAMA AVE	2010-08-05	09:15	House	19				0.54	31	<6.4	<9.1	5.8	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12
P24435SVB	24435 PANAMA AVE	2010-08-05	10:08	Garage	19				0.073	37	<6	11	4.2	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
P24435SVH	24435 PANAMA AVE	2010-08-05	10:47	Back	19				0.094	43	<6.2	10	9.7	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24435SVH	24435 PANAMA AVE	2012-12-06	09:54	House	19				1.3	<29	0.67, b	12	<14	<5.9	<3.9	<8.2	<6	24	<0.00024	<15	<12
P24435SVB	24435 PANAMA AVE	2012-12-06	10:23	Garage	20				1.6	42	0.65, b	9.3	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
P24435SVB	24435 PANAMA AVE	2012-12-06	10:23	Garage	20				1.6	42	0.65, b	9.3	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
P24435SVB	24435 PANAMA AVE	2012-12-10	13:45	Back	21				0.31	<27	2.1, b	<8.6	<14	<5.8	<3.6	<7.8	<5.7	<4.3	<0.00024	<15	<12
M24435SVB	24426 PANAMA AVE	2012-12-10	13:45	Back	21				0.31	<27	2.1, b	<8.6	<14	<5.8	<3.6	<7.8	<5.7	<4.3	<0.00024	<15	<12
M24435SVH	24427 MARBELLA AVE	2010-05-26	10:10	House	21				<0.023	44	<2.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24435SVB	24427 MARBELLA AVE	2010-05-26	11:01	Back	21				<0.024	<11	<2.4	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
M24435SVH	24427 MARBELLA AVE	2010-05-26	11:42	Garage	21				<0.023	<11	<2.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24435SVB	24427 MARBELLA AVE	2012-04-06	10:19	Garage	20				0.046	181	1.3, b	<5.8	<9.2	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00024	<3.6	<11
M24435SVH	24427 MARBELLA AVE	2012-04-06	10:21	House	20				0.046	631	1.4, b	<5.7	15	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00024	<3.6	<11
M24435SVB	24427 MARBELLA AVE	2012-04-06	10:57	Back	20				0.036	631	1.4, b	<5.7	15	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00024	<3.6	<11
M24435SVH	24427 MARBELLA AVE	2012-04-06	10:57	Back	21				0.038	<18	1.6, b	191	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00024	<3.6	<11
M24435SVB	24429 NEPTUNE AVE	2010-04-30	00:00	Back	21				0.11	16	<6.3	40	5.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24435SVH	24429 NEPTUNE AVE	2010-04-30	13:27	House	21				0.046	<11	<6.2	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.7	<12
M24435SVF	24429 NEPTUNE AVE	2010-04-30	14:40	Front	21				0.09	16	<6.3	31	4.2	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
M24435SVB	24429 NEPTUNE AVE	2011-01-14	15:08	Back	21				0.78	100	<1.1	18	6.2	<4.8	<3.2	<6.7	<4.9	33	<0.0002	<3.1	35
M24435SVH	24429 NEPTUNE AVE	2011-01-14	15:34	Front	21				0.18	<11	<1.3	<8.6	<3.4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
P14430SVB	24430 PANAMA AVE	2009-10-01	09:28	Back	20				0.2	110	1.4, b	<8.8	40	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P14430SVH	24430 PANAMA AVE	2009-10-01	09:28	Back	20				0.41	39	<3.7	<11	6.1	<7.1	<4.6	<9.7	<7.1	31	<0.00029	<17	<14
P14430SVF	24430 PANAMA AVE	2009-10-01	10:54	Front	20				0.87	45	6.71	<8.6	59	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00024	<3.6	<11
P24430SVH	24430 PANAMA AVE	2010-06-14	09:42	House	20				0.29	37b	31	37	4.4, b	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.6	<11
P24430SVB	24430 PANAMA AVE	2010-06-14	10:48	Back	20				0.34	37b	<2.3	8.71	11, b	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.6	<12
P24430SVF	24430 PANAMA AVE	2010-06-14	11:46	Front	20				0.69	56b	<2.3	17	9.5, b	<5.7	5.8	14	<5.8	<4.4	<0.00023	<3.6	<11
P24430SVH	24430 PANAMA AVE	2012-11-10	15:15	Front	20				0.72	32	2.3, b	<8.4	<13	<5.5	<3.6	12	<5.5	<4.2	<0.00022	<3.4	<11
M24432SVB	24432 MARBELLA AVE	2010-11-01	09:18	House	20				1.5	120	<1.4	<8.9	11	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24432SVF	24432 MARBELLA AVE	2010-11-01	10:38	Back	20				0.75	<11	<1.4	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.7	<12
M24432SVB	24432 MARBELLA AVE	2010-11-01	10:38	Back	20				0.64	230	<1.3	9.9	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24432SVH	24432 MARBELLA AVE	2011-01-27	14:09	House	20				1.1	<11	0.58, b	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24432SVB	24432 MARBELLA AVE	2011-01-27	14:55	Back	21				0.93	<10	<0.32	<8.4	<3.3	<5.4	<3.6	<7.6	<5.5	<4.2	<0.00022	<3.5	<11

Table B-2
Sub-Slab Soil Vapor Results
Former Kwik Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection	Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloroethene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
							MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
M24432SVF	24432 MARBELLA AVE	2011-01-27	15:34	Front	21		0.85	16	0.89	1.1	4.8	4.8	4.8	4.8	8.8	4.7	4.5	41	<0.00022	<3.5	<11
M24432SVH	24432 MARBELLA AVE	2012-03-16	10:24	House	20		1.1	21	5.7	1.1	4.6	4.9	4.9	4.9	14	4.5	4.3	4.1	<0.00016	<9.8	<7.8
M24432SVF	24432 MARBELLA AVE	2012-08-16	13:04	Front	21		0.82	20	0.68	1.1	4.5	4.8	4.8	4.8	4.5	4.3	4.9	4.6	<2.7	<0.00014	<9
M24432SVB	24432 MARBELLA AVE	2012-03-16	11:08	Back	21		0.58	<18	0.71	1.1	18	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<9.5	<7.5	
M24432SVB	24432 MARBELLA AVE	2012-03-16	11:18	Back	21		0.58	<18	0.71	1.1	18	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<9.5	<7.5	
M24433SVF	24433 MARBELLA AVE	2009-09-16	18:05	Back	21		0.027	<11	<2.8	<8.5	<3.3	<5.9	5.8	<7.7	<8.6	<4.2	<0.00023	<3.5	<11		
M24433SVF	24433 MARBELLA AVE	2009-09-16	18:14	Front	21		0.15	19	3.1	<7.9	<3.1	6.7	3.4	<7.1	<3.2	<3.9	<0.00021	<3.2	<10		
M24433SVB	24433 MARBELLA AVE	2009-09-18	15:39	Back 2	21		<0.028	14	2.8	1.1	<5.5	<5.7	7.1	<3.9	150	<3.1	<4.5	<0.00024	<3.8	<12	
M24433SVH	24433 MARBELLA AVE	2011-02-14	13:51	House	21		0.09	64	<0.35	<9.1	<3.6	<5.9	<3.9	<3.9	<8.2	<6	<6.5	<0.00024	<3.8	<12	
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:11	Back 2	21		0.043	21	<0.35	<9.1	<3.6	<5.9	<3.9	<3.9	<8.2	<6	<6.5	<0.00024	<3.8	<12	
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:29	Back	21		0.045	<11	<0.35	<9.1	<3.6	<5.9	<3.9	<3.9	<8.2	<6	<6.5	<0.00024	<3.8	<12	
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:29	Back	21		0.045	<11	<0.35	<9.1	<3.6	<5.9	<3.9	<3.9	<8.2	<6	<6.5	<0.00024	<3.8	<12	
M24433SVF	24433 MARBELLA AVE	2011-02-14	14:57	Front	21		0.23	<11	<0.34	<8.9	<3.5	<5.8	<3.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12	
M24433SVF	24433 MARBELLA AVE	2012-03-02	15:00	Front	22		0.18	<20	4.6	1.1	<6.2	<9.7	<4	<2.8	<5.6	<4.1	<3.1	<0.00015	<10	<8.1	
M24433SVF	24433 MARBELLA AVE	2012-03-02	15:00	Front	22		0.17	<20	3.1	1.1	<6.2	<9.8	<4	<2.8	<5.6	<4.1	<3.1	<0.00015	<10	<8.2	
M24433SVH	24433 MARBELLA AVE	2012-03-02	15:13	House	21		0.061	26	6.5	1.1	<6.2	<9.8	<4	<2.8	<5.6	<4.1	<3.1	<0.00015	<10	<8.2	
M24433SVB	24433 MARBELLA AVE	2012-03-02	15:46	Back	22		0.045	<20	4.5	1.1	<6.2	<9.8	<4	<2.8	<5.6	<4.1	<3.1	<0.00015	<10	<8.2	
M24433SVB	24433 MARBELLA AVE	2012-03-02	15:46	Back	22		0.17	<21	3.4	1.1	<6.2	<9.8	<4	<2.8	<5.6	<4.1	<3.1	<0.00015	<10	<8.2	
M24433SVB	24433 MARBELLA AVE	2012-03-02	15:48	Back 2	21		0.17	<21	3.4	1.1	<6.2	<9.8	<4	<2.8	<5.6	<4.1	<3.1	<0.00015	<10	<8.2	
P24436SVH	24436 PANAMA AVE	2010-06-24	09:51	House	18		2.1	47	<2.4	<8.9	8.5	<5.8	7.1	<9	<8.9	<4.5	<0.00021	<3.7	<12		
P24436SVF	24436 PANAMA AVE	2010-06-24	11:55	Front	21		<0.023	69	<2.3	<8.7	5.6	<5.6	<3.7	<7.8	<5.7	<4.8	<3.9	<0.00022	<3.8	<11	
P24436SVH	24436 PANAMA AVE	2012-06-28	09:55	House A	20		0.56	80	<3	12	30	<3.9	<2.6	9.6	<4	<3	<0.00016	<10	<7.9		
P24436SVF	24436 PANAMA AVE	2012-06-28	10:03	Front	22		0.11	<10	<3	<6.1	<8.5	<3.9	<2.6	<5.5	<4	<3	<0.00022	<10	<7.9		
P24436SVF	24436 PANAMA AVE	2012-06-28	10:03	Front	21		0.31	<18 U	<0.74 U	<18 U	<18 U	<18 U	<18 U	<18 U	<18 U	2	<18 U	<0.16 U	<18 U		
P24436SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A	21		0.11	<10	<3	<6.1	<8.5	<3.9	<2.6	<5.5	<4	<3	<0.00022	<10	<7.9		
P24436SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A	21		0.11	<10	<3	<6.1	<8.5	<3.9	<2.6	<5.5	<4	<3	<0.00022	<10	<7.9		
P24436SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A	21		0.11	<10	<3	<6.1	<8.5	<3.9	<2.6	<5.5	<4	<3	<0.00022	<10	<7.9		
M24502SVH	24502 MARBELLA AVE	2010-09-20	09:49	House	19		1.1	20	1.5	1.1	16	3.4	<5.1	<3.3	<7.1	<5.2	<3.9	<0.00021	<3.2	<10	
M24502SVB	24502 MARBELLA AVE	2010-09-20	10:39	Garage	16		1.3	31	2.8	1.1	17	6	<4.5	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11	
M24502SVH	24502 MARBELLA AVE	2010-09-20	11:20	Back	19		0.78	24	1.3	1.1	24	4.3	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12	
M24502SVF	24502 MARBELLA AVE	2012-05-04	14:34	Garage	17		4	<21	1.7	1.1	<6.5	<10	11	<2.8	<5.9	<4.3	<3.3	<0.00015	<11	<8.6	
M24502SVB	24502 MARBELLA AVE	2012-05-04	14:34	Garage	17		3.9	<21	1.2	1.1	<6.6	<10	10	<2.8	<5.9	<4.3	<3.3	<0.00016	<11	<8.6	
M24502SVH	24502 MARBELLA AVE	2012-05-04	14:56	House	19		1.4	<18	1.6	1.1	<6.6	<10	<3.6	<2.4	<5	<3.7	<2.8	<0.00015	<9.3	<7.3	
M24502SVB	24502 MARBELLA AVE	2012-05-04	15:11	Back	19		1.3	<18	3.4	1.1	<6.8	<10	3.6	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6	
R24502SVH	24502 RAVENNA AVE	2010-04-22	10:30	Back	21		<0.023	29	<2.3	21	12	<5.7	9.6	13	<5.8	<4.4	<0.00021	<3.6	<11		
R24502SVF	24502 RAVENNA AVE	2010-04-22	12:16	Front	20		0.1	68	3.8	1.1	13	22	<5.9	8.7	<6.2	<4.6	<0.00021	<3.6	<11		
R24502SVH	24502 RAVENNA AVE	2010-04-22	13:38	House	21		0.15	130	2.5	1.1	30	13	<5.6	<3.6	<7.9	<5.7	<4.3	<0.00023	<3.5	<11	
R24502SVB	24502 RAVENNA AVE	2010-10-07	11:07	House	20		0.3	19	<1.3	<8.4	<3.3	7.7	<3.6	<7.6	<5.5	<4.2	<0.00022	<3.6	<11		
R24502SVH	24502 RAVENNA AVE	2010-10-07	11:58	Back	20		0.056	29	<1.3	<8.8	4.1	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
R24502SVF	24502 RAVENNA AVE	2010-10-07	12:58	Front	20		0.31	12	<1.4	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12		
R24502SVH	24502 RAVENNA AVE	2010-10-11	14:40	House	19		0.29	33	<1.3	<8.3	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00024	<3.7	<12		
R24502SVB	24502 RAVENNA AVE	2010-10-11	15:17	Back	20		0.058	18	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00024	<3.6	<11		
R24502SVH	24502 RAVENNA AVE	2010-10-11	15:24	Front	19		0.44	12	<1.4	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.3	<0.00024	<3.7	<12		
R24502SVF	24502 RAVENNA AVE	2010-10-11	15:24	Front	19		0.44	12	<1.4	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.3	<0.00024	<3.7	<12		
R24502SVH	24502 RAVENNA AVE	2012-07-26	15:07	House	21		0.23	<19	<3	<6	<9.3	7.5	<2.5	<3.4	<3.9	<3	<0.00016	<9.8	<7.8		
R24502SVB	24502 RAVENNA AVE	2012-07-26	15:20	Back	21		0.063	<19	<3	<6.1	<9.5	<3.9	<2.6	<5.6	<4	<3	<0.00016	<10	<7.9		
R24502SVH	24502 RAVENNA AVE	2012-07-26	15:51	Front	21		0.59	<19	<3.1	<8.2	<9.7	4.2	<2.6	<5.6	<4	<3.1	<0.00028	<10	<8.1		
M24503SVF	24503 MARBELLA AVE	2010-05-28	08:58	Front	21		<0.024	22	<4.1	<8.3	<3.5	<5.8	<3.8	<8	<5.9	<4.3	<0.00024	<3.7	<12		
M24503SVB	24503 MARBELLA AVE	2010-05-28	09:10	Back	21		0.05	<11	<4	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
M24503SVH	24503 MARBELLA AVE	2010-05-28	10:27	House	21		0.16	62	<4.5	<9.7	8.7	<6.3	<4.1	220	<6.4	<4.8	<0.00026	<4	<13		
M24503SVB	24503 MARBELLA AVE	2012-03-30	14:54	House	21		0.43	<19	2.9	1.1	<6	<9.3	<3.8	<2.5	100	<3.9	<3	<0.00016	<9.8	<7.8	
M24503SVF	24503 MARBELLA AVE	2012-03-30	15:12	Front	21		0.056	<19	3.5	1.1	<5.9	<6.2	<3.8	<2.5	<5.3	<3.9	<3	<0.00016	<9.8	<7.7	
M24503SVB	24503 MARBELLA AVE	2012-03-30	15:12	Front	21		0.053	33	1.4	1.1	6	<9.3	<3.8	<2.5	<5.3	<3.8	<2.9	<0.00016	<9.8	<7.8	
M24503SVH	24503 MARBELLA AVE	2012-03-30	15:40	Back	22		0.051	<18	0.72	1.1	<5.9	<6.2	<3.8	<2.5	<5.3	<3.8	<2.9	<0.00016	<9.8	<7.7	
M24503SVF	24503 NEPTUNE AVE	2010-06-18	09:48	Front	20		0.32	<11	<2.4	<9	<3.5	<5.8	4.1	<2.1	<5.9	<4.5	<0.00024	<3.7	<12		

Table B-2
Sub-Slab Soil Vapor Results
Former Kati Property
Carson, California

					Analysite Units	Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethane	Praon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
					Frequency of Detection	MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL %	UG/M3	UG/M3
Sample ID	Address	Sample Date	Sample Time	Location	100.00%	100.00%	91.79%	56.43%	46.54%	28.34%	22.50%	15.84%	9.95%	9.57%	8.60%	8.40%	7.50%	6.40%	5.49%	
N24503SVB	24503 NEPTUNE AVE	2010-05-18	10:30	Back	14			4.3	<11	<2.3	<8.8	<8.4	<5.7	<8.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24503SVH	24503 NEPTUNE AVE	2011-02-02	09:48	House A	21			<0.022	26	3.21 b	8.5	4.7	<5.4	<5.5	<5.5	21	<0.00022	<3.4	21	
N24503SVHA	24503 NEPTUNE AVE	2012-04-13	10:30	House A	22			0.062	<19	1.11 b	<6.2	<9.7	<4	<2.6	<5.9	<4	<3.1	<0.00023	<10	<8.1
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:46	Front	22			0.34	22	1.1 b	7	<9.3	<3.8	<2.9	<5.4	<3.9	161	<0.00024	<5.8	20
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:46	Front	22			0.39	<19	0.991 b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00024	<3.8	<7.8
P24503SVB	24503 PANAMA AVE	2011-04-04	14:05	Back	20			<0.026	78	0.921 b	<9.8	<15	18	<4.2	<8.8	<6.4	27	<0.00026	<18	<13
P24503SVH	24503 PANAMA AVE	2011-04-04	14:55	House	17			2.7	<12	0.471 b	<9.5	<15	<6.2	<4	23	<6.2	<4.7	<0.00025	<16	<12
P24503SVH	24503 PANAMA AVE	2011-06-04	15:31	Garage	22			0.11	<12	0.611 b	<9.8	<15	<6.4	<4.2	<8.8	<6.4	<4.9	<0.00054	<16	<13
P24503SVH	24503 PANAMA AVE	2012-08-10	14:54	House	11			7.2	<20	<5.1	<6.2	<9.8	<4	<2.6	<5.6	<4.1	<3.1	<0.00017	<10	<8.2
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back	16			3.4	57	2.21 b	170	<13	15	<5.9	<3.9	<5.8	<4.6	<0.00017	<21	<17
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back	16			3.3	<40	4.51 b	290	<10	14	<5.4	<12	<8.4	<4.3	<0.00016	<10	<8
P24503SVB	24503 PANAMA AVE	2012-08-10	15:34	Garage	20			1.1	25	<3	22	<9.6	<4	<2.6	<5.5	<4.4	<3	<0.00016	<10	<8
P24503SVH	24503 RAVENNA AVE	2010-08-09	09:13	House	19			0.88	16	<6.4	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.8	0.00032	<3.8	<12
P24503SVG	24503 RAVENNA AVE	2010-08-09	10:01	Garage	17			3.6	38	<6.2	12	11	13	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24503SVB	24503 RAVENNA AVE	2010-08-09	11:01	Back	19			0.62	22	<6.2	<8.8	5.7	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	9.5	<11
P24503SVG	24503 RAVENNA AVE	2012-11-08	14:58	Garage	15			5.2	<28	<0.55	<8.8	<14	<5.7	<3.7	19	<5.8	<4.4	<0.00023	<14	<11
P24503SVH	24503 RAVENNA AVE	2012-11-08	15:09	House	19			1.3	<28	0.61 b	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<14	<11
P24503SVH	24503 RAVENNA AVE	2012-11-08	15:53	Back	22			0.88	<29	<0.6	<9.1	<14	<5.9	<3.9	<5.8	<4.6	<4.6	<0.00024	<15	<12
M24506SVF	24506 MARBELLA AVE	2010-04-21	09:55	House	18			2.8	17	<2.3	35	9	<5.7	130	<7.9	<5.8	400	<0.00023	<3.6	<11
M24506SVF	24506 MARBELLA AVE	2010-04-21	10:11	Front	20			0.23	230	<2.4	10	19	<5.8	<3.8	<4	<5.9	<4.5	<0.00024	<3.7	<12
M24506SVB2	24506 MARBELLA AVE	2010-08-10	09:00	Back 2	19			<0.023	21	<6.1	<8.7	<3.4	<5.6	<3.7	<7.8	<5.7	<4.4	<0.00023	<3.6	<11
M24506SVH	24506 MARBELLA AVE	2011-01-26	10:01	House	17			2.5	<11	1.61 b	<8.6	<3.4	<5.6	<3.6	<7.7	<5.6	<4.3	<0.00023	<3.6	<11
M24506SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front	21			0.16	<11	1.11 b	<8.9	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24506SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front	21			0.16	<11	0.531 b	<8.9	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24506SVB2	24506 MARBELLA AVE	2011-01-26	11:26	Back 2	20			<0.023	<11	0.881 b	<8.9	<3.4	<5.7	<3.7	<7.9	<5.8	7.7	<0.00023	<3.6	<11
M24506SVF	24506 MARBELLA AVE	2012-03-15	10:29	Front	22			0.11	<33	3.11 b	<10	<16	<6	<4.4	<9.4	<6.9	<5.7	<0.00016	<17	<14
M24506SVH	24506 MARBELLA AVE	2012-03-15	10:29	Front	22			<0.16 U	<18 U	<11 U	<18 U	<18 U	<13 U	<13 U	<13 U	2.6	<18 U	<0.00016	<18 U	<13 U
M24506SVB2	24506 MARBELLA AVE	2012-03-15	11:23	Back 2	21			2.9	<19	0.711 b	<6.1	<9.5	<3.9	<3.8	<5.5	<4.4	<3	<0.00016	<10	<7.9
M24506SVB2	24506 MARBELLA AVE	2012-03-15	11:23	Back 2	21			<0.016	<32	3.81 b	<10	<16	<6.6	<4.3	<9.2	<6.7	<5.1	<0.00016	<17	<14
N24508SVH	24508 NEPTUNE AVE	2010-06-11	09:06	House	20			0.45	37	<2.2	20	10	<5.5	<3.6	<6.6	<5.9	<4.2	<0.00022	<3.5	<11
N24508SVB	24508 NEPTUNE AVE	2010-06-11	10:01	Back	20			<0.023	50	<2.3	11	7	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.5	<11
N24508SVF	24508 NEPTUNE AVE	2010-06-11	10:45	Front	20			0.063	37	<2.5	9.9	6.9	<6	<3.9	<8.4	<6.1	<4.6	<0.00025	<3.8	<12
N24508SVF	24508 NEPTUNE AVE	2011-01-28	10:23	Front	21			0.088	<11	0.741 b	<8.4	<3.3	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00022	<3.5	<11
N24508SVH	24508 NEPTUNE AVE	2011-01-28	11:08	House	20			0.45	57	0.61 b	<8.4	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24508SVH	24508 NEPTUNE AVE	2011-01-28	11:35	Back	21			0.39	<11	0.761 b	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24508SVB	24508 NEPTUNE AVE	2011-01-28	11:35	Back	21			0.438	<16	<1.4	<18	<13	<1.8	<1.8	<1.8	2.6	<1.8	<0.16	<18	<13
P24508SVF	24508 PANAMA AVE	2010-05-19	09:43	Front	21			0.71	17	<6.2	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24508SVH	24508 PANAMA AVE	2010-05-19	10:26	House	21			0.19	59	189	17	9.2	<5.8	9.9	<8	6	<4.5	<0.00024	<3.7	21
P24508SVB	24508 PANAMA AVE	2010-05-19	11:06	Back	21			0.052	34	171	9	<3.5	<5.8	3.71	<8	<5.9	<4.5	<0.00024	<3.7	<12
P24508SVH	24508 PANAMA AVE	2012-04-26	15:00	House	21			0.42	<19	2.31 b	<6.1	<9.5	<3.9	<2.6	<5.5	<4	3.4	<0.00021	<10	<7.9
P24508SVF	24508 PANAMA AVE	2012-04-26	15:07	Front	20			0.72	<19	1.81 b	<6.1	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.00021	<10	<7.9
P24508SVF	24508 PANAMA AVE	2012-04-26	15:07	Front	21			0.77	21	5.21 b	<6.1	11	<3.9	<2.6	<5.5	<4	<3	<0.00021	<10	<7.9
P24508SVB	24508 PANAMA AVE	2012-04-26	15:34	Back	21			0.44	110	1.61 b	<6	16	<3.8	<2.5	<5.4	<4.9	<3	<0.00016	<10	<7.9
M24509SVH	24509 NEPTUNE AVE	2010-05-04	13:45	House	20			0.39	21	<6.4	26	<3.6	<5.9	<3.8	<8.2	<6	<4.5	<0.00024	<3.8	<12
M24509SVF	24509 NEPTUNE AVE	2010-05-04	15:44	Front	21			0.026	31	<6.6	<9.4	<3.7	<6.1	<4	<8.5	<6.2	<4.7	<0.00025	<3.9	<12
M24509SVB2	24509 NEPTUNE AVE	2010-07-30	09:30	Back 2	20			0.88	90 b	<6.2	14	8.2	<5.7	4.4	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24509SVB25	24509 NEPTUNE AVE	2010-07-30	09:30	Back 2	20			0.805	<17	<1.3	<17	<1.7	<1.7	4.2	<1.7	2.2	<1.7	<0.16	<17	<13
M24509SVH	24509 NEPTUNE AVE	2014-07-06	10:10	House	20			0.84	19	<2.8	<5.7	<9	<3.7	<2.4	<5.2	<3.9	<2.9	<0.00015	<9.5	<7.5
M24509SVB2	24509 NEPTUNE AVE	2012-07-06	10:12	Back 2	21			0.91	21	<2.7	<8.4	<8.6	<3.5	<2.3	<4.9	<3.6	13	<0.00014	<9	<7.1
M24509SVF	24509 NEPTUNE AVE	2012-07-06	11:02	Front	21			0.46	25	<2.9	<5.8	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<9.5	<7.5
M24509SVF5	24509 NEPTUNE AVE	2012-07-06	11:02	Front	21			21.1	0.455	<17 U	<0.72 U	<17 U	<17 U	<17 U	<17 U	2.3	<17 U	<0.16 U	<17 U	<17 U
M24509SVH	24509 RAVENNA AVE	2010-06-21	10:03	House	20			0.44	27	<2.4	11	<3.5	<3.6	<3.8	<8.1	<5.9	52	<0.00024	51	<12

Table B-2
Sub-Slab Soil Vapor Results
Former K&S Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection															
						Oxygen	Oxygen/ Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethane	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol	
						MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	
R24509SVB	24509 RAVENNA AVE	2010-06-21	10:50	Back	20		0.12	54	<2.3	10	5.2	20	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
R24509SVG	24509 RAVENNA AVE	2010-10-15	12:11	Garage	20		0.78	46	<1.4	<9	11	<5.8	<3.8	10	<5.9	<4.5	<0.00024	<3.7	<12		
R24509SVG	24509 RAVENNA AVE	2012-04-12	15:49	Garage	20		0.58	54	0.771.b	<6	<6.3	<3.8	<2.5	10	<5.9	<3	<0.00026	<3.8	<7.8		
M24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	21		0.085	21	4.51.b	<9.9	<16	<6.4	<4.2	<9	<5.5	<5	0.00032	<16	<18		
M24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	21	22.1	<0.17	23	<1.1	<19	<19	<1.9	<1.9	<1.9	<1.9	<1.9	<0.17	<19	<19		
M24512SVH	24512 MARBELLA AVE	2011-04-28	09:34	House	21		0.085	<11	2.41.b	<6.1	<14	<5.9	<3.9	<6.2	<6	<4.6	<0.00025	<15	<12		
M24512SVF	24512 MARBELLA AVE	2011-04-28	10:12	Front	20		0.055	19	1.31.b	<8.6	<14	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<14	<11		
M24512SVF	24512 MARBELLA AVE	2012-01-20	05:53	Front	20	21.7	<0.19	<20	<1.2	<20	<20	2.8	<2	<2	2.8	<3	<0.19	<20	<4		
M24512SVF	24512 MARBELLA AVE	2012-01-20	11:18	Front	21		0.72	<7.2	0.921.b	<5.7	<9	<3.7	<2.4	<5.7	<3.8	<7.9	<0.00015	<6.5	<7.5		
M24512SVF	24512 MARBELLA AVE	2012-01-20	11:36	Front	21		0.72	10	0.461.b	<5.7	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<6.5	<7.5		
M24512SVF	24512 MARBELLA AVE	2012-01-20	11:36	Front	21	21.4	0.725	<17.H	<0.89.U	<17.U	<17.U	<17.U	<17.U	<17.U	<17.U	2.1	<0.15.U	<17.U	<3.4.U		
M24512SVB	24512 MARBELLA AVE	2012-01-20	12:28	Back	21		0.12	9.3	0.421.b	<6.1	<9.5	<3.5	<2.6	<5.5	<4	<3	0.00018	<10	<7.9		
P24512SVH	24512 PANAMA AVE	2010-11-08	09:27	House	20		0.99	<11	0.851.b	<8.8.U	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.8	<12		
P24512SVH	24512 PANAMA AVE	2010-11-08	10:01	Front	19		0.45	450	1.11.b	691	24	19	<3.8	<8	<5.8	<4.4	<0.00024	<3.8	<12		
P24512SVH	24512 PANAMA AVE	2010-11-08	10:01	Front	19	19.9	0.529	300	0.911	110	40	16	<2.7	<2.7	<2.7	<2.7	<0.15	<2.7	8.1		
P24512SVH	24512 PANAMA AVE	2010-11-08	10:43	Back	21		<0.025	16	1.21.b	<9.3.U	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00025	<3.8	<12		
P24512SVH	24512 PANAMA AVE	2012-11-15	15:46	Front	19		0.16	<27	2.51.b	9.2	<14	<5.6	<7.8	<5.7	<4.2	<3.2	<0.00022	<14	<11		
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:03	House	18		1.9	32	301	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:41	Back	20		<0.023	51	<6.2	<8.8	3.5	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:41	Back	20		<0.023	73	<6.2	9.9	5.8	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24513SVH	24513 NEPTUNE AVE	2010-08-05	10:21	Front	20		<0.023	73	<6.2	10	9.9	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:00	Front	20		0.88	<20	<3.1	<6.3	<9.9	<4.1	<2.7	<5.7	<4.2	<3.2	<0.00017	<10	<8.2		
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:00	Front	20		0.84	<20	<3.1	<6.3	<9.9	<4.1	<2.7	<5.7	<4.2	<3.2	<0.00017	<10	<8.2		
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:16	House	19		2.5	<45	<3.9	<7.8	<12	<5.1	<3.3	<4.7	<5.1	<3.9	<0.00016	<13	<10		
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:30	Back	19		2.7	<48	<2.9	<5.8	<9.1	<3.8	<2.3	<5.1	<3.7	<2.8	<0.00015	<13	<10		
R24513SVB	24513 RAVENNA AVE	2010-04-23	17:51	Back	20		0.66	29	<2.3	8.41	4.1	<3.6	9.3	<7.8	<5.7	<4.3	<0.00019	<3.6	<11		
R24513SVH	24513 RAVENNA AVE	2010-04-23	14:30	House	18		1.2	150	31.b	110	22	<5.7	57	<7.9	<5.8	11	<0.00023	<3.6	<11		
R24513SVF	24513 RAVENNA AVE	2010-04-23	15:45	Front	20		0.16	180	<2.3	19	5.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
R24513SVH	24513 RAVENNA AVE	2010-08-19	13:44	House	15		3.4	14	<1.4	<9	<3.5	<5.8	<3.8	<6.1	<5.9	<4.5	<0.00024	<3.7	<12		
R24513SVF	24513 RAVENNA AVE	2010-08-19	14:39	Front	20		1.3	15	<1.4	<9	4.2	<5.8	<3.8	<6.1	<5.9	<4.5	<0.00024	<3.7	<12		
R24513SVB	24513 RAVENNA AVE	2010-08-19	15:14	Back	18		1.9	25	<1.9	<8.8	8.3	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
R24513SVF	24513 RAVENNA AVE	2012-05-25	14:44	Front	21		0.88	<19	<0.31	<6	<3.4	<3.9	<2.6	<5.4	<4	<3	<0.00016	<10	<7.9		
R24513SVF	24513 RAVENNA AVE	2012-05-25	14:44	Front	21		0.88	<19	<0.31	<6	<3.4	<3.9	<2.6	<5.4	<4	<3	<0.00016	<10	<7.9		
R24513SVB	24513 RAVENNA AVE	2012-05-25	15:00	Back	20		1.4	<18	0.381.b	<5.6	<8.8	<3.7	<2.4	<5.1	<3.7	<2.8	<0.00015	<13	<10		
M24516SVH	24516 MARBELLA AVE	2010-05-27	09:16	House	18		2.3	180	141	87	14	<5.7	3.7	<7.9	<5.8	10	<0.00023	<3.6	<11		
M24516SVH	24516 MARBELLA AVE	2010-05-27	10:11	Back	19		1.4	30	<7	11	6	<5.8	9.2	<8.1	<5.9	<4.5	<0.00024	<3.7	<12		
M24516SVH	24516 MARBELLA AVE	2010-05-27	10:55	Garage	20		0.22	19	<7	<9	<3.5	<5.8	3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12		
M24516SVH	24516 MARBELLA AVE	2012-05-24	14:57	House	18		2.7	<18	1.61.b	<5.8	<9.1	<3.8	<2.9	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6		
M24516SVH	24516 MARBELLA AVE	2012-05-24	15:14	Garage	21		0.55	<18	0.711.b	<5.8	<9.1	<3.8	<2.9	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6		
M24516SVH	24516 MARBELLA AVE	2012-05-24	15:14	Garage	21		0.56	<18	0.661.b	<5.8	<9.1	<3.8	<2.9	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6		
M24516SVH	24516 MARBELLA AVE	2012-05-24	15:39	Back	19		2.3	<18	0.711.b	<5.8	<9.1	<3.8	<2.9	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6		
M24517SVH	24517 MARBELLA AVE	2009-10-06	13:40	Front	21		0.668	120	4.81	14	6.9	<5.6	<3.7	7.9	<5.7	<4.3	<0.00023	<3.6	<11		
M24517SVH	24517 MARBELLA AVE	2009-10-06	17:16	Back	21		0.028	<11	<2.9	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
M24517SVH	24517 MARBELLA AVE	2009-10-06	17:16	Back	21		0.029	<11	<2.9	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
M24517SVH	24517 MARBELLA AVE	2009-10-06	17:16	Back	21		0.024	15	0.921.b	<9.1	<3.6	<5.9	<3.9	15	<6	<4.6	<0.00024	<3.8	<12		
M24517SVH	24517 MARBELLA AVE	2011-10-11	13:46	House	22		0.08	10	<0.31	<6	<9.4	<3.9	<2.6	32	<4	<3	<0.00021	<10	<7.9		
M24517SVF	24517 MARBELLA AVE	2011-10-11	14:20	Front	20		1.1	19	<0.33	66	<5.9	<4.1	<2.7	17	<4.7	<3.2	<0.00022	<10	<8.2		
M24517SVF	24517 MARBELLA AVE	2011-10-11	14:20	Front	20		1.1	9.1	<0.33	<6.4	<10	<4.1	<2.7	17	<4.7	<3.2	<0.00022	<10	<8.2		
M24517SVB	24517 MARBELLA AVE	2011-10-11	14:57	Back	22		0.13	8.3	<0.31	<5.9	<9.7	<3.8	<2.3	66	<3.8	<2.9	<0.00022	<10	<8.2		
M24517SVB	24517 MARBELLA AVE	2011-10-11	14:57	Back	21		0.14	8.4	<0.31	<5.9	<9.7	<3.8	<2.3	66	<3.8	<2.9	<0.00022	<10	<8.2		

Table B-2
Sub-Slab Soil Vapor Results
Former K&T Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection	Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloroethene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
							MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
							100.00%	100.00%	91.79%	56.43%	46.54%	23.84%	22.50%	15.84%	9.95%	9.57%	8.60%	8.40%	7.50%	6.40%	5.49%
M24512SVB	24517 MARBELLA AVE	2012-03-23	15:02	Back	21		0.05	<18	0.05	<18	0.49 b	<3.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6
M24517SVNB	24517 MARBELLA AVE	2012-03-23	15:02	Back	21		0.054	69	0.054	69	2.91 b	5.9 b	30	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6
M24517SVF	24517 MARBELLA AVE	2012-03-23	15:16	Front	21		0.74	22	0.74	22	1.61 b	<5.8	26	<3.8	6.4	5.7	<3.8	45	<0.00016	<9.6	<7.6
R24518SVH2	24518 RAVENNA AVE	2010-04-26	14:09	House 2	20		0.47	120	0.47	120	<6.2	11	11	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00016	<9.6	<7.6
M24518SVH1	24518 RAVENNA AVE	2010-04-26	15:09	House 1	20		1.9	12	<6.4	<11	<3.6	<5.9	<3.9	<3.9	<3.7	<6	<4.6	<0.00016	<9.6	<7.6	
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front	20		0.78	13	<5.9	<8.4	<3.3	<5.4	<3.6	37	<5.5	<4.2	<0.00016	<9.6	<7.6		
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front	20		0.74	<17	<2.7	<5.4	<8.5	<3.5	<2.9	<4.9	<3.6	<2.7	<0.00016	<9.6	<7.6		
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front	20		0.79	<17	<2.7	<5.4	<8.5	<3.5	<2.9	<4.9	<3.6	<2.7	<0.00016	<9.6	<7.6		
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front	20		1.4	<19	<3	<6	<9.3	<3.8	<2.9	<4.9	<3.6	<2.7	<0.00016	<9.6	<7.6		
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front	20		2.2	26	<3.1	8.2	<9.5	<4.1	<2.7	<5.7	<3.8	<4	<5.8	<4.4	<0.00016	<9.6	<7.6
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front	20		1.8	34	<5.2	<8.8	<3.5	<5.7	<3.7	<7.9	<5.8	<4.2	<0.00016	<9.6	<7.6		
M24519SVH	24519 NEPTUNE AVE	2010-08-10	09:01	Back	19		2.7	15	<6.2	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.2	<0.00016	<9.6	<7.6		
M24519SVH	24519 NEPTUNE AVE	2010-08-10	09:59	House	18		0.8	38	<5.4	11	15	<5.9	<3.9	<3.9	<3.2	<6	<4.6	<0.00016	<9.6	<7.6	
M24519SVF	24519 NEPTUNE AVE	2010-08-10	10:47	Front	18		2	<20	<3.1	<6.3	<9.9	<4.1	<2.7	<5.7	<3.2	<6	<4.6	<0.00016	<9.6	<7.6	
M24519SVB	24519 NEPTUNE AVE	2010-08-10	10:47	Back	19		2.1	<19	<3.1	<6.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<9.6	<7.6		
M24519SVB	24519 NEPTUNE AVE	2010-08-10	10:47	Back	19		2.1	<19	<3.1	<6.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<9.6	<7.6		
M24519SVF	24519 NEPTUNE AVE	2010-08-10	10:47	Front	20		2.1	<19	<3.1	<6.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	09:04	House	21		0.23	23	<3.1	<6.3	<9.9	<4.1	<2.7	<5.7	<3.8	<4	<5.8	<4.4	<0.00016	<9.6	<7.6
M24522SVH	24522 MARBELLA AVE	2010-04-30	09:57	Back	18		1.1	26	<6.4	19	14	<5.9	<3.9	<3.9	<3.2	<6	<4.6	<0.00016	<9.6	<7.6	
M24522SVF	24522 MARBELLA AVE	2010-04-30	10:58	Front	21		0.042	47	<6.8	11	<3.5	<5.8	19	<3.1	<5.9	<3.8	<4.5	<0.00016	<9.6	<7.6	
M24522SVF	24522 MARBELLA AVE	2010-04-30	10:58	Front	21		0.04	45	<6.3	<8.9	3.7	<5.8	4.2	<3.8	<3.2	<6	<4.6	<0.00016	<9.6	<7.6	
M24522SVF	24522 MARBELLA AVE	2010-04-30	10:58	Front	21		0.91	17	<1.3	<6.7	<3.4	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	10:58	House	20		0.8	10	<1.2	<6.1	<3.2	<5.7	<3.4	<7.3	<5.3	<4	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	10:58	House	20		2	19	<1.5	14	<3.8	<6.3	<4.1	<3.8	<6.4	<4.9	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	10:58	House	20		0.53	<24	1.21 b	<7.5	<12	<4.8	<3.2	<6.7	<4.9	<3.7	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	10:58	House	20		0.98	<18	1.51 b	<3.8	<9.1	<3.8	<2.9	<4.9	<3.6	<2.7	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	11:11	Back	18		1.7	69	2.37 b	<6.4	<10	<4.2	<2.7	<5.7	<3.8	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	11:11	Back	18		1.7	<20	11 b	<6.3	<9.9	<4.1	<2.7	<5.7	<3.8	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-04-30	11:11	Back	18		1.7	11 b	<2.2	15	4.2	<5.5	<3.6	<7.7	<5.6	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:13	House	19		0.045	28 b	<2.4	12	4.7	<5.9	<3.8	<3.8	<3.2	<6	<4.5	<0.00016	<9.6	<7.6	
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	Front	20		1.4	<11	0.98 b	<8.4	<3.3	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	House	20		<0.022	58	1.41 b	<3.3	6.8	<5.4	<3.5	<7.5	<5.5	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	House	20		0.055	<11	2.3 b	<4.9	<3.5	<5.8	<3.8	<3.1	<5.9	<4.5	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	House	20		2.2	<20	1.61 b	<6.3	<9.9	<4.1	<2.7	<5.7	<3.8	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	House	20		0.042	20	1.1 b	<6.3	<9.9	<4.1	<2.7	<5.7	<3.8	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	House	20		0.04	<20	0.97 b	<6.3	<9.9	<4.1	<2.7	<5.7	<3.8	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:59	House	20		<0.027	<20	1.1 b	<6.4	<10	<4.2	<2.7	<5.7	<3.8	<4.2	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	13:28	House	11		1.8	20	<1.3	<6.6	<3.4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	14:02	Garage	20		0.026	<11	<1.4	<9	<3.5	<5.8	<3.8	<3.1	<5.9	<4.5	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	14:41	Back	19		1	<11	<1.3	<6.8	<3.4	21	<3.7	<7.9	<5.8	<4.4	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	15:00	Garage	20		0.52	<30	<0.5	<9.5	<15	<6.2	<4	<8.5	<6.2	<4.7	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	15:00	House	13		<6.6	42	0.71 b	<9.1	<14	<5.9	<3.9	<8.2	<4.6	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	15:29	Back	19		1.5	<31	1.31 b	<9.7	<19	<6.1	<3.9	<8.2	<4.6	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 RAVENNA AVE	2010-11-01	16:28	House	32		0.4	73	1.57	11	8.3	<5.9	<3.9	190	<6	<4.5	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:24	Garage	21		0.19	<11	0.41 b	<8.5	<3.3	<5.5	<3.6	9.2	<5.6	7.9	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0.37	<9.3	<3.6	<6	<3.9	<8.3	<6.1	<4.6	<0.00016	<9.6	<7.6		
M24522SVH	24522 MARBELLA AVE	2010-11-11	15:51	Back	21		<0.025	24	0												

Table B-2
Sub-Slab Soil Vapor Results
Former Kaut Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection	Oxygen	Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
							MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
N24523SVF	24523 NEPTUNE AVE	2012-04-07	15:41	Front	20		0.3		46	<2.4	10.1	20	<5.9	<3.8	<8.2	<6	<4.5	<0.00024	<3.8	<12	
N24523SVB	24523 NEPTUNE AVE	2012-04-07	16:36	Back	21		0.12		11	<2.4	<9.1	<3.8	<5.9	<3.9	<8.2	<6	<4.5	<0.00024	<3.8	<12	
N24523SVH	24523 NEPTUNE AVE	2012-10-04	09:56	House	18		2.9		<28	<0.99	<9	<14	<5.8	<3.8	<8.1	<5.5	<4.5	<0.00024	<15	<12	
N24523SVF	24523 NEPTUNE AVE	2012-10-04	10:37	Front	17		4		<25	<0.52	<8	<12	<5.2	<3.4	<7.2	<5.2	<4.4	<0.00021	<19	<10	
N24523SVB	24523 NEPTUNE AVE	2012-10-04	10:50	Back	21		0.2		27	1.71 b	<8.7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<14	<11	
N24523SVB	24523 NEPTUNE AVE	2012-10-04	10:50	Back	21		21.3		0.191	<20 U	<0.85 U	<20 U	<2 U	<2 U	<2 U	<2 U	<2 U	<0.16 U	<20 U	<20 U	
R24523SVF	24523 RAVENNA AVE	2009-11-08	10:53	Front	21		0.036		42	8.91 b, b	<8.1	6.3	<5.8	<3.4	<7.3	<5.3	<4.1	0.00052	<3.4	<11	
R24523SVF	24523 RAVENNA AVE	2009-11-08	10:58	Front	21		22		<0.11	22	1.21	13.1	4.4	3.9	0.81	<1.9	2.4	<1.9	<0.11	<1.9	
R24523SVB	24523 RAVENNA AVE	2009-11-08	12:23	Back	2.8		0.19		<1500	<69	<1200	<450	<750	6500	<1000	<760	<580	78	<480	<1500	
R24523SVB	24523 RAVENNA AVE	2009-11-08	12:23	Back	3.49		0.204		<5700	<150	<5700	<570	<570	5100	<570	<570	<570	81.9	180.1	<1100	
R24523SVB	24523 RAVENNA AVE	2009-12-03	16:11	Back	17		3.1		30	2.61 b, b	16	20	<5.8	<3.8	<7.4	<5.3	<4.4	0.0018	<3.3	<10	
R24523SVH	24523 RAVENNA AVE	2010-08-24	09:54	House	19		0.83		44	2.21 b, b	16	20	<5.8	<3.8	<7.4	<5.3	<4.4	0.0018	<3.3	<10	
R24523SVH	24523 RAVENNA AVE	2010-08-24	10:08	Front	20		0.24		43	<1.3	<8.7	7.1	6.9	<3.7	<7.8	<5.7	<4.4	<0.00023	<3.7	<12	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back	17		2.3		20	<1.4	<9	4.9	6.80	<8.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11	
R24523SVH	24523 RAVENNA AVE	2010-08-24	11:00	Back</																	

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit	Oxygen		Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethane	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
						MOL %	MOL %													
						100.00%	100.00%													
M24532 SVF	24532 MARBELLA AVE	2011-09-23	08:04	Front	19			1.3	29	0.58 U	<9	<16	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24532 SVF D	24532 MARBELLA AVE	2011-09-23	09:04	Front	19			1.3	20	<0.47	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24532 SVB	24532 MARBELLA AVE	2011-09-28	09:37	Back	21			0.24	15	<0.46	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0028	<14	<11
M24532 SVH	24532 MARBELLA AVE	2012-04-05	15:17	House	20			1.4	<19	0.92 U	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.0025	<9.8	<7.8
M24532 SVF	24532 MARBELLA AVE	2012-04-05	15:24	Front	20			0.68	<18	0.81 U	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.0027	<8.6	<7.6
M24532 SVB	24532 MARBELLA AVE	2012-04-05	15:56	Back	21			0.12	<18	0.77 U	<5.6	<8.8	<3.6	<2.4	<5	<3.7	<2.8	<0.0024	<9.3	<7.3
M24532 SVB	24532 MARBELLA AVE	2012-04-05	15:59	Back	21			0.12	<18	0.78 U	<5.6	<8.8	<3.6	<2.4	<5	<3.7	<2.8	<0.0024	<9.3	<7.3
P24532 SVG	24532 PANAMA AVE	2012-05-10	09:54	Garage	19			0.11	<19	0.76 U	<6.7	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.0016	<10	<8.1
P24532 SVG	24532 PANAMA AVE	2012-05-10	09:54	Garage	19	19.8		0.11 K	21	<0.78 U	<15 U	<19 U	<1.9 U	<1.9 U	<1.9 U	2.2	<1.9 U	<0.017 U	<19 U	6.3
P24532 SVH	24532 PANAMA AVE	2012-05-10	09:54	House	20			0.52	<19	<0.31 PF	<5	<9.5	<3.8	<2.5	<5.4	<3.9	<3	<0.0016	<9.8	<7.8
P24532 SVH	24532 PANAMA AVE	2012-05-10	10:23	Back	20			0.17	<18	<0.29 PF	<5.6	<8.8	<3.6	<2.4	<5	<3.7	<2.8	<0.0016	<9.8	<7.8
P24532 SVB	24532 PANAMA AVE	2012-05-10	10:23	Back	20			0.17	<18	<0.29 PF	<5.6	<8.8	<3.6	<2.4	<5	<3.7	<2.8	<0.0016	<9.8	<7.8
P24532 SVB	24532 PANAMA AVE	2012-05-10	10:23	Back	20		20.7	0.193	<17 U	<0.73 U	<17 U	<17 U	45	<1.7 U	<1.7 U	2.2	<1.7 U	<0.16 U	<17 U	<3.5 U
P24532 SVB	24532 RAVENNA AVE	2010-08-18	13:25	Back	20			<0.023	86	<1.3	11	7.5	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<9.8	<7.8
P24532 SVF	24532 RAVENNA AVE	2010-08-18	13:58	Front	19			0.59	<12	<1.4	<9.4	<3.7	<6.1	<4	<8.5	<6.2	<4.7	<0.0025	<3.9	<12
P24532 SVB	24532 RAVENNA AVE	2011-05-11	14:05	Back	21			0.7	<11	1.4 U	<8.9	<14	<5.8	<3.8	<8	<4.9	<4.5	<0.0024	<15	<12
P24532 SVF	24532 RAVENNA AVE	2011-05-11	15:00	Front	21			0.53	<13	2.0 U	<10	<16	<6.7	<4.4	<9.4	<8.4	<5.2	<0.0028	<17	<14
P24532 SVF	24532 RAVENNA AVE	2011-05-11	15:02	Front	21			0.52	<13	<0.39 U	<10	<16	<6.7	<4.4	<9.4	<8.4	<5.2	<0.0028	<17	<14
P24532 SVH	24532 RAVENNA AVE	2011-05-11	15:48	House	21			0.14	51	0.41 U	<20	<14	<5.6	<3.7	<7.8	<5.7	<4.4	<0.0023	<14	<13
P24532 SVH	24532 RAVENNA AVE	2011-05-11	15:48	House	21			0.14	52	0.41 U	<20	<14	<5.6	<3.7	<7.8	<5.7	<4.4	<0.0023	<14	<13
P24532 SVB	24532 RAVENNA AVE	2012-11-16	14:54	Back	20			0.55	<28	1.8 U	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<14	<11
P24532 SVF	24532 RAVENNA AVE	2012-11-16	15:37	Front	20			0.81	<29	0.95 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0024	<15	<12
P24532 SVH	24532 PANAMA AVE	2011-06-18	13:41	House	19			1.3	<11	1.7 U	<8.8	<14	<5.7	<3.8	<8	<4.9	<4.4	<0.0024	<15	<12
P24532 SVB	24532 PANAMA AVE	2011-06-18	14:10	Back A	21			0.052	32	<0.34	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	13	<0.33	<8.7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21			0.072	18	2.9 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0023	<14	<11
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:44	Front A	21		</													

Table B-2
Sub-Slab Soil Vapor Results
Former Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Frequency of Detection	Units															
						Oxygen	Oxygen/ Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethylene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol	
						MCL % 100.00%	MCL % 100.00%	MCL % 91.79%	UG/M3 56.43%	UG/M3 46.54%	UG/M3 23.34%	UG/M3 22.50%	UG/M3 15.84%	UG/M3 9.95%	UG/M3 9.57%	UG/M3 8.60%	UG/M3 8.40%	MCL % 7.50%	UG/M3 6.40%	UG/M3 5.49%	
N24602SVF	24602 NEPTUNE AVE	2012-06-29	10:34	Front	22			0.042	<20	<3.1	<6.3	<9.9	<4.1	<2.7	<5.7	<4.2	<3.2	<0.00022	<10	<8.2	
N24602SVF	24602 NEPTUNE AVE	2012-06-29	10:34	Front	21	21.5	<0.16 U	18	<0.73 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<0.16 U	<17 U	<17 U	
N24602SVB	24602 RAVENNA AVE	2012-10-05	09:57	Back	21		0.28	41	1.81 b	13	14	<5.8	<3.8	<4.5	<5.9	<4.5	<0.00024	<15	<12		
N24602SVF	24602 RAVENNA AVE	2012-10-05	09:57	Front	20		0.68	<31	51 b	<9.9	<16	<6.4	<4.2	<9	<6.6	<5	<0.00026	<16	<13		
R24602SVF	24602 RAVENNA AVE	2012-10-05	09:57	Front	20	20.9	0.899	<16 U	<1.1 U	<26 U	<26 U	<26 U	<26 U	<26 U	<26 U	<26 U	<26 U	<0.21 U	<26 U	<26 U	
N24602SVH	24602 RAVENNA AVE	2012-10-05	10:57	House	20		1.1	<29	11 b	<9.3	<14	<6	<3.9	14	<6.1	<4.6	<0.00025	<15	<12		
N24603SVB	24603 MARBELLA AVE	2009-09-24	11:29	Back	20		0.43	270	31	<30	64	65	4500	<27	<20	700	<0.00024	<12	<40		
N24603SVF	24603 MARBELLA AVE	2009-09-24	12:12	Front	21		0.2	13	<2.9	<8.8	<13.5	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24603SVH	24603 MARBELLA AVE	2010-01-15	11:50	House	20		0.61	<11	<2.2	<6.4	<8.5	<5.5	<3.6	21	<5.5	<4.2	<0.00027	<3.5	<11		
N24603SVF	24603 MARBELLA AVE	2010-01-15	11:56	Front	21		0.2	<10	<5.1	<9.9	<3.1	11	<3.4	<7.2	<5.5	<4	<0.00021	<3.3	<10		
N24603SVB	24603 MARBELLA AVE	2010-01-15	12:34	Back	19		0.92	30	<2.4	9.7	13	24	<3.8	<8.1	<3.9	<4.5	<0.00024	<3.7	<12		
N24603SVH	24603 MARBELLA AVE	2010-10-15	13:37	House	20		0.8	38	1.81 b	25	<3.4	<5.6	<3.7	14	<5.7	<4.3	<0.00023	<3.6	<11		
N24603SVH	24603 MARBELLA AVE	2010-10-15	13:37	House	20	20.8	0.886	23	<1.4	<18	<18	<1.8	<1.8	23	2	<1.8	<0.16	<18	<3.5		
N24603SVF	24603 MARBELLA AVE	2010-10-15	13:45	Front	20		0.93	35	<1.3	<8.8	<8.4	9.6	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24603SVB	24603 MARBELLA AVE	2010-10-15	14:17	Back	20		0.95	18	<1.4	<9.3	<3.6	140	<4	<8.4	<8.1	<4.7	<0.00025	<3.9	<12		
P24603SVH	24603 PANAMA AVE	2011-02-10	08:56	House	20		<0.023	64	3.9 b	<8.6	6.5	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	4.8	<11		
P24603SVF	24603 PANAMA AVE	2011-02-10	09:30	Front	16		3.8	12	2.9 b	<2.4	<3.3	5.9	<3.6	<7.8	<5.7	<4.3	<0.00023	4.8	<11		
P24603SVG	24603 PANAMA AVE	2011-02-10	10:00	Garage	21		<0.023	14	1.1 b	<8.6	<3.4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	4.8	<11		
P24603SVG	24603 PANAMA AVE	2011-02-10	10:09	Garage	21	21.7	<0.17	18	<1.4	<18	<1.8	<1.8	<1.8	<1.8	2.4	<1.8	<0.17	<18	<3.6		
P24603SVH	24603 PANAMA AVE	2012-10-19	09:43	House	18		0.64	35	<0.59 PF	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<15	<12		
P24603SVF	24603 PANAMA AVE	2012-10-19	10:08	Front	16		4.9	<29	<0.61 PF	<9.3	<14	17	<3.9	<8.2	<6	6.8	<0.00024	<15	<12		
P24603SVG	24603 PANAMA AVE	2012-10-19	10:16	Garage	19		1.8	<29	<0.5 PF	<9.1	<14	17	<3.9	<8.2	<6	6.8	<0.00024	<15	<12		
P24603SVH	24603 PANAMA AVE	2012-10-19	10:16	Garage	20		2	11	<2.8	<9.5	<3.3	<5.5	<3.6	<7.7	<5.6	<4.2	<0.00023	<3.5	<11		
R24603SVF	24603 RAVENNA AVE	2009-09-19	11:36	Front	21		0.14	96	<3.3	<9.9	4.8	<6.4	<3.5	<7.5	<5.5	57	<0.00027	<14	<19		
R24603SVH	24603 RAVENNA AVE	2011-02-24	09:26	House	21		0.13	210	4.81 b	12	40	<5.4	<3.5	<7.5	<5.5	57	<0.00027	<14	<19		
R24603SVF	24603 RAVENNA AVE	2011-02-24	10:10	Front	21		0.53	18	0.581 b	<8.8	<14	<5.7	<3.8	<8	<5.8	17	<0.00024	<15	<12		
R24603SVB	24603 RAVENNA AVE	2011-02-24	11:07	Back	20		1.6	<11	<0.33	<7.7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<14	<11		
N24603SVB	24603 RAVENNA AVE	2011-02-24	11:07	Back	20	20.6	1.63	<15	<0.89	<15	<15	<1.5	<1.5	<1.5	2	1.6	<0.14	<15	<3.1		
B24603SVH	24603 RAVENNA AVE	2012-06-01	15:30	House	21		0.24	20	0.811 b	<6	<9.4	<3.9	<2.6	<5.4	<4	<3	<0.00016	<10	<7.9		
R24603SVB	24603 RAVENNA AVE	2012-06-01	15:51	Back	17		4.5	<19	0.551 b	<6.1	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.00016	<10	<7.9		
R24603SVH	24603 RAVENNA AVE	2012-06-01	15:51	Back	17		4.7	<19	0.531 b	<6.1	<9.6	<4	<2.6	<5.5	<4	<3.1	<0.00016	<10	<8		
B24603SVF	24603 RAVENNA AVE	2012-06-01	16:24	Front	20		1.4	28	0.941 b	<5.9	<9.2	<3.8	<2.5	<5.8	<3.9	<3	<0.00016	<9.8	<7.7		
R24603SVF	24603 RAVENNA AVE	2012-06-01	16:24	Front	20		1.4	<19	0.731 b	<3.9	<9.2	<3.8	<2.5	<5.8	<3.9	<3	<0.00016	<9.8	<7.7		
M24606SVF	24606 MARBELLA AVE	2010-04-20	15:41	Front	12		2.7	38	3.81 b	<8.8	6.6	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	7	<11		
M24606SVH	24606 MARBELLA AVE	2010-04-20	16:40	House	19		1.4	16	<2.3	<6.7	4	<5.6	<3.7	<7.8	<5.7	<4.4	<0.00023	<3.6	<11		
M24606SVF	24606 MARBELLA AVE	2012-01-13	12:28	Front	18		3.2	15	0.761 b	12	<9.1	<8.8	<2.5	<5.7	<3.8	14	<0.00016	<9.6	<7.9		
M24606SVH	24606 MARBELLA AVE	2012-01-13	12:38	Front	17	18.1	3.36	<17 U	<0.09 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	2.5	<0.16 U	<17 U	<3.4 U		
M24606SVH	24606 MARBELLA AVE	2012-01-13	13:17	House	17		3.4	21	0.701 b	<6.1	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.00016	<10	<7.9		
M24606SVH	24606 MARBELLA AVE	2012-01-13	13:17	House	17	18	3.56	<18 U	<1 U	<18 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.4	<0.16 U	<18 U	<3.4 U		
M24606SVH	24606 MARBELLA AVE	2012-01-13	13:54	Back	20		1	27	0.381 b	<6	<9.3	<3.8	<2.5	<5.8	<3.9	<3	<0.00016	<9.8	<7.8		
M24606SVH	24606 MARBELLA AVE	2012-01-13	13:54	Back	20	20.1	1.09	<18 U	<1 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.2	<0.16 U	<18 U	<3.4 U			
M24606SVH	24606 MARBELLA AVE	2012-01-13	13:54	Back	20		3.4	93	<6.1	<19 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.5	<0.16 U	<18 U	<3.4 U		
N24608SVB	24608 NEPTUNE AVE	2010-04-29	15:18	Front	12		8.4	83	<6.1	<19 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.5	<0.16 U	<18 U	<3.4 U		
N24608SVB	24608 NEPTUNE AVE	2010-04-29	16:18	Back	19		1.6	190	<6.2	<17 U	5.8	52	53	<7.9	<5.8	31	<0.00023	6	<11		
N24608SVH	24608 NEPTUNE AVE	2010-07-09	13:17	House	20		0.4	21	<2.3 Q.U.	<6.8	8.6	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24608SVH	24608 NEPTUNE AVE	2010-09-08	13:44	House	20		0.58	16	1.71	<8.8	<8.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24608SVF	24608 NEPTUNE AVE	2010-09-08	14:15	Front	8.4		11	18	<1.4	11	<3.6	<6	<3.9	<8.3	<6	<4.6	<0.00024	<3.8	<12		
N24608SVH	24608 NEPTUNE AVE	2010-09-08	15:06	Back	19		1.7	11	<1.3	<8.8	<8.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11		
N24608SVH	24608 NEPTUNE AVE	2012-05-18	14:50	House	21		0.56	<18	0.771 b	<5.9	<9.2	<3.8	<2.5	<5.8	<3.9	<3	<0.00016	<9.7	<7.7		
N24608SVF	24608 NEPTUNE AVE	2012-05-18	15:04	Front	12		7.9	<20	0.571 b	<6.2	<9.8	<4	<2.6	<5.6	<4.1	<3.1	<0.00017	<10	<8.2		
N24608SVF	24608 NEPTUNE AVE	2012-05-18	15:04	Front	12		7.7	<20	0.641 b	<6.3	<9.9	<4.1	<2.7	<5.7	<4.2	<3.2	<0.00017	<10	<8.2		

Table B-2
Sub-Slab Soil Vapor Results
Form: K&E Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Oxygen	Oxygen/ Argon	Carbon Dioxide	Acetone	Napthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethylene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
						MOL % 100.00%	MOL % 100.00%	MOL % 91.79%	UG/M3 56.43%	UG/M3 46.54%	UG/M3 23.94%	UG/M3 22.50%	UG/M3 15.84%	UG/M3 9.95%	UG/M3 9.57%	UG/M3 8.60%	UG/M3 8.80%	MOL % 7.50%	UG/M3 6.40%	UG/M3 5.49%
N24608SVB	24608 NEPTUNE AVE	2012-03-18	15:22	Back	19			1.6	<19	0.44 b	<6.1		19	<2.6	<5.5	<4	<3	<6.00016	<10	<8
P24608SVB	24608 PANAMA AVE	2010-08-12	14:47	Back	19			2.6	60 b	10 j	11 b	<3.4	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.9	<11	
P24608SVF	24608 PANAMA AVE	2010-08-12	15:23	Front	19			1.6	92 b	<6.3	8.8 b	6.5	42	9.6	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
P24608SVB	24608 PANAMA AVE	2012-04-06	15:43	Back	19			1.9	<18	2.2 b	<5.8	<9.1	120	<2.5	<5.2	<8.8	<2.9	9.00079	<5.6	<7.6
P24608SVB	24608 PANAMA AVE	2012-04-06	15:43	Back	19			1.9	<18	4.2 b	<5.8	<9.1	110	<2.5	<5.2	<3.8	3.7	0.0008	<5.6	<7.6
P24608SVF	24608 PANAMA AVE	2012-04-06	16:26	Front	17			3.4	<18	2.6 b	<5.7	<9	110	<2.4	98	<3.8	<2.9	<0.00024	<9.5	<7.5
P24608SVHA	24608 PANAMA AVE	2012-04-27	11:38	House A	19			1.1	<19	1.1 b	<5.9	<9.2	1100	<2.5	<5.3	<3.9	<3	0.0031	<9.8	<7.7
P24608SVB	24608 RAVENNA AVE	2010-04-08	11:15	Back	18			3.7	27	<2.3	12 j	4.8	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00024	<3.6	<11
P24608SVF	24608 RAVENNA AVE	2010-04-08	12:14	Front	20			0.17	46	<2.4	13 j	8.7	<5.7	<3.8	<8.1	<5.9	<4.5	<0.00023	<3.6	<11
P24608SVG	24608 RAVENNA AVE	2010-08-04	13:23	Garage	19			1.7	22	<6.2	<8.8	<3.4	<5.7	21	<7.9	<4.2	<3.7	<0.00023	<10	<8.2
P24608SVG	24608 RAVENNA AVE	2012-05-17	15:13	Garage	21			0.81	<20	<0.33 PF	<6.3	<8.9	<4.1	<2.7	<5.7	<4.1	3.3	<0.00022	<10	<8.1
P24608SVG	24608 RAVENNA AVE	2012-05-17	15:13	Garage	20			0.8	<20	0.46 b	<6.2	<9.7	<4	<2.6	<5.6	<4.1	3.3	<0.00022	<10	<8.1
P24608SVB	24608 RAVENNA AVE	2012-05-17	15:25	Back	19			2	<19	<0.31 PF	<5.9	<9.2	5.4	<2.5	<5.3	<3.9	<3	0.00035	<9.8	<7.7
P24608SVF	24608 RAVENNA AVE	2012-05-17	16:01	Front	20			0.63	<19	<0.31 PF	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00021	<9.8	<7.8
N24608SVH	24608 NEPTUNE AVE	2010-04-28	14:09	House	17			4	<11	<2.4	<8.9	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
N24608SVF	24608 NEPTUNE AVE	2010-04-28	15:06	Front	21			<0.024	12	<2.4	30	<3.6	<5.9	<3.8	<8.2	<6	<4.5	<0.00024	<3.8	<12
N24608SVF	24608 NEPTUNE AVE	2010-04-28	15:06	Front	21	21.9		<0.16	24	0.71 j	77	<3.7	<1.7	<1.7	<1.7	2.2	<1.7	<0.16	<17	<8.5
N24608SVF	24608 NEPTUNE AVE	2010-04-28	15:06	Front	21			<0.024	32	<2.3	12	<3.5	6.4	4.9	<8	<5.8	<4.4	<0.00024	<3.6	39
N24608SVF	24608 NEPTUNE AVE	2010-08-20	13:45	Front	20			0.71	17	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24608SVH	24608 NEPTUNE AVE	2010-08-20	14:03	House	14			5.6	28	<1.4	<9.3	5.1	<6	<3.9	<8.4	<6.1	<4.6	<0.00025	<3.8	<12
N24608SVB	24608 NEPTUNE AVE	2010-08-20	14:30	Back	21			0.35	38	<1.3	<8.6	4.9	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	6.7	<11
N24608SVH	24608 NEPTUNE AVE	2010-12-10	15:19	House	10			4.9	<11	1.6 b	<8.7	<3.4	<5.6	5.2	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
N24608SVB	24608 NEPTUNE AVE	2010-12-10	15:42	Back	21			0.23	<10	1.4 b	<8.3	<3.2	<5.4	<3.5	<7.5	<5.5	<4.2	<0.00022	<3.4	<11
N24608SVB	24608 NEPTUNE AVE	2010-12-10	15:42	Back	21			0.23	<10	0.97 b	<8.3	<3.2	<5.4	<3.5	<7.5	<5.5	<4.2	<0.00022	<3.4	<11
N24608SVF	24608 NEPTUNE AVE	2010-12-10	15:52	Front	21			0.51	<11	1.9 b	<8.4	<3.3	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00022	<3.3	<11
P24608SVH	24608 PANAMA AVE	2010-04-30	13:27	House	20			0.55	33	<6.2	54	8.8	<5.7	<3.7	89	<5.8	<4.4	<0.00023	6	13
P24608SVF	24608 PANAMA AVE	2010-04-30	14:30	Front	21			0.045	36	6.4 j	32	4.9	29	<3.7	<7.9	<5.8	10	<0.00023	6	13
P24608SVB	24608 PANAMA AVE	2010-04-30	15:33	Back	20			1.3	15	30	20	<3.6	8.3	5.7	<8.2	<6	<4.6	<0.00024	<3.8	<12
P24608SVF	24608 PANAMA AVE	2010-10-25	09:26	House	18			2.6	<12	<1.4	<9.2	<3.6	<6	<3.9	<8.3	<6	<4.6	<0.00024	<3.8	<12
P24608SVF	24608 PANAMA AVE	2010-10-25	10:11	Front	21			0.48	12	<1.1	19	<2.9	<4.8	<3.2	<6.7	<4.9	6.1	<0.0002	<3.1	<9.8
P24608SVB	24608 PANAMA AVE	2010-10-25	10:56	Back	19			2.2	16	<1.4	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
P24608SVB	24608 PANAMA AVE	2010-10-25	10:56	Back	20	19.1		2.41	21	<1.6	<20	2.9	<2	<2	<2	<2	<2	<0.19	<20	<4.1
P24608SVF	24608 PANAMA AVE	2011-02-18	10:08	Front	20			0.22	<11	5.2 b	<8.4	<3.3	<5.5	<3.6	<7.9	<5.5	<4.2	<0.00022	<3.5	<11
P24608SVF	24608 PANAMA AVE	2011-02-18	10:08	Front	20	22.1		0.344	<17	<1.3	<17	<1.7	<1.7	<1.7	<1.7	3.2	<1.7	<0.15	<17	<3.4
P24608SVH	24608 PANAMA AVE	2011-02-18	10:31	House	21			1.3	<11	<0.32	<8.4	<3.3	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00022	<3.5	<11
P24608SVB	24608 PANAMA AVE	2011-02-18	11:28	Back	19			1.9	<12	0.44 b	<9.2	<3.6	<6	<3.9	<8.3	<6	<4.6	<0.00024	<3.5	<12
R24608SVH	24608 RAVENNA AVE	2010-11-09	09:25	House	20			0.2	18	1.2 b	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00023	<3.6	<12
R24608SVG	24608 RAVENNA AVE	2010-11-09	09:59	Garage	21			0.22	26	1.2 b	18	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
R24608SVB	24608 RAVENNA AVE	2010-11-09	10:31	Back	21			0.031	<10	2.3 b	<8.4	<3.3	<5.4	<3.6	<7.6	<5.5	<4.2	<0.00022	5.2	<11
R24608SVH	24608 RAVENNA AVE	2012-09-21	15:01	House	20			0.39	<29	0.8 b	14	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00021	<13	<12
R24608SVG	24608 RAVENNA AVE	2012-09-21	15:02	Garage	19			1.4	<31	0.92 b	<9.9	<10	<6.4	<4.2	<9	<6.5	<5	<0.00026	<16	<13
R24608SVB	24608 RAVENNA AVE	2012-09-21	15:34	Back	20			0.43	34	0.75 b	12	<13	<5.5	<3.6	<7.8	<5.7	<4.3	<0.00022	<14	14
M24612SVH	24612 MARBELLA AVE	2010-08-13	09:15	House	19			0.2	29	<6	26	<3.4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
M24612SVB	24612 MARBELLA AVE	2010-08-13	10:03	Back	20			0.093	38	<6.2	<8.8	11	32	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24612SVG	24612 MARBELLA AVE	2010-08-13	10:48	Garage	18			1.3	21	<6.3	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
M24612SVH	24612 MARBELLA AVE	2012-05-10	14:35	House	20			0.79	<18	<0.3 PF	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6
M24612SVG	24612 MARBELLA AVE	2012-05-10	14:53	Garage	19			2.4	<19	<0.31 PF	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8
M24612SVG	24612 MARBELLA AVE	2012-05-10	14:53	Garage	19			2.3	<19	<0.31 PF	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8
M24612SVB	24612 MARBELLA AVE	2012-05-10	15:17	Back	20			0.71	<18	<0.3 PF	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6
M24612SVH	24612 NEPTUNE AVE	2010-11-11	09:14	House	18			2.6	24	1 j	<9.9	<3.5	6.2	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24612SVF	24612 NEPTUNE AVE	2010-11-11	09:44	Front	20			<0.024	18	1.1 j	<8.9	<3.5	5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
M24612SVF	24612 NEPTUNE AVE	2010-11-11	09:44	Front	20			<0.024	21	1.4 j	<8.9	<3.5	5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12

Table B-2
Sub-Slab Soil Vapor Results
Former Kasz Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Oxygen MOL % 100.00%	Oxygen/ Argon MOL % 100.00%	Carbon Dioxide MOL % 91.79%	Acetone UG/M3 56.45%	Naphthalene UG/M3 46.54%	Ethanol UG/M3 23.34%	2-Butanone (Methyl Ethyl Ketone) UG/M3 22.50%	Chloroform UG/M3 15.84%	Benzene UG/M3 9.95%	Tetrachloro- ethene UG/M3 9.57%	Freon 12 UG/M3 8.60%	Toluene UG/M3 8.40%	Methane MOL % 7.50%	Carbon Disulfide UG/M3 6.00%	Isopropanol UG/M3 5.40%
N24612SVBA	24612 NEPTUNE AVE	2011-02-07	09:21	Back A	21			0.62	<10	<0.31	<8.1	<3.2	<5.3	<1.4	<7.3	<5.1	<4.1	<0.00022	<3.4	<11
N24612SVBA5	24612 NEPTUNE AVE	2011-02-07	09:21	Back A	21		21.4	0.737	<16	<1.3	<16	<16	3.8	<1.6	<1.6	2.5	<1.6	<0.15	<16	<3.3
N24612SVF	24612 NEPTUNE AVE	2011-03-11	14:50	Front	20			1.1	24	1.61 b	<8.8	<14	6.4	<3.7	<7.9	<5.8	<4.4	<0.00023	<14	<11
N24612SVH	24612 NEPTUNE AVE	2011-03-11	15:17	House	19			1.9	<11	1.61 b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
N24612SVBA	24612 NEPTUNE AVE	2011-03-11	15:27	Back A	21			0.4	18	2.1 b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
N24612SVH	24612 RAVENNA AVE	2011-01-14	10:04	House	20			1.1	12	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	0.00061	<3.6	<11
R24612SVG	24612 RAVENNA AVE	2011-01-14	10:51	Garage	21			<0.023	27	<1.3	<8.6	4.9	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
R24612SVGB	24612 RAVENNA AVE	2011-01-14	11:25	Back B	20			0.19	39	<1.4	<9	<3.5	8.6	<3.8	<8.1	<5.9	<4.9	<0.00024	<3.7	<12
R24612SVGB	24612 RAVENNA AVE	2012-11-01	14:46	Back B	20			1.4	<28	2.51 b	<8.8	<14	8.4	<3.8	<8.1	<5.9	<4.9	<0.00023	<14	<11
R24612SVGB	24612 RAVENNA AVE	2012-11-01	14:46	Back B	20			1.3	<18	2.61 b	<8.8	<14	<5.6	<3.7	<7.9	<5.8	<4.4	<0.00023	<14	<11
R24612SVBBD	24612 RAVENNA AVE	2012-11-01	14:46	Back B	20			1.8	<27	3.71 b	<8.7	<14	<5.6	<3.7	<7.9	<5.8	<4.4	<0.00023	<15	<12
R24612SVH	24612 RAVENNA AVE	2012-11-01	15:32	Garage	20			0.99	26	5.51 b	<8.9	<13	<5.3	<3.5	<7.4	<5.4	5.3	0.00028	<14	<11
R24612SVH	24613 MARBELLA AVE	2010-05-26	09:03	House	20			0.7	76	<2.3	14	9.8	<5.6	<3.6	<7.7	<5.6	<4.3	<0.00023	700	<11
R24612SVG	24613 MARBELLA AVE	2010-05-26	10:01	Garage	21			<0.024	16	22.1	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.6	<12
R24612SVH	24613 MARBELLA AVE	2010-05-26	10:49	Back	21			<0.024	<11	<2.8	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.6	<12
R24612SVH	24613 MARBELLA AVE	2012-10-11	11:01	Garage	21			0.62	<29	3.81 b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
R24612SVG	24613 MARBELLA AVE	2012-10-11	11:01	Garage	21		21.2	0.465	23	<0.77 U	<18 U	<18 U	<1.9 U	<1.9 U	<1.8 U	2.1	<1.8 U	<0.17 U	<18 U	<18 U
R24612SVH	24613 MARBELLA AVE	2012-10-11	11:43	Back	24			0.17	40	1.51 b	<8.7	<13	<5.3	<3.4	<7.3	<5.3	<4.1	<0.00029	<13	<11
R24612SVH	24613 MARBELLA AVE	2012-10-24	12:14	House A	19			1.8	41	2.31 b	<8.8	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
N24613SVB	24613 NEPTUNE AVE	2010-08-09	13:59	Back	20			<0.024	47	<6.4	<9.1	11	11	<3.9	<8.2	<6	<4.6	0.007	27	<12
N24613SVF	24613 NEPTUNE AVE	2010-08-09	14:44	Front	20			0.1	100	<6.3	<9	5.9	<5.8	<4.7	<8.1	<5.9	<4.5	0.00044	150	<12
N24613SVH	24613 NEPTUNE AVE	2012-05-11	09:55	House	19			1.1	<18	<2.8 PF	<5.7	<9	<3.7	<2.4	<5.2	5.0	<2.9	<0.0002	<9.5	<7.5
N24613SVF	24613 NEPTUNE AVE	2012-05-11	10:04	Front	21			0.64	<19	<3.1 PF	<6.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.0002	<10	<8.1
N24613SVF5	24613 NEPTUNE AVE	2012-05-11	10:04	Front	21		21.1	0.555	<19 U	<0.78 U	<19 U	<19 U	<1.9 U	<1.9 U	<1.9 U	2.8	<1.9 U	<0.18 U	<19 U	<3.8 U
N24613SVB	24613 NEPTUNE AVE	2012-05-11	10:42	Back	30			0.1	<19	<8 PF	<6	<3.3	<5.3	<3.4	<7.3	<5.3	<4.1	<0.00021	<9.8	<7.8
N24613SVB5	24613 NEPTUNE AVE	2012-05-11	10:42	Back	30			<0.10 U	<18 U	<0.74 U	<18 U	<18 U	<1.8 U	<1.8 U	<1.8 U	2.5	<1.8 U	<0.15 U	<18 U	<3.5 U
P24613SVF	24613 PANAMA AVE	2010-06-25	14:07	Front	21			<0.024	49	<2.4 U	13	8.4	<5.9	<3.8	<7.9	<5.8	<4.4	<0.00024	20	13
P24613SVH	24613 PANAMA AVE	2010-06-25	14:43	House	20			0.16	140	<2.4 U	69	22	6.4	<3.9	97	16	<4.6	<0.00024	20	13
P24613SVB	24613 PANAMA AVE	2010-06-25	15:25	Back	20			0.096	48	<2.8 U	13	4.4	<5.7	6.6	120	<5.8	<4.4	<0.00024	230	<12
P24613SVH	24613 PANAMA AVE	2011-02-10	10:10	House	21			0.33	18	0.81 b	<8.4	<3.3	<5.3	<3.6	120	<5.5	<4.2	<0.00022	<3.5	<11
P24613SVF	24613 PANAMA AVE	2011-02-10	10:48	Front	21			0.064	<11	0.651 b	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.5	<11
P24613SVB	24613 PANAMA AVE	2011-02-10	10:59	Back	21			0.11	<11	0.641 b	<8.9	<3.5	<5.6	<3.8	16	<5.9	<4.5	<0.00024	<3.7	<12
P24613SVB	24613 PANAMA AVE	2012-09-13	14:58	Back	20			0.15	56	2.31 b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
P24613SVB	24613 PANAMA AVE	2012-09-13	14:58	Back	20			0.16	44	2.51 b	<9	<14	<5.9	<3.8	<8.1	<5.9	<4.5	<0.00025	<15	<12
P24613SVB	24613 PANAMA AVE	2012-09-13	15:05	Front	20			0.12	38	4.51 b	<9	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
P24613SVH	24613 PANAMA AVE	2012-09-13	15:45	House	19			0.6	<29	1.81 b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
R24613SVH	24613 RAVENNA AVE	2009-12-31	13:46	House	21			0.96	51	<2.4	18.1	4.5	<5.9	4.2	<8.2	<6	<4.6	<0.00024	<3.8	<12
R24613SVF	24613 RAVENNA AVE	2009-12-31	14:22	Front	21			0.3	31	<2.4	24.1	10	<6	<3.9	45	<6	35	<0.00024	5.8	14
R24613SVF5	24613 RAVENNA AVE	2009-12-31	14:22	Front	21		21.8	0.3	49	<1.6	<21	4.81	1.51	1.51	<2.1	2.5	<2.1	<0.15	2.21	8.7
R24613SVB	24613 RAVENNA AVE	2009-12-31	15:07	Back	19			<0.024	35	<2.4	12.1	<3.6	<5.9	<3.8	<8.2	<6	<4.6	<0.00024	<3.8	<12
R24613SVH	24613 RAVENNA AVE	2011-05-20	10:20	House	20			0.54	<11	1.21 b	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	0.00029	<14	<11
R24613SVH	24613 RAVENNA AVE	2011-05-20	10:26	Front	21			1.1	<22	2.81 b	<17	<27	<11	<7.2	<15	17	<0.00045	<28	<22	
R24613SVF5	24613 RAVENNA AVE	2011-05-20	10:26	Front	21		21.7	1.3	<17 U	<0.99 U	<17 U	<17 U	3.8	<1.7 U	<1.7 U	2.5	<1.7 U	<0.15 U	<17 U	<3.4 U
R24613SVB	24613 RAVENNA AVE	2011-05-20	10:55	Back	21			0.47	<11	0.991 b	<8.8	<14	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<15	<12
R24613SVB5	24613 RAVENNA AVE	2011-05-20	10:55	Back	21		22.1	0.485	<18 U	<1 U	<18 U	2	<1.8 U	<1.8 U	2.4	<1.8 U	<0.15 U	<18 U	<3.5 U	
M24616SVH	24616 MARBELLA AVE	2010-04-22	15:26	House	19			1.2	46	5.61 b	14	12	<5.7	<3.7	<7.9	<5.8	<4.4	0.00062	<3.6	<11
M24616SVB	24616 MARBELLA AVE	2010-04-24	18:44	Back	21			<0.023	130	9.61 b	93	22	<11	<7.3	<16	<11	<8.6	<0.00023	<7.1	<22
M24616SVF	24616 MARBELLA AVE	2010-04-23	11:53	Front	21			0.059	20	2.91 b	<8.6	3.4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	4.2	<11
M24616SVF	24616 MARBELLA AVE	2010-04-23	11:55	Front	21			0.026	16	4.23	<8.6	4	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11
M24616SVH	24616 MARBELLA AVE	2010-08-25	09:07	House	18			1.9	23	1.71 b	11	4.3	13	<3.9	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24616SVB	24616 MARBELLA AVE	2010-08-25	09:52	Back	19			1.2	25	2.51 b	<9.1	<3.6	190	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12
M24616SVF	24616 MARBELLA AVE	2010-08-25	10:30	Front	20			0.23	200	2.21 b	19	52	<5.8	<3.8	9.4	<5.9	7.2	<0.00024	<3.7	<12

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Oxygen		Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol			
						MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	91.79%	56.43%	46.54%	23.34%	22.50%	15.84%	9.95%	9.97%	8.60%	8.40%	7.50%	6.40%	5.49%				
M2461SVH	24616 MARBELLA AVE	2011-03-18	15:10	House	20			1.3	<11	0.94, b	<9	<14	<5.8	<3.6	<8.1	<5.9	<4.5	<0.00024	<15	<12				
M2461SVF	24616 MARBELLA AVE	2011-03-18	15:25	Front	21			0.15	27	0.89, b	<9	<14	<5.8	<3.6	<8.1	<5.9	<4.5	<0.00024	<15	<12				
M2461SVF	24616 MARBELLA AVE	2011-03-18	15:25	Front	21			0.15	<11	0.88, b	<9	<14	<5.8	<3.6	<8.1	<5.9	<4.5	<0.00024	<15	<12				
M2461SVB	24616 MARBELLA AVE	2011-03-18	15:52	Back	20			1	<11	0.88, b	<9	<14	<5.8	<3.6	<8.1	<5.9	<4.5	<0.00024	<15	<12				
M2461SVB	24617 MARBELLA AVE	2010-08-09	09:05	Back	21			0.085	11, b	<5.4	<7.7	3	<5	<3.3	<7	<5.1	<3.9	<0.0002	8.8	<10				
M2461SVG	24617 MARBELLA AVE	2010-08-09	10:01	Garage	19			0.25	<11	<6.2	22	<3.4	<5.7	<3.7	24	<5.8	<4.4	<0.00023	<8.8	<11				
M2461SVB	24617 MARBELLA AVE	2012-05-03	10:20	Back	22			0.076	<18	3.7, b	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.0002	<9.5	<7.6				
M2461SVB	24617 MARBELLA AVE	2012-05-03	10:20	Back	22		21.6	<0.17 U	<18 U	<0.77 U	<18 U	<18 U	<1.8 U	<1.8 U	2	<1.8 U	<0.17 U	<18 U	<3.7 U					
M2461SVH	24617 MARBELLA AVE	2012-05-03	10:20	House	22			0.2	<18	4.7, b	<5.6	<8.8	<3.7	<2.4	39	<3.7	<2.8	<0.0002	<9.3	<7.4				
M2461SVG	24617 MARBELLA AVE	2012-05-03	10:41	Garage	21			0.38	<19	2.9, b	<6.1	<9.5	<3.9	<2.6	22	<4	5.5	<0.00021	<10	<7.9				
M2461SVG	24617 MARBELLA AVE	2012-05-03	10:41	Garage	21		21.1	0.401	<18 U	<0.74 U	<18 U	<1.8 U	<1.8 U	<1.8 U	8.6	1.8	<1.8 U	<0.18 U	<18 U	<3.5 U				
M2461SVH	24618 NEPTUNE AVE	2010-05-19	09:18	House	20			0.14	32	<5.4	77	<3.5	24	7	<3.7	<6	<4.6	<0.00024	<3.8	<12				
M2461SVB	24618 NEPTUNE AVE	2010-05-19	10:10	Back	20			0.37	14	<6.4	<9.1	<3.5	16	<3.9	<3.2	<6	<4.6	<0.00024	<3.8	<12				
M2461SVF	24618 NEPTUNE AVE	2010-05-19	11:06	Front	21			0.34	40	<5.9	39	7.5	<3.5	<3.6	<5.5	<4.2	<0.00022	18	<11					
M2461SVH	24618 NEPTUNE AVE	2010-09-08	13:39	House	20			1.2	22	<1.3	13	<3.3	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00022	<3.5	<11				
M2461SVF	24618 NEPTUNE AVE	2010-09-08	14:22	Front	20			0.52	14	2.4, b	<9	<3.5	<5.8	4.1	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVB	24618 NEPTUNE AVE	2010-09-08	15:07	Back	20			1.1	<11	<1.3	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.6	<12				
M2461SVF	24618 NEPTUNE AVE	2011-01-27	15:40	House	21			0.3	<11	1.4, b	<8.9	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVH	24618 NEPTUNE AVE	2011-01-27	15:40	House	21			0.6	<11	0.8, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
M2461SVH	24618 NEPTUNE AVE	2011-01-27	15:40	House	21			0.59	<11	0.58, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
M2461SVB	24618 NEPTUNE AVE	2013-01-27	16:17	Back	20			0.86	<11	0.4, b	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.6	<12				
M2461SVH	24618 NEPTUNE AVE	2012-07-27	14:51	House	20			1.3	<18	<2.9	<5.8	<9.1	4.3	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.9	<7.9				
M2461SVF	24618 NEPTUNE AVE	2012-07-27	14:59	Front	21			0.4	<19	<3	<6.1	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.00016	<10	<7.9				
M2461SVB	24618 NEPTUNE AVE	2012-07-27	15:29	Back	20			1.8	21	<3	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8				
M2461SVF	24618 PANAMA AVE	2010-05-14	09:49	Front	21			<0.024	38	<6.3	18	11	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12					
M2461SVG	24618 PANAMA AVE	2010-05-14	12:01	Garage	20			<0.024	52	<6.4	18	12	<5.9	<1.9	<8.2	<4	<4.6	<0.00024	<3.8	<12				
M2461SVG	24618 PANAMA AVE	2010-05-14	12:01	Garage	19			<0.021	46	<6.1	16	10	<7.5	<4.9	<3.8	<4	<4.4	<0.00024	<3.6	<13				
M2461SVB	24618 PANAMA AVE	2010-08-11	10:08	Back	18			2.6	<11	<6.2	<8.8	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVG	24618 PANAMA AVE	2012-04-19	13:22	Garage	21			0.8	<30	2.1, b	<9.7	<15	<6.3	<4.1	<8.7	<6.4	<4.8	<0.00034	<3.6	<13				
M2461SVG	24618 PANAMA AVE	2012-04-19	13:22	Garage	21			0.82	<19	1.5, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00021	<9.8	<7.8				
M2461SVF	24618 PANAMA AVE	2012-04-19	15:45	Front	21			0.5	<18	1.2, b	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00021	<9.6	<7.6				
M2461SVH	24619 NEPTUNE AVE	2010-06-17	09:35	House	19			1.6	<11	<2.4	<8.9	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVB	24619 NEPTUNE AVE	2010-06-17	10:26	Back	21			<0.024	38	<2.4	<8.9	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVF	24619 NEPTUNE AVE	2010-06-17	11:07	Front	21			<0.024	23	<2.4	10	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVH	24619 NEPTUNE AVE	2012-07-13	10:14	House	19			1.6	<19	<3.1	9.7	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<10	<8.1				
M2461SVH	24619 NEPTUNE AVE	2012-07-13	10:14	House	20		19.8	1.55	21	<0.86 U	<21 U	<21 U	<2.1 U	<2.1 U	2.1	<2.1 U	<0.16 U	<21 U	<21 U					
M2461SVF	24619 NEPTUNE AVE	2012-07-13	10:46	Front	20			0.72	<20	<3.2	<6.4	<10	<4.2	<2.7	<5.8	<4.2	<3.2	<0.00017	<11	<8.4				
M2461SVF	24619 NEPTUNE AVE	2012-07-13	10:46	Front	21		20.8	0.755	<21 U	<0.89 U	<21 U	<21 U	<2.1 U	<2.1 U	2.1	<2.1 U	<0.17 U	<21 U	<21 U					
M2461SVB	24619 NEPTUNE AVE	2012-07-13	11:01	Back	21			0.023	<19	<3.1	<6.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<10	<8.1				
M2461SVH	24619 PANAMA AVE	2010-04-27	14:34	House	17			3.7	92	<5.9	61	14	<5.5	3.8	<7.6	<5.5	<4.2	<0.00041	<3.5	48				
M2461SVB	24619 PANAMA AVE	2010-04-27	15:08	Back	18			3.1	23	<6.3	<9	<3.5	<5.8	5.9	<8.1	<5.9	<4.5	<0.00048	<3.7	<12				
M2461SVB	24619 PANAMA AVE	2010-04-27	15:08	Back	18			3.1	45	<6.3	<9	<3.5	<5.8	5.9	<8.1	<5.9	<4.5	<0.00048	<3.7	<12				
M2461SVF	24619 PANAMA AVE	2010-04-27	15:58	Front	21			1.2	140	<6.3	16	6.9	<5.8	10	<8.1	<5.9	<4.5	<0.00048	<3.7	<12				
M2461SVH	24619 PANAMA AVE	2010-05-25	13:59	House	18			3.6	14	6.8, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
M2461SVH	24619 PANAMA AVE	2010-10-11	14:36	House	16			4.2	14	<1.4	<9.3	<3.6	<6	<3.9	<8.4	<6.1	<4.6	<0.00025	<3.8	<12				
M2461SVF	24619 PANAMA AVE	2010-10-11	15:09	Front	19			1.2	14	<1.4	<9	<3.6	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVB	24619 PANAMA AVE	2010-10-11	15:07	Back	15			4.4	17	<1.4	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<3.8	<12				
M2461SVB	24619 PANAMA AVE	2010-10-11	15:57	Back	15			4.72	18	<1.3	<17	<1.7	<1.7	<1.7	2.2	1.8	<0.16	<17	5.0					
M2461SVF	24619 PANAMA AVE	2011-02-11	14:43	Front	20			0.78	14	0.4, b	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVB	24619 PANAMA AVE	2011-02-11	15:10	Back	18			2.7	27	2.0, b	10	3.9	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
M2461SVH	24619 PANAMA AVE	2011-12-08	15:10	House A	20			1.8	22	<0.27	<5.7	11	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<9.5	<7.5				
M2461SVF	24619 PANAMA AVE	2011-12-08	15:39	Front	20			0.89	15	0.31, b	<5.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<10	<8.1				

Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethane	Fract 12	Toluene	Methane	Carbon Disulfide	Isooctanol				
						MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	91.79%	56.43%	46.54%	23.94%	15.84%	9.95%	9.57%	8.60%	8.40%	7.01%	6.40%	5.49%					
P24619SV15	24619 PANAMA AVE	2011-12-08	15:30	Back	18	21.5	0.986	<18 U	<1.1 U	<18 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.1	<18 U	<0.17 U	<18 U	<3.7 U				
P24619SV16	24619 PANAMA AVE	2011-12-08	16:09	Back	18	21.5	0.986	<18 U	<1.1 U	<18 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.1	<18 U	<0.17 U	<18 U	<3.7 U				
P24619SV15	24619 PANAMA AVE	2011-12-08	16:09	Back	18	21.5	0.986	<18 U	<1.1 U	<18 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.1	<18 U	<0.17 U	<18 U	<3.7 U				
P24619SV15	24619 PANAMA AVE	2011-12-08	16:09	Back	18	21.5	0.986	<18 U	<1.1 U	<18 U	<18 U	<18 U	<18 U	<18 U	<18 U	2.1	<18 U	<0.17 U	<18 U	<3.7 U				
P24622SV16	24622 MARBELLA AVE	2010-05-28	19:48	House	20	18.4	0.6	76	<4.9	<8.4	3.7	<12	<3.6	<7.6	<5.5	<4.2	<0.00023	<3.6	<11					
P24622SV16	24622 MARBELLA AVE	2010-05-28	14:26	Back	21		<0.022	23	<8.9	<8.4	3.7	<12	<3.6	<7.6	<5.5	<4.2	<0.00023	<3.6	<11					
P24622SV16	24622 MARBELLA AVE	2010-05-28	15:27	Garage	14		7	13	<4	<8.7	3.4	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<3.6	<11					
P24622SV16	24622 MARBELLA AVE	2011-11-16	09:57	House	16		3.3	<27	<0.95	<8.4	<13	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00022	<14	<11					
P24622SV16	24622 MARBELLA AVE	2012-11-16	10:05	Garage	15		6.8	<28	<0.98	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<14	<11					
P24622SV16	24622 MARBELLA AVE	2015-11-16	10:41	Back	18		0.63	<27	<0.85	<8.4	<13	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00022	<14	<11					
P24622SV16	24622 NEPTUNE AVE	2010-08-19	09:13	House	20	9.8	21	26	52.1 b	<8.7	<3.4	<11	<3.7	<7.8	<5.7	<4.3	<0.00024	<3.6	<11					
P24622SV16	24622 NEPTUNE AVE	2010-08-19	10:16	House	20		6.75	44	<13	<8.8	8.1	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11					
P24622SV16	24622 NEPTUNE AVE	2010-08-19	11:03	Front	20		0.072	24	15.1 b	12	<3.6	63	<3.9	<7.8	<5.7	<4.3	<0.00023	<3.6	<11					
P24622SV16	24622 NEPTUNE AVE	2011-01-01	09:40	Front	21		0.14	<11	0.53 b	<8.7	<3.4	<12	<3.7	<7.9	<5.7	<4.3	<0.00023	<3.6	<11					
P24622SV16	24622 NEPTUNE AVE	2011-02-01	10:23	Back	17		0.2	<12	<0.86	<9.5	<3.7	<6.2	<4	<8.5	<6.2	<4.7	<0.00056	<3.9	<12					
P24622SV16	24622 NEPTUNE AVE	2011-02-01	11:06	House	20	</																		

Table B-2
Sub-Slab Soil Vapor Results
Former Real Property
Catsen, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection																				
						Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloroethane	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol						
						MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL %	UG/M3	UG/M3					
						100.00%	100.00%	91.79%	56.43%	46.54%	23.54%	22.50%	15.84%	9.05%	9.57%	8.60%	8.40%	7.50%	6.40%	5.40%						
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:12	House	10			10	10	0.51, b	< 6.1	< 8.5	< 8.9	< 2.6	< 5.5	< 4	< 3	< 0.00016	< 10	< 7.9						
M24628SVHS	24628 MARBELLA AVE	2011-10-27	14:12	House	10		11.5	11.2	< 19 U	< 1.0	< 19 U	< 1.8 U	< 1.8 U	< 1.8 U	2	5.4	< 0.17 U	< 18 U	< 5.6 U							
M24628SVB	24628 MARBELLA AVE	2011-10-27	14:55	Back	15			5.1	4.4	0.49, b	< 5.8	< 0.1	< 3.8	< 2.5	< 3.9	< 2.9	< 0.00016	< 3.6	< 5.5 U							
M24628SVBS	24628 MARBELLA AVE	2011-10-27	14:55	Back			15.9	5.66	< 17 U	< 1.0	< 17 U	< 17 U	< 17 U	< 1.7 U	< 1.7 U	2.1	< 1.7 U	< 0.16 U	< 17 U	< 3.5 U						
M24629SVH	24629 NEPTUNE AVE	2010-07-09	13:57	House	15			5.3	96	< 2.4 U	31	13	< 5.9	< 3.9	< 8.2	8.9	< 4.6	0.00031	< 3.8	< 12						
M24629SVF	24629 NEPTUNE AVE	2010-07-09	15:14	Front	19			1.9	59	< 2.3 U	12	8.7	< 5.7	< 3.7	< 7.9	< 5.8	< 4.4	< 0.00023	< 3.6	< 11						
M24629SVB	24629 NEPTUNE AVE	2010-07-09	15:32	Back	18			1.3	320	2.7, U	11	27	< 5.7	< 3.7	< 7.9	< 5.8	< 4.4	< 0.00023	< 3.6	< 12						
M24629SVB	24629 NEPTUNE AVE	2011-02-03	15:14	Back	20			1.6	71	< 1.7	< 8.8	< 3.4	< 5.7	< 3.7	< 7.9	< 5.8	< 4.4	< 0.00023	< 3.6	< 11						
M24629SVH	24629 NEPTUNE AVE	2011-02-03	15:24	House	16			5.1	21	< 1.8	< 9	< 3.5	< 5.8	< 3.8	< 8.1	< 5.9	< 4.5	0.00028	3.8	< 12						
M24629SVF	24629 NEPTUNE AVE	2011-02-03	15:57	Front	21			0.97	< 11	< 1.8	< 9	< 3.5	< 5.8	< 3.8	< 8.1	< 5.9	< 4.5	< 0.00024	< 3.7	< 12						
P24702SVH	24702 PANAMA AVE	2010-06-03	09:09	House	21			< 0.022	30	< 3.9	89	4.8	< 5.5	< 3.8	< 8.1	< 5.9	< 4.5	< 0.00022	< 3.5	< 11						
P24702SVG	24702 PANAMA AVE	2010-06-03	09:56	Garage	21			0.16	12	< 3.9	< 8.4	< 3.3	< 5.5	< 3.6	< 7.6	30	< 4.2	< 0.00022	< 3.5	< 11						
P24702SVB	24702 PANAMA AVE	2010-06-03	09:56	Garage	21			0.184	34	< 1.3	< 17	< 1.7	< 1.7	< 1.7	< 1.7	2.3	< 1.7	< 0.15	< 17	< 8.3						
P24702SVB	24702 PANAMA AVE	2010-06-03	10:38	Back	20			< 0.023	38	< 4	< 8.8	4.9	< 5.7	< 3.7	< 7.9	24	< 4.4	< 0.00023	< 3.6	< 11						
P24702SVG	24702 PANAMA AVE	2011-02-24	15:50	Garage	21			0.22	69	0.58, b	< 8.2	< 13	< 5.3	< 3.5	< 7.4	< 5.4	36	< 0.00022	< 14	< 11						
P24702SVH	24702 PANAMA AVE	2011-02-24	15:54	House	21			0.089	38	0.71, b	< 8.9	< 14	< 5.8	< 3.8	< 8	< 5.9	< 4.5	0.00024	< 15	< 12						
P24702SVB	24702 PANAMA AVE	2011-02-24	16:30	Back	21			0.17	12	< 0.34	< 8.9	< 14	< 5.8	< 3.8	< 8	< 5.9	< 4.5	< 0.00024	< 15	< 12						
M24703SVF	24703 MARBELLA AVE	2010-03-29	11:37	Front	21			< 0.024	69	4.9, b	24	25	< 5.8	< 3.8	< 8.1	< 5.9	< 4.5	< 0.00023	< 3.7	< 12						
M24703SVH	24703 MARBELLA AVE	2010-03-29	12:58	House	20			0.6	58	4.1, b	46	6.7	7.3	< 3.7	< 7.9	< 5.8	< 4.4	< 0.00023	< 3.6	< 11						
M24703SVB	24703 MARBELLA AVE	2010-03-29	13:53	Back	21			0.16	12	5.8, b	< 8.9	< 3.5	15	< 3.8	< 8	< 5.9	7.8	< 0.00024	< 3.7	< 12						
M24703SVH	24703 MARBELLA AVE	2010-08-23	08:27	House	17			2.6	14	< 1.4	< 8.8	< 3.5	< 5.8	< 3.8	< 8	< 5.9	< 4.5	< 0.00024	< 3.7	< 12						
M24703SVF	24703 MARBELLA AVE	2010-08-23	10:15	Front	20			0.28	< 11	< 1.3	< 8.8	< 3.4	< 5.7	< 3.7	< 7.9	< 5.8	< 4.4	< 0.00023	< 3.6	< 11						
M24703SVB	24703 MARBELLA AVE	2010-08-23	10:57	Back	19			0.82	14	< 1.4	17	< 8.6	16	< 3.9	< 8.2	< 6	< 4.6	< 0.00024	< 3.8	< 12						
M24703SVH	24703 MARBELLA AVE	2012-04-20	14:49	House	18			2.5	26	1.2, b	< 8	< 9.3	< 3.8	< 2.5	< 5.4	< 3.9	< 3	< 0.00022	< 9.6	8.3						
M24703SVB	24703 MARBELLA AVE	2012-04-20	15:21	Back	20			0.68	< 18	0.83, b	< 5.8	< 9.1	< 3.8	< 2.5	< 5.2	< 3.8	< 2.9	0.00021	< 9.6	< 7.6						
M24703SVBD	24703 MARBELLA AVE	2012-04-20	15:21	Back	20			0.67	< 19	1.1, b	< 5.8	< 9.1	< 3.8	< 2.5	< 5.2	< 3.8	< 2.9	< 0.00021	< 9.6	< 7.6						
M24703SVF	24703 MARBELLA AVE	2012-04-20	15:47	Front	23			0.24	20	4.1, b	< 5.8	< 9.1	< 3.8	< 2.5	< 5.2	< 3.8	< 2.9	< 0.00021	< 9.6	< 7.6						
M24707SVH	24707 MARBELLA AVE	2010-06-28	09:51	House	19			0.49	49	< 2.4	< 6.0	< 3.5	< 5.8	< 3.8	8	< 5.9	< 4.5	< 0.00024	< 3.7	< 12						
M24707SVB	24707 MARBELLA AVE	2010-06-28	11:30	Back	19			1.2	17	< 2.3	11	3.5	< 5.7	< 3.7	16	< 5.8	< 4.4	< 0.00023	5.1	< 11						
M24707SVH	24707 MARBELLA AVE	2011-05-06	14:12	House	10			1.3	< 12	7.1, b	< 9.4	< 15	< 6.1	< 4	< 8.5	< 6.2	< 4.7	< 0.00025	< 16	< 12						
M24707SVB	24707 MARBELLA AVE	2011-05-06	14:53	Back	21			0.61	< 11	3.4, b	< 9.1	< 14	< 5.9	< 3.9	9.6	< 6	< 4.6	< 0.00024	< 15	< 12						
M24707SVB	24707 MARBELLA AVE	2011-05-06	14:53	Back	21		21.5	0.697	< 18	< 1	< 18	< 18	< 1.8	< 1.8	7.6	3.1	< 1.8	< 0.17	< 18	< 3.6						
M24707SVF	24707 MARBELLA AVE	2011-05-06	15:24	Front	21			0.24	18	3.7, b	< 9	< 14	< 5.8	< 3.8	< 8.1	< 5.9	< 4.5	< 0.00024	< 15	< 12						
M24707SVF	24707 MARBELLA AVE	2011-05-06	15:26	Front	21		22.1	0.265	< 20	< 1.2	< 20	< 20	< 2	< 2	2.2	< 2	< 2	< 0.19	< 20	< 4.1						
M24707SVH	24707 MARBELLA AVE	2011-05-06	16:34	House	12			8.6	< 29	1.1, b	< 9.1	< 14	< 5.9	< 3.9	11	< 6	< 4.4	< 0.00024	< 15	< 12						
M24707SVF	24707 MARBELLA AVE	2012-09-07	11:01	Front	20			0.31	837	1.4, b	13	18	< 5.8	< 3.8	< 8.1	< 5.9	< 4.5	< 0.00024	< 15	< 12						
M24707SVF	24707 MARBELLA AVE	2012-09-07	11:01	Front	20		21.2	0.308	< 20 U	< 0.83 U	< 20 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 0.15 U	< 20 U	< 20 U						
M24707SVB	24707 MARBELLA AVE	2012-09-07	11:14	Back	20			0.69	< 27	1.4, b	< 8.6	< 14	< 5.6	< 3.6	< 7.8	< 5.7	< 4.3	< 0.00023	< 14	< 11						
P24708SVH	24708 PANAMA AVE	2010-06-17	09:11	House	10			0.47	< 12	< 2.5	< 8.5	< 3.7	< 6.2	< 4	< 8.6	< 6.2	< 4.8	< 0.00025	< 9.9	< 12						
P24708SVG	24708 PANAMA AVE	2010-06-17	10:06	Garage	19			0.36	30	< 2.4	37	< 3.6	< 5.9	< 3.9	< 8.2	< 6	< 4.6	< 0.00061	< 8.8	< 12						
P24708SVG	24708 PANAMA AVE	2010-06-17	10:06	Garage	18		21.7	0.409	21	< 1.4	< 18	< 18	< 1.8	< 1.8	< 1.8	2.1	< 1.8	< 0.16	< 18	< 3.5						
P24708SVB	24708 PANAMA AVE	2010-06-17	11:03	Back	18			4.1	19	< 1.5	< 9.3	< 3.6	< 6	< 4	< 8.4	< 6.1	< 4.7	< 0.00025	< 9.9	< 12						
P24708SVBD	24708 PANAMA AVE	2010-06-17	11:03	Back	18			4	< 12	< 2.4	< 9.3	< 3.6	< 6	< 4	< 8.4	< 6.1	< 4.7	< 0.00025	< 9.9	< 12						
P24708SVH	24708 PANAMA AVE	2012-08-16	10:23	House	19			1.1	< 19	3.5, b	< 6.2	< 9.7	< 4	< 2.6	< 5.6	< 4	< 3.1	< 0.00016	< 10	< 8.1						
P24708SVG	24708 PANAMA AVE	2012-08-16	10:58	Garage	20			0.61	< 19	2.2, b	< 6	< 9.3	< 3.8	< 2.5	< 5.4	< 3.9	< 3	< 0.00016	< 9.8	< 7.9						
P24708SVG	24708 PANAMA AVE	2012-08-16	10:58	Garage	20		21.3	0.651	20	< 0.83 U	< 20 U	< 20 U	< 2 U	< 2 U	2	7.3	< 2 U	< 0.15 U	< 20 U	< 20 U						
P24708SVB	24708 PANAMA AVE	2012-08-16	11:26	Back	15			6	< 19	3.8, b	17	< 8.7	7.2	< 2.6	< 5.6	< 4	< 3.1	< 0.00016	< 10	< 8.1						
P24708SVB	24708 PANAMA AVE	2012-08-16	11:26	Back	17			6.18	< 20 U	< 0.86 U	< 20 U	< 20 U	6.5	< 2 U	< 2 U	2.2	< 2 U	< 0.16 U	< 20 U	< 20 U						
P24708SVH	24708 PANAMA AVE	2010-07-01	09:18	House	17			1.9	80	3.69	56	< 3.4	< 5.7	6.2	< 7.9	< 5.8	< 4.4	< 0.00068	< 3.6	< 11						
M24709SVH	24709 NEPTUNE AVE	2010-07-01	10:09	Back	20			0.22	119	< 2.3	18	26	< 6	15	< 8.4	< 6.1	< 4.6	< 0.00025	< 3.8	< 12						
M24709SVG	24709 NEPTUNE AVE	2010-07-01	10:44	Garage	18			0.051	54	2.31	460	3.8	< 5.7	< 3.7	< 7.9	< 5.8	< 4.4	< 0.00023	< 3.6	< 11						
M24709SVG	24709 NEPTUNE AVE	2012-08-20	10:03	Garage	18			2.7	< 19	< 3	< 6.1	< 9.3	< 3.9	< 2.6	< 5.5	< 4	< 3	< 0.00016	< 10	< 7.9						

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Oxygen	Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethane	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol				
						MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	91.79%	56.43%	46.54%	23.34%	22.50%	15.84%	0.95%	0.57%	8.60%	8.40%	7.50%	6.40%	5.49%				
N24709SVGS	24709 NEPTUNE AVE	2012-08-10	10:03	Garage		18.7		2.82	<22 U	<0.01 U	<22 U	<22 U	<22 U	<2.2 U	4.8	<2.2 U	<2.2 U	<0.17 U	<22 U	<22 U				
N24709SVH	24709 NEPTUNE AVE	2012-08-10	10:16	House	18			3.2	<19	<3	<6.1	<9.5	<2.6	<5.5	<4	<3	<0.00016	<10	<7.9					
N24709SVB	24709 NEPTUNE AVE	2012-08-10	10:43	Back	20			0.38	<21	<3.3	<6.6	<10	<4.3	<2.8	<5.9	<4.8	<3.3	<0.00018	<11	<8.6				
N24709SVS	24709 NEPTUNE AVE	2012-08-10	10:43	Back		21.2		0.403	<23 U	<0.96 U	<23 U	<23 U	<23 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<0.18 U	<22 U	<23 U				
P24709SVH	24709 PANAMA AVE	2009-10-03	11:28	House	18			1.4	<11	<2.9	67	<3.4	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<3.6	<11				
P24709SVB	24709 PANAMA AVE	2009-10-03	12:20	Back	19			1.8	26	5.3 J	26	10	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	54	<12				
P24709SVF	24709 PANAMA AVE	2009-10-03	13:23	Front	17			0.009	19	16 J	<7.7	3.4	<5	<3.3	<7	<5.1	<3.9	<0.0002	<3.2	<10				
P24709SVB	24709 PANAMA AVE	2011-02-11	09:03	Back	20			1.9	<11	0.96 J b	<9	<3.5	<5.9	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
P24709SVH	24709 PANAMA AVE	2011-02-11	09:08	Back		21.2		1.46	<18	<14	<8	<3.1	<5.2	<3.4	<7.2	<5.3	<1.8	<0.16	<3.8	<8.9				
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House	19			1.8	<10	0.86 J b	<8	<3.1	<5.2	<3.4	<7.2	<5.3	9.7	0.00043	<3.3	<10				
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House		19.9		1.8	<10	0.86 J b	<8	<3.1	<5.2	<3.4	<7.2	<5.3	9.7	0.00043	<3.3	<10				
P24709SVF	24709 PANAMA AVE	2011-02-11	10:49	Front	20			0.85	<11	0.45 J b	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
P24709SVF	24709 PANAMA AVE	2013-03-08	15:54	Front	21			0.66	<18	6.1 b	<5.8	<6.1	<3.8	<2.9	<5.2	<3.8	<2.9	<0.00016	<10	<7.6				
P24709SVH	24709 PANAMA AVE	2012-03-08	15:55	House	18			3.2	30	4.9 J b	18	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<10	<10				
P24709SVH	24709 PANAMA AVE	2012-03-08	15:55	House	18			3.2	<19	4.6 J b	<6.2	<9.7	<4	<2.6	<5.6	<4	<3.1	<0.00016	<10	<8.1				
M24710SVB	24710 MARBELLA AVE	2010-09-14	14:59	Back	13			5.2	<11	2.8 J b	<9	<3.5	9.4	<3.8	<8.1	<5.9	<4.5	<0.00024	4.6	<12				
M24710SVF	24710 MARBELLA AVE	2010-09-14	15:40	Front	20			0.45	<10	<1.2	<6.3	<3.2	<5.4	<3.5	<7.5	<3.4	<6.1	<0.00022	<3.4	<11				
M24710SVF	24710 MARBELLA AVE	2011-02-08	13:38	Front	20			0.31	39	<0.85	<9.1	4.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<12				
M24710SVH	24710 MARBELLA AVE	2011-02-08	14:11	House	16			2.2	31	<0.34	16	4.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<12				
M24710SVB	24710 MARBELLA AVE	2011-02-08	15:14	Back	14			5.6	<11	0.6 J b	<6.8	<3.4	36	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11				
M24710SVF	24710 MARBELLA AVE	2012-03-03	15:19	Front	21			0.47	<18	1.2 J b	<5.8	<6.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<10	<7.6				
M24710SVF	24710 MARBELLA AVE	2012-03-03	15:19	Front	22			0.49	<18	0.86 J b	<5.8	<6.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<10	<7.6				
M24710SVH	24710 MARBELLA AVE	2012-03-03	15:38	House	18			4.9	<19	3.5 J b	<6	<9.8	<3.8	<2.5	<5.4	<3.9	6	<0.00016	<10	<7.8				
M24710SVB	24710 MARBELLA AVE	2012-03-03	16:03	Back	10			8.5	80	2.9 J b	<6.4	<10	9.4	<2.7	<5.8	<4.2	35	<0.00017	<11	<8.4				
P24712SVH	24712 PANAMA AVE	2010-08-12	14:00	House	20			0.11	22 b	<6.4	<5.1	<3.6	<3.9	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11				
P24712SVB	24712 PANAMA AVE	2010-08-12	14:54	Back	20			0.11	14 b	<6.2	<5.8	<3.4	<5.7	<3.9	<8.2	<5.6	<4.6	<0.00024	<15	<12				
P24712SVF	24712 PANAMA AVE	2010-08-12	15:45	Front	20			0.3	26 b	<6.4	<5.1	3.6	<5.9	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11				
P24712SVH	24712 PANAMA AVE	2011-02-25	15:09	House	21			0.09	22	0.79 J b	<9.1	<14	<5.9	<3.9	<8.2	<5.6	<4.6	<0.00024	<15	<12				
P24712SVB	24712 PANAMA AVE	2011-02-25	15:36	Back	22			0.11	12	0.44 J b	<6.6	<13	<5.6	<3.6	<7.7	<5.6	<4.3	<0.00023	<14	<11				
P24712SVB	24712 PANAMA AVE	2011-02-25	15:36	Back	22			0.12	<11	<0.39	<6.6	<13	<5.6	<3.6	<7.7	<5.6	<4.3	<0.00023	<14	<11				
P24712SVF	24712 PANAMA AVE	2011-02-25	16:00	Front	21			0.18	17	<0.34	<8.8	<14	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<15	<12				
P24712SVF	24712 PANAMA AVE	2010-01-04	10:51	Front	21			0.41	26	<2.4	<22	<3.5	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12					
P24712SVH	24712 RAVENNA AVE	2010-01-04	11:38	House	10			0.44	18	<2.2	21	<3.3	<5.5	<3.6	<7.6	5.6	<4.2	<0.00025	<3.5	<16				
P24712SVB	24712 RAVENNA AVE	2010-01-04	12:30	Back	21			0.07	180	<2.4	<9	3.3	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
P24712SVH	24712 RAVENNA AVE	2011-06-10	11:15	Back	20			0.69	27	9.1 b	12	<14	<6	<3.9	<8.4	<6.1	<4.6	<0.00025	<3.5	<12				
P24712SVB	24712 RAVENNA AVE	2011-06-10	11:35	Back		21.6		0.825	<18 U	<1.1 U	<18 U	<18 U	2	<1.8 U	<1.8 U	<1.8 U	<0.17 U	<18 U	<18 U					
P24712SVF	24712 RAVENNA AVE	2011-06-10	12:17	Front	20			0.6	19	1.1 J b	<8.6	<14	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.4	<11				
P24712SVF	24712 RAVENNA AVE	2011-06-10	12:17	Front		21.5		0.658	20	<1 U	<18 U	<18 U	4.1	<1.8 U	<1.8 U	1.9	<0.17 U	<18 U	<18 U					
P24712SVH	24712 RAVENNA AVE	2011-06-10	13:00	House	20			0.71	15	1.1 b	<8.6	<14	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<14	<11				
P24712SVH	24712 RAVENNA AVE	2011-06-10	13:00	House				0.71	15	1.1 b	<8.6	<14	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<14	<11				
N24715SVB	24715 NEPTUNE AVE	2010-04-26	09:40	Back	21			0.777	<17 U	<1 U	<17 U	<17 U	<1.7 U	4.6	1.9	<1.7 U	<0.16 U	<17 U	<17 U					
N24715SVF	24715 NEPTUNE AVE	2010-04-26	10:30	Front	21			<0.023	26	<6.2	26	4.2	<3.8	4.1	<8	<5.9	<4.4	<0.00023	<3.6	<11				
N24715SVH	24715 NEPTUNE AVE	2010-04-26	11:58	House	19			2.3	68	<6.2	21	36	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11				
N24715SVB	24715 NEPTUNE AVE	2011-02-18	15:05	Back	23			0.25	27	<0.34	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12				
N24715SVH	24715 NEPTUNE AVE	2011-02-18	15:48	House	19			2.3	<13	<0.4	<10	<4.1	<6.7	<4.4	<9.4	<6.8	<5.2	<0.00024	<3.7	<12				
N24715SVF	24715 NEPTUNE AVE	2011-02-18	16:41	Front	22			0.24	<11	<0.34	<8.8	<3.5	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.6	<11				
M24716SVB	24716 MARBELLA AVE	2010-07-02	14:50	Garage	13			4.3	47	<2.4 U	<9.1	<3.6	16	<3.9	28	<6	<4.6	<0.00024	<3.8	<12				
M24716SVH	24716 MARBELLA AVE	2010-07-02	15:23	House	20			0.2	35	<2.3 U	19	6	<5.7	<3.8	<8	<5.8	<4.4	<0.00024	<3.8	<12				
M24716SVH	24716 MARBELLA AVE	2011-04-19	14:21	House	21			0.99	<11	<0.33	<6.7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00024	<3.8	<12				
M24716SVB	24716 MARBELLA AVE	2011-04-19	15:03	Garage	16			5.3	<14	<0.92	<11	<17	<7.1	<4.6	19	<7.2	<5.5	<0.00023	<14	<11				
M24716SVB	24716 MARBELLA AVE	2011-04-19	15:40	Back	20			1.2	<12	2.4 J b	<9.2	<14	150	<3.9	<8.3	<6	<4.6	<0.00024	<15	<12				
M24716SVB	24716 MARBELLA AVE	2011-04-19	15:40	Back	20			1.2	<12	<0.85	<9.3	<14	140	<3.9	<8.3	<6.1	<4.9	<0.00025	<15	<12				

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Oxygen	Oxygen/ Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethane	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
						MOL % 100.00%	MOL % 100.00%	MOL % 91.79%	UG/M3 55.43%	UG/M3 46.54%	UG/M3 23.34%	UG/M3 22.50%	UG/M3 15.84%	UG/M3 9.95%	UG/M3 9.57%	UG/M3 8.60%	UG/M3 8.40%	MOL % 7.50%	UG/M3 6.40%	UG/M3 5.49%
M24723SVF	24722 MARBELLA AVE	2010-11-29	09:55	Front	21			<0.024	19	0.83, b	<9	<5.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<3.7	<12
M24723SVB	24722 MARBELLA AVE	2010-11-29	11:03	Back	21			0.096	<12	0.74, b	<9.7	<3.8	<6.3	<4.1	<8.6	<6.4	<4.9	0.0027	<4	<18
M24723SVH	24722 MARBELLA AVE	2012-06-07	10:08	House	20			1	<19	<0.31	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.002	<9.8	<7.8
M24723SVF	24722 MARBELLA AVE	2012-06-07	10:10	Front	21			0.16	21	<0.8	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.002	<9.8	<7.8
M24723SVF	24722 MARBELLA AVE	2012-06-07	10:10	Front	21		21.4	0.185	<19 U	<0.74 U	<18 U	<18 U	<1.8 U	<1.8 U	<1.8 U	2.1	<1.8 U	<0.16 U	<18 U	<3.5 U
M24723SVB	24722 MARBELLA AVE	2012-06-07	10:49	Back	20			0.28	30	0.74, b	<6.5	<10	<4.2	<2.7	<3.8	<4.2	<4.8	<0.0022	<11	<8.4
M24723SVH	24722 NEPTUNE AVE	2010-07-23	13:55	House	19			1	31	<5.9	37	<2	<5.5	270	<7.6	<5.5	12	<0.0022	<3.5	<11
M24723SVG	24722 NEPTUNE AVE	2010-07-23	14:07	Garage	19			0.49	22	<5.8	<8.3	<3.2	<5.4	<3.5	<7.5	<5.4	<4.1	<0.0022	<3.4	<11
M24723SVH	24722 NEPTUNE AVE	2010-07-23	14:42	Back	20			0.56	37	<5	15	<4.5	<5.6	<12	<7.8	<5.7	<4.3	<0.0023	<3.6	<11
M24723SVH	24722 NEPTUNE AVE	2012-04-13	15:06	House	20			0.93	22	1.8, b	<6.1	<9.6	<4	<2.6	<5.5	<4	<5.1	0.0034	<10	<8
M24723SVH	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	19			1.6	<18	0.79, b	17	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.0024	<3.6	<7.8
M24723SVG	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	19			1.7	<18	0.84, b	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.0024	<3.6	<7.8
M24723SVH	24722 NEPTUNE AVE	2012-04-13	15:49	Back	17			0.87	32	1.2, b	34	<8	<3.3	<2.2	<4.6	<4.2	38	<0.0021	<3.4	<20
M24723SVB	24722 PANAMA AVE	2010-04-26	10:23	Back	19			1.9	29	<6.6	18	<4.2	<6	<4	<8.4	<6.1	<4.7	<0.0025	<6	<12
M24723SVH	24722 PANAMA AVE	2010-04-26	11:02	Front	21			0.083	22	<6.6	<9.3	<4.2	<6	<4.2	<8.4	<6.1	<4.7	<0.0025	<3.9	<12
M24723SVF	24722 PANAMA AVE	2010-04-26	11:28	Front	20			0.08	47	<6.4	<9.3	15	<6	9.7	<8.3	<6.1	<4.6	<0.0025	<3.8	<12
M24723SVF	24722 PANAMA AVE	2010-06-17	13:32	House 3	19			<0.024	410	<6.4	200	<5.9	<3.9	<2.6	<5.4	<3.9	<3	<0.0024	<3.6	<7.8
M24723SVH	24722 PANAMA AVE	2011-03-07	09:27	Front	21			0.2	<11	0.42, b	<7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.0023	<14	<11
M24723SVF	24722 PANAMA AVE	2011-03-07	09:27	Front	21			0.2	<11	<0.38	<8.7	<14	<5.6	<3.7	<7.8	<5.7	<4.3	<0.0023	<14	<11
M24723SVG	24722 PANAMA AVE	2011-03-07	10:06	Garage	21			0.23	38	0.52, b	<8.6	<13	<5.6	<3.9	<7.7	<5.0	<4.3	<0.0023	<14	<11
M24723SVG	24722 PANAMA AVE	2011-03-07	10:06	Garage	21			0.23	130	13, b	12	22	<5.6	<3.6	<7.7	<5.6	<4.3	<0.0023	<14	<11
M24723SVB	24722 PANAMA AVE	2012-03-07	10:49	Back	18			1.2	<11	0.46, b	<8.7	<14	42	<3.7	<7.8	<5.7	<4.4	<0.0023	<14	<11
M24723SVG	24722 PANAMA AVE	2012-04-26	10:06	Garage	20			0.71	<19	7.5, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.0021	<9.8	<7.8
M24723SVF	24722 PANAMA AVE	2012-04-26	10:23	Front	20			0.21	38	4.9, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.0021	<9.8	<7.8
M24723SVF	24722 PANAMA AVE	2012-04-26	10:23	Front	21			0.22	<19	4.1, b	<6	<9.3	<3.8	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
M24723SVH	24722 RAVENNA AVE	2010-10-25	09:53	House	16			4.2	<11	<1.3	<8.8	<8.5	<5.7	<3.8	<3.9	<3	<0.0024	<3.6	<7.8	
M24723SVF	24722 RAVENNA AVE	2010-10-25	10:39	Front	19			0.92	26	<1.4	19	4	<6	<3.9	<8.3	<6	<4.6	<0.0024	<3.8	<12
M24723SVB	24722 RAVENNA AVE	2010-10-25	11:16	Back	17			2.8	32	<1.4	<9.4	<3.7	<6.1	<4	<6.5	<6.2	<4.7	<0.0025	<3.9	<12
M24723SVH	24722 RAVENNA AVE	2012-11-09	15:01	House	14			5.9	<29	2.1, b	<9.3	<15	<6	<4	<8.4	<6.1	<4.7	<0.0025	<15	<12
M24723SVB	24722 RAVENNA AVE	2012-11-09	15:15	Back	17			3	<28	0.98, b	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24723SVF	24722 RAVENNA AVE	2012-11-09	15:15	Front	20			1.7	<29	0.86, b	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.0024	<15	<12
M24723SVB	24723 MARBELLA AVE	2010-03-29	16:22	Back	20			0.069	23	<1.1, b	8	<3.8	<6.2	<4.1	22	<6.3	<4.9	<0.0026	<4	<12
M24723SVH	24723 MARBELLA AVE	2010-04-07	12:12	House	19			0.61	11	<2.3	13	<3.5	<5.7	<3.8	38	<5.8	<4.4	<0.0024	<3.6	<12
M24723SVF	24723 MARBELLA AVE	2010-07-21	09:24	Front	20			<0.023	40	<6.2	9	<6	<5.7	38	<5.8	<4.4	<0.0024	<3.6	<12	
M24723SVF	24723 MARBELLA AVE	2012-06-21	15:14	Front	21			0.38	26	0.57, b	<6.1 PF	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
M24723SVF	24723 MARBELLA AVE	2012-06-21	15:14	Front	21			0.36	38	<0.92	<6.1 PF	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
M24723SVH	24723 MARBELLA AVE	2012-06-21	15:21	House	13			6.2	<19	0.33, b	<6.1 PF	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
M24723SVB	24723 MARBELLA AVE	2012-06-21	15:47	Back	21			0.49	<19	0.45, b	<6.1 PF	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.0016	<10	<7.9
M24723SVH	24723 RAVENNA AVE	2010-11-02	12:51	Back	18			2.4	32	<1.4	<9.5	<3.7	<6.2	<4	<8.5	<6.2	<4.7	<0.0025	<3.9	<12
M24723SVH	24723 RAVENNA AVE	2010-11-02	13:54	House	18			2.9	84	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.6	<0.0024	<15	<12
M24723SVF	24723 RAVENNA AVE	2010-11-02	14:27	Front	17			3.1	17	<1.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.6	<0.0024	<15	<12
M24723SVF	24723 RAVENNA AVE	2012-11-08	10:04	Front	16			3.9	<28	1.1, b	<9.1	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24723SVF	24723 RAVENNA AVE	2012-11-08	10:04	Front	16			3.9	<28	0.77, b	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24723SVH	24723 RAVENNA AVE	2012-11-08	10:23	House	18			3.1	<28	<0.59	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24723SVH	24723 RAVENNA AVE	2012-11-08	10:40	Back	18			3	<28	<0.59	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.0024	<15	<12
M24723SVB	24725 NEPTUNE AVE	2009-10-02	09:53	Back	20			0.51	17	<3	24	<6	8.2	<3.9	<8.2	<6	<4.6	<0.0024	<3.8	<12
M24723SVF	24725 NEPTUNE AVE	2009-10-02	10:54	Front	21			0.28	<12	<3.1	12	<3.6	27	<3.9	<8.3	<6.1	<4.6	<0.0025	<3.8	<12
M24723SVH	24725 NEPTUNE AVE	2010-06-16	09:14	House	16			1.7	24	<2.4	<9.2	<3.6	<6	<4.3	<8.3	<6	<4.6	<0.0024	<3.8	<12
M24723SVB	24725 NEPTUNE AVE	2010-06-16	10:30	Back	21			0.68	13	6.1	11	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
M24723SVF	24725 NEPTUNE AVE	2010-06-16	11:18	Front	21			0.11	<11	<2.3	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.0023	<3.6	<11
M24723SVH	24725 NEPTUNE AVE	2012-06-22	14:51	House	16			3.4	<19	0.83, b	<6.1 PF	<9.6	<4	<2.6	<5.5	<4	<3.1	<0.0016	<10	<8 PF

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection	Analyte Units	Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloroethene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
							MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
							100.00%	100.00%	91.79%	56.42%	46.54%	29.34%	22.50%	15.84%	9.95%	9.57%	8.60%	8.40%	7.50%	6.00%	5.49%
N24738SV	24738 NEPTUNE AVE	2012-02-23	10:33	Front	20				0.72	68	21 b	19	<13	<5.4	<3.8	<7.4	<5.5	10	0.00024	<14	<11
N24738SV D	24738 NEPTUNE AVE	2012-02-23	10:33	Front	20				0.68	21	0.85 U, b	14	<13	<5.3	<3.5	<7.4	<5.4	9.1	0.00025	<14	<11
N24738SVH	24738 PANAMA AVE	2010-09-07	18:44	House	12				6.4	42	<1.4	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<15
P24738SVHD	24738 PANAMA AVE	2010-09-07	13:44	House	12				6.4	21	<1.4	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24738SVB	24738 PANAMA AVE	2010-09-07	14:25	Back	19				0.21	32	<1.4	<8.6	<3.4	<5.7	<3.6	<7.8	<5.7	<4.3	<0.00024	<3.6	<11
P24738SVF	24738 PANAMA AVE	2010-09-07	13:03	Front	19				0.35	24	<1.4	11	<3.5	<5.8	<3.8	<8.1	<5.9	4.4	<0.00024	<3.7	<12
P24738SVH	24738 PANAMA AVE	2012-09-07	15:53	House	11				7.6	120	14.1 b	14	<14	<5.8	12	<7.8	<5.7	<4.3	0.006	<14	170
P24738SVF	24738 PANAMA AVE	2012-09-07	15:37	Front	20				0.73	68	0.56 U, b	11	17	<5.9	<3.4	<7.3	<5.3	<4.1	<0.00022	<13	<11
P24738SVB	24738 PANAMA AVE	2012-09-07	15:55	Back	19				2.4	38	<0.5	<3.1	<14	<5.9	<3.9	<5.2	<4.6	<4.6	<0.00024	<15	<12
N24739SVH	24739 NEPTUNE AVE	2010-10-12	09:45	House	19				0.9	25	<1.2	<7.6	<3	<4.9	<3.2	<6.6	<5	<3.8	<0.00023	<3.6	<11
N24739SVF	24739 NEPTUNE AVE	2010-10-12	11:48	Front	19				0.94	17	<1.3	<8.8	<3.4	<7.8	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.7	<12
N24739SVH	24739 NEPTUNE AVE	2011-11-11	12:08	Garage	10				5.9	<7.2	0.39 U	<5.7	<9	<3.7	<2.4	<5.2	<3.3	<2.9	<0.00015	<3.5	<7.5
N24739SVH	24739 NEPTUNE AVE	2011-11-11	12:45	House	20				0.93	19	0.31 U	<5.7	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<3.5	<7.5
N24739SVF	24739 NEPTUNE AVE	2011-11-11	13:30	Front	21				0.74	<7.4	<0.28	<5.8	<9.1	<3.6	<2.9	<5.2	<3.8	<2.9	<0.00016	<3.6	<7.6
N24739SVH	24739 NEPTUNE AVE	2011-11-11	13:30	Front	21				0.74	8.2	4.71	<5.8	<9.1	<3.8	3.9	<5.2	<3.8	13	<0.00016	<3.6	<7.6
N24739SVH	24739 NEPTUNE AVE	2012-09-21	10:05	House	18				0.87	<28	1.11 b	17	<14	<5.8	<3.8	<5.1	<5.9	<4.5	<0.00025	<15	<12
N24739SVG	24739 NEPTUNE AVE	2012-09-21	10:10	Garage	7.9				7.9	<28	1.21 b	17	<14	<5.8	<3.8	<5.1	<5.9	<4.5	<0.00024	<15	<12
N24739SVG	24739 NEPTUNE AVE	2012-09-21	10:10	Garage				8.19	7.96	<19 U	<0.78 U	<19 U	<19 U	<19 U	<19 U	<19 U	3	<1.9 U	<0.15 U	<19 U	<19 U
P24739SVH	24739 PANAMA AVE	2011-02-07	13:57	House	21				0.046	<11	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24739SVH	24739 PANAMA AVE	2011-02-07	13:57	House				21.9	<0.16	<17	<1.4	<17	<17	<1.7	<1.7	<1.7	2.4	<1.7	<0.16	<17	<3.5
P24739SVB	24739 PANAMA AVE	2011-02-07	14:43	Back	17				2.8										<0.00025		
P24739SVF	24739 PANAMA AVE	2011-02-07	14:48	Front	21				0.08	18	<0.34	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24739SVB	24739 PANAMA AVE	2012-10-26	10:02	Back	16				3.2	<12	0.71 U, b	<9.5	<3.7	<6.2	<4	<8.5	<6.2	<4.7	<0.00023	<14	<11
P24739SVH	24739 PANAMA AVE	2012-10-26	10:02	Back	16				3	<26	<0.34	<8.8	<3.4	<5.7	<3.7	<7.8	<5.7	<4.3	<0.00023	<14	<11
P24739SVH	24739 PANAMA AVE	2012-10-26	10:30	House	20				0.42	<26	<0.34	<8.8	<3.4	<5.7	<3.7	<7.8	<5.7	<4.3	<0.00022	<14	<11
P24739SVF	24739 PANAMA AVE	2012-10-26	10:33	Front	20				0.088	<28	<0.59	<9	<14	<5.8	<3.8	<5.1	<5.9	<4.5	<0.00024	<15	<12
P24739SVH	24739 RAVENNA AVE	2010-10-13	09:06	House	17				2	20	<1.3	<8.8	<3.5	<5.7	<3.8	<5	<5.8	<4.4	<0.00024	<3.6	<12
N24739SVH	24739 RAVENNA AVE	2010-10-13	09:42	Back	21				0.2	<11	<1.4	<8.9	5.9	<5.8	<3.8	<5	<5.9	<4.5	<0.00023	<3.7	<12
N24739SVF	24739 RAVENNA AVE	2010-10-13	10:14	Front	19				1.2	25	<1.3	<8.8	3.4	6.5	<3.7	<7.9	<5.8	<4.4	<0.00024	<3.6	<12
N24739SVH	24739 RAVENNA AVE	2010-10-13	10:14	Front	19				1.2	35	2.21	<8.8	4.7	6.4	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.7	<12
N24739SVH	24739 RAVENNA AVE	2011-03-03	09:57	Front	20				0.8	<11	3.21 b	<9	<14	<5.8	<3.8	<5.1	<5.9	<4.5	<0.00023	<3.7	<12
N24739SVH	24739 RAVENNA AVE	2011-03-03	10:35	House	20				1.6	<11	4.31 b	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.7	<12
N24739SVH	24739 RAVENNA AVE	2011-03-03	11:10	Back	22				0.14	64	5.1 b	<8.8	7.9	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.7	<12
N24739SVH D	24739 RAVENNA AVE	2011-03-03	11:10	Back	21				0.13	24	2.21 b	<8.8	6.3	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.7	<12
M24741SVH	24741 MARBELLA AVE	2010-05-28	09:20	House	19				0.93	620	<4	24	7.7	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
M24741SVB	24741 MARBELLA AVE	2010-05-28	10:01	Back	20				0.38	26	<4.2	<9.1	3.8	<5.9	<3.8	52	<6	<4.5	<0.00024	<3.8	<12
M24741SVF	24741 MARBELLA AVE	2010-05-28	10:37	Front	18				1.8	36	<4.2	<9.1	6	<5.9	6.9	<3.2	<6	<4.6	<0.00015	<3.8	<12
M24741SVF	24741 MARBELLA AVE	2012-06-15	09:59	Front	18				3.9	<18	0.35 U, b	<5.7	<8.9	<3.7	<2.4	6.6 PE, U	<3.7	<2.8	<0.00015	<3.9	<7.4
M24741SVB	24741 MARBELLA AVE	2012-06-15	10:08	Back	20				1.2	<18	0.36 U, b	<5.8	<9.1	<3.8	<2.5	65 PE, U	<3.8	<2.9	<0.00016	<3.6	<7.6
M24741SVH	24741 MARBELLA AVE	2012-06-12	12:08	House A	19				1.24	<17 U	<0.72 U	<17 U	<17 U	33	<1.7 U	42	2.1	<1.7 U	<0.16 U	<17 U	<3.4 U
M24741SVF	24741 MARBELLA AVE	2012-04-23	15:07	Front	21				0.06	<18	<0.3	<5.7 PE	<9	<3.7	<2.4	790	<3.8	<2.9	<0.00015	<3.5	<7.5
M24741SVH	24741 MARBELLA AVE	2010-04-23	16:04	Back	20				0.18	20	<2.4	11	3.9	<5.9	<3.9	36	<6	<4.6	<0.00024	<3.8	<12
M24741SVH	24741 MARBELLA AVE	2010-04-23	17:10	House	20				1.1	75	5.11 b	94	8.8	<5.6	5.7	77	<3.7	<3	<0.00023	<3.6	<12
M24741SVH	24741 MARBELLA AVE	2010-08-17	08:50	Garage	14				1.4	32	<6.2	15	5	<5.7	<3.7	74	<5.8	<4.4	<0.00029	<3.6	<11
M24741SVH	24741 MARBELLA AVE	2011-02-09	09:25	House	20				1.2	<11	2.71 b	<9	<3.9	<5.8	<3.8	82	<5.9	<4.5	<0.00023	<3.6	<11
M24741SVH	24741 MARBELLA AVE	2011-02-09	10:02	Garage	17				4	32	1.41 b	<8.5	3.5	<5.5	<3.6	18	<5.6	<4.2	<0.00023	<3.5	<11
M24741SVB	24741 MARBELLA AVE	2011-02-09	10:52	Back	21				0.3	<11	1.21 b	<8.6	<3.4	<5.6	<3.6	39	<5.6	<4.3	<0.00023	<3.6	<11
M24741SVB D	24741 MARBELLA AVE	2011-02-09	10:52	Back	21				0.3	16	2.1 b	<8.6	<3.4	<5.6	<3.6	36	<5.6	<4.3	<0.00023	<3.6	<11

Table B-2
Sub-Slab Soil Vapor Results
Former Kwik Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Oxygen	Oxygen/ Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro- ethylene	Praon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
						MOL % 100.00%	MOL % 100.00%	MOL % 91.79%	UG/M3 56.43%	UG/M3 46.54%	UG/M3 23.54%	UG/M3 22.50%	UG/M3 15.84%	UG/M3 9.05%	UG/M3 9.57%	UG/M3 8.60%	UG/M3 8.40%	MOL % 7.50%	UG/M3 6.40%	UG/M3 5.49%
P24813SVB	24813 PANAMA AVE	2010-10-26	10:54	Back	21			0.18	<11	<1.4	<9	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
P24813SVFA	24813 PANAMA AVE	2010-11-23	10:00	Front A	20			0.27	19	4.51, b	<8.8	<3.4	200	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24813SVFAS	24813 PANAMA AVE	2010-11-23	10:00	Front A	20			0.3	18	3.8	<17	<17	240	<1.7	1.9	3	<1.7	<0.15	<15	<12
P24813SVH	24813 PANAMA AVE	2012-08-23	10:00	House	18			2.4	31	0.76, b	13	<14	170	<3.9	<8.4	<6.1	<4.6	0.00049	<15	<14
P24813SVFAD	24813 PANAMA AVE	2012-08-23	10:06	Front A	16			3.4	83	1.1, b	<9.1	<14	140	<3.9	<8.2	<6	<4.6	0.00028	<15	<14
P24813SVB	24813 PANAMA AVE	2012-08-23	10:06	Front A	16			3.4	<29	1.3, b	<9.1	<14	140	<3.9	<8.2	<6	<4.6	0.00024	<15	<12
P24813SVB	24813 PANAMA AVE	2012-08-23	10:28	Back	21			0.95	<12	<3.1	<9.3	<3.6	<8	<3.6	<7.8	<5.7	<4.4	<0.00023	<3.6	<11
N24815SVB	24815 NEPTUNE AVE	2009-09-17	14:43	Back	8.4			0.17	<28	0.73, b	<8.8	<14	18	<3.7	<7.9	<5.8	<4.4	0.00014	<14	<11
N24815SVF	24815 NEPTUNE AVE	2009-09-17	15:57	Front	14			5.8	<12	<3.1	<9.3	<3.6	<8	<3.6	<7.8	<5.7	<4.4	<0.00023	<3.6	<11
N24815SVH	24815 NEPTUNE AVE	2010-08-13	10:09	House	15			4.7	23	<8	<8.8	<3.4	<5.7	<6.2	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24815SVF	24815 NEPTUNE AVE	2010-08-13	10:54	Front	14			5.2	28	<6.2	<8.8	<3.4	<5.7	<6.2	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24815SVB	24815 NEPTUNE AVE	2010-08-13	11:59	Back	13			7.8	30	<6.2	<8.8	<3.5	10	5.3	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
N24815SVH	24815 NEPTUNE AVE	2012-03-29	09:58	House	18			2.7	<19	0.97, b	<5.9	<9.2	<3.8	<2.5	<5.3	<3.9	<3	<0.00018	<9.8	<7.7
N24815SVH	24815 NEPTUNE AVE	2012-03-29	09:58	House	18			2.04	<17 U	<1.1 U	<17 U	<17 U	<1.7 U	<1.7 U	2.2	<1.7 U	<0.16 U	<17 U	<3.5 U	
N24815SVB	24815 NEPTUNE AVE	2012-03-29	10:17	Back	10			2.6	<18	<0.3	<5.7	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00015	<9.5	<7.5
N24815SVF	24815 NEPTUNE AVE	2012-03-29	10:37	Front	10			3.4	<19	0.48, b	<6	<9.2	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8
P24818SVH	24818 PANAMA AVE	2010-11-12	10:21	House	18			2.1	31	0.5, b	<9.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	0.00024	<3.8	<12
P24818SVH	24818 PANAMA AVE	2010-11-12	11:06	Front	21			2.15	<17	<1.5	<17	2.8	<1.7	2.8	<1.7	2.2	4	<0.00016	<17	<3.4
P24818SVF	24818 PANAMA AVE	2010-11-12	11:06	Front	21			<0.0024	24	0.82, b	<5.1	<3.6	<5.9	<3.9	<8.2	<6	<4.6	0.00024	<3.8	<12
P24818SVF	24818 PANAMA AVE	2010-11-12	11:06	Front	21			<0.0024	17	1.1, b	<6	<3.5	<5.8	<8.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
P24818SVF	24818 PANAMA AVE	2012-06-08	10:25	Front	22			0.37	21	2.9, b	<6.2	<9.7	4.3	<2.6	<5.6	<4	7.3	<0.00016	<10	<8.1
P24818SVF	24818 PANAMA AVE	2012-06-08	10:25	Front	22			0.874	<17 U	<0.73 U	<17 U	<17 U	3.7	<1.7 U	<1.7 U	2.1	<1.7 U	<0.16 U	<17 U	<3.5 U
P24818SVH	24818 PANAMA AVE	2012-06-08	10:30	House	12			5.5	<19	1.5, b	<6.1	<0.5	80	<2.6	<5.5	<4	<3	0.16	<10	<7.9
P24818SVB	24818 PANAMA AVE	2012-06-08	11:02	Back A	21			1.5	22	0.62, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	<7.8
P24818SVB	24818 PANAMA AVE	2012-06-08	11:02	Back A	21			1.58	25	<0.73 U	<17 U	<17 U	3	<1.7 U	<1.7 U	1.9	<1.7 U	<0.16 U	<17 U	<3.5 U
P24818SVH	24818 PANAMA AVE	2010-05-10	09:16	House	21			0.22	120	3.4, b	37	0.4	<5.7	4.9	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24818SVB	24818 PANAMA AVE	2010-05-10	11:10	Back	21			0.14	46	<2.2	10	<5.5	<3.6	<7.6	<5.5	<4.2	<0.00023	<3.5	<11	
P24818SVF	24818 PANAMA AVE	2010-05-10	11:17	Front	20			<0.0023	77	12	<8.5	15	<8.3	<3.6	<7.7	<5.8	<4.4	<0.00023	<3.5	<11
P24818SVF	24818 PANAMA AVE	2011-04-21	11:16	Front	22			0.15	<11	0.78, b	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.4	<11
P24818SVF	24818 PANAMA AVE	2011-04-21	11:16	Front	22			<0.19	<20	<1.2	<20	<20	<2	<2	<2	<2	<2	<0.19	<20	<4
P24818SVH	24818 PANAMA AVE	2011-04-21	12:22	House	21			0.33	<11	0.7, b	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	0.00023	<3.4	<11
P24818SVH	24818 PANAMA AVE	2011-04-21	12:22	House	21			0.33	<14	<0.84	<14	<14	2.6	<1.4	<1.4	1.9	<1.4	<0.13	<14	<2.9
P24818SVB	24818 PANAMA AVE	2011-04-21	12:31	Back	21			0.33	11	<0.34	<8.8	<14	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.4	<11
P24818SVB	24818 PANAMA AVE	2011-04-21	12:31	Back	21			0.378	<17	<2	<17	<17	<1.7	<1.7	<1.7	2.2	<1.7	<0.16	<17	<3.5
P24828SVH	24828 PANAMA AVE	2011-10-27	08:46	House	10			6.3	<7.4	1.6, b	<5.8	<8.1	<3.8	<2.5	<5.2	<4.8	<2.9	<0.00016	<9.6	<7.6
P24828SVB	24828 PANAMA AVE	2011-10-27	09:21	Back	21			0.24	8.3	1.1, b	<5.5	<8.6	<3.6	<2.3	<5	<3.6	<2.8	<0.00015	<9.1	<7.2
P24828SVB	24828 PANAMA AVE	2011-10-27	09:21	Back	21			0.755	<16 U	<0.95 U	<16 U	<16 U	<1.6 U	<1.6 U	2.1	<1.6 U	<0.13 U	<16 U	<3.3 U	
P24828SVF	24828 PANAMA AVE	2011-10-27	10:03	Front	20			0.72	<7.5	0.46, b	<6	<9.3	<3.8	<2.5	<5.4	<3.9	<3	0.00027	<9.8	<7.8
P24828SVB	24828 PANAMA AVE	2012-09-13	10:20	Back	19			1.8	36	1.9, b	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.3	<0.00024	<15	<12
P24828SVB	24828 PANAMA AVE	2012-09-13	10:20	Back	19			1.45	<20 U	<0.82 U	<20 U	<20 U	<2 U	<2 U	<2 U	<2 U	<0.16 U	<20 U	<20 U	
P24828SVF	24828 PANAMA AVE	2012-09-13	10:24	House	15			4.7	28	1.4, b	<8.1	<13	<5.3	<3.4	<7.8	<5.3	<4.1	<0.00022	<13	<11
P24832SVF	24832 PANAMA AVE	2010-10-06	09:38	Garage	15			0.92	27	5.2, b	<8.6	<14	<5.6	<3.6	<7.8	<5.3	<4.3	<0.00023	<14	<11
P24832SVG	24832 PANAMA AVE	2010-10-06	10:13	Back	18			2.5	32	<1.3	<8.8	<9	<5.7	<3.7	<7.9	<5.9	<4.4	<0.00023	<3.6	<11
P24832SVB	24832 PANAMA AVE	2010-10-06	10:13	Back	18			2.2	17	<1.3	<8.7	<8.4	<5.6	<3.7	<7.8	<5.7	<4.4	<0.00023	<3.6	<11
P24832SVH	24832 PANAMA AVE	2010-10-05	10:56	House	19			0.23	25	2.8, b	<8.8	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<15	<12
P24832SVB	24832 PANAMA AVE	2012-09-28	15:01	Back	18			2.6	<29	1.3, b	<9.3	<14	<6	<3.9	<8.4	<6.1	<4.6	<0.00025	<15	<12
P24832SVG	24832 PANAMA AVE	2012-09-28	15:21	Garage	14			5.2	33	0.68, b	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.3	<0.00024	<15	<12
P24832SVH	24832 PANAMA AVE	2012-09-28	16:10	House	19			0.3	270	1.4, b	<13	<16	<5.6	<3.6	<7.8	<5.7	<4.4	<0.00023	<14	<11
P24833SVI	24833 PANAMA AVE	2010-10-14	09:35	House	18			0.72	45	<1.4	11	12	<5.8	<3.8	<8.1	<5.9	<4.5	0.00027	<3.6	<11
P24833SVF	24833 PANAMA AVE	2010-10-14	10:20	Front	18			0.072	45	<1.4	11	12	<5.8	<3.8	<8.1	<5.9	<4.5	0.00027	<3.6	<11
P24833SVB	24833 PANAMA AVE	2010-10-14	11:06	Back	16			0.065	31	1.5, b	<8.8	<3.4	16	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
P24833SVB	24833 PANAMA AVE	2012-11-29	14:47	Back	21			0.24	<27	0.94, b	<8.6	<14	<5.6	<3.6	<7.8	<5.7	<4.3	<0.00023	<3.6	<11

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection	Analyte Units	Oxygen	Oxygen/Argon	Carbon Dioxide	Acetone	Naphthalene	Ethanol	2-Butanone (Methyl Ethyl Ketone)	Chloroform	Benzene	Tetrachloro-ethene	Freon 12	Toluene	Methane	Carbon Disulfide	Isopropanol
							MOL %	MOL %	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL %	MOL %	UG/M3
							100.00%	100.00%	91.79%	56.43%	46.54%	23.34%									
249377SVH	377 249TH ST	2012-08-24	10:03	House	20				0.37	<29	0.73 U	<9.1	<14	39	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
249377SVF	377 249TH ST	2012-08-24	10:04	Front	20				0.22	30	<0.5	<9.5	<15	38	<4	<8.5	<6.2	<4.7	<0.00025	<16	<12
249377SVF	377 249TH ST	2012-08-24	10:04	Front	20				0.28	<30	<0.5	<9.5	<15	41	<4	<8.5	<6.2	<4.7	<0.00025	<16	<12
249377SVB	377 249TH ST	2012-08-24	10:41	Back	20				1.4	<28	0.59 U	11	<14	130	<3.7	<7.9	<5.8	<4.4	<0.00028	<14	<11
249378SVBA	378 249TH ST	2011-01-17	09:28	Back A	16				3.7	21	<1.4	<9.1	<8.6	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<14	<12
249378SVGC	378 249TH ST	2011-01-17	10:15	Garage C	1.2				12	<230	<28	<180	<71	<120	910	<160	<120	<91	17	<75	2000
249378SVGCD	378 249TH ST	2011-03-17	10:15	Garage C	1.4				12	<230	<28	<180	<71	<120	910	<160	<120	<91	17	<75	2000
249378SVH	378 249TH ST	2011-01-17	11:07	House	19				2.9	20	<1.3	<8.8	<5.4	<5.7	<7.9	<5.8	29	0.0033	<15	<11	
249378SVBA	378 249TH ST	2011-05-12	15:30	Back A	17				5.2	13	<0.32 U	<8.5	<13	<5.5	<3.6	<7.7	<5.6	<4.2	<0.00023	<14	<11
249378SVBAS	378 249TH ST	2011-05-12	15:30	Back A	18			18.1	5.83	<17	<0.96	<17	<17	4	<1.7	2.1	<1.7	<0.15	<17	<8.3	
249378SVH	378 249TH ST	2011-05-12	15:42	House	18				3.4	12	<0.34 U	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<15	<12
249378SVGC	378 249TH ST	2011-05-12	16:47	Garage C	1.3				17	<220	<6.8	<180	<280	<120	1200	<160	<120	<89	16	<300	<230
249378SVGCS	378 249TH ST	2011-05-12	16:47	Garage C	1.3			0.877	18.5	<1700	<56	<1700	<1700	<170	820	<170	<170	<170	17.8	<1700	<330
249378SVGC	378 249TH ST	2012-02-24	14:54	Garage C	1.3				15	<350	<5.4	<110	<180	<73	800	<100	<74	<56	16	<180	<150
249378SVH	378 249TH ST	2012-02-24	15:04	House	17				4.1	<17	4.61	<3.5	<8.6	<3.5	<2.3	<3	<3.6	<2.8	<0.00015	<9.1	<7.2
249378SVBA	378 249TH ST	2012-02-24	16:32	Back A	18				4.2	<530	9.81	<170	<260	<110	<72	<150	150	0.0025	<280	<230	
249378SVBA	378 249TH ST	2012-02-24	16:32	Back A	17				4.2	<840	15.7	<300	<460	<190	<130	<270	<200	<150	0.0024	<400	<390
249378SVBA	378 249TH ST	2012-03-23	09:10	Back A	17				3.7	<390	8.71 U	<120	<190	<80	<52	<110	<81	<61	0.0036	<200	<160
249378SVBAS	378 249TH ST	2012-08-23	09:10	Back A	17			17.4	3.79	<460 U	<27 U	<460 U	<460 U	<46 U	<46 U	<46 U	<46 U	<0.16 U	<460 U	<92 U	
249383SVB	383 249TH ST	2010-05-21	10:04	Back	20				0.052	51	81	<8.8	7.5	<5.7	5.4	<7.9	<5.8	<4.4	<0.00023	<8.8	<11
249383SVG	383 249TH ST	2010-05-21	11:18	Garage	20				<0.023	46	<5.3	<20	<7.8	<13	<8.5	57	<13	<10	<0.00023	<8.3	<26
249383SVH2	383 249TH ST	2010-06-02	09:10	House 2	20				0.01	<11	2.7	<8.7	<3.4	<5.6	<3.7	<7.8	<5.7	<4.3	<0.00023	<3.8	<11
249383SVB	383 249TH ST	2012-06-07	15:08	Back	20				0.77	<19	0.48 U	<5.9	<9.2	10	<2.5	<5.3	<3.9	5.61	<0.00021	<9.8	<7.7
249383SVBD	383 249TH ST	2012-06-07	15:08	Back	20				0.76	<19	0.49 U	<5.9	<9.2	11	<2.5	<5.3	<3.9	5.61	<0.00021	<9.8	<7.7
249383SVH2	383 249TH ST	2012-06-07	15:08	House 2	20				0.85	<18	0.37 U	<5.7	<9	<3.7	<2.4	<5.2	<3.8	<2.9	<0.00021	<9.5	<7.5
249383SVG	383 249TH ST	2012-06-07	15:45	Garage	20				1.2	<19	0.56 U	<5.7	<9.5	<3.9	<2.6	<5.5	<4	<3	<0.00021	<10	<7.9
249402SVH	402 249TH ST	2010-09-20	13:42	House	19				0.62	15	3.3 U	46	<3.5	<5.8	<3.8	<8	<5.9	<4.5	<0.00024	<3.7	<12
249402SVB	402 249TH ST	2010-09-20	14:24	Back	20				0.28	18	2.6 U	28	<3.5	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<3.7	<12
249402SVF	402 249TH ST	2010-09-20	14:59	Front	19				1.7	11	1.2 U	17	<3.4	<5.7	<3.7	<7.9	<5.8	<4.4	<0.00023	<3.6	<11
249402SVH	402 249TH ST	2012-03-22	10:14	House	21				1.2	20	0.95 U	<6	<3.5	<3.8	<2.5	<5.4	<3.9	<3	<0.00016	<9.8	10
249402SVF	402 249TH ST	2012-03-22	10:25	Front	21				1	<20	1.2 U	<6.3	<9.9	<4.1	<2.7	<5.7	<4.2	<3.2	<0.00017	<10	<8.2
249402SVF	402 249TH ST	2012-03-22	10:25	Front	21			20.7	1.08	<22 U	<1.3 U	<22 U	<22 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<0.00016	<9.6	<7.6
249402SVB	402 249TH ST	2012-03-22	10:51	Back	20				0.51	20	0.72 U	<5.8	<9.1	<3.8	<2.5	<5.2	<3.8	<2.9	<0.00016	<9.6	<7.6
249412SVF	412 249TH ST	2009-10-05	14:42	Front	18				3.1	130	<3.1	<9.2	<3.6	<6	<3.9	30	<6	<4.6	<0.00024	<3.8	<12
249412SVH	412 249TH ST	2011-09-13	09:24	House	20				0.65	<12	6.5 U	<9.3	<14	<6	<3.9	<8.4	9.2	<4.6	<0.00025	<15	<12
249412SVF	412 249TH ST	2011-09-13	10:30	Front	19				2.5	16	0.92 U	<8.8	<14	<5.7	<3.7	25	<5.8	<4.4	<0.00023	<14	<11
249412SVBA	412 249TH ST	2011-09-20	13:38	Back A	19				2.6	<11	1.5 U	<9	<14	<5.8	<3.8	<8.1	<5.9	<4.5	<0.00024	<15	<12
249412SVH	412 249TH ST	2012-09-27	15:10	House	20				0.73	34	9.1 U	9.5	<14	<5.9	<3.9	<8.2	<6	12	<0.00024	<15	<12
249412SVB A	412 249TH ST	2012-09-27	15:20	Back A	16				5.6	<19	1.1 U	<9.1	<14	<5.9	<3.9	<8.2	<6	<4.6	<0.00024	<15	<12
249412SVF	412 249TH ST	2012-09-27	15:53	Front	19				2	<19	1.4 U	<9.3	<14	<6	<3.9	18	<6.1	<4.6	<0.00025	<15	<12

Sub-Slab Soil Vapor Result
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Helium	Hexane	n/m-Xylene	C6-C8	Heptane	1,3-A- Trimethylbenzene	CB-C10	C10-C12	C5-C6	Cumene	Ethylbenzene	Cyclohexane	Methylcyclohexane	Free 11	Bromo-naphthalene			
						MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						5.16%	4.40%	3.62%	3.19%	3.17%	3.04%	2.76%	2.41%	2.34%	2.26%	2.28%	2.13%	2.13%	2.13%	2.13%	2.13%	2.13%	
M24532 SVF	24532 MARBELLA AVE	2011-09-23	09:04	Front	<0.12	<4.2	<3.2	<98	<4.9	<5.9	<140	<170	<78	<5.9	<5.2	<4.1	<4.2	<6.7	<4.7				
M24532 SVFD	24532 MARBELLA AVE	2011-09-23	09:04	Front	<0.12	<4.2	<3.2	<98	<4.9	<5.9	<140	<170	<77	<5.9	<5.2	<4.1	<4.2	<6.7	<4.6				
M24532 SVF	24532 MARBELLA AVE	2012-04-05	09:37	Back	<0.12	<4.1	<3.1	<95	<4.8	<5.8	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5				
M24532SVH	24532 MARBELLA AVE	2012-04-05	15:17	House	<0.12	<2.8	<3.4	<65	<3.2	<3.9	<92	<110	<51	<3.9	<3.4	<2.7	<2.7	<4.4	<4.4				
M24532SVF	24532 MARBELLA AVE	2012-04-05	15:24	Front	<0.12	<2.7	<3.4	<64	<3.2	<3.8	<90	<110	<50	<3.8	<3.4	<2.7	<2.7	<4.4	<4.4				
M24532SVB	24532 MARBELLA AVE	2012-04-05	15:26	Back	<0.14	<2.6	<3.2	<61	<3	<3.7	<87	<100	<48	<3.7	<3.2	<2.6	<2.6	<4.2	<4.2				
M24532SVBD	24532 MARBELLA AVE	2012-04-05	15:26	Back	<0.12	<2.6	<3.2	<61	<3	<3.7	<87	<100	<48	<3.7	<3.2	<2.6	<2.6	<4.2	<4.2				
M24532SVB	24532 PANAMA AVE	2012-05-10	09:54	Garage	<0.082	<2.9	<3.6	<67	<3.4	<4	<95	<110	<58	<4	<3.6	<2.8	<2.8	<4.6	<3.2				
M24532SVB	24532 PANAMA AVE	2012-05-10	09:54	Garage	<0.082	<2.9	<3.6	<67	<3.4	<4	<95	<110	<58	<4	<3.6	<2.8	<2.8	<4.6	<3.2				
M24532SVH	24532 PANAMA AVE	2012-05-10	09:54	House	0.2	<2.8	<3.7	<65	<3.2	<3.9	<92	<110	<51	<3.9	<3.4	<2.7	<2.7	<4.4	<4.4				
M24532SVB	24532 PANAMA AVE	2012-05-10	10:23	Back	<0.074	<2.6	<3.2	<61	<3	<3.7	<87	<100	<48	<3.7	<3.2	<2.6	<2.6	<4.2	<4.2				
M24532SVB	24532 PANAMA AVE	2012-05-10	10:23	Back	<0.074	<2.6	<3.2	<61	<3	<3.7	<87	<100	<48	<3.7	<3.2	<2.6	<2.6	<4.2	<4.2				
M24532SVB	24532 RAVENNA AVE	2010-08-18	13:25	Back	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5				
M24532SVF	24532 RAVENNA AVE	2010-08-18	13:28	Front	<0.12	<4.4	<5.4	<100	<5.1	<6.1	<140	<170	<81	<6.1	<5.4	<4.3	<4.3	<6.7	<4.6				
M24532SVB	24532 RAVENNA AVE	2011-05-11	15:58	Back	<0.12	<4.2	<5.1	<97	<4.8	<5.8	<140	<160	<77	<5.8	<5.1	<4.1	<4.1	<6.6	<4.6				
M24532SVF	24532 RAVENNA AVE																						

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection	Heftum	Hexane	p/m-Xylene	C6-C8	Heptane	1,2,4-Trimethylbenzene	C9-C10	C10-C12	C13-C14	C15-C16	Cumene	Ethylbenzene	Cyclohexane	Methylene Chloride	Freon 11	Bromo-methane
							MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
							5.10%	4.40%	3.62%	3.19%	3.17%	3.04%	2.76%	2.41%							2.60%	1.81%
P24613SVF5	24619 PANAMA AVE	2011-12-08	15:39	Front			<1.8 U	<3.7 U			<1.8 U	<1.8 U					<1.8 U	<1.8 U	<3.7 U	<1.8 U	<1.8 U	<1.8 U
P24613SVF5	24619 PANAMA AVE	2011-12-08	16:09	Back			<0.078	<2.7	<3.4	<64	<3.2	<3.8	<90	<150	<50	<3.8	<3.4	<2.7	<2.7	<3.4	<3	
P24613SVF5	24619 PANAMA AVE	2011-12-08	16:09	Back			<1.7 U	<3.4 U			<1.7 U	<1.7 U				<1.7 U	<1.7 U	<3.4 U	<1.7 U	<1.7 U	<1.7 U	
M24622SVH	24622 MARBELLA AVE	2010-05-28	13:48	House			<0.12	<4.1	<5	<95 NJ	<4.7	<5.7	<130 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<6.5	<4.5	
M24622SVH	24622 MARBELLA AVE	2010-05-28	14:25	Back			<0.11	<3.9	<4.8	<94 NJ	<4.6	<5.5	<130 NJ	<160 NJ	<72 NJ	<5.5	<4.8	<3.8	<3.9	<6.3	<4.3	
M24622SVH	24622 MARBELLA AVE	2010-05-28	15:27	Garage			<0.12	<4	<5	<94 NJ	<4.7	<5.6	<130 NJ	<160 NJ	<74 NJ	<5.6	<5	<4	<4	<6.5	<4.5	
M24622SVH	24622 MARBELLA AVE	2012-11-16	09:57	House			<0.11	<3.8	<4.9	<92	<4.6	<5.5	<130	<160	<72	<5.5	<4.9	<3.8	<3.9	<6.3	<4.3	
M24622SVH	24622 MARBELLA AVE	2012-11-16	10:05	Garage			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24622SVH	24622 MARBELLA AVE	2012-11-16	10:41	Back			<0.11	<3.9	<4.9	<92	<4.6	<5.5	<130	<160	<72	<5.5	<4.9	<3.8	<3.9	<6.3	<4.3	
M24622SVH	24622 MARBELLA AVE	2010-08-19	09:33	Back			<0.12	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<4	<6.5	<4.5	
N24622SVH	24622 NEPTUNE AVE	2010-08-19	10:18	House			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
N24622SVH	24622 NEPTUNE AVE	2010-08-19	11:02	Front			<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7	
N24622SVF	24622 NEPTUNE AVE	2011-02-01	06:40	Front			<0.12	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<4	<6.5	<4.5	
N24622SVH	24622 NEPTUNE AVE	2011-02-01	10:23	Back			<0.13	<4.4	<5.3	<100	<5.2	<6.2	<150	<180	<82	<6.2	<5.5	<4.3	<4.4	<7.1	<4.9	
N24622SVH	24622 NEPTUNE AVE	2011-02-01	11:06	House			<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7	
N24622SVH	24622 NEPTUNE AVE	2012-03-30	10:57	House			<0.078	<2.7	<3.4	<64	<3.2	<3.8	<91	<110	<50	<3.8	<3.4	<2.7	<2.7	<3.4	<3	
M24623SVH	24623 MARBELLA AVE	2010-08-03	13:50	House			<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2010-08-03	14:07	Garage			<0.12	<4.2	<5.2	<98 NJ	<4.9	<5.8	<140 NJ	<160 NJ	<77 NJ	<5.8	<5.2	<4.1	<4.1	<6.7	<4.6	
M24623SVH	24623 MARBELLA AVE	2010-08-03	14:57	Back			<0.12	<4.3	<5.2	<99 NJ	<5	<5.9	<140 NJ	<170 NJ	<78 NJ	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7	
M24623SVH	24623 MARBELLA AVE	2011-01-28	15:15	Garage			<0.12	<4.4	<5.4	<100 NJ	<5.1	<6.1	<140 NJ	<170 NJ	<80 NJ	<6.1	<5.4	<4.2	<4.3	<6.9	<4.8	
M24623SVH	24623 MARBELLA AVE	2011-07-28	15:21	House			<0.11	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-01-28	15:53	Back			<0.13	<4.4	<5.3	<100	<5.2	<6.2	<150	<180	<77	<5.8	<5.1	<4.1	<4.1	<6.6	<4.6	
N24623SVH	24623 NEPTUNE AVE	2010-06-11	13:58	House			<0.17	<4.2	<5.1	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<6.5	<4.5	
N24623SVF	24623 NEPTUNE AVE	2010-06-11	14:50	Front			<0.12	<4.2	<5.2	<98 NJ	<4.9	<5.8	<140 NJ	<160 NJ	<77 NJ	<5.8	<5.2	<4.1	<4.1	<6.7	<4.6	
N24623SVH	24623 NEPTUNE AVE	2011-02-16	09:33	Back			<0.11	<4	<5	<93	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<4	<6.5	<4.5	
N24623SVH	24623 NEPTUNE AVE	2011-02-16	10:20	Front			<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7	
N24623SVH	24623 NEPTUNE AVE	2011-02-16	10:20	Front			<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7	
N24623SVH	24623 NEPTUNE AVE	2011-02-16	11:08	House			<0.12	<4.2	<5.1	<97	<4.8	<5.7	<140	<160	<77	<5.8	<5.1	<4.1	<4.1	<6.6	<4.6	
N24623SVH	24623 NEPTUNE AVE	2011-03-31	10:49	Front			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
N24623SVH	24623 NEPTUNE AVE	2011-03-31	10:49	Front			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
N24623SVH	24623 NEPTUNE AVE	2011-03-31	11:07	House			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
N24623SVH	24623 NEPTUNE AVE	2011-03-31	11:38	Back			<0.11	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<4	<6.5	<4.5	
N24623SVH	24623 NEPTUNE AVE	2011-03-31	11:59	Back			<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2010-07-19	13:48	House			0.17	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2010-07-19	14:24	Garage			<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2010-07-19	15:05	Back			<0.13	<4.4	<5.5	<100 NJ	<5.2	<6.2	<150 NJ	<180 NJ	<82 NJ	<6.2	<5.5	<4.4	<4.4	<7.1	<4.9	
M24623SVH	24623 MARBELLA AVE	2012-05-11	14:43	House			0.085	<2.7	<3.4	<64	<3.2	<3.8	<90	<110	<50	<3.8	<3.4	<2.7	<2.7	<3.4	<3	
M24623SVH	24623 MARBELLA AVE	2012-05-11	14:49	Garage			0.099	<2.9	<3.6	<67	<3.4	<4	<95	<110	<53	<4	<3.6	<2.8	<2.8	<3.6	<3.1	
M24623SVH	24623 MARBELLA AVE	2012-05-11	14:49	Garage			0.099	<2.9	<3.6	<67	<3.4	<4	<95	<110	<53	<4	<3.6	<2.8	<2.8	<3.6	<3.1	
M24623SVH	24623 MARBELLA AVE	2012-05-11	15:21	Back			<0.082	<2.9	<3.6	<67	<3.4	<4	<95	<110	<53	<4	<3.6	<2.8	<2.8	<3.6	<3.1	
M24623SVH	24623 MARBELLA AVE	2010-12-03	18:44	Front			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2010-12-03	18:44	Front			<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<6.7	<4.6	
M24623SVH	24623 MARBELLA AVE	2010-12-03	19:31	Back			<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<6.7	<4.6	
M24623SVH	24623 MARBELLA AVE	2011-06-23	10:20	House			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-06-23	10:40	House			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-06-23	11:24	Back			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-06-23	11:24	Back			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-06-23	12:12	Front			<0.24	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-06-23	12:12	Front			<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<4.5	
M24623SVH	24623 MARBELLA AVE	2011-10-27	13:09	Front			<0.08	<2.8	<3.5	<65	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<3.6	<3.1	
M24623SVH	24623 MARBELLA AVE	2011-10-27	13:09	Front			<0.08	<2.8	<3.5	<65	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<3.6	<3.1	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection																											
						Helium		Hexane		p/m-Xylene		CS-CB		Heptane		1,2,4-Trinitrobenzene		CB-C10		C10-C12		CS-C6		Cumene		Ethylbenzene		Cyclohexane		Methylan		Bromo-	
						MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3	MOL %	UG/M3
N24709SVCS	24709 NEPTUNE AVE	2013-08-10	10:03	Garage		<2.2 U		<4.3 U			<2.2 U	<2.2 U			<2.2 U	<2.2 U			<2.2 U	<2.2 U			<2.2 U	<2.2 U			<2.2 U	<2.2 U			<2.2 U	<2.2 U	
N24709SVL1	24709 NEPTUNE AVE	2013-08-10	10:15	House	<0.08	<2.8	<3.8	<6.6	<10.1	<16.1	<2.8	<2.8	<3.8	<4	<9	<110	<52	<4	<3.8	<2.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U		
N24709SVS	24709 NEPTUNE AVE	2013-08-10	10:43	Back	<0.088	<2.8	<3.8	<7.2	<13.6	<21.3	<2.8	<2.8	<3.8	<4	<94	<110	<57	<4	<3.8	<2.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U		
N24709SVS	24709 NEPTUNE AVE	2013-08-10	10:43	Back		<2.8 U	<3.8 U		<2.8 U	<3.8 U	<2.8 U	<2.8 U	<3.8 U	<4	<94	<110	<57	<4	<3.8	<2.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U		
P24709SVH	24709 PANAMA AVE	2009-10-03	11:28	House		<4	<5	<94 NJ	<4.7	<5.6	<130 NJ	<120 NJ	<74 NJ	<3.6	<4	<9	<110	<57	<4	<3.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U		
P24709SVB	24709 PANAMA AVE	2009-10-03	12:10	Back		<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<130 NJ	<75 NJ	<3.6	<4	<9	<110	<57	<4	<3.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U		
P24709SVS	24709 PANAMA AVE	2009-10-03	13:23	Front		<3.6	<4.4	<84 NJ	<4.2	<5	<120 NJ	<140 NJ	<66 NJ	<3	<4	<9	<110	<57	<4	<3.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U		
P24709SVS	24709 PANAMA AVE	2011-05-11	09:59	Back	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4	<3.8	<2.8	<2.8	<4.3	<31			<2.2 U	<2.2 U			<2.2 U	<2.2 U			<2.2 U	<2.2 U
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House	<0.11	<1.8	<5.6	<8	<1.8	<1.8	<120	<150	<69	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House		<1.8	<5.6	<8	<1.8	<1.8	<120	<150	<69	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	
P24709SVF	24709 PANAMA AVE	2011-02-11	10:49	Front		<0.12	<4.2	<5.2	<98	<4.9	<5.8																						

Table B-2
Sub-Slab Soil Vapor Results
Former Kust Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	Halflum	Hexane	p/m-Xylene	CS-C8	Heptane	1,2,4- Trimethyl- benzene	CS-C10	C10-C12	CS-C6	Cumene (Isopropyl- benzene)	Ethyl- benzene	Cyclohexane	Methylene Chloride	Freon 11	Bromo- methane
						MOI % 5.15%	UG/M3 4.40%	UG/M3 3.62%	UG/M3 3.10%	UG/M3 3.17%	UG/M3 3.04%	UG/M3 2.76%	UG/M3 2.41%	UG/M3 2.34%	UG/M3 2.20%	UG/M3 2.13%	UG/M3 2.13%	UG/M3 2.13%	UG/M3 2.00%	UG/M3 1.81%
M24722SVF0	24722 MARBELLA AVE	2010-11-29	09:55	Front	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<180	<160	<77	<5.8	<5.7	<4.1	<4.1	<4.1	<4.1	<4.6
M24722SVB	24722 MARBELLA AVE	2010-11-29	11:00	Back	<0.13	<4.5	<5.6	<100	<5.3	<6.3	<150	<180	<84	<6.3	<5.6	<4.4	<4.5	<4.5	<4.5	<5
M24722SVH	24722 MARBELLA AVE	2012-06-07	10:06	House	<0.1	<2.8	<3.4	<65	<3.3	<3.9	<92	<110	<51	<3.9	<3.4	<2.7	<2.7	<2.7	<4.4	<31
M24722SVF	24722 MARBELLA AVE	2012-06-07	10:10	Front	<0.1	<2.7	<3.4	<64	<3.2	<3.8	<90	<110	<50	<3.8	<3.4	<2.7	<2.7	<2.7	<4.4	<30
M24722SVF5	24722 MARBELLA AVE	2012-06-07	10:10	Back	<0.11	<1.8 U	<3.3 U	<70	<3.5	<4.2	<100	<120	<56	<4.2	<3.7	<3	<3.0	<3.0	<4.8	<33
M24722SVH	24722 NEPTUNE AVE	2010-07-23	13:35	House	<0.11	<3	<3.7	<92 NJ	<4.6	<5.5	<130 NJ	<160 NJ	<72 NJ	<5.4	<4.9	<3.8	<3.8	<3.8	<4.3	<4.3
M24722SVG	24722 NEPTUNE AVE	2010-07-23	14:07	Garage	<0.11	<3.9	<4.8	<90 NJ	<4.5	<5.4	<130 NJ	<160 NJ	<71 NJ	<5.4	<4.9	<3.8	<3.8	<3.8	<4.3	<4.3
M24722SVH	24722 NEPTUNE AVE	2010-07-23	14:42	Back	<0.11	<4	<5	<94 NJ	<4.7	<5.6	<130 NJ	<160 NJ	<74 NJ	<5.6	<5	<3.9	<4	<4	<4.4	<4.4
M24722SVH	24722 NEPTUNE AVE	2012-04-13	15:06	House	<0.13	<2.9	<3.5	<87	<3.3	<4	<95	<110	<59	<4	<3.5	<2.8	<2.8	<2.8	<4.6	<4.6
M24722SVG	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	<0.12	<2.7	<3.4	<64	<3.2	<3.8	<90	<110	<50	<3.8	<3.4	<2.7	<2.7	<2.7	<4.4	<4.4
M24722SVB	24722 NEPTUNE AVE	2012-04-13	15:49	Back	<0.1	<2.4	<2.9	<55	<2.8	<3.3	<78	<94	<44	<3.3	<2.9	<2.5	<2.5	<2.5	<3.8	<3.8
P24722SVB	24722 PANAMA AVE	2010-04-26	10:23	Back	<0.12	<5.5	<5.4	<100 NJ	<5.1	<6.1	<140 NJ	<170 NJ	<80 NJ	<6.1	<5.4	<4.3	<4.3	<4.3	<4.7	<4.8
P24722SVF	24722 PANAMA AVE	2010-04-26	11:28	Front	<0.12	<4.4	<5.4	<100 NJ	<5	<6	<140 NJ	<170 NJ	<80 NJ	<6	<5.3	<4.2	<4.2	<4.2	<4.7	<4.7
P24722SVH	24722 PANAMA AVE	2010-04-26	11:28	Front	<0.12	<4.3	<5.3	<100 NJ	<5	<6	<140 NJ	<170 NJ	<80 NJ	<6	<5.3	<4.2	<4.2	<4.2	<4.7	<4.7
P24722SVH	24722 PANAMA AVE	2010-08-17	13:32	House 3	0.52	<4.3	26	<99 NJ	8.5	16.1	<140 NJ	<170 NJ	<78 NJ	<5.9	<5.9	<4.2	<4.2	<4.2	<4.7	<4.7
P24722SVF	24722 PANAMA AVE	2011-03-07	09:27	Front	<0.12	<4.1	<5	<95	<4.7	<5.7	<130	<160	<75	<5.7	<5	<4	<4	<4	<4.5	<4.5
P24722SVF	24722 PANAMA AVE	2011-03-07	09:27	Front	<0.12	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<4	<4	<4.5	<4.5
P24722SVG	24722 PANAMA AVE	2011-03-07	10:06	Garage	<0.11	<4	<5	<93	<4.7	<5.6	<130	<160	<74	<5.6	<4.9	<3.9	<4	<4	<4.4	<4.4
P24722SVG	24722 PANAMA AVE	2011-03-07	10:49	Back	<0.12	<4.1	<5	<95	<4.7	<5.6	<130	<160	<74	<5.6	<4.9	<3.9	<4	<4	<4.4	<4.4
P24722SVG	24722 PANAMA AVE	2012-04-26	10:56	Garage	<0.1	<2.8	<3.4	<85	<4.7	<5.7	<130	<160	<75	<5.7	<5	<4	<4	<4	<4.5	<4.5
P24722SVF	24722 PANAMA AVE	2012-04-26	10:23	Front	<0.11	<2.8	<3.4	<85	<4.2	<5.2	<92	<110	<51	<3.9	<3.4	<2.7	<2.7	<2.7	<4.4	<4.4
P24722SVH	24722 PANAMA AVE	2012-04-26	10:23	Front	<0.08	<2.8	<3.5	<86	<3.8	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<2.8	<4.5	<4.5
P24722SVB	24722 PANAMA AVE	2012-04-26	10:38	Back	<0.12	<2.8	<3.4	<85	<3.2	<3.9	<92	<110	<51	<3.9	<3.4	<2.7	<2.7	<2.7	<4.4	<4.4
R24722SVH	24722 RAVENNA AVE	2010-10-25	09:53	House	<0.12	<4.1	<5.1	<96	<4.8	<5.8	<140	<160	<76	<5.8	<5.1	<4	<4	<4	<4.5	<4.5
R24722SVF	24722 RAVENNA AVE	2010-10-25	10:39	Front	<0.12	<4.3	<5.3	<100	<5	<6	<140	<170	<79	<6	<5.9	<4.2	<4.2	<4.2	<4.7	<4.7
R24722SVB	24722 RAVENNA AVE	2010-10-25	11:16	Back	<0.12	<4.4	<5.4	<100	<5.1	<6.1	<140	<170	<81	<6.1	<5.4	<4.3	<4.3	<4.3	<4.7	<4.7
R24722SVH	24722 RAVENNA AVE	2012-11-09	15:01	House	<0.12	<4.6	<5.4	<100	<5.1	<6.1	<140	<170	<80	<6.1	<5.4	<4.3	<4.3	<4.3	<4.7	<4.7
R24722SVB	24722 RAVENNA AVE	2012-11-09	15:15	Back	<0.12	<4.2	<5.2	<98	<4.9	<5.9	<140	<170	<77	<5.9	<5.2	<4.1	<4.1	<4.1	<4.6	<4.6
R24722SVF	24722 RAVENNA AVE	2012-11-09	15:39	Front	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.1	<4.1	<4.1	<4.6	<4.6
R24722SVB	24723 MARBELLA AVE	2010-03-29	15:23	Back	<0.13	<4.5	<5.5	<100 NJ	<5.2	<6.3	<150 NJ	<180 NJ	<82 NJ	<6.3	<5.5	<4.4	<4.4	<4.4	<4.9	<4.9
M24722SVH	24723 MARBELLA AVE	2010-04-07	12:12	House	<0.12	<4.1	<5.1	<96 NJ	<4.8	<5.8	<140 NJ	<160 NJ	<76 NJ	<5.8	<5.1	<4	<4	<4	<4.5	<4.5
M24722SVF	24723 MARBELLA AVE	2010-07-21	09:26	Front	<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<4	<4.5	<4.5
M24722SVF	24723 MARBELLA AVE	2012-06-21	15:14	Front	<0.06	<2.8	<3.5	<86	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<2.8	<4.5	<4.5
M24722SVF	24723 MARBELLA AVE	2012-06-21	15:16	Front	<0.08	<2.8	<3.5	<86	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<2.8	<4.5	<4.5
M24722SVH	24723 MARBELLA AVE	2012-06-21	15:21	House	<0.08	<2.8	<3.5	<86	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<2.8	<4.5	<4.5
M24722SVH	24723 MARBELLA AVE	2012-06-21	15:47	Back	<0.08	<2.8	<3.5	<86	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<2.8	<4.5	<4.5
R24722SVB	24723 RAVENNA AVE	2010-11-02	13:51	Back	<0.13	<4.4	<5.5	<100	<5.2	<6.2	<150	<180	<82	<6.2	<5.5	<4.4	<4.4	<4.4	<4.9	<4.9
R24722SVH	24723 RAVENNA AVE	2010-11-02	13:54	House	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<4.1	<4.6	<4.6
R24722SVF	24723 RAVENNA AVE	2010-11-02	14:27	Front	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<79	<5.7	<5	<4	<4	<4	<4.5	<4.5
R24722SVF	24723 RAVENNA AVE	2012-11-08	10:04	Front	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<4.2	<4.7	<4.7
R24722SVH	24723 RAVENNA AVE	2012-11-08	10:23	House	0.21	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<4.1	<4.6	<4.6
R24722SVB	24723 RAVENNA AVE	2012-11-08	10:40	Back	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<4.1	<4.6	<4.6
N24722SVB	24725 NEPTUNE AVE	2009-10-02	09:59	Back	<0.12	<4.9	<5.2	<99 NJ	<5	<5.9	<140 NJ	<170 NJ	<78 NJ	<5.9	<5.2	<4.1	<4.1	<4.1	<4.6	<4.6
N24722SVF	24725 NEPTUNE AVE	2009-10-02	10:54	Front	<0.13	<4.3	<5.3	<100 NJ	<5	<6	<140 NJ	<170 NJ	<79 NJ	<6	<5.9	<4.2	<4.2	<4.2	<4.7	<4.7
N24722SVH	24725 NEPTUNE AVE	2010-06-16	09:14	House	<0.12	<4.3	<5.3	<100 NJ	<5	<6	<140 NJ	<170 NJ	<79 NJ	<6	<5.9	<4.2	<4.2	<4.2	<4.7	<4.7
N24722SVB	24725 NEPTUNE AVE	2010-06-16	10:30	Back	<0.12	<4.1	11	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<4	<4.5	<4.5
N24722SVF	24725 NEPTUNE AVE	2010-06-16	11:18	Front	<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<4	<4	<4.5	<4.5
N24722SVH	24725 NEPTUNE AVE	2012-06-22	14:51	House	0.087	<2.9	<3.5	<87	<3.3	<4	<95	<110	<53	<4	<3.5	<2.8	<2.8	<2.8	<4.6	<4.6

Table B-1
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection	Heptane	1,2,4- Trimethyl- benzene	C8-C10 Aliphatics	C10-C12 Aliphatics	C5-C6 Aliphatics	Cumene (Isopropyl- benzene)	Ethyl- benzene	Cyclohexane	Methylene Chloride	Freon 11	Bromo- methane
							UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
N24725SVB	24725 NEPTUNE AVE	2012-06-22	15:21	Back	<0.078	<2.8	<8.4	<64	<5.2	<3.8	<91	<110	<51	<3.8	<3.4	<2.7	<4.4
N24725VBD	24725 NEPTUNE AVE	2012-06-22	15:21	Back	<0.078	<2.8	<3.4	<64	<3.2	<3.8	<91	<110	<51	<3.8	<3.4	<2.7	<4.4
N24725SVF	24725 NEPTUNE AVE	2012-06-22	15:21	Front	<0.078	<2.7	<8.4	<64	<3.2	<3.8	<91	<110	<50	<3.8	<3.4	<2.7	<4.4
N24726SVH	24726 MARBELLA AVE	2010-06-07	09:03	House	<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<6.5
N24726SVB	24726 MARBELLA AVE	2010-06-07	10:06	Back	<0.12	<4	<5	<94 NJ	<4.7	<5.6	<130 NJ	<160 NJ	<74 NJ	<5.6	<5	<4	<6.5
N24726SVF	24726 MARBELLA AVE	2010-08-19	08:52	Front	0.14	<4	<5	<93	<4.7	<5.6	<130	<160	<74	<5.6	<4.9	<3.9	<4.4
N24726SVH	24726 MARBELLA AVE	2012-12-14	15:04	House A	<0.11	<3.9	<4.9	<92	<4.6	<5.5	<130	<160	<72	<5.5	<4.9	<3.8	<4.3
N24726SVG	24726 MARBELLA AVE	2012-12-19	11:07	Garage	<0.23	<8	<8.5	<100	<9.3	<11	<260	<160	<77	<5.8	<5.2	<4.1	<6.7
N24726SVB	24726 RAVENNA AVE	2011-03-14	10:33	Back A	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<6.7
N24726SVB	24726 RAVENNA AVE	2011-03-14	10:33	Back A	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<6.7
N24726SVH	24726 RAVENNA AVE	2011-03-14	11:00	House	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<6.5
N24726SVH	24726 RAVENNA AVE	2012-12-20	14:58	House	<0.11	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<3.9	<4.4
N24726SVG	24726 RAVENNA AVE	2012-12-20	15:01	Garage	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<6.5
N24726SVB	24726 RAVENNA AVE	2012-12-20	15:31	Back A	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<6.5
N24726SVH	24726 PANAMA AVE	2010-11-08	09:17	Back	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24726SVB	24726 PANAMA AVE	2010-11-08	10:09	Back	<0.12	<4.2	<5.1	<97	<4.8	<5.8	<140	<160	<77	<5.8	<5.1	<4.1	<6.6
N24726SVG	24726 PANAMA AVE	2010-11-08	11:20	Garage	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24726SVG	24726 PANAMA AVE	2010-11-08	11:20	Garage	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24726SVG	24726 PANAMA AVE	2012-11-02	10:05	Garage	<0.13	<4.7	<5.8	<110	<5.5	<6.6	<160	<190	<87	<6.6	<5.8	<4.6	<7.6
N24726SVG	24726 PANAMA AVE	2012-11-02	10:05	Garage	<0.13	<4.5	<5.6	<100	<5.3	<6.3	<150	<180	<84	<6.3	<5.6	<4.6	<7.2
N24726SVB	24726 PANAMA AVE	2012-11-02	10:20	Back	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24726SVB	24726 NEPTUNE AVE	2009-09-18	09:13	Back	<0.12	<4.2	<5.2	<98 NJ	<4.9	<5.8	<140 NJ	<160 NJ	<77 NJ	<5.8	<5.2	<4.1	<6.7
N24726SVF	24726 NEPTUNE AVE	2009-09-18	10:38	Front	<0.11	<4	<5	<94 NJ	<4.7	<5.6	<130 NJ	<160 NJ	<74 NJ	<5.6	<5	<3.9	<4.4
N24726SVH	24726 NEPTUNE AVE	2010-07-08	09:54	Front	<0.1	<3.7	<4.5	<96 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<6.5
N24726SVF	24726 NEPTUNE AVE	2010-07-08	09:54	Front	<0.1	<3.7	<4.5	<96 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<6.5
N24726SVH	24726 NEPTUNE AVE	2010-07-08	09:54	Front	<0.1	<3.7	<4.5	<96 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<6.5
N24726SVH	24726 NEPTUNE AVE	2010-08-24	13:05	Front	<0.12	<4.3	<5.3	<100	<5	<6	<140	<170	<79	<6	<5.3	<4.2	<6.8
N24726SVF	24726 NEPTUNE AVE	2012-10-19	14:30	Front	<0.1	<3.6	<4.4	<84	<4.2	<5	<120	<150	<66	<5	<4.4	<3.5	<4.6
N24726SVB	24726 NEPTUNE AVE	2012-10-19	14:56	Back	<0.13	<4.4	<5.5	<100	<5.2	<6.2	<150	<180	<82	<5.2	<5.5	<4.3	<6.4
N24726SVH	24726 NEPTUNE AVE	2012-10-19	15:20	House	<0.13	<4.4	<5.5	<100	<5.2	<6.2	<150	<180	<82	<5.2	<5.5	<4.3	<6.4
N24726SVH	24726 RAVENNA AVE	2010-07-14	13:57	Back	<0.13	<4.4	<5.5	<100 NJ	<5.2	<6.2	<150 NJ	<180 NJ	<82 NJ	<5.2	<5.5	<4.3	<6.4
N24726SVH	24726 RAVENNA AVE	2010-07-14	14:44	House	<0.12	<4.3	<5.2	<99 NJ	<5	<5.9	<140 NJ	<170 NJ	<78 NJ	<5.9	<5.2	<4.2	<6.8
N24726SVF	24726 RAVENNA AVE	2010-07-14	15:25	Front	<0.12	<4.2	<5.2	<98 NJ	<4.9	<5.8	<140 NJ	<170 NJ	<78 NJ	<5.9	<5.2	<4.2	<6.8
N24726SVH	24726 RAVENNA AVE	2012-08-24	14:48	House	<0.12	<4.1	<5	<95	<4.7	<5.6	<130	<160	<75	<5.7	<5	<4	<6.5
N24726SVF	24726 RAVENNA AVE	2012-08-24	14:49	Front	<0.12	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	<6.5
N24726SVB	24726 RAVENNA AVE	2012-08-24	15:18	Back	<0.13	<4.4	<5.5	<100	<5.2	<6.2	<150	<180	<82	<5.2	<5.5	<4.3	<6.4
N24726SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	1.3	<3.8	<4.7	550	<4.5	<5.4	280	<150	510	<5.4	<4.7	14	<3.8
N24732SVH	24732 NEPTUNE AVE	2010-09-20	15:13	Back	<0.11	<3.9	<4.9	<92	<4.6	<5.5	250	200	<72	<5.5	<4.9	<3.8	<4.3
N24732SVF	24732 NEPTUNE AVE	2010-09-20	16:00	Front	<0.12	<4.1	<5.1	<100	<4.8	<5.7	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24732SVH	24732 NEPTUNE AVE	2011-02-18	09:09	House A	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24732SVF	24732 NEPTUNE AVE	2011-02-18	09:52	Front	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24732SVF	24732 NEPTUNE AVE	2011-02-18	09:52	Front	1.8	<3.4	<4.3	<84	<4.2	<5	<120	<150	<66	<5	<4.4	<3.5	<4.6
N24732SVB	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<6.5
N24732SVB	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<6.5
N24732SVH	24732 NEPTUNE AVE	2011-03-10	09:56	Front	<0.11	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<3.9	<4.4
N24732SVH	24732 NEPTUNE AVE	2011-03-10	09:56	Front	<0.11	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<3.9	<4.4
N24732SVH	24732 NEPTUNE AVE	2011-03-10	10:38	House A	<0.1	<3.6	<4.4	<84	<4.2	<5	<120	<150	<66	<5	<4.4	<3.5	<4.6
N24732SVB	24732 NEPTUNE AVE	2011-03-10	11:13	Back	<0.12	<4.2	<5.2	<100	<4.9	<5.8	<140	<170	<78	<5.9	<5.2	<4.2	<6.8
N24732SVF	24732 PANAMA AVE	2010-04-22	15:11	Front	<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<6.5
N24732SVB	24732 PANAMA AVE	2010-04-22	17:02	Back	<0.12	<4.1	<5	<95 NJ	<4.8	<5.7	<140 NJ	<160 NJ	<75 NJ	<5.7	<5	<4	<6.5

Sub-Slab Soil Vapor Results:
Former Kast Property
Canyon, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection														
						Hallium	Hexane	p/m-Xylene	C5-C8	Heptane	1,2,4-Trimethylbenzene	C8-C10	C10-C12	C5-C6	Currente	Ethylbenzene	Cyclohexane	Methylene	Freon 11	Bromo-methane
						MOLE %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
P24833 SVF	24833 PANAMA AVE	2012-11-29	16:49	House		<0.11	<3.9	<4.8	<90	<4.5	<5.4	<130	<150	<71	<5.4	<4.8	<3.8	<8	<6.2	<4.9
P24833 SVF	24833 PANAMA AVE	2012-11-29	16:19	Front		<0.11	<4.4	<5.1	<100	<5.2	<6.2	<150	<180	<82	<6.5	<5.7	<4.3	<4.4	<7.1	<4.9
N24904SVF	24904 NEPTUNE AVE	2010-07-15	13:01	House		<0.13	<4.6	<5.3	<110 NJ	<5.4	<6.3	<150 NJ	<180 NJ	<85 NJ	<6.5	<5.7	<4.5	<4.6	<7.4	<5.1
N24904SVF	24904 NEPTUNE AVE	2010-07-16	13:35	Garage		<0.13	<4.5	<5.6	<100 NJ	<5.3	<6.2	<150 NJ	<180 NJ	<84 NJ	<6.3	<5.6	<4.4	<4.5	<7.2	<5
N24904SVF	24904 NEPTUNE AVE	2010-07-16	14:11	Back		<0.12	<4.1	<5	<100 NJ	<4.8	<5.7	<120 NJ	<130 NJ	<150 NJ	<5.7	<4	<3.7	<4	<6.5	<4.5
N24904SVF	24904 NEPTUNE AVE	2012-06-14	16:04	Garage		<0.12	7.5	<5.2	<99	14	<5.9	<160	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7
N24904SVF	24904 NEPTUNE AVE	2012-09-14	16:04	Garage		<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<6.7	<4.6
N24904SVF	24904 NEPTUNE AVE	2012-09-14	16:15	House		<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<6.7	<4.6
N24904SVF	24904 NEPTUNE AVE	2012-09-14	16:39	Back		<0.12	<5.4	<5.4	<100	<5.1	<6.1	<140	<170	<80 NJ	<6	<5.4	<4.2	<4.3	<6.9	<4.8
N24912SVF	24912 NEPTUNE AVE	2009-09-30	13:15	House		<0.12	<4.3	<5.3	<100 NJ	<5	<5.8	<140 NJ	<170 NJ	<79 NJ	<6	<5.3	<4.2	<4.2	<6.8	<4.7
N24912SVF	24912 NEPTUNE AVE	2009-09-30	13:53	Front		<0.12	<4.3	<5.2	<99 NJ	<5	<5.9	<170 NJ	<190 NJ	<78 NJ	<5.9	<5.2	<4.2	<4.2	<6.8	<4.7
N24912SVF	24912 NEPTUNE AVE	2010-06-14	09:58	House		<0.12	<4.1	<5.1	<95 NJ	<4.8	<5.8	<140 NJ	<160 NJ	<76 NJ	<5.8	<5.1	<4.2	<4.2	<6.8	<4.6
N24912SVF	24912 NEPTUNE AVE	2010-06-14	09:58	Back		<0.13	9	43	1200 NJ	44	130	440 NJ	<180 NJ	<83 NJ	28	110	9.2	<4.5	<7.2	<5.9
N24912SVF	24912 NEPTUNE AVE	2010-06-14	11:36	Front		<0.12	<4.3	<5.3	<100 NJ	<5	<6	<140 NJ	<170 NJ	<79 NJ	9.2	<5.9	<4.2	<4.2	<6.8	<4.7
N24912SVF	24912 NEPTUNE AVE	2012-09-16	15:11	House		<0.095	<3.4	<4.2	<80	<4	<4.8	<110	<140 NJ	<69 NJ	4.8	<4.2	<3.4	<3.4	<5.5	<4.6
N24912SVF	24912 NEPTUNE AVE	2012-09-16	15:32	Front		<0.08	<3.0	<3.5	<65											

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte	Heptane	Hexane	p/m-Xylene	o-C8	Heptane	1,2,4-	o-C10	C10-C12	C5-C6	Cumene	Ethyl	Cyclohexane	Methylene	Freon 11	Bromo-
					Units	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
					Frequency of Detection	5.16%	4.40%	3.62%	5.13%	3.17%	3.04%	2.76%	2.41%	2.34%	2.26%	2.26%	2.13%	2.13%	2.00%	
249377SVH	377 249TH ST	2012-08-24	10:03	House	<0.12	4.6	<5.2	<99	10	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<4.2	<6.8	<47
249377SVF	377 249TH ST	2012-08-24	10:04	Front	<0.18	<4.4	<5.5	<100	<5.2	<6.2	<150	<180	<82	<6.2	<5.5	<4.3	<4.4	<7.1	<49	
249377SVF	377 249TH ST	2012-08-24	10:04	Front	<0.13	<4.4	<5.5	<100	<5.2	<6.2	<150	<180	<82	<6.2	<5.5	<4.3	<4.4	<7.1	<49	
249377SVB	377 249TH ST	2012-08-24	10:41	Back	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4.0	<6.5	<45	
249378SVB	378 249TH ST	2011-01-17	09:28	Back A	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<47	
249378SVGC	378 249TH ST	2011-01-17	10:15	Garage C	<0.12	<85	<100	490000	<99	<120	130000	<3400	350000	<120	<100	2800	<84	<140	<94	
249378SVGC	378 249TH ST	2011-01-17	10:15	Garage C	<0.12	<85	<100	490000	<99	<120	130000	<3400	350000	<120	<100	2800	<84	<140	<94	
249378SVH	378 249TH ST	2011-01-17	11:07	House	<0.12	12	47	270	15	24	<140	<160	<78	<5.7	15	74	<4	<6.5	<45	
249378SVB	378 249TH ST	2011-05-12	15:30	Back A	<0.11	<4	<4.9	<93	<4.6	<5.6	<130	<160	<73	<5.6	<4.9	<3.9	<3.9	<6.3	<19	
249378SVB	378 249TH ST	2011-05-12	15:30	Back A	<0.12	<1.7	<3.3	<63	<1.7	<1.7	<170	<210000	4400	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
249378SVH	378 249TH ST	2011-05-12	15:42	House	<0.12	<4.2	<5.2	<98	<4.9	<5.9	<140	<170	<77	<5.9	<5.2	<4.1	<4.2	<6.7	<18	
249378SVGC	378 249TH ST	2011-05-12	16:47	Garage C	<0.12	<84	<100	620000	<97	<120	210000	4400	380000	<120	<100	2300	<82	<130	<92	
249378SVGC	378 249TH ST	2011-05-12	16:47	Garage C	<0.12	<170	<330	<170	<170	<170	<170	<170	<170	<170	<170	1600	<170	<170	<170	
249378SVGC	378 249TH ST	2012-02-24	14:54	Garage C	<0.074	<52	<65	860000	<63	<75	96000	<2100	210000	<75	<85	<51	<50	<84	<880	
249378SVH	378 249TH ST	2012-02-24	15:04	House	<0.073	<2.6	<3.2	<60	<3	<3.5	<85	<100	<47	<3.6	<3.2	<2.5	<2.5	<4.1	<28	
249378SVB	378 249TH ST	2012-02-24	16:32	Back A	<0.079	<79	<97	<1800	<92	<110	<2600	<3200	<1400	<110	<97	<77	28000	<130	<870	
249378SVB	378 249TH ST	2012-02-24	16:32	Back A	<0.079	<140	<170	<3200	<180	<190	<4600	<5500	<2600	<190	<170	<140	22000	<120	<1500	
249378SVB	378 249TH ST	2012-02-24	09:10	Back A	<0.13	<57	<71	<1300	<67	<80	<1900	<2300	<1000	<80	<71	<56	12000	<92	<1500	
249378SVB	378 249TH ST	2012-03-23	09:10	Back A	<0.12	<4.1	730	180 NJ	<4.8	550	310 NJ	<160 NJ	<75 NJ	32	69	<4	<4	<6.5	<45	
249383SVB	383 249TH ST	2010-05-21	10:50	Back	<0.12	<4.1	<5.2	<95 NJ	<11	<13	<140 NJ	<160 NJ	<75 NJ	<13	<12	<9.1	<9.2	<15	<10	
249383SVG	383 249TH ST	2010-05-21	11:18	Cwage	<0.12	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	5.8	<8.5	<45	
249383SVH	383 249TH ST	2010-05-21	09:18	House 2	<0.12	<4	<5	<94	<4.7	<5.6	<130	<160	<74	<5.6	<5	<4	5.8	<8.5	<45	
249383SVH	383 249TH ST	2012-06-07	15:08	Back	<0.1	<2.8	<3.4	<64	<3.2	<3.8	<91	<110	<51	<3.8	<3.4	<2.7	<2.7	<4.4	<30	
249383SVH	383 249TH ST	2012-06-07	15:08	Back	<0.1	<2.8	<3.4	<64	<3.2	<3.8	<91	<110	<51	<3.8	<3.4	<2.7	<2.7	<4.4	<30	
249383SVH	383 249TH ST	2012-06-07	15:08	House 2	<0.1	<2.7	<3.3	<62	<3.1	<3.7	<88	<100	<40	<3.7	<3.3	<2.6	<2.6	<4.3	<30	
249383SVH	383 249TH ST	2012-06-07	15:45	Garage	<0.11	<2.8	<3.5	<66	<3.3	<4	<94	<110	<52	<4	<3.5	<2.8	<2.8	<4.5	<31	
249402SVH	402 249TH ST	2010-09-26	13:42	House	<0.12	<4.2	<5.1	<97	<4.8	<5.8	<140	<160	<77	<5.8	<5.1	<4.1	<4.1	<6.5	<46	
249402SVH	402 249TH ST	2010-09-26	14:24	Back	<0.12	<4.2	<5.2	<98	<4.9	<5.9	<140	<170	<77	<5.9	<5.2	<4.1	<4.2	<6.7	<46	
249402SVF	402 249TH ST	2010-09-26	14:59	Front	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<45	
249402SVH	402 249TH ST	2012-03-22	10:14	House	<0.079	<2.8	<3.4	<65	<3.2	<3.9	<92	<110	<51	<3.9	<3.4	<2.7	<2.7	<4.4	<30	
249402SVH	402 249TH ST	2012-03-22	10:25	Front	<0.084	<3	<3.6	<60	<3.4	<4.1	<98	<120	<54	<4.1	<3.6	<2.9	<2.9	<4.7	<31	
249402SVF	402 249TH ST	2012-03-22	10:25	Front	<0.084	<3	<3.6	<60	<3.4	<4.1	<98	<120	<54	<4.1	<3.6	<2.9	<2.9	<4.7	<31	
249402SVH	402 249TH ST	2012-03-22	10:51	Back	<0.078	<2.7	<3.4	<64	<3.2	<3.8	<90	<110	<50	<3.8	<3.4	<2.7	<2.7	<4.4	<30	
249402SVH	402 249TH ST	2012-03-22	10:51	Back	<0.078	<2.7	<3.4	<64	<3.2	<3.8	<90	<110	<50	<3.8	<3.4	<2.7	<2.7	<4.4	<30	
249412SVF	412 249TH ST	2009-10-05	14:42	Front	<0.12	<4.3	<5.3	<100 NJ	<5	<6	<140 NJ	<170 NJ	<79 NJ	<6	<5.3	<4.2	<4.2	<6.8	<47	
249412SVH	412 249TH ST	2011-09-13	09:24	House	<0.12	<4.4	<5.4	<100	<5.1	<6.1	<140	<170	<80	<6.1	<5.4	<4.2	<4.3	<6.9	<48	
249412SVF	412 249TH ST	2011-09-13	10:39	Front	<0.12	<4.1	<5	<95	<4.8	<5.7	<140	<160	<75	<5.7	<5	<4	<4	<6.5	<45	
249412SVB	412 249TH ST	2011-09-26	13:38	Back A	<0.12	<4.2	<5.2	<98	<4.9	<5.8	<140	<160	<77	<5.8	<5.2	<4.1	<4.1	<6.7	<46	
249412SVH	412 249TH ST	2012-09-27	15:10	House	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<47	
249412SVB	412 249TH ST	2012-09-27	15:20	Back A	<0.12	<4.3	<5.2	<99	<5	<5.9	<140	<170	<78	<5.9	<5.2	<4.2	<4.2	<6.8	<47	
249412SVF	412 249TH ST	2012-09-27	15:55	Front	<0.12	<4.4	<5.4	<100	<5.1	<6.1	<140	<170	<80	<6.1	<5.4	<4.2	<4.3	<6.9	<48	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	4-Ethyltoluene UG/M3 1.75%	1,1,1-Trichloroethane UG/M3 1.68%	2,2,4-Trimethylpentane UG/M3 1.62%	Freon 113 UG/M3 1.62%	Tetrahydrofuran UG/M3 1.62%	o-Xylene UG/M3 1.50%	1,4-Dioxane UG/M3 1.42%	Trichloroethene UG/M3 1.36%	Bromodichloromethane UG/M3 1.16%	CS-C10 Aromatics UG/M3 1.13%	2-Hexanone UG/M3 1.03%	1,3,5-Trimethylbenzene UG/M3 0.97%	C10-C12 Aromatics UG/M3 0.92%	Chloromethane UG/M3 0.78%	Propylbenzene UG/M3 0.65%
M24422SVF	24422 MARBELLA AVE	2010-09-15	10:20	Front	<5.9	<6.5	<5.6	<9.3	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9	
M24422SVS	24422 MARBELLA AVE	2010-09-15	10:20	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	3.5	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
M24422SVH	24422 MARBELLA AVE	2010-09-15	11:34	House	<5.6	<8.9	6.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6	
M24422SVI	24422 MARBELLA AVE	2012-07-12	10:05	House	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4	
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back	<4	<4.5	<3.8	<6.3	<2.4	<3.5	<12	<4.4	<5.3	<81	<13	<4	<90	<17	<4	
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<21	<2.0	<87	<16	<3.9	
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	
M24422SVB	24422 NEPTUNE AVE	2009-09-21	11:40	Back	<6.5	<7.2	<6.2	<10	<3.9	<5.7	<19	<7.1	<8.8	<130 N.J.	<22	<6.5	<140 N.J.	<11	<6.5	
M24422SVF	24422 NEPTUNE AVE	2009-09-21	12:50	Front	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 N.J.	<20	<5.9	<150 N.J.	<10	<5.9	
M24422SVH	24422 NEPTUNE AVE	2010-07-09	09:27	House	28	<6.4	<5.4	<8.9	<3.4	22	<17	<6.3	<7.8	<210 N.J.	<19	14	<130 N.J.	<9.6	<5.7	
M24422SVF	24422 NEPTUNE AVE	2010-07-09	10:14	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 N.J.	<19	<5.8	<130 N.J.	<9.8	<5.8	
M24422SVB	24422 NEPTUNE AVE	2010-07-09	10:51	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 N.J.	<19	<5.8	<130 N.J.	<9.8	<5.8	
M24422SVB	24422 NEPTUNE AVE	2011-01-20	13:21	Back	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<10	<6.2	
M24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<10	<6.2	
M24422SVH	24422 NEPTUNE AVE	2011-01-20	15:38	House	<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6	
M24422SVH	24422 NEPTUNE AVE	2011-01-20	15:58	Front	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8	
M24422SVH	24422 RAVENNA AVE	2011-01-19	09:32	House	<7.9	<8.8	<7.5	<12	<4.7	<7	<23	<8.6	<11	<160	<26	<7.9	<180	<13	<7.9	
M24422SVB	24422 RAVENNA AVE	2011-01-19	10:20	Back A	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
M24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
M24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
M24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A	<12	<18	<11	<18	<7.2	<10	<35	<11	<16	<240	<40	<12	<270	<24	<5.8	
M24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.6	<5.7	
M24422SVB	24422 RAVENNA AVE	2012-12-20	10:11	House	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.7	<5.8	
M24422SVF	24422 RAVENNA AVE	2012-12-20	10:35	Front	<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6	
M24422SVB	24422 MARBELLA AVE	2010-06-07	13:55	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 N.J.	<19	<5.6	<120 N.J.	<9.4	<5.6	
M24422SVB	24422 MARBELLA AVE	2010-06-07	14:35	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 N.J.	<20	<5.9	<130 N.J.	<10	<5.9	
M24422SVB	24422 MARBELLA AVE	2012-06-21	15:41	Garage	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 N.J.	<20	<5.9	<130 N.J.	<10	<5.9	
M24422SVB	24422 MARBELLA AVE	2012-06-21	16:00	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4	
M24422SVB	24422 MARBELLA AVE	2012-06-21	16:00	Garage	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
M24422SVH	24422 MARBELLA AVE	2012-06-21	10:06	House	<3.8	<4.2	<3.5	<5.9	<2.3	<3.4	<11	<4.2	<5.3	<78	<19	<3.8	<85	<16	<3.8	
M24422SVB	24422 MARBELLA AVE	2012-06-21	10:52	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4	
M24422SVB	24422 MARBELLA AVE	2012-06-21	10:52	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
M24422SVB	24423 NEPTUNE AVE	2010-09-23	14:14	House	<14	<16	<13	<22	<8.4	<12	<41	<15	<19	<280	<47	<14	<310	<76	<14	
M24422SVF	24423 NEPTUNE AVE	2010-09-23	15:18	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
M24422SVH	24423 NEPTUNE AVE	2010-09-23	16:01	Back	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6	
M24422SVH	24423 NEPTUNE AVE	2011-01-12	11:21	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
M24422SVH	24423 NEPTUNE AVE	2011-01-12	11:21	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
M24422SVF	24423 NEPTUNE AVE	2011-10-26	13:54	Front	<4.2	<4.6	<4.2	<6.5	<2.5	<3.7	<12	<4.5	<5.7	<83	<14	<4.2	<91	<7	<4.2	
M24422SVH	24423 NEPTUNE AVE	2011-10-26	13:44	House	5.4	<4.3	69	<6	<2.3	5.4	<11	<4.2	<5.3	<78	<13	<3.9	<88	<17	<4.4	
M24422SVH	24423 NEPTUNE AVE	2011-10-26	13:44	House	<3.9	<4.4	<3.7	<6.1	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<3.9	<88	<17	<4.4	
M24422SVB	24423 NEPTUNE AVE	2011-10-26	14:24	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4.4	
M24422SVH	24423 NEPTUNE AVE	2012-10-12	15:02	House	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.6	<5.8	
M24422SVB	24423 NEPTUNE AVE	2012-10-12	15:21	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
M24422SVB	24423 NEPTUNE AVE	2012-10-12	15:21	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
M24422SVF	24423 NEPTUNE AVE	2012-10-12	15:43	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.6	<5.8	
M24422SVB	24423 RAVENNA AVE	2009-09-24	09:10	Back	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 N.J.	<19	<5.6	<120 N.J.	<9.4	<5.6	
M24422SVF	24423 RAVENNA AVE	2009-09-24	10:25	Front	<6.2	<6.9	<5.9	<9.7	<3.7	<5.5	<18	<6.8	<8.5	<120 N.J.	<21	<6.2	<130 N.J.	<10	<6.2	
M24422SVB	24423 RAVENNA AVE	2009-09-24	10:25	Front	<6.2	<6.9	<5.9	<9.7	<3.7	<5.5	<18	<6.8	<8.5	<120 N.J.	<21	<6.2	<130 N.J.	<10	<6.2	
M24422SVB	24423 RAVENNA AVE	2012-10-26	14:39	Back	<6.3	<7	<6	<9.8	<3.8	<5	<18	<6.9	<8.6	<130	<21	<6.3	<140	<10	<6.3	
M24422SVH	24423 RAVENNA AVE	2012-10-26	14:55	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
M24422SVF	24423 RAVENNA AVE	2012-10-26	15:06	Front	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.4	<5.6	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethylene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
						UG/M3 1.75%	UG/M3 1.68%	UG/M3 1.62%	UG/M3 1.62%	UG/M3 1.62%	UG/M3 1.56%	UG/M3 1.42%	UG/M3 1.36%	UG/M3 1.16%	UG/M3 1.13%	UG/M3 1.03%	UG/M3 0.97%	UG/M3 0.92%	UG/M3 0.76%	UG/M3 0.65%
N24503SVB	24503 NEPTUNE AVE	2010-06-18	10:30	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
N24503SVHA	24503 NEPTUNE AVE	2011-02-02	09:46	House A		<5.4	<6	<5.2	<8.3	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<130	<9.1	<5.4
N24503SVHA	24503 NEPTUNE AVE	2012-04-19	10:30	House A		<4	<4.5	<3.8	<8.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:46	Front		<3.9	<4.3	<3.7	<6	<2.3	<4.6	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:46	Front		<3.9	<4.3	<3.7	<6	<2.3	<4.6	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
N24503SVB	24503 PANAMA AVE	2011-04-04	14:05	Back		<6.4	<7.1	<6.1	<10	<3.8	<5.7	<19	<7	<8.7	<130	<21	<6.4	<140	<11	<6.4
P24503SVH	24503 PANAMA AVE	2011-04-04	14:05	House		<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<11	<6.2
P24503SVB	24503 PANAMA AVE	2011-04-04	15:31	Garage		<6.4	<7.1	<6.1	<10	<3.8	<5.7	<19	<7	<8.7	<130	<21	<6.4	<140	<11	<6.4
P24503SVH	24503 PANAMA AVE	2012-08-10	14:54	House		<4.1	<4.5	<3.9	<6.4	<2.4	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<91	<17	<4.1
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back		<5.4	<6	<5.2	<8.5	<3.3	<4.8	<16	<6	<7.4	<82	<18	<5.4	<91	<17	<5.4
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back		<8.4	<9.3	<7.9	<13	<5	<7.4	<24	<9.1	<11	<170	<28	<8.4	<190	<35	<8.4
P24503SVG	24503 PANAMA AVE	2012-08-10	15:34	Garage		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.4	<5.4	<80	<13	<4	<89	<17	<4
R24503SVH	24503 RAVENNA AVE	2010-08-09	09:13	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24503SVG	24503 RAVENNA AVE	2010-08-09	10:01	Garage		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24503SVH	24503 RAVENNA AVE	2010-08-09	11:01	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24503SVH	24503 RAVENNA AVE	2010-08-09	11:01	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24503SVH	24503 RAVENNA AVE	2012-11-08	14:58	Garage		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24503SVH	24503 RAVENNA AVE	2012-11-08	15:09	House		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24503SVH	24503 RAVENNA AVE	2012-11-08	15:33	Back		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<5.9
M24503SVH	24506 MARBELLA AVE	2010-04-21	09:55	House		100	<6.4	7.4	<8.9	<3.4	100	<17	<6.3	<7.8	<120 NJ	<19	29	<130 NJ	<9.6	12
M24503SVF	24506 MARBELLA AVE	2010-04-21	10:11	Front		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8
M24503SVB	24506 MARBELLA AVE	2010-04-21	10:11	Back 2		<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110 NJ	<19	<5.7	<130 NJ	<9.5	<5.7
M24503SVB	24506 MARBELLA AVE	2010-04-21	10:11	Back 2		<5.6	<6.2	<5.3	<8.7	<3.4	<5	<17	<6.1	<7.6	<110 NJ	<19	<5.6	<130 NJ	<9.4	<5.6
M24503SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8
M24503SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8
M24503SVB	24506 MARBELLA AVE	2011-01-26	11:36	Back 2		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
M24503SVF	24506 MARBELLA AVE	2012-03-15	10:29	Front		<6.8	<7.6	<6.5	<11	<4.1	<6	<20	<7.5	<9.3	<140	<23	<6.8	<150	<29	<6.8
M24503SVB	24506 MARBELLA AVE	2012-03-15	10:29	Front		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24503SVH	24506 MARBELLA AVE	2012-03-15	10:29	House		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
M24503SVB	24506 MARBELLA AVE	2012-03-15	11:28	Back 2		<6.7	<7.4	<6.3	<10	<4	<5.9	<20	<7.3	<9.1	<130	<22	<6.7	<150	<28	<6.7
N24503SVH	24508 NEPTUNE AVE	2010-06-11	09:06	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5
N24503SVB	24508 NEPTUNE AVE	2010-06-11	10:01	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
N24503SVF	24508 NEPTUNE AVE	2010-06-11	10:45	Front		<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.8	<120 NJ	<20	<6.1	<140 NJ	<10	<6.1
N24503SVF	24508 NEPTUNE AVE	2011-01-28	10:23	Front		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2 U	<5.5
N24503SVH	24508 NEPTUNE AVE	2011-01-28	11:03	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2 U	<5.5
N24503SVB	24508 NEPTUNE AVE	2011-01-28	11:35	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6 U	<5.7
N24503SVB	24508 NEPTUNE AVE	2011-01-28	11:35	Back		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
P24503SVF	24508 PANAMA AVE	2010-05-19	09:43	Front		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
P24503SVB	24508 PANAMA AVE	2010-05-19	10:28	House		240	<6.5	<5.5	<9.1	<3.5	5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
P24503SVB	24508 PANAMA AVE	2010-05-19	11:08	Back		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	27
P24503SVH	24508 PANAMA AVE	2012-04-26	15:07	House		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVF	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
P24503SVB	24508 PANAMA AVE	2012-04-26	15:07	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	&								

Table B-2
Sub-Slab Soil Vapor Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Location	Analyte Units	Frequency of Detection	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	Chl-C10 Aromatics	2-Heptanone	1,3,5-Trinitrobenzene	Chl-C12 Aromatics	Chlorobenzene	Propylbenzene			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.86%	1.06%	1.13%	1.03%	0.97%	0.91%	0.78%	0.65%			
R24505SVB	24509 RAVENNA AVE	2010-06-21	10:59	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
R24505VA	24509 RAVENNA AVE	2010-04-12	15:49	Garage	<5.9	<6.5	<5.6	<9.2	<4.3	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.9	<5.9				
R24505SVB	24509 RAVENNA AVE	2012-04-12	15:49	Garage	<5.7	<6.3	<5.3	<8.7	<3.9	<4.3	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
R24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	<8.5	<7.2	<6.2	<10	<3.9	<5.7	<19	<6.2	<10	<120 NJ	<19	<6.5	<140 NJ	<8.7	<16				
R24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<17	<1.9	<1.9	<120 NJ	<19	<1.9	<120 NJ	<1.9	<1.9				
R24512SVH	24512 MARBELLA AVE	2011-04-28	09:34	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.8	<130 NJ	<10	<19				
R24512SVF	24512 MARBELLA AVE	2011-04-28	10:12	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6				
R24512SVF	24512 MARBELLA AVE	2011-04-28	10:12	Front	<2	<2	<2	<2	<2	<2	<7	<2	<2	<110 NJ	<19	<2	<110 NJ	<2	<2				
R24512SVH	24512 MARBELLA AVE	2011-04-28	09:33	House	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<6.3	<9.7				
R24512SVB	24512 MARBELLA AVE	2011-04-28	11:06	Front	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<6.3	<9.7				
R24512SVB	24512 MARBELLA AVE	2011-04-28	11:06	Front	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7	<17.7				
R24512SVB	24512 MARBELLA AVE	2011-04-28	12:28	Back	<4	<4.4	<3.5	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<14	<4	<88	<6.6	<4				
R24512SVH	24512 PANAMA AVE	2011-01-08	10:27	House	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8				
R24512SVF	24512 PANAMA AVE	2010-11-08	10:01	Front	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8				
R24512SVF	24512 PANAMA AVE	2010-11-08	10:01	Front	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<120 NJ	<19	<2.7	<120 NJ	<2.7	<2.7				
R24512SVB	24512 PANAMA AVE	2010-11-08	10:01	Back	<6	<6.7	<5.7	<8.4	<3.6	<5.3	<18	<6.6	<8.2	<120 NJ	<20	<6	<140 NJ	<10	<6				
R24512SVH	24512 PANAMA AVE	2010-11-15	15:45	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<6.3	<5.3	<8.5	<3.4	<4.9	<16	<6.2	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.3	<5.5				
R24512SVF	24512 PANAMA AVE	2011-11-15	15:45	Back	<5.5	<																	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Cannon, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trinitrophenol	Freon 113	Tetrahydrofuran	p-Xylene	1,4-Dioxane	Trichloroethane	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
					Frequency of Detection	1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.36%	1.18%	1.13%	1.03%	0.97%	0.92%	0.78%	0.65%
M24517SVB	24517 MARBELLA AVE	2012-03-28	15:05	Back		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<7.6	<13	<3.8	<85	<16	<3.8
M24517SVBD	24517 MARBELLA AVE	2012-03-29	15:09	Back		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<7.6	<13	<3.8	<85	<16	<3.8
M24517SVF	24517 MARBELLA AVE	2012-03-29	15:16	Front		<3.8	<4.2	<3.6	<5.9	8.3	6.5	<11	<4.2	<5.2	<7.6	<13	<3.8	<85	<16	<3.8
R24518SVH2	24518 RAVENNA AVE	2010-04-26	14:09	House 2		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.5	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
R24518SVH1	24518 RAVENNA AVE	2010-04-26	15:09	House 1		<5.9	<6.1	<5.2	<8.5	<3.3	<4.3	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front		<5.5	<6.1	<5.4	<8.5	<2.1	<3.1	<10	<3.9	<4.8	<71	<12	<3.5	<79	<15	<3.5
R24518SVF	24518 RAVENNA AVE	2012-07-12	14:58	Front		<3.5	<3.9	<3.4	<5.5	<2.1	<3.1	<10	<3.9	<4.8	<71	<12	<3.5	<79	<15	<3.5
R24518SVF	24518 RAVENNA AVE	2012-07-12	14:58	Front		<3.5	<3.9	<3.4	<5.5	<2.1	<3.1	<10	<3.9	<4.8	<71	<12	<3.5	<79	<15	<3.5
R24518SVH1	24518 RAVENNA AVE	2012-07-12	15:08	House 1		<3.9	<4.3	<3.7	<6	<3.3	<3.4	<11	<4.2	<5.3	<76	<13	<3.9	<87	<16	<3.9
R24518SVH2	24518 RAVENNA AVE	2012-07-12	15:49	House 2		<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
M24519SVB	24519 NEPTUNE AVE	2010-08-10	09:01	Back		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8
M24519SVH	24519 NEPTUNE AVE	2010-08-10	09:59	House		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
M24519SVF	24519 NEPTUNE AVE	2010-08-10	10:47	Front		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
N24519SVB	24519 NEPTUNE AVE	2012-06-29	14:47	Back		<4.1	<4.6	<3.9	<6.4	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4.1	<90	<17	<4.1
N24519SVH	24519 NEPTUNE AVE	2012-06-29	14:47	Back		<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4
N24519SVH	24519 NEPTUNE AVE	2012-06-29	14:56	House		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.3	<76	<13	<3.8	<87	<16	<3.8
N24519SVF	24519 NEPTUNE AVE	2012-06-29	15:26	Front		<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
M24522SVB	24522 MARBELLA AVE	2010-04-30	09:04	House		<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.5	<5.6
M24522SVF	24522 MARBELLA AVE	2010-04-30	09:57	Back		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
M24522SVF	24522 MARBELLA AVE	2010-04-30	10:58	Front		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
M24522SVF	24522 MARBELLA AVE	2010-04-30	10:58	Front		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8
M24522SVG	24522 MARBELLA AVE	2010-10-13	09:06	Front		<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.5	<5.6
M24522SVH	24522 MARBELLA AVE	2010-10-13	10:04	House		<5.3	<5.9	<5	<8.2	<3.2	<4.7	<15	<5.8	<7.2	<100	<18	<5.3	<120	<9.1	<5.3
M24522SVB	24522 MARBELLA AVE	2010-10-13	11:03	Back		<6.4	<7.1	<6	<9.0	<3.8	<5.6	<19	<7	<8.7	<120	<21	<6.4	<140	<20	<6.4
M24522SVF	24522 MARBELLA AVE	2012-04-20	10:30	Front		<4.9	<5.4	<4.6	<7.6	<2.9	<4.3	<14	<5.3	<6.6	<97	<16	<4.9	<110	<18	<4.9
M24522SVH	24522 MARBELLA AVE	2012-04-20	10:32	House		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.3	<76	<13	<3.8	<87	<16	<3.8
M24522SVB	24522 MARBELLA AVE	2012-04-20	11:11	Back		<4.2	<4.7	<4	<6.6	<2.5	<3.7	<12	<4.6	<5.7	<84	<14	<4.2	<94	<18	<4.2
M24522SVB	24522 MARBELLA AVE	2012-04-20	11:11	Back		<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:13	House		<5.8	<6.2	<5.3	<8.7	<3.3	<4.9	<16	<6.1	<7.6	<110 NJ	<18	<5.6	<130 NJ	<9.3	<5.6
M24522SVF	24522 NEPTUNE AVE	2010-06-15	14:59	Front		<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
N24522SVH	24522 NEPTUNE AVE	2011-02-02	13:54	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<130	<9.2	<5.5
N24522SVB	24522 NEPTUNE AVE	2011-02-02	14:25	Back A		<5.4	<6	<5.2	<8.5	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<130	<9.1	<5.4
N24522SVF	24522 NEPTUNE AVE	2011-02-02	14:58	Front		7.2	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9
N24522SVN	24522 NEPTUNE AVE	2012-04-05	09:57	House		<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
N24522SVN	24522 NEPTUNE AVE	2012-04-05	09:59	Front		<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
N24522SVF	24522 NEPTUNE AVE	2012-04-05	09:59	Front		<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
N24522SVH	24522 NEPTUNE AVE	2012-04-05	10:55	Back A		<4.2	<4.7	<4	<6.6	<2.5	<3.7	<12	<4.6	<5.7	<84	<14	<4.2	<94	<18	<4.2
R24522SVB	24522 RAVENNA AVE	2010-11-01	13:28	House		<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.4	<5.6
R24522SVH	24522 RAVENNA AVE	2010-11-01	14:02	Garage		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.3	<7.9	<120	<21	<5.8	<130	<9.8	<5.8
R24522SVB	24522 RAVENNA AVE	2010-11-01	14:41	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.9	<120	<21	<5.7	<130	<9.6	<5.7
R24522SVH	24522 RAVENNA AVE	2012-08-23	15:08	House		<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<26	<6.2
R24522SVH	24522 RAVENNA AVE	2012-08-23	15:08	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9
M24523SVB	24523 RAVENNA AVE	2012-08-23	15:29	Back		<6.3	<7	<6	<9.9	<3.8	<5.6	<18	<6.9	<8.6	<130	<21	<6.3	<140	<27	<6.3
M24523SVH	24523 MARBELLA AVE	2010-11-11	14:29	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
M24523SVG	24523 MARBELLA AVE	2010-11-11	15:26	Garage		<5.6	<6.2	<5.3	<8.7	<3.3	<4.9	<16	<6.1	<7.6	<110	<18	<5.6	<130	<9.3	<5.6
M24523SVH	24523 MARBELLA AVE	2010-11-11	15:51	Back		<6	<6.7	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<140	<10	<6
M24523SVB	24523 MARBELLA AVE	2012-04-24	14:30	Back		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24523SVH	24523 MARBELLA AVE	2012-04-27	10:08	Garage		<3.7	<4.1	<3.5	<5.7	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7
M24523SVG	24523 MARBELLA AVE	2012-04-27	10:08	Garage		<3.7	<4.1	<3.5	<5.7	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7
M24523SVH	24523 MARBELLA AVE	2012-04-27	10:09	House		<3.7	<4.1	<3.5	<5.7	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7
M24523SVH	24523 MARBELLA AVE	2012-04-27	10:45	Back		<3.7	<4.1	<3.5	<5.7	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7
N24523SVH	24523 NEPTUNE AVE	2010-04-07	14:00	House		<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.5	<5.6

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	m-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.65%				
N24523SVF	24523 NEPTUNE AVE	2010-04-07	15:41	Front	<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
N24523SVB	24523 NEPTUNE AVE	2010-04-07	16:06	Back	<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
N24523SVH	24523 NEPTUNE AVE	2010-04-07	09:36	House	<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<25	<5.9					
N24523SVF	24523 NEPTUNE AVE	2010-10-04	10:27	Front	<5.2	<5.8	<5	<8.1	<3.1	<4.6	<15	<5.7	<7.1	<100	<17	<5.2	<120	<22	<5.2					
N24523SVB	24523 NEPTUNE AVE	2010-10-04	10:50	Back	<5.6	<6.3	<5.4	<8.3	<3.4	<4.9	<16	<6.2	<7.7	<110	<19	<5.6	<130	<24	<5.6					
N24523SVH	24523 NEPTUNE AVE	2010-10-04	10:50	Back	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U					
R24523SVF	24523 RAVENNA AVE	2009-11-08	10:58	Front	<5.3	<5.9	<5	<8.3	<3.2	<4.7	<15	<5.8	<7.2	<11	<19	<5.3	<130	<8.9	<5.3					
R24523SVB	24523 RAVENNA AVE	2009-11-08	10:58	Front	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9					
R24523SVH	24523 RAVENNA AVE	2009-11-08	11:23	Back	<780	<840	<720	<1200	<450	<670	<2200	<830	<1000	<2500	<760	<1900	<760	<1900	<760					
R24523SVF	24523 RAVENNA AVE	2009-11-08	12:23	Back	<570	<570	<570	<570	<570	<570	<570	<570	<570	<570	<570	<570	<570	<570	<570					
R24523SVB	24523 RAVENNA AVE	2009-12-03	16:11	Back	<5.2	<5.8	<5	<8.2	<3.1	<4.6	<15	<6	<7.1	<100 NJ	<17	<5.2	<120 NJ	<8.8	<5.2					
R24523SVH	24523 RAVENNA AVE	2010-08-24	09:54	House	<5.7	<6.3	<5.4	<8.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.7	<130	<9.8	<5.7					
N24523SVF	24523 RAVENNA AVE	2010-08-24	10:58	Front	<5.8	<6.5	<5.5	<8.8	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.8	<130	<9.9	<5.8					
R24523SVB	24523 RAVENNA AVE	2010-08-24	11:00	Back	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<12	<120	<20	<5.9	<130	<9.9	<5.9					
N24523SVH	24523 RAVENNA AVE	2011-03-25	09:23	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
M24523SVF	24526 MARBELLA AVE	2010-10-13	13:08	House	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8					
M24523SVB	24526 MARBELLA AVE	2010-10-13	14:08	Garage	<5	<5.5	<4.7	<7.7	<3	<4.4	<14	<5.4	<6.8	<99	<16	<5	<110	<8.5	<5					
M24523SVH	24526 MARBELLA AVE	2010-10-13	14:51	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<4.9	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
M24523SVF	24526 MARBELLA AVE	2012-04-19	10:00	House	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4					
M24523SVB	24526 MARBELLA AVE	2012-04-19	10:36	Garage	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8					
M24523SVH	24526 MARBELLA AVE	2012-04-19	10:36	Garage	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8					
M24523SVF	24526 MARBELLA AVE	2012-04-19	10:41	Back	<4.1	<4.6	<3.9	<6.6	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1					
N24523SVH	24528 NEPTUNE AVE	2010-11-03	09:42	House	<5.9	<6.5	<5.6	<9.2	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.9	<130	<9.9	<5.9					
N24523SVF	24528 NEPTUNE AVE	2010-11-03	10:25	Garage	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8					
N24523SVB	24528 NEPTUNE AVE	2010-11-03	11:34	Back	<5.6	<6.2	<5.3	<8.7	<3.4	<4.9	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6					
N24523SVH	24528 NEPTUNE AVE	2012-03-08	10:40	House	<3.6	<4	<3.4	<5.6	<2.2	<3.2	<10	<3.9	<4.9	<72	<12	<3.6	<80	<15	<3.6					
N24523SVF	24528 NEPTUNE AVE	2012-03-08	11:17	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4					
N24523SVB	24528 NEPTUNE AVE	2012-03-08	11:17	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4					
N24523SVH	24528 NEPTUNE AVE	2010-11-19	13:48	House	<6.1	<6.7	<5.8	<9.5	<3.6	<5.2	<18	<6.6	<8.3	<120	<20	<6.1	<140	<10	<6.1					
N24523SVF	24529 NEPTUNE AVE	2010-11-19	13:32	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6					
N24523SVB	24529 NEPTUNE AVE	2011-03-07	10:32	House	<5.6	<6.2	<5.3	<8.7	<3.4	<4.9	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6					
N24523SVH	24529 NEPTUNE AVE	2011-03-07	11:12	Front	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8					
N24523SVF	24529 NEPTUNE AVE	2012-03-02	09:58	Front	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4					
N24523SVB	24529 NEPTUNE AVE	2012-03-02	09:58	Front	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4					
N24523SVH	24529 NEPTUNE AVE	2012-03-02	10:19	Parking	<4.2	<4.6	<4	<5.5	<2.5	<3.7	<12	<4.6	<5.7	<84	<14	<4.2	<93	<18	<4.2					
N24523SVF	24529 NEPTUNE AVE	2012-03-02	10:41	House	<4.3	<4.8	<4.1	<6.7	<3	<4.2	<13	<4.7	<5.9	<86	<14	<4.3	<97	<18	<4.3					
P24529SVH	24529 PANAMA AVE	2012-05-17	10:17	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4					
P24529SVB	24529 PANAMA AVE	2012-05-17	10:37	Back	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U					
P24529SVF	24529 PANAMA AVE	2012-05-17	10:37	Front	<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1					
P24529SVH	24529 PANAMA AVE	2012-05-17	10:37	Front	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U					
P24529SVB	24529 PANAMA AVE	2012-05-31	08:20	House A	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9					
R24529SVF	24529 RAVENNA AVE	2011-08-18	14:54	Front	<5.9	<6.6	<5.6	<9.3	<3.6 U	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9					
R24529SVB	24529 RAVENNA AVE	2011-08-18	14:54	Front	<17 U	<5.5	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U	<17 U					
R24529SVH	24529 RAVENNA AVE	2011-08-18	15:25	House	<5.8	<6.5	<5.5	<9.1	<3.5 U	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8					
R24529SVF	24529 RAVENNA AVE	2011-08-18	15:25	House	<1.8 U	<9.3	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U					
R24529SVB	24529 RAVENNA AVE	2011-08-18	16:24	Back	<5.9	<6.6	<5.6	<9.3	<3.6 U	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9					
R24529SVH	24529 RAVENNA AVE	2011-08-18	16:24	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U					
M24532SVF	24532 MARBELLA AVE	2009-10-09	10:05	Back	<5.6	<6.2	<5.3	<8.7	<3.4	<4.9	<16	<6.1	<7.6	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6					
M24532SVB	24532 MARBELLA AVE	2009-10-09	10:05	Back	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3					
M24532SVH	24532 MARBELLA AVE	2009-10-09	11:40	Front	<5.5	<6.1	<5.2	<8.6	<3.3	<4.8	<16	<6	<7.5	<120 NJ	<18	<5.5	<120 NJ	<9.2	<5.5					
M24532SVF	24532 MARBELLA AVE	2009-10-09	11:40	Front	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2					
M24532SVH	24532 MARBELLA AVE	2011-09-23	08:33	House	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9					

Table 8-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	4-Ethyltoluene		1,1,1-Trichloroethane		2,2,4-Trimethylpentane		Benzon 113		Tetrahydrofuran		o-Xylene		1,4-Dioxane		Trichloroethane		Bromodichloromethane		C8-C10 Aromatics		2-Hexanone		1,3,5-Trimethylbenzene		C10-C12 Aromatics		Chloromethane		Propylbenzene			
						Frequency of Detection		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3		UG/M3	
						1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%	1.75%	1.68%
M24532 SVF	24532 MARBELLA AVE	2011-09-21	09:04	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<70	<5.9	<130	<89	<5.9																		
M24532 SVF-D	24532 MARBELLA AVE	2011-09-21	09:04	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<70	<5.9	<130	<89	<5.9																		
M24532 SVF	24532 MARBELLA AVE	2011-09-23	09:37	Back	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<70	<5.9	<130	<89	<5.9																		
M24532SVN	24532 MARBELLA AVE	2012-04-05	15:17	House	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.9	<78	<13	<8.9	<45	<3.8																			
M24532SVF	24532 MARBELLA AVE	2012-04-05	15:24	Front	<3.8	<4.2	<3.6	<5.8	<2.3	<3.4	<11	<4.2	<5.9	<78	<13	<8.9	<45	<3.8																			
M24532SVN	24532 MARBELLA AVE	2012-04-05	15:55	Back	<3.7	<4.1	<3.5	<5.7	<2.2	<3.2	<11	<4	<5	<73	<12	<8.7	<42	<3.5																			
M24532SVN-D	24532 MARBELLA AVE	2012-04-05	15:56	Back	<3.7	<4.1	<3.5	<5.7	<2.2	<3.2	<11	<4	<5	<73	<12	<8.7	<42	<3.5																			
P24532SVN	24532 PANAMA AVE	2012-05-10	09:54	Garage	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<11	<4.4	<5.5	<81	<13	<8	<127	<6																			
P24532SVN	24532 PANAMA AVE	2012-05-10	09:54	Garage	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U																			
P24532SVN	24532 PANAMA AVE	2012-05-10	09:54	House	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.9	<78	<13	<8.9	<45	<3.8																			
P24532SVN	24532 PANAMA AVE	2012-05-10	10:23	Back	<3.7	<4.1	<3.5	<5.7	<2.2	<3.2	<11	<4	<5	<73	<12	<8.7	<42	<3.5																			
P24532SVN	24532 PANAMA AVE	2012-05-10	10:23	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U																			
R24532SVN	24532 RAVENNA AVE	2010-08-18	13:45	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<89	<5.7																		
R24532SVF	24532 RAVENNA AVE	2010-08-18	13:58	Front	<5.1	<6.8	<5.8	<9.6	<3.7	<5.4	<18	<6.7	<8.4	<120	<20	<5.1	<140	<20	<5.1																		
R24532SVN	24532 RAVENNA AVE	2011-05-11	16:05	Back	<5.8	<6.	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<8.8	<5.8																		
R24532SVF	24532 RAVENNA AVE	2011-05-11	15:02	Front	<5.8	<7.3	<6.4	<10	<4.1	<6	<20	<7.4	<9.2	<140	<23	<6.8	<150	<21	<6.8																		
R24532SVN	24532 RAVENNA AVE	2011-05-11	15:48	House	<5.7	<6.9	<5.4	<8.8	<3.4	<5	<17	<6.3	<7.7	<110	<19	<5.7	<130	<8.9	<5.7																		
R24532SVN-D	24532 RAVENNA AVE	2011-05-11	15:48	House	<5.7	<6.9	<5.4	<8.8	<3.4	<5	<17	<6.3	<7.7	<110	<19	<5.7	<130	<8.9	<5.7																		
R24532SVN	24532 RAVENNA AVE	2012-11-16	14:54	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<8.9	<5.7																		
R24532SVF	24532 RAVENNA AVE	2012-11-16	15:37	Front	<5.9	<6.6	<5.6	<9.3	<3.8	<5.2	<17	<6.5	<8.1	<120	<19	<5.8	<130	<8.9	<5.8																		
P24532SVN	24533 PANAMA AVE	2011-08-18	13:41	House	<5.9	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.5	<7.9	<120	<19	<5.8	<130	<8.7	<5.8																		
P24532SVN-D	24533 PANAMA AVE	2011-08-18	14:00	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<8.5	<5.6																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.8	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.7	<130	<8.6	<5.7																		
P24532SVN	24533 PANAMA AVE	2011-08-18	14:44	Front	<5.7	<6.3	&																														

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Naphthalene	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
					Frequency of Detection	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
N24602SVF	24602 NEPTUNE AVE	2012-06-29	10:34	Front	<4.1	<4.6	<8.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1	
N24602SVF	24602 NEPTUNE AVE	2012-06-29	10:34	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
N24602SVB	24602 RAVENNA AVE	2012-10-05	09:57	Back	<5.8	<5.5	<5.5	<9.1	<5.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<5.8	
N24602SVF	24602 RAVENNA AVE	2012-10-05	09:57	Front	<6.5	<7.2	<6.2	<10	<3.9	<3.7	<19	<7.1	<5.8	<130	<22	<6.5	<140	<27	<6.5	
N24602SVF	24602 RAVENNA AVE	2012-10-05	09:57	Front	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	<2.6 U	
N24602SVH	24602 RAVENNA AVE	2012-10-05	10:57	House	<6.1	<6.7	<5.8	<9.5	<3.6	<3.4	<18	<6.6	<8.3	<120	<20	<6.1	<140	<26	<6.1	
M24603SVB	24603 MARBELLA AVE	2009-09-24	11:28	Back	1300	<22	<19	<31	<12	<42	<58	<22	<27	15000 NJ	<66	1000	2100 NJ	<83	280	
M24603SVF	24603 MARBELLA AVE	2009-09-24	12:22	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<120 NJ	<9.6	<5.7	
M24603SVH	24603 MARBELLA AVE	2010-01-15	11:00	House	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5	
M24603SVF	24603 MARBELLA AVE	2010-01-15	11:55	Front	<5.2	<5.8	<5	<8.2	<3.1	<4.6	<15	<5.7	<16	<100 NJ	<17	<5.2	<120 NJ	<8.8	<5.2	
M24603SVB	24603 MARBELLA AVE	2010-01-15	12:34	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	
M24603SVH	24603 MARBELLA AVE	2010-01-15	13:37	House	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6	
M24603SVH	24603 MARBELLA AVE	2010-01-15	13:37	House	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	
M24603SVF	24603 MARBELLA AVE	2010-01-15	13:45	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
M24603SVB	24603 MARBELLA AVE	2010-01-15	14:17	Back	<6.1	<6.8	<5.8	<9.5	<3.6	<5.4	<18	<6.7	<8.3	<120	<20	<6.1	<140	<10	<6.1	
P24603SVH	24603 PANAMA AVE	2011-02-10	08:56	House	<5.6	<6.2	<5.3	<8.8	<3	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6	
P24603SVF	24603 PANAMA AVE	2011-02-10	09:30	Front	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5	
P24603SVB	24603 PANAMA AVE	2011-02-10	10:09	Garage	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6	
P24603SVG	24603 PANAMA AVE	2011-02-10	10:09	Garage	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	
P24603SVH	24603 PANAMA AVE	2012-10-19	09:43	House	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.7	<5.8	
P24603SVF	24603 PANAMA AVE	2012-10-19	10:08	Front	<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.3	<120	<20	<6.1	<140	<10	<6.1	
P24603SVB	24603 PANAMA AVE	2012-10-19	10:08	Front	<5.0	<5.6	<4.6	<8.3	<3.3	<4.9	<16	<6.1	<7.0	<110 NJ	<18	<5.6	<120 NJ	<9.3	<5.6	
P24603SVG	24603 PANAMA AVE	2012-10-19	10:16	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.7	<5.8	
N24603SVH	24603 RAVENNA AVE	2009-09-19	10:49	Back	<5.6	<6.2	<5.3	<8.7	<3.3	<4.9	<16	<6.1	<7.0	<110 NJ	<18	<5.6	<120 NJ	<9.3	<5.6	
N24603SVF	24603 RAVENNA AVE	2009-09-19	11:36	Front	<6.5	<7.2	<6.2	<10	<3.9	<3.7	<19	<7.1	<8.8	<130 NJ	<22	<6.5	<140 NJ	<11	<6.5	
N24603SVH	24603 RAVENNA AVE	2011-02-24	09:28	House	<3.4	<4	<3.2	<8.3	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<9.1	<5.4	
N24603SVF	24603 RAVENNA AVE	2011-02-24	10:10	Front	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8	
N24603SVH	24603 RAVENNA AVE	2011-02-24	11:07	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6	
N24603SVB	24603 RAVENNA AVE	2011-02-24	11:07	Back	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	
N24603SVH	24603 RAVENNA AVE	2012-06-01	15:50	House	<3.9	<4.4	<3.7	<6.1	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<3.9	<88	<17	<4.4	
N24603SVB	24603 RAVENNA AVE	2012-06-01	15:51	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4.4	
N24603SVF	24603 RAVENNA AVE	2012-06-01	15:51	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4.4	
N24603SVF	24603 RAVENNA AVE	2012-06-01	16:24	Front	<3.8	<4.2	<3.6	<6	<2.3	<3.4	<11	<4.2	<5.2	<77	<13	<3.8	<86	<16	<3.8	
N24603SVF	24603 RAVENNA AVE	2012-06-01	16:24	Front	<3.8	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.2	<77	<13	<3.8	<86	<16	<3.8	
N24603SVB	24603 MARBELLA AVE	2010-04-20	14:37	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24603SVF	24603 MARBELLA AVE	2010-04-20	15:41	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24603SVH	24603 MARBELLA AVE	2010-04-20	15:40	House	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110 NJ	<19	<5.7	<130 NJ	<9.5	<5.7	
M24605SVF	24605 MARBELLA AVE	2012-01-13	12:28	Front	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8	
M24605SVF	24605 MARBELLA AVE	2012-01-13	12:28	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
M24605SVH	24605 MARBELLA AVE	2012-01-13	13:17	House	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<16	<4	
M24605SVH	24605 MARBELLA AVE	2012-01-13	13:17	House	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
M24605SVB	24605 MARBELLA AVE	2012-01-13	13:54	Back	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.9	<87	<16	<3.9	
N24605SVF	24605 MARBELLA AVE	2012-01-13	13:54	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
N24605SVF	24605 NEPTUNE AVE	2010-04-29	15:18	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-04-29	15:18	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-07-09	13:17	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-07-09	13:44	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24605SVF	24605 NEPTUNE AVE	2010-09-08	14:15	Front	<6	<6.6	<5.8	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<130	<10	<6	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
N24605SVH	24605 NEPTUNE AVE	2010-09-08	15:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6</		

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection															
						4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 119	Tetrahydrofuran	m-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	CS-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene	
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.54%	1.62%	1.63%	1.62%	1.55%	1.42%	3.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.76%	0.65%	
N24608SVB	24608 NEPTUNE AVE	2012-05-18	19:22	Back	<4	<4.4	<3.8	<5.2	<2.4	<3.5	<12	<4.4	<5.4	<80	<13	<4	<89	<17	<4.4		
P24608SVB	24608 PANAMA AVE	2010-08-12	14:47	Back	<5.7	<6.4	<5.4	<8.8	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7		
P24608SVF	24608 PANAMA AVE	2010-08-12	15:13	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8		
P24608SVB	24608 PANAMA AVE	2012-04-06	15:43	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	12	<76	<13	<3.8	<85	<16 PF	<3.8		
P24608SVB	24608 PANAMA AVE	2012-04-06	15:43	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	11	<76	<13	<3.8	<85	<16 PF	<3.8		
P24608SVF	24608 PANAMA AVE	2012-04-06	15:25	Front	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16 PF	<3.7		
P24608SVH	24608 PANAMA AVE	2012-04-07	11:38	House A	<3.8	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.2	<77	<13	<3.8	<86	<16	<3.8		
R24608SVB	24608 RAVENNA AVE	2010-04-08	11:15	Back	<5.6	<6.2	<5.3	<8.3	<3.4	<5	<17	<6.3	<7.7	<120 NJ	<19	<5.6	<120 NJ	<9.4	<5.6		
R24608SVF	24608 RAVENNA AVE	2010-04-08	12:14	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8		
R24608SVB	24608 RAVENNA AVE	2010-08-04	13:23	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7		
R24608SVG	24608 RAVENNA AVE	2012-05-17	15:18	Garage	<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<52	<17	<4.1		
R24608SVG	24608 RAVENNA AVE	2012-05-17	15:13	Garage	<4	<4.5	<3.8	<5.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<14	<4	<50	<17	<4		
R24608SVB	24608 RAVENNA AVE	2012-05-17	15:35	Back	<3.8	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.2	<77	<13	<3.8	<86	<16	<3.8		
R24608SVB	24608 RAVENNA AVE	2012-05-17	15:01	Front	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9		
N24609SVH	24609 NEPTUNE AVE	2010-04-28	14:09	House	<5.6	<6.3	<5.5	<9.1	<3.5	<5.1	<17	<6.5	<8.1	<120 NJ	<19	<5.6	<130 NJ	<9.8	<5.6		
N24609SVF	24609 NEPTUNE AVE	2010-04-28	15:06	Front	<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<19	<5.9	<130 NJ	<10	<5.9		
N24609SVB	24609 NEPTUNE AVE	2010-04-28	15:06	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7		
N24609SVF	24609 NEPTUNE AVE	2010-04-28	15:48	Back	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8		
N24609SVH	24609 NEPTUNE AVE	2010-08-20	13:35	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7		
N24609SVF	24609 NEPTUNE AVE	2010-08-20	14:03	House	<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.3	<120	<20	<6.1	<140	<10	<6.1		
N24609SVB	24609 NEPTUNE AVE	2010-08-20	14:30	Back	<5.8	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6		
N24609SVH	24609 NEPTUNE AVE	2010-12-10	16:19	House	<5.6	<6.3	<5.4	<8.5	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6		
N24609SVB	24609 NEPTUNE AVE	2010-12-10	15:42	Back	<5.4	<6	<5.2	<8.5	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<9.1	<5.4		
N24609SVB	24609 NEPTUNE AVE	2010-12-10	15:42	Back	<5.4	<6	<5.2	<8.5	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<9.1	<5.4		
N24609SVF	24609 NEPTUNE AVE	2010-12-10	15:52	Front	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<130 NJ	<9.2	<5.5		
P24609SVH	24609 PANAMA AVE	2010-04-30	13:27	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7		
P24609SVF	24609 PANAMA AVE	2010-04-30	14:39	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7		
P24609SVF	24609 PANAMA AVE	2010-04-30	15:33	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9		
P24609SVH	24609 PANAMA AVE	2010-10-25	09:29	House	<6	<6.6	<5.7	<8.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<130	<10	<6		
P24609SVF	24609 PANAMA AVE	2010-10-25	10:11	Front	<4.9	<5.4	<4.6	<7.6	<2.9	<4.3	<14	<5.3	<6.7	<98	<10	<4.9	<110	<8.2	<4.9		
P24609SVB	24609 PANAMA AVE	2010-10-25	10:58	Back	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9		
P24609SVB	24609 PANAMA AVE	2010-10-25	10:56	Back	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2		
P24609SVF	24609 PANAMA AVE	2011-02-18	10:08	Front	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5		
P24609SVH	24609 PANAMA AVE	2011-02-18	10:08	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7		
P24609SVH	24609 PANAMA AVE	2011-02-18	10:31	House	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5		
P24609SVB	24609 PANAMA AVE	2011-02-18	11:28	Back	<6	<6.6	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<130	<10	<6		
R24609SVH	24609 RAVENNA AVE	2010-11-09	09:25	House	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8		
R24609SVG	24609 RAVENNA AVE	2010-11-09	09:50	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120	<19	<5.7	<130	<9.6	<5.7		
R24609SVB	24609 RAVENNA AVE	2010-11-09	10:31	Back	<5.5	<6.1	<5.2	<8.5	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5		
R24609SVH	24609 RAVENNA AVE	2012-09-21	15:01	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9		
R24609SVG	24609 RAVENNA AVE	2012-09-21	15:02	Garage	<6.5	<7.2	<6.2	<10	<3.9	<5.7	<10	<7.1	<8.8	<130	<22	<6.5	<140	<12	<6.5		
R24609SVB	24609 RAVENNA AVE	2012-09-21	15:34	Back	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5		
M24612SVH	24612 MARBELLA AVE	2010-08-13	09:15	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6		
M24612SVB	24612 MARBELLA AVE	2010-08-13	10:00	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7		
M24612SVG	24612 MARBELLA AVE	2010-08-13	10:48	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8		
M24612SVH	24612 MARBELLA AVE	2013-05-10	14:09	House	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8		
M24612SVG	24612 MARBELLA AVE	2013-05-10	14:53	Garage	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9		
M24612SVH	24612 MARBELLA AVE	2012-05-10	15:17	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8		
N24612SVH	24612 NEPTUNE AVE	2010-11-21	09:14	House	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8		
N24612SVF	24612 NEPTUNE AVE	2010-11-21	09:44	Front	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8		
N24612SVF	24612 NEPTUNE AVE	2010-11-21	09:44	Front	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8		

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.67%	1.62%	1.55%	1.42%	1.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.85%				
N24612SVBA	24612 NEPTUNE AVE	2011-02-07	09:21	Back A	<5.3	<5.9	<5	<8.3	<3.2	<4.7	<16	<5.8	<7.2	<110	<18	<5.3	<120	<8.9	<5.3					
N24612SVBAS	24612 NEPTUNE AVE	2011-02-07	09:21	Back A	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6					
N24612SVF	24612 NEPTUNE AVE	2011-03-11	14:50	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<130	<19	<5.7	<130	<9.8	<5.7					
N24612SVH	24612 NEPTUNE AVE	2011-03-11	15:17	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9					
N24612SVBA	24612 NEPTUNE AVE	2011-03-11	15:27	Back A	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9					
N24612SVH	24612 RAVENNA AVE	2011-01-14	10:04	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.8	<5.7					
N24612SVG	24612 RAVENNA AVE	2011-01-14	10:51	Garage	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6					
N24612SVB	24612 RAVENNA AVE	2011-01-14	11:35	Back B	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8					
N24612SVB	24612 RAVENNA AVE	2012-11-01	14:46	Back B	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.9	<110	<19	<5.7	<130	<9.4	<5.7					
N24612SVB	24612 RAVENNA AVE	2012-11-01	14:46	Back B	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.4	<5.8					
N24612SVH	24612 RAVENNA AVE	2012-11-01	14:49	House	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.4	<5.6					
N24612SVG	24612 RAVENNA AVE	2012-11-01	15:32	Garage	<5.4	<5.9	<5.1	<8.6	<3.2	<4.7	<16	<5.8	<7.3	<110	<18	<5.4	<120	<9.2	<5.4					
N24613SVH	24613 MARBELLA AVE	2010-05-26	09:03	House	<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<120 NJ	<19	<5.6	<120 NJ	<9.4	<5.6					
N24613SVG	24613 MARBELLA AVE	2010-05-26	10:01	Garage	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8					
N24613SVB	24613 MARBELLA AVE	2010-05-26	10:49	Back	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8					
N24613SVB	24613 MARBELLA AVE	2012-10-11	11:01	Garage	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9					
N24613SVH	24613 MARBELLA AVE	2012-10-11	11:01	Garage	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U					
N24613SVB	24613 MARBELLA AVE	2012-10-11	11:41	Back	<5.3	<5.9	<5	<8.3	<3.2	<4.7	<16	<5.8	<7.2	<110	<18	<5.3	<120	<9.2	<5.3					
N24613SVH	24613 MARBELLA AVE	2012-10-14	12:14	House A	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9					
N24613SVB	24613 NEPTUNE AVE	2010-08-09	13:59	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
N24613SVF	24613 NEPTUNE AVE	2010-08-09	14:44	Front	<5.8	<6.5	<5.5	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8					
N24613SVH	24613 NEPTUNE AVE	2012-05-11	09:55	House	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7					
N24613SVF	24613 NEPTUNE AVE	2012-05-11	10:04	Front	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4					
N24613SVF	24613 NEPTUNE AVE	2012-05-11	10:04	Front	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U					
N24613SVB	24613 NEPTUNE AVE	2012-05-11	10:42	Back	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9					
N24613SVB	24613 NEPTUNE AVE	2012-05-11	10:47	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U					
P24613SVF	24613 PANAMA AVE	2010-06-25	14:07	Front	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
P24613SVH	24613 PANAMA AVE	2010-06-25	14:43	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
P24613SVB	24613 PANAMA AVE	2010-06-25	15:28	Back	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8					
P24613SVH	24613 PANAMA AVE	2011-02-10	10:10	House	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5					
P24613SVF	24613 PANAMA AVE	2011-02-10	10:48	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
P24613SVB	24613 PANAMA AVE	2011-02-10	10:59	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8					
P24613SVB	24613 PANAMA AVE	2012-09-13	14:58	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9					
P24613SVB	24613 PANAMA AVE	2012-09-13	14:58	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.4	<5.8					
P24613SVF	24613 PANAMA AVE	2012-09-13	15:05	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.4	<5.8					
P24613SVH	24613 PANAMA AVE	2012-09-13	15:45	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9					
R24613SVH	24613 RAVENNA AVE	2009-12-31	13:49	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
R24613SVF	24613 RAVENNA AVE	2009-12-31	14:22	Front	<10	<6.8	<5.7	<9.4	<3.8	<5.1	<18	<6.6	<8.2	<120 NJ	<20	<6	<130 NJ	<10	<6					
R24613SVF	24613 RAVENNA AVE	2009-12-31	14:22	Front	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1					
R24613SVB	24613 RAVENNA AVE	2009-12-31	15:07	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
R24613SVH	24613 RAVENNA AVE	2011-05-20	10:20	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
R24613SVF	24613 RAVENNA AVE	2011-05-20	10:26	Front	<11	<12	<10	<17	<6.7	<9.8	<38	<12	<15	<230	<37	<11	<290	<19	<11					
R24613SVF	24613 RAVENNA AVE	2011-05-20	10:28	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U					
R24613SVB	24613 RAVENNA AVE	2011-05-20	10:55	Back	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8					
R24613SVB	24613 RAVENNA AVE	2011-05-20	10:55	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U					
N24616SVH	24616 MARBELLA AVE	2010-04-22	15:26	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7					
N24616SVB	24616 MARBELLA AVE	2010-04-22	16:44	Back	<11	<12	<11	<18	<4	<9.9	<33	<12	<15	<230 NJ	<38	<11	<290 NJ	<19	<11					
N24616SVF	24616 MARBELLA AVE	2010-04-23	11:55	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.4	<5.6					
N24616SVF	24616 MARBELLA AVE	2010-04-23	11:55	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.4	<5.6					
N24616SVH	24616 MARBELLA AVE	2010-08-25	09:07	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
N24616SVB	24616 MARBELLA AVE	2010-08-25	09:52	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9					
N24616SVF	24616 MARBELLA AVE	2010-08-25	10:30	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.6	<5.8					

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Culson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte	4-Ethyltoluene UG/M3	1,1,1-Trichloro- ethane UG/M3	2,2,4- Trimethyl- pentane UG/M3	Freon 113 UG/M3	Tetrahydro- furan UG/M3	o-Xylene UG/M3	1,4-Dioxane UG/M3	Trichloro- ethylene UG/M3	Bromodichlo- romethane UG/M3	C8-C10 Aromatics UG/M3	2-Hexanone UG/M3	1,3,5- Trimethyl- benzene UG/M3	C10-C12 Aromatics UG/M3	Chloro- methane UG/M3	Propyl- benzene UG/M3
					Frequency of Detection	1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.35%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.65%
M24616SVH	24616 MARBELLA AVE	2011-03-18	15:10	House		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9
M24616SVF	24616 MARBELLA AVE	2011-03-18	15:25	Front		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9
M24616SVDF	24616 MARBELLA AVE	2011-03-18	15:25	Front		<5.8	<6.5	<5.5	<5.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8
M24616SVB	24616 MARBELLA AVE	2011-03-18	15:52	Back		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9
M24617SVB	24617 MARBELLA AVE	2010-08-03	09:05	Back		<5	<5.6	<4.8	<7.9	<3	<4.4	<15	<5.5	<6.9	<100 NJ	<17	<5	<110 NJ	<8.5	<5
M24617SVB	24617 MARBELLA AVE	2010-08-03	10:01	Garage		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7
M24617SVB	24617 MARBELLA AVE	2012-05-03	10:00	Back		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<8.8	<85	<16	<3.8
M24617SVBS	24617 MARBELLA AVE	2012-05-03	10:00	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24617SVB	24617 MARBELLA AVE	2012-05-03	10:20	House		<3.7	<5.5	<3.5	<5.7	<2.4	<3.2	<11	<4	<5	<74	<12	<3.7	<82	<15	<3.7
M24617SVB	24617 MARBELLA AVE	2012-05-09	10:41	Garage		<4	<4.4	<3.5	<6.2	<2.4	<3.5	<12	<4.5	<5.4	<79	<13	<4	<88	<17	<4
M24617SVBS	24617 MARBELLA AVE	2012-05-09	10:41	Garage		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24618SVH	24618 NEPTUNE AVE	2010-05-19	09:15	House		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
M24618SVB	24618 NEPTUNE AVE	2010-05-19	10:10	Back		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
M24618SVF	24618 NEPTUNE AVE	2010-05-19	11:06	Front		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5
M24618SVH	24618 NEPTUNE AVE	2010-09-08	13:39	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5
M24618SVF	24618 NEPTUNE AVE	2010-09-08	14:22	Front		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9
M24618SVH	24618 NEPTUNE AVE	2010-09-08	15:07	Back		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8
M24618SVF	24618 NEPTUNE AVE	2011-01-27	14:57	Front		<5.8	<6.5	<5.6	<5.2	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8
M24618SVH	24618 NEPTUNE AVE	2011-01-27	15:40	House		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
M24618SVH	24618 NEPTUNE AVE	2011-01-27	15:40	House		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
M24618SVH	24618 NEPTUNE AVE	2011-01-27	16:17	Back		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8
M24618SVH	24618 NEPTUNE AVE	2012-07-27	14:51	House		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
M24618SVF	24618 NEPTUNE AVE	2012-07-27	14:59	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
M24618SVH	24618 NEPTUNE AVE	2012-07-27	15:29	Back		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
P24618SVF	24618 PANAMA AVE	2010-05-14	09:40	Front		<5.8	<6.5	<5.5	<5.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8
P24618SVG	24618 PANAMA AVE	2010-05-14	12:01	Garage		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
P24618SVG	24618 PANAMA AVE	2010-05-14	12:01	Garage		<7.6	<8.4	<7.2	<12	<4.5	<6.7	<22	<8.3	<10	<150 NJ	<25	<7.6	<170 NJ	<13	<7.6
P24618SVH	24618 PANAMA AVE	2010-08-11	10:28	Back		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8
P24618SVG	24618 PANAMA AVE	2012-04-19	15:22	Garage		<6.3	<7	<6	<5.3	<3.8	<5.6	<18	<6.9	<8.6	<130	<21	<6.3	<140	<26	<6.3
P24618SVG	24618 PANAMA AVE	2012-04-19	15:22	Garage		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
P24618SVF	24618 PANAMA AVE	2012-04-19	15:45	Front		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
M24619SVH	24619 NEPTUNE AVE	2010-06-17	09:36	House		<5.8	<6.5	<5.5	<5.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8
M24619SVB	24619 NEPTUNE AVE	2010-06-17	10:26	Back		<5.8	<6.5	<5.5	<5.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8
M24619SVF	24619 NEPTUNE AVE	2010-06-17	11:07	Front		<5.8	<6.5	<5.5	<5.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8
M24619SVH	24619 NEPTUNE AVE	2012-07-13	10:14	House		<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4
M24619SVH	24619 NEPTUNE AVE	2012-07-13	10:14	House		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
M24619SVF	24619 NEPTUNE AVE	2012-07-13	10:46	Front		<4.2	<4.7	<4	<6.6	<2.5	<3.7	<12	<4.6	<5.7	<84	<14	<4.2	<94	<18	<4.2
M24619SVF	24619 NEPTUNE AVE	2012-07-13	10:46	Front		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
M24619SVB	24619 NEPTUNE AVE	2012-07-13	11:01	Back		<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4
P24619SVH	24619 PANAMA AVE	2010-04-27	14:34	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5
P24619SVB	24619 PANAMA AVE	2010-04-27	15:08	Back		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9
P24619SVB	24619 PANAMA AVE	2010-04-27	15:08	Back		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9
P24619SVF	24619 PANAMA AVE	2010-04-27	15:38	Front		<5.9	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9
P24619SVH	24619 PANAMA AVE	2010-05-25	13:59	House		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9
P24619SVH	24619 PANAMA AVE	2010-10-11	14:30	House		<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.3	<120	<20	<6.1	<140	<26	<6.1
P24619SVF	24619 PANAMA AVE	2010-10-11	15:09	Front		<5.8	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8
P24619SVB	24619 PANAMA AVE	2010-10-11	15:57	Back		<5.9	<6.6	<5.6	<5.2	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
P24619SVB	24619 PANAMA AVE	2010-10-11	15:57	Back		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24619SVF	24619 PANAMA AVE	2011-02-11	14:43	Front		<5.8	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8
P24619SVB	24619 PANAMA AVE	2011-02-11	15:10	Back		<5.6	<6.5	<5.6	<5.2	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8
P24619SVH	24619 PANAMA AVE	2011-12-08	15:10	House A		<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7
P24619SVF	24619 PANAMA AVE	2011-12-08	15:39	Front		<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4

Table B-2
Sub-Slab Soil Vapor Results
Former East Property
Cerritos, California

				Analyte		4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
				Units		UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
				Frequency of Detection		1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.36%	1.10%	1.13%	1.03%	0.97%	0.92%	0.73%	0.65%
Sample ID	Address	Sample Date	Sample Time	Location																
P24619SVS	24619 PANAMA AVE	2011-12-08	15:39	Front	<1.6 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
P24619SVB	24619 PANAMA AVE	2011-12-08	16:09	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<6.4	<3.8	<3.8
P24619SVB	24619 PANAMA AVE	2011-12-08	16:09	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24622SVH	24622 MARBELLA AVE	2010-05-28	13:45	House	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110 NJ	<19	<5.7	<130 NJ	<9.5	<5.7	<5.7
M24622SVB	24622 MARBELLA AVE	2010-05-28	14:26	Back	<5.5	<6.1	<5.2	<8.5	<3.3	<4.8	<15	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5	<5.5
M24622SVG	24622 MARBELLA AVE	2010-05-28	15:27	Garage	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<8.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.5	<5.6	<5.6
M24622SVH	24622 MARBELLA AVE	2012-11-16	09:57	House	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<23	<5.5	<5.5
M24622SVG	24622 MARBELLA AVE	2012-11-16	10:05	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<24	<5.7	<5.7
M24622SVB	24622 MARBELLA AVE	2012-11-16	10:41	Back	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<23	<5.5	<5.5
M24622SVB	24622 NEPTUNE AVE	2010-08-19	09:38	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6	<5.6
M24622SVH	24622 NEPTUNE AVE	2010-08-19	10:18	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24622SVF	24622 NEPTUNE AVE	2010-08-19	11:03	Front	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	<5.9
M24622SVF	24622 NEPTUNE AVE	2011-02-01	09:40	Front	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6	<5.6
M24622SVB	24622 NEPTUNE AVE	2011-02-01	10:25	Back	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<10	<6.2	<6.2
M24622SVH	24622 NEPTUNE AVE	2011-02-01	11:06	House	7.9	<6.6	<5.6	<9.3	<3.6	<5.2	31	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	<5.9
M24622SVH	24622 NEPTUNE AVE	2012-03-30	10:57	House	<3.8	<4.2	<3.6	<6	<2.3	<3.4	<11	<4.2	<5.2	<77	<13	<3.8	<86	<16	<3.8	<3.8
M24623SVH	24623 MARBELLA AVE	2010-08-03	13:30	House	<5.7	9.8	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
M24623SVB	24623 MARBELLA AVE	2010-08-03	14:07	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
M24623VGD	24623 MARBELLA AVE	2010-08-03	14:07	Garage	<5.9	<6.6	<5.6	<9.3	<3.6	<5.3	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	<5.9
M24623SVB	24623 MARBELLA AVE	2010-08-03	14:37	Back	12	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.5	<120 NJ	<20	<6.1	<140 NJ	<10	<6.1	<6.1
M24623SVH	24623 MARBELLA AVE	2011-01-28	15:15	Garage	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10 U	<5.9	<5.9
M24623SVH	24623 MARBELLA AVE	2011-01-28	15:21	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.4 U	<5.6	<5.6
M24623SVB	24623 MARBELLA AVE	2011-01-28	15:53	Back	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<10 U	<6.2	<6.2
M24623SVH	24623 NEPTUNE AVE	2010-06-11	13:58	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
M24623SVF	24623 NEPTUNE AVE	2010-06-11	14:50	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
M24623SVB	24623 NEPTUNE AVE	2011-02-16	09:43	Back	<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<130	<9.4	<5.6	<5.6
M24623SVF	24623 NEPTUNE AVE	2011-02-16	10:20	Front	<5.9	<6.6	<5.6	<9.3	<3.6	<5.3	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	<5.9
M24623SVH	24623 NEPTUNE AVE	2011-02-16	11:00	House	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8	<5.8
M24623SVF	24623 NEPTUNE AVE	2011-03-31	10:49	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24623SVF	24623 NEPTUNE AVE	2011-03-31	10:49	Front	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
M24623SVH	24623 NEPTUNE AVE	2011-03-31	11:07	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24623SVB	24623 NEPTUNE AVE	2011-03-31	11:39	Back	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.4	<5.6	<5.6
M24623SVB	24623 NEPTUNE AVE	2011-03-31	11:39	Back	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
M24623SVH	24627 MARBELLA AVE	2010-07-19	13:48	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
M24623SVG	24627 MARBELLA AVE	2010-07-19	14:24	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
M24627SVB	24627 MARBELLA AVE	2010-07-19	15:05	Back	<6.2	<6.9	<5.9	<9.7	<3.7	<5.5	<18	<6.8	<8.5	<120 NJ	<21	<6.2	<140 NJ	<10	<6.2	<6.2
M24627SVH	24627 MARBELLA AVE	2012-05-11	14:43	House	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8	<3.8
M24627SVS	24627 MARBELLA AVE	2012-05-11	14:49	Garage	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4	<4
M24627SVGD	24627 MARBELLA AVE	2012-05-11	14:49	Garage	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4	<4
M24627SVB	24627 MARBELLA AVE	2012-05-11	15:21	Back	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4	<4
M24628SVF	24628 MARBELLA AVE	2010-12-03	13:44	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24628SVF	24628 MARBELLA AVE	2010-12-03	13:51	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8	<5.8
M24628SVH	24628 MARBELLA AVE	2010-12-03	14:31	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8	<5.8
M24628SVH	24628 MARBELLA AVE	2011-06-23	10:40	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24628SVH	24628 MARBELLA AVE	2011-06-23	10:40	House	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24628SVB	24628 MARBELLA AVE	2011-06-23	11:24	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24628SVB	24628 MARBELLA AVE	2011-06-23	11:24	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24628SVF	24628 MARBELLA AVE	2011-06-23	12:12	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24628SVF	24628 MARBELLA AVE	2011-06-23	12:12	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	<5.7
M24628SVF	24628 MARBELLA AVE	2011-10-27	13:09	Front	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12									

Table B-2
Sub-Slab Soil Vapor Results
Former K&T Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection														
						4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	CS-ClO Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.65%
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:12	House	<4	<4.4	<3.8	<6.2	<2.4	<5.5	<12	<4.3	<5.4	<79	<19	<4	<88	<6.6	<4	<4
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:12	House	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:56	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<5.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<6.4	<3.8	<3.8
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:56	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24629SVH	24629 NEPTUNE AVE	2010-07-09	13:57	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9	<5.9
N24629SVH	24629 NEPTUNE AVE	2010-07-09	15:14	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24629SVH	24629 NEPTUNE AVE	2010-07-09	15:32	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24629SVH	24629 NEPTUNE AVE	2010-07-09	15:16	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24629SVH	24629 NEPTUNE AVE	2011-02-03	15:24	House	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9	<5.9
N24629SVH	24629 NEPTUNE AVE	2011-02-03	15:57	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9	<5.9
P24702SVH	24702 PANAMA AVE	2010-06-03	09:09	House	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5	<5.5
P24702SVH	24702 PANAMA AVE	2010-06-03	09:56	Garage	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5	<5.5
P24702SVH	24702 PANAMA AVE	2010-06-03	09:56	Garage	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24702SVH	24702 PANAMA AVE	2010-06-03	10:38	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
P24702SVH	24702 PANAMA AVE	2011-02-24	15:30	Garage	<5.4	<5.9	<5.1	<8.4	<3.2	<4.7	<16	<5.8	<7.3	<110 NJ	<18	<5.4	<120 NJ	<9	<5.4	<5.4
P24702SVH	24702 PANAMA AVE	2011-02-24	15:34	House	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
P24702SVH	24702 PANAMA AVE	2011-02-24	16:20	Back	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
N24703SVH	24703 MARBELLA AVE	2010-09-20	11:57	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9	<5.9
N24703SVH	24703 MARBELLA AVE	2010-09-29	12:58	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24703SVH	24703 MARBELLA AVE	2010-09-20	13:53	Back	<5.8	<6.3	<5.3	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
N24703SVH	24703 MARBELLA AVE	2010-08-28	09:27	House	<5.8	<6.3	<5.3	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
N24703SVH	24703 MARBELLA AVE	2010-08-23	10:15	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24703SVH	24703 MARBELLA AVE	2010-08-23	10:57	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9	<5.9
N24703SVH	24703 MARBELLA AVE	2012-04-20	14:49	House	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9	<3.9
N24703SVH	24703 MARBELLA AVE	2012-04-20	15:01	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8	<3.8
N24703SVH	24703 MARBELLA AVE	2012-04-20	15:11	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8	<3.8
N24703SVH	24703 MARBELLA AVE	2012-04-20	15:47	Front	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8	<3.8
N24702SVH	24702 MARBELLA AVE	2010-06-28	09:52	House	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
N24702SVH	24702 MARBELLA AVE	2010-06-28	11:30	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24702SVH	24702 MARBELLA AVE	2011-05-06	14:12	House	<6.1	<6.8	<5.8	<9.6	<3.7	<5.4	<18	<6.7	<8.4	<120 NJ	<20	<6.1	<140 NJ	<10	<6.1	<6.1
N24702SVH	24702 MARBELLA AVE	2011-05-06	14:59	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9	<5.9
N24702SVH	24702 MARBELLA AVE	2011-05-06	14:53	Back	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
N24702SVH	24702 MARBELLA AVE	2011-05-06	15:24	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9	<5.9
N24702SVH	24702 MARBELLA AVE	2011-05-06	15:36	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9	<5.9
N24702SVH	24702 MARBELLA AVE	2012-09-07	10:54	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9	<5.9
N24702SVH	24702 MARBELLA AVE	2012-09-07	11:01	Front	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8	<5.8
N24702SVH	24702 MARBELLA AVE	2012-09-07	11:01	Front	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
N24702SVH	24702 MARBELLA AVE	2012-09-07	11:14	Back	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6	<5.6
P24708SVH	24708 PANAMA AVE	2010-06-17	09:11	House	<6.2	<6.9	<5.9	<9.7	<3.7	<5.5	<18	<6.8	<8.5	<120 NJ	<21	<6.2	<140 NJ	<10	<6.2	<6.2
P24708SVH	24708 PANAMA AVE	2010-06-17	10:06	Garage	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9	<5.9
P24708SVH	24708 PANAMA AVE	2010-06-17	10:06	Garage	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
P24708SVH	24708 PANAMA AVE	2010-06-17	10:09	Back	<6.1	<6.8	<5.8	<9.6	<3.7	<5.5	<18	<6.7	<8.4	<120 NJ	<21	<6.1	<140 NJ	<10	<6.1	<6.1
P24708SVH	24708 PANAMA AVE	2010-06-17	11:03	Back	<6	<6.7	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120 NJ	<20	<6	<140 NJ	<10	<6	<6
P24708SVH	24708 PANAMA AVE	2012-08-16	10:23	House	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4	<4
P24708SVH	24708 PANAMA AVE	2012-08-16	10:58	Garage	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9	<3.9
P24708SVH	24708 PANAMA AVE	2012-08-16	10:58	Garage	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
P24708SVH	24708 PANAMA AVE	2012-08-16	11:26	Back	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4	<4
P24708SVH	24708 PANAMA AVE	2012-08-16	11:26	Back	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
N24709SVH	24709 NEPTUNE AVE	2010-07-01	09:18	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24709SVH	24709 NEPTUNE AVE	2010-07-01	10:09	Back	<6.1	<6.7	<5.8	<9.6	<3.7	<5.5	<18	<6.8	<8.5	<120 NJ	<21	<6.1	<140 NJ	<10	<6.1	<6.1
N24709SVH	24709 NEPTUNE AVE	2010-07-01	10:44	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	<5.7
N24709SVH	24709 NEPTUNE AVE	2012-08-10	10:03	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4	<4

Table B-2
Sub-Slab Soil Vapor Results
Former Fiat Property
Cannon, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
N24709SVS	24709 NEPTUNE AVE	2012-08-10	10:03	Garage		<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U		<2.2 U	<2.2 U		<2.2 U	<2.2 U
N24709SVH	24709 NEPTUNE AVE	2012-08-10	10:16	House		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
N24709SVB	24709 NEPTUNE AVE	2012-08-10	10:43	Back		<4.3	<4.8	<4.1	<5.7	<2.5	<3.8	<19	<4.7	<5.9	<85	<14	<4.3	<95	<18	<4.3
N24709SVS	24709 NEPTUNE AVE	2012-08-10	10:43	Back		<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U		<2.3 U	<2.3 U		<2.3 U	<2.3 U
P24709SVH	24709 PANAMA AVE	2009-10-03	11:28	House		<5.6	<8.8	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 N.J.	<19	<5.8	<120 N.J.	<9.5	<5.6
P24709SVB	24709 PANAMA AVE	2009-10-03	12:20	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 N.J.	<19	<5.7	<120 N.J.	<9.5	<5.7
P24709SVF	24709 PANAMA AVE	2009-10-03	13:23	Front		<5	<5.6	<4.8	<7.8	<3	<4.4	<15	<5.5	<6.9	<100 N.J.	<17	<5	1800 N.J.	<8.5	<5
P24709SVB	24709 PANAMA AVE	2011-02-11	09:03	Back		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8
P24709SVB	24709 PANAMA AVE	2011-02-11	09:03	Back		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8		<1.8	<1.8		<1.8	<1.8
P24709SVH	24709 PANAMA AVE	2011-02-11	09:31	House		<5.2	<5.8	<5	<8.2	<3.1	<4.5	<15	<5.7	<7.1	<100	<17	<5.2	<120	<8.8	<5.2
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8		<1.8	<1.8		<1.8	<1.8
P24709SVF	24709 PANAMA AVE	2011-02-11	10:49	Front		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8
P24709SVF	24709 PANAMA AVE	2012-03-08	15:54	Front		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
P24709SVH	24709 PANAMA AVE	2012-03-08	15:55	House		<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4
P24709SVH	24709 PANAMA AVE	2012-03-08	15:55	House		<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4
M24710SVB	24710 MARBELLA AVE	2010-09-14	14:59	Back		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8
M24710SVF	24710 MARBELLA AVE	2010-09-14	15:40	Front		<5.4	<6	<5.1	<8.4	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<9.1	<5.4
M24710SVF	24710 MARBELLA AVE	2011-02-08	13:36	Front		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
M24710SVH	24710 MARBELLA AVE	2011-02-08	14:11	House		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<16	<6.3	<7.8	<110	<19	<5.7	<130	<9.5	<5.7
M24710SVB	24710 MARBELLA AVE	2011-02-08	15:14	Back		<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6
M24710SVF	24710 MARBELLA AVE	2012-05-04	15:19	Front		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
M24710SVF	24710 MARBELLA AVE	2012-05-04	15:19	Front		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
M24710SVH	24710 MARBELLA AVE	2012-05-04	15:38	House		6.1	<4.3	<3.7	<6	<2.3	7.6	<11	12	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24710SVB	24710 MARBELLA AVE	2012-05-04	16:03	Back		29	<4.7	22	<6.6	<2.5	37	<12	<4.6	<5.7	180	<14	18	<94	<18	6.5
P24712SVH	24712 PANAMA AVE	2010-08-12	14:06	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
P24712SVB	24712 PANAMA AVE	2010-08-12	14:54	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.5	<5.7
P24712SVF	24712 PANAMA AVE	2010-08-12	15:45	Front		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
P24712SVH	24712 PANAMA AVE	2011-02-25	15:29	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9
P24712SVB	24712 PANAMA AVE	2011-02-25	15:36	Back		<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6
P24712SVB	24712 PANAMA AVE	2011-02-25	15:36	Back		<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6
P24712SVF	24712 PANAMA AVE	2011-02-25	16:09	Front		<5.8	<6.4	43	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8
R24712SVF	24712 RAVENNA AVE	2010-01-04	10:51	Front		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 N.J.	<19	<5.8	<130 N.J.	<9.8	<5.8
R24712SVH	24712 RAVENNA AVE	2010-01-04	11:38	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<120 N.J.	<18	<5.5	<120 N.J.	<9.2	<5.5
R24712SVB	24712 RAVENNA AVE	2010-01-04	12:50	Back		<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 N.J.	<20	<5.9	<130 N.J.	<9.9	<5.9
R24712SVB	24712 RAVENNA AVE	2011-06-10	11:35	Back		<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.5	<8.3	<120	<20	<6.1	<140	<10	<6.1
R24712SVB	24712 RAVENNA AVE	2011-06-10	11:35	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
R24712SVF	24712 RAVENNA AVE	2011-06-10	12:17	Front		<5.8	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.8	<120	<9.4	<5.8
R24712SVF	24712 RAVENNA AVE	2011-06-10	12:17	Front		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
R24712SVH	24712 RAVENNA AVE	2011-06-10	13:00	House		<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6
R24712SVH	24712 RAVENNA AVE	2011-06-10	13:00	House		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24715SVB	24715 NEPTUNE AVE	2010-04-26	09:40	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 N.J.	<19	<5.7	<130 N.J.	<9.5	<5.7
N24715SVF	24715 NEPTUNE AVE	2010-04-26	10:30	Front		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 N.J.	<19	<5.8	<130 N.J.	<9.8	<5.8
N24715SVH	24715 NEPTUNE AVE	2010-04-26	11:38	House		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 N.J.	<19	<5.7	<130 N.J.	<9.5	<5.7
N24715SVB	24715 NEPTUNE AVE	2011-03-16	15:05	Back		<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9
N24715SVH	24715 NEPTUNE AVE	2011-03-16	15:48	House		<6.8	<7.5	<6.4	<10	<4.1	<6	<20	<7.4	<9.2	<140	<23	<6.8	<150	<11	<6.8
N24715SVF	24715 NEPTUNE AVE	2011-02-18	16:41	Front		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8
M24716SVH	24716 MARBELLA AVE	2010-07-02	14:50	Garage		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 N.J.	<20	<5.9	<130 N.J.	<10	<5.9
M24716SVH	24716 MARBELLA AVE	2010-07-02	16:23	House		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 N.J.	<19	<5.8	<130 N.J.	<9.7	<5.8
M24716SVH	24716 MARBELLA AVE	2011-04-19	14:21	House		<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.5	<5.6
M24716SVG	24716 MARBELLA AVE	2011-04-19	15:05	Garage		<7.2	<7.9	<6.8	<11	<4.3	<6.3	<21	<7.8	<9.7	<140	<24	<7.2	<160	<12	<7.2
M24716SVB	24716 MARBELLA AVE	2011-04-19	15:40	Back		<6	<6.6	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<140	<10	<6
N24716SVB	24716 MARBELLA AVE	2011-04-19	15:40	Back		<6	<6.6	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<140	<10	<6

Table B-2
Sub-Slab Soil Vapor Results
Former K&B Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyze Units Frequency of Detection	1-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethylene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.62%	1.55%	1.42%	1.36%	1.16%	1.19%	1.03%	0.97%	0.92%	0.78%	0.65%				
M24718SVB	24716 MARBELLA AVE	2012-05-24	09:56	Back	<5.2	<5.8	<4.9	<8.1	<3.1	<4.8	<15	<5.7	<7.1	<100	<17	<5.2	<120	<22	<5.2				
M24718SVBD	24716 MARBELLA AVE	2012-05-24	09:56	Back	<3.8	<4.3	<3.7	<6	<2.3	<3.4	<11	<2.1	<5.1	<77	<23	<3.8	<88	<16	<3.8				
M24718SVH	24716 MARBELLA AVE	2012-05-24	10:29	House	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.1	<76	<13	<3.8	<84	<18	<3.8				
M24718SVG	24716 MARBELLA AVE	2012-05-24	10:42	Garage	<3.8	<4.2	<3.8	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<18	<3.8				
R24718SVH	24716 RAVENNA AVE	2012-03-01	11:22	House	<5.3	<5.9	<5.1	<8.3	<3.2	<4.7	<16	<5.8	<7.3	<110	<18	<5.3	<120	<22	<5.3				
R24718SVHD	24716 RAVENNA AVE	2012-03-01	11:22	House	<5.2	<5.8	<5	<8.1	<3.1	<4.6	<15	<5.7	<7.1	<100	<17	<5.2	<120	<22	<5.2				
R24718SVG	24716 RAVENNA AVE	2012-03-01	11:32	Garage	<4.8	<5.3	<4.6	<7.5	<2.9	<4.2	<14	<5.3	<6.6	<86	<16	<4.8	<110	<20	<4.8				
R24718SVB	24716 RAVENNA AVE	2012-03-01	12:01	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
M24717SVH	24717 MARBELLA AVE	2010-07-02	14:52	House	<5.8	<6.5	<5.3	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
M24717SVF	24717 MARBELLA AVE	2010-07-02	15:12	Front	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8				
M24717SVB	24717 MARBELLA AVE	2010-07-02	16:51	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
M24717SVH	24717 MARBELLA AVE	2012-07-26	09:56	House	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<18	<3.8				
M24717SVB	24717 MARBELLA AVE	2012-07-26	10:08	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
M24717SVBD	24717 MARBELLA AVE	2012-07-26	10:08	Back	<3.9	<4.4	<3.7	<6.1	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<3.9	<88	<16	<3.9				
M24717SVF	24717 MARBELLA AVE	2012-07-26	10:27	Front	<6.3	<7	<6	<9.6	<3.8	<5.6	<18	<6.9	<8.6	<130	<21	<6.3	<140	<26	<6.3				
M24718SVG	24718 NEPTUNE AVE	2010-09-08	09:57	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
M24718SVB	24718 NEPTUNE AVE	2010-09-08	10:47	Back	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8				
M24718SVH	24718 NEPTUNE AVE	2011-02-04	09:36	House A	<5.4	<6	<5.1	<8.8	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<9.1	<5.4				
M24718SVHD	24718 NEPTUNE AVE	2012-02-24	10:34	Back	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7				
M24718SVG	24718 NEPTUNE AVE	2012-02-24	10:58	Garage	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7				
M24718SVB	24718 NEPTUNE AVE	2012-02-24	11:25	Back	<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1				
M24718SVBD	24718 NEPTUNE AVE	2012-02-24	11:25	Back	<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1				
P24718SVB	24718 PANAMA AVE	2010-06-24	09:32	Back 2	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
P24718SVF	24718 PANAMA AVE	2010-06-24	10:19	Front	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
P24718SVH	24718 PANAMA AVE	2010-06-24	11:18	House	<5.9	8	<5.6	<9.3	<3.6	<5.2	<17	16	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9				
P24718SVBD	24718 PANAMA AVE	2012-10-18	10:09	Back 2	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.4	<5.7				
P24718SVB	24718 PANAMA AVE	2012-10-18	10:09	Back 2	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.6	<5.8				
P24718SVH	24718 PANAMA AVE	2012-10-18	10:09	House	<5.5	7.5	<5.2	<8.8	<3.3	<4.9	<16	11	<7.5	<110	<18	<5.5	<120	<9.3	<5.5				
P24718SVF	24718 PANAMA AVE	2012-10-18	10:42	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.4	<5.7				
M24719SVB	24719 NEPTUNE AVE	2010-07-16	14:09	Back	<6.1	<6.8	<5.8	<9.5	24	<5.4	<18	<6.7	<8.3	<120 NJ	<20	<6.1	<140 NJ	<10	<6.1				
M24719SVH	24719 NEPTUNE AVE	2010-07-16	14:52	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
M24719SVF	24719 NEPTUNE AVE	2010-07-16	15:42	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
M24719SVH	24719 NEPTUNE AVE	2012-07-19	15:00	House	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
M24719SVB	24719 NEPTUNE AVE	2012-07-19	15:21	Back	<3.3	<3.9	<3	<5.7	<3.2	<4.7	<15	<5.8	<7.2	<100	<18	<3.3	<120	<22	<3.3				
M24719SVBD	24719 NEPTUNE AVE	2012-07-19	15:32	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
P24719SVH	24719 PANAMA AVE	2010-06-28	09:23	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
P24719SVF	24719 PANAMA AVE	2010-06-28	11:21	Front	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110 NJ	<19	<5.7	<130 NJ	<9.5	<5.7				
P24719SVDA	24719 PANAMA AVE	2011-03-04	08:51	Back A	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.5	<5.7				
P24719SVH	24719 PANAMA AVE	2011-03-04	09:38	House	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.5	<5.7				
P24719SVH	24719 PANAMA AVE	2011-03-04	09:38	House	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7				
P24719SVF	24719 PANAMA AVE	2011-03-04	10:20	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
P24719SVH	24719 PANAMA AVE	2011-03-04	10:20	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7				
P24719SVF	24719 PANAMA AVE	2012-09-28	10:34	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<24	<5.7				
P24719SVB	24719 PANAMA AVE	2012-09-28	10:34	Back A	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<24	<5.7				
R24719SVB	24719 RAVENNA AVE	2010-04-21	12:16	Back	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.6	<5.9				
R24719SVF	24719 RAVENNA AVE	2010-04-21	12:49	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
R24719 SVB	24719 RAVENNA AVE	2012-11-29	10:07	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<24	<5.6				
R24719 SVBD	24719 RAVENNA AVE	2012-11-29	10:07	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<24	<5.6				
R24719 SVH	24719 RAVENNA AVE	2012-11-29	10:11	House	<5.6	<6.2	<5.3	<8.7	<3.3	<4.9	<16	<6.1	<7.6	<110	<18	<5.6	<120	<23	<5.6				
R24719 SVF	24719 RAVENNA AVE	2012-11-29	10:44	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<24	<5.7				
M24722SVH	24722 MARBELLA AVE	2010-11-29	09:19	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<16	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
M24722SVF	24722 MARBELLA AVE	2010-11-29	09:55	Front	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9				

Table B-2
Sub-Slab Soil Vapor Results
Former Kazi Property
Carmel, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 118	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,8,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.52%	1.62%	1.55%	1.42%	1.38%	1.16%	1.18%	1.03%	0.97%	0.92%	0.78%	0.65%				
M24722SVFD	24722 MARBELLA AVE	2010-11-29	09:55	Front		<5.8	<6.7	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8				
M24722SVB	24722 MARBELLA AVE	2010-11-29	11:03	Back		<5.9	<7	<6	<9.9	<3.8	<5.6	<18	<6.9	<8.8	<130	<21	<6.1	<140	<11	<6.3				
M24722SVH	24722 MARBELLA AVE	2012-06-07	10:06	House		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<5.9				
M24722SVF	24722 MARBELLA AVE	2012-06-07	10:10	Front		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<5.8				
M24722SVFS	24722 MARBELLA AVE	2012-06-07	10:10	Front		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	1.8	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U				
M24722SVB	24722 MARBELLA AVE	2012-06-07	10:49	Back		<4.2	<4.7	<4	<6.6	<2.5	<3.7	<12	<4.6	<5.8	<84	<14	<4.2	<94	<18	<4.2				
M24722SVH	24722 NEPTUNE AVE	2010-07-23	13:35	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.8	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5				
M24722SVG	24722 NEPTUNE AVE	2010-07-23	14:07	Garage		<5.4	<6	<5.1	<8.4	<3.2	<4.8	<16	<5.9	<7.4	<110 NJ	<18	<5.4	<120 NJ	<9.1	<5.4				
M24722SVB	24722 NEPTUNE AVE	2010-07-23	14:42	Back		<5.6	<6.2	<5.3	<8.5	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6				
M24722SVH	24722 NEPTUNE AVE	2012-04-13	15:06	House		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.4	<5.5	<80	<13	<4	<89	<17	<4				
M24722SVG	24722 NEPTUNE AVE	2012-04-13	15:07	Garage		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<5.8				
M24722SGD	24722 NEPTUNE AVE	2012-04-13	15:07	Garage		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<5.8				
M24722SVB	24722 NEPTUNE AVE	2012-04-13	15:49	Back		<3.9	<3.7	<3.2	<5.2	<2	<2.9	<9.7	<3.6	<4.5	<66	<11	<3.3	<74	<14	<3.3				
P24722SVB	24722 PANAMA AVE	2010-04-26	10:23	Back		<6.1	<6.8	<5.8	<9.5	<3.6	<5.4	<18	<6.7	<8.3	<120 NJ	<20	<6.1	<140 NJ	<10	<6.1				
P24722SVF	24722 PANAMA AVE	2010-04-26	11:28	Front		<6.1	<6.8	<5.8	<9.5	<3.6	<5.4	<18	<6.7	<8.3	<120 NJ	<20	<6.1	<140 NJ	<10	<6.1				
P24722SVFD	24722 PANAMA AVE	2010-04-26	11:28	Front		<6	<6.7	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120 NJ	<20	<6	<140 NJ	<10	<6				
P24722SVH	24722 PANAMA AVE	2010-08-17	13:32	House 3		13	<6.6	<5.6	<9.3	<3.6	<5.9	<17	<6.5	<8.1	<100 NJ	<20	<5.9	<130 NJ	<10	<5.9				
P24722SVF	24722 PANAMA AVE	2011-03-07	09:27	Front		<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<119	<9.5	<5.7				
P24722SVFD	24722 PANAMA AVE	2011-03-07	09:27	Front		<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<119	<9.5	<5.6				
P24722SVG	24722 PANAMA AVE	2011-03-07	10:06	Garage		<5.6	<6.2	<5.3	<8.7	<3.2	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6				
P24722SGD	24722 PANAMA AVE	2011-03-07	10:06	Garage		<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6				
P24722SVB	24722 PANAMA AVE	2011-03-07	10:49	Back		<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.5	<5.7				
P24722SVF	24722 PANAMA AVE	2012-04-26	10:06	Garage		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
P24722SVG	24722 PANAMA AVE	2012-04-26	10:23	Front		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
P24722SVFD	24722 PANAMA AVE	2012-04-26	10:23	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
P24722SVB	24722 PANAMA AVE	2012-04-26	10:38	Back		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
R24722SVH	24722 RAVENNA AVE	2010-10-25	09:53	House		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8				
R24722SVF	24722 RAVENNA AVE	2010-10-25	10:39	Front		<6	<6.6	<5.7	<9.4	<3.6	<5.8	<18	<6.6	<8.2	<120	<20	<6	<130	<10	<6				
R24722SVB	24722 RAVENNA AVE	2010-10-25	11:16	Back		<6.1	<6.8	<5.8	<9.6	<3.7	<5.4	<18	<6.7	<8.4	<120	<20	<6.1	<140	<10	<6.1				
R24722SVH	24722 RAVENNA AVE	2012-11-09	15:01	House		<6.1	<6.8	<5.8	<9.5	<3.6	<5.4	<18	<6.7	<8.3	<120	<20	<6.1	<140	<10	<6.1				
R24722SVB	24722 RAVENNA AVE	2012-11-09	15:15	Back		<5.9	<6.5	<5.6	<9.4	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.5	<5.9				
R24722SVF	24722 RAVENNA AVE	2012-11-09	15:39	Front		<5.9	<6.6	<5.6	<9.3	<3.5	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.5	<5.9				
M24723SVB	24723 MARBELLA AVE	2010-03-29	16:23	Back		<6.3	<7	<6	<9.6	<3.8	<5.5	<18	<6.8	<8.5	<120 NJ	<21	<6.3	<140 NJ	<10	<6.3				
M24723SVH	24723 MARBELLA AVE	2010-06-07	12:12	House		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8				
M24723SVF	24723 MARBELLA AVE	2010-07-21	09:24	Front		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<120 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
M24723SVF	24723 MARBELLA AVE	2012-06-21	15:14	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
M24723SVFD	24723 MARBELLA AVE	2012-06-21	15:14	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
M24723SVH	24723 MARBELLA AVE	2012-06-21	15:21	House		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
M24723SVB	24723 MARBELLA AVE	2012-06-21	15:47	Back		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
R24723SVB	24723 RAVENNA AVE	2010-11-02	13:51	Back		<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<10	<6.2				
R24723SVH	24723 RAVENNA AVE	2010-11-02	13:54	House		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8				
R24723SVF	24723 RAVENNA AVE	2010-11-02	14:27	Front		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
R24723SVF	24723 RAVENNA AVE	2012-11-08	10:04	Front		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9				
R24723SVFD	24723 RAVENNA AVE	2012-11-08	10:04	Front		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.7	<5.8				
R24723SVH	24723 RAVENNA AVE	2012-11-08	10:23	House		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.7	<5.8				
R24723SVB	24723 RAVENNA AVE	2012-11-08	10:40	Back		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.7	<5.8				
R24723SVB	24723 NEPTUNE AVE	2009-10-02	09:53	Back		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9				
M24723SVF	24723 NEPTUNE AVE	2009-10-02	10:54	Front		<6	<6.7	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120 NJ	<20	<6	<130 NJ	<10	<6				
M24723SVH	24723 NEPTUNE AVE	2010-06-16	09:14	House		<6	<6.6	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120 NJ	<20	<6	<130 NJ	<10	<6				
M24723SVB	24723 NEPTUNE AVE	2010-06-16	10:30	Back		<6	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
M24723SVF	24723 NEPTUNE AVE	2010-06-16	11:16	Front		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
M24723SVH	24723 NEPTUNE AVE	2012-06-22	14:51	House		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.4	<5.5	<80	<13	<4	<89	<17	<4				

Table B-2
Sub-Slab Soil Vapor Results
Former Kael Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	Z-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.63%				
M24723SVB	24725 NEPTUNE AVE	2013-06-22	15:21	Back	<3.8	<4.3	<3.7	<5	<2.8	<3.4	<11	<4.2	<5.2	<7.7	<19	<5.8	<86	<16	<3.8					
M24723SVDB	24725 NEPTUNE AVE	2013-06-22	15:21	Back	<3.8	<4.3	<3.7	<5	<2.3	<3.4	<11	<4.2	<5.2	<7.7	<19	<3.8	<86	<16	<3.8					
M24723SVF	24725 NEPTUNE AVE	2013-06-22	15:27	Front	<3.8	<4.2	<3.6	<5	<2.3	<3.4	<11	<4.2	<5.2	<7.7	<19	<3.8	<86	<16	<3.8					
M24723SVH	24726 MARBELLA AVE	2010-06-07	09:03	House	<5.7	14	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7					
M24723SVB	24726 MARBELLA AVE	2010-06-07	10:06	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.5	<5.6					
M24723SVF	24726 MARBELLA AVE	2010-08-19	08:52	Front	<5.6	12	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110 NJ	<19	<5.6	<120	<9.4	<5.6					
M24723SVH	24726 MARBELLA AVE	2012-12-14	15:04	House A	<5.5	8.8	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.3	<5.5					
M24723SVG	24726 MARBELLA AVE	2012-12-19	11:07	Garage	<11	<12	<10	<17	<6.7	<9.8	<32	<12	<15	<229	<37	<11	<230	<47	<11					
M24723SVB	24726 RAVENNA AVE	2011-03-14	10:13	Back A	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8					
M24723SVBAD	24726 RAVENNA AVE	2011-03-14	10:13	Back A	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8					
M24723SVH	24726 RAVENNA AVE	2011-03-14	11:00	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
M24723SVH	24726 RAVENNA AVE	2012-12-20	14:58	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.4	<5.6					
M24723SVG	24726 RAVENNA AVE	2012-12-20	15:01	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.4	<5.7					
M24723SVB	24726 RAVENNA AVE	2012-12-20	15:33	Back A	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.4	<5.7					
M24723SVH	24728 PANAMA AVE	2010-11-08	09:17	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9					
M24723SVB	24728 PANAMA AVE	2010-11-08	10:09	Back	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8					
M24723SVH	24728 PANAMA AVE	2010-11-08	11:20	Garage	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
M24723SVG	24728 PANAMA AVE	2010-11-08	11:20	Garage	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
M24723SVH	24728 PANAMA AVE	2012-11-02	10:05	Garage	<6.8	<7.8	<6.3	<10	<4	<5.8	<19	<7.2	<9	<130	<22	<6.6	<130	<27	<6.6					
M24723SVG	24728 PANAMA AVE	2012-11-02	10:05	Garage	<6.3	<7	<6	<9.0	<3.8	<5.5	<18	<6.9	<8.6	<130	<21	<6.3	<140	<17	<6.3					
M24723SVH	24728 PANAMA AVE	2012-11-02	10:29	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.5	<5.9					
M24723SVB	24729 NEPTUNE AVE	2009-09-18	09:13	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<120 NJ	<9.8	<5.8					
M24723SVF	24729 NEPTUNE AVE	2009-09-18	10:38	Front	<6.5	<7.2	<6.2	<10	<3.9	<5.7	<19	<7.1	<31	<130 NJ	<22	<6.5	<140 NJ	<11	<6.5					
M24723SVH	24729 NEPTUNE AVE	2010-07-08	09:11	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6					
M24723SVB	24729 NEPTUNE AVE	2010-07-08	09:54	Front	<5	<5.6	<4.8	<7.8	<3	<4.4	<15	<5.5	<6.9	<100 NJ	<17	<5	<110 NJ	<8.5	<5					
M24723SVF	24729 NEPTUNE AVE	2010-07-08	09:54	Front	<5.1	<5.7	<4.9	<8	<3.1	<4.5	<15	<5.6	<7	<100 NJ	<17	<5.1	<110 NJ	<8.6	<5.1					
M24723SVH	24729 NEPTUNE AVE	2010-07-08	10:54	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8					
M24723SVF	24729 NEPTUNE AVE	2010-08-24	13:35	Front	<6	<6.6	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120	<20	<6	<130	<10	<6					
M24723SVH	24729 NEPTUNE AVE	2012-10-19	14:30	Front	<5	<5.6	<4.8	<7.8	<3	<4.4	<15	<5.5	<6.9	<100	<17	<5	<110	<21	<5					
M24723SVB	24729 NEPTUNE AVE	2012-10-19	14:56	Back	<5.7	<6.4	<5.4	<8.0	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.4	<5.7					
M24723SVH	24729 NEPTUNE AVE	2012-10-19	15:20	House	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<26	<6.2					
M24723SVB	24729 RAVENNA AVE	2010-07-14	13:57	Back	<6.2	<6.9	<5.9	<9.7	<3.7	<5.5	<18	<6.8	<8.5	<120 NJ	<21	<6.2	<140 NJ	<10	<6.2					
M24723SVH	24729 RAVENNA AVE	2010-07-14	14:44	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9					
M24723SVF	24729 RAVENNA AVE	2010-07-14	15:25	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<9.9	<5.9					
M24723SVH	24729 RAVENNA AVE	2012-08-24	14:48	House	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.4	<5.7					
M24723SVF	24729 RAVENNA AVE	2012-08-24	14:49	Front	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<9.4	<5.6					
M24723SVH	24729 RAVENNA AVE	2012-08-24	15:18	Back	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<140	<26	<6.2					
M24732SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	<5.4	<5.9	<5.1	<8.4	<3.2	<4.7	<16	<5.8	<7.3	<110	<18	<5.4	<120	<9	<5.4					
M24732SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	<5.4	<5.9	<5.1	<8.4	<3.2	<4.7	<16	<5.8	<7.3	<110	<18	<5.4	<120	<9	<5.4					
M24732SVB	24732 NEPTUNE AVE	2010-09-20	15:13	Back	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5					
M24732SVF	24732 NEPTUNE AVE	2010-09-20	16:00	Front	<16	<18	<15	<25	<9.9	<14	<47	<17	<22	<320	<53	<16	<360	<27	<16					
M24732SVH	24732 NEPTUNE AVE	2011-02-18	09:09	House A	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9					
M24732SVF	24732 NEPTUNE AVE	2011-02-18	09:32	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9					
M24732SVB	24732 NEPTUNE AVE	2011-02-18	09:52	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
M24732SVH	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7					
M24732SVB	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
M24732SVF	24732 NEPTUNE AVE	2011-09-10	09:56	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6					
M24732SVB	24732 NEPTUNE AVE	2011-09-10	09:56	Front	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8					
M24732SVH	24732 NEPTUNE AVE	2011-09-10	10:38	House A	<5	<5.6	<4.8	<7.8	<3	<4.4	<15	<5.5	<6.9	<100	<17	<5	<110	<8.5	<5					
M24732SVB	24732 NEPTUNE AVE	2011-09-10	11:13	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8					
M24732SVF	24732 PANAMA AVE	2010-04-22	15:11	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7					
M24732SVB	24732 PANAMA AVE	2010-04-22	17:01	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7					

Table B-2
Sub-Slab Soil Vapor Results
Former East Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	o-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene			
					Units	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
					Frequency of Detection	1.75%	1.08%	1.02%	1.82%	1.62%	1.55%	1.42%	1.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.65%			
P24732SVH	24732 PANAMA AVE	2010-04-23	10:54	House	<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5				
P24732SVH	24732 PANAMA AVE	2010-08-31	13:38	House	<5.7	<6.4	<5.4	<8.9	<3.4	<4.5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
P24732SVB	24732 PANAMA AVE	2010-08-31	14:36	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9				
P24732SVBD	24732 PANAMA AVE	2010-08-31	14:36	Back	19	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	8.6	<130	<10	<5.9				
P24732SVF	24732 PANAMA AVE	2010-08-31	15:16	Front	<6.1	<6.8	<5.8	<9.6	<3.7	<5.4	<18	<6.7	<8.4	<120	<20	<6.1	<140	<10	<6.1				
P24732SVH	24732 PANAMA AVE	2012-05-14	14:49	House	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
P24732SVF	24732 PANAMA AVE	2012-05-14	15:01	Front	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7				
P24732SVFD	24732 PANAMA AVE	2012-05-14	15:01	Front	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7				
P24732SVB	24732 PANAMA AVE	2012-05-14	15:27	Back	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8				
P24732SVH	24732 RAVENNA AVE	2010-10-11	09:20	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6				
P24732SVG	24732 RAVENNA AVE	2010-10-11	10:25	Garage	<5.7	<6.4	<5.4	<8.9	<3.6	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.8	<5.7				
P24732SVGS	24732 RAVENNA AVE	2010-10-11	10:23	Garage	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	2.1	<1.7	<1.7	<1.7	<1.7	<1.7				
P24732SVB	24732 RAVENNA AVE	2010-10-11	11:09	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	15	<7.8	<110	<19	<5.7	<130	<9.8	<5.7				
P24732SVB	24732 RAVENNA AVE	2012-06-22	10:00	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
P24732SVB	24732 RAVENNA AVE	2012-06-22	10:11	Back	<4.1	<4.6	<3.9	<6.4	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1				
P24732SVBS	24732 RAVENNA AVE	2012-06-22	10:11	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U				
P24732SVH	24732 RAVENNA AVE	2012-06-22	10:33	House	<3.8	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.2	<77	<13	<3.8	<86	<16	<3.8				
M24733SVH	24733 MARBELLA AVE	2010-06-06	09:12	House	<5.9	<6.9	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<5.9				
M24733SVB	24733 MARBELLA AVE	2010-08-06	09:53	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
M24733SVGD	24733 MARBELLA AVE	2010-08-06	09:53	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
M24733SVB	24733 MARBELLA AVE	2010-08-06	10:38	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
M24733SVB	24733 MARBELLA AVE	2012-06-08	14:36	Garage	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
M24733SVGD	24733 MARBELLA AVE	2012-06-08	14:36	Garage	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
M24733SVB	24733 MARBELLA AVE	2012-06-08	15:08	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
P24733SVH	24733 RAVENNA AVE	2010-04-08	13:49	House	<5.6	74	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6				
P24733SVF	24733 RAVENNA AVE	2010-04-08	14:57	Front	<5.6	62	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6				
P24733SVB	24733 RAVENNA AVE	2010-04-08	15:49	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7				
P24733SVH	24733 RAVENNA AVE	2012-07-27	10:03	House	<3.9	100	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9				
P24733SVB	24733 RAVENNA AVE	2012-07-27	10:42	Back	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4				
P24733SVF	24733 RAVENNA AVE	2012-07-27	10:46	Front	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8				
N24735SVH	24735 NEPTUNE AVE	2010-11-17	09:23	House	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8				
N24735SVF	24735 NEPTUNE AVE	2010-11-17	10:19	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6				
N24735SVB	24735 NEPTUNE AVE	2010-11-17	11:03	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
N24735SVBD	24735 NEPTUNE AVE	2010-11-17	12:03	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
N24735SVB	24735 NEPTUNE AVE	2012-11-15	10:03	Back	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.6	<5.7				
N24735SVBD	24735 NEPTUNE AVE	2012-11-15	10:03	Back	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.6	<5.7				
N24735SVF	24735 NEPTUNE AVE	2012-11-15	10:45	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.8	<5.9				
N24735SVH	24735 NEPTUNE AVE	2012-11-15	13:43	House	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9				
M24737SVB	24737 MARBELLA AVE	2010-04-30	09:18	Back	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
M24737SVH	24737 MARBELLA AVE	2010-04-30	10:04	Front	<5.8	<6.5	<5.5	17	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8				
M24737SVH	24737 MARBELLA AVE	2010-04-30	11:03	House	<5.7	<6.4	<5.4	26	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	41	<5.7				
M24737SVH	24737 MARBELLA AVE	2010-09-03	09:56	House	<5.6	<6.2	<5.3	15	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<5.6				
M24737SVHS	24737 MARBELLA AVE	2010-09-03	09:56	House	<1.7	<1.7	<1.7	14	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7				
M24737SVF	24737 MARBELLA AVE	2010-09-03	10:37	Front	<5.7	<6.4	<5.4	10	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
M24737SVB	24737 MARBELLA AVE	2010-09-03	12:02	Back	<12	<13	<11	<18	<7.1	<10	<35	<13	<16	<240	<39	<12	<260	<20	<12				
M24737SVB	24737 MARBELLA AVE	2012-12-07	15:05	Back	<5.9	<6.6	<5.6	18	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<9.8	<5.9				
M24737SVH	24737 MARBELLA AVE	2012-12-07	15:12	House	<5.8	<6.5	<5.6	3.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8				
M24737SVF	24737 MARBELLA AVE	2012-12-07	15:42	Front	<5.7	<6.4	<5.4	27	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7				
N24738SVB	24738 NEPTUNE AVE	2009-09-23	09:00	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	24	<7.7	<110 NJ	<19	<5.6	220 NJ	<9.5	<5.6				
N24738SVF	24738 NEPTUNE AVE	2009-09-23	10:45	Front	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	100 NJ	<9.7	<5.8				
N24738SVH	24738 NEPTUNE AVE	2012-02-23	10:03	House	<5.2	<5.7	<4.9	<8	<3.1	<4.6	<15	<5.6	<7	<100	<17	<5.2	<120	<8.7	<5.2				

Table B-2
Sub-Slab Soil Vapor Results
Former Kest Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trichloropentane	Freon 113	Tetrahydrofuran	p-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	C8-C10 Aromatics	2-Hexanone	1,3,5-Trimesitylbenzene	C10-C12 Aromatics	Chloromethane	Propylbenzene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						1.75%	1.68%	1.62%	1.62%	1.62%	1.55%	1.42%	1.36%	1.19%	1.13%	1.03%	0.97%	0.92%	0.78%	0.55%
P24738SVF	24738 NEPTUNE AVE	2012-02-23	10:33	Front	<5.5	<6.1	<5.2	<8.5	<3.3	<4.8	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<9.5	<9.5
P24738SVF	24738 NEPTUNE AVE	2012-02-23	10:33	Front	<5.4	<6	<5.1	<8.4	<3.2	<4.8	<16	<5.9	<7.3	<110	<18	<5.4	<120	<9	<9.4	<9.4
P24738SVH	24738 PANAMA AVE	2010-09-07	13:44	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.7	<9.7
P24738VHD	24738 PANAMA AVE	2010-09-07	13:44	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVB	24738 PANAMA AVE	2010-09-07	14:25	Back	<5.6	<6.2	<5.3	<8.6	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<9.4	<9.4	<9.6
P24738SVF	24738 PANAMA AVE	2010-09-07	15:08	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<9.8	<9.8
P24738SVH	24738 PANAMA AVE	2012-09-07	14:53	House	<5.6	<6.2	<5.3	<8.6	<3.4	<5	<16	<6.2	<7.7	180	<19	<5.6	<120	<9.4	50	50
P24738SVF	24738 PANAMA AVE	2012-09-07	15:37	Front	<5.3	<5.9	<5	<8.3	<3.2	<4.7	<16	<5.8	<7.2	<110	<18	<5.3	<120	<22	<22	<22
P24738SVB	24738 PANAMA AVE	2012-09-07	15:55	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<25	<25
P24738SVH	24738 NEPTUNE AVE	2010-10-12	09:45	House	<5	<5.5	<4.7	<7.7	<3	<4.4	<14	<5.4	<6.8	<99	<16	<5	<110	<8.3	<8.3	<8.3
P24738SVF	24738 NEPTUNE AVE	2010-10-12	11:48	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVG	24738 NEPTUNE AVE	2011-11-11	12:08	Garage	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<6.3	<6.3	<6.7
P24738SVH	24738 NEPTUNE AVE	2011-11-11	12:45	House	<3.7	<4.1	<3.6	<5.8	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<6.3	<6.3	<6.7
P24738SVF	24738 NEPTUNE AVE	2011-11-11	13:30	Front	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<6.4	<6.4	<6.8
P24738VFD	24738 NEPTUNE AVE	2011-11-11	13:30	Front	11	<4.2	7.1	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	5.3	<85	<6.4	<6.4	<6.8
P24738SVH	24738 NEPTUNE AVE	2012-09-21	10:05	House	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<24	<24
P24738SVG	24738 NEPTUNE AVE	2012-09-21	10:10	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<24	<24
P24738SVG	24738 NEPTUNE AVE	2012-09-21	10:10	Garage	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U
P24738SVH	24738 PANAMA AVE	2011-02-07	13:57	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVH	24738 PANAMA AVE	2011-02-07	13:57	House	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	2.4	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24738SVB	24738 PANAMA AVE	2011-02-07	14:43	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVF	24738 PANAMA AVE	2011-02-07	14:43	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVB	24738 PANAMA AVE	2011-02-07	15:15	Back	<6.2	<6.9	<5.9	<9.6	<3.7	<5.5	<18	<6.8	<8.4	<120	<21	<6.2	<130	<10	<10	<10
P24738SVB	24738 PANAMA AVE	2012-10-26	10:02	Back	<5.6	<6.3	<5.4	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<24	<24	<24
P24738VBD	24738 PANAMA AVE	2012-10-26	10:02	Back	<5.4	<6	<5.2	<8.5	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<23	<23	<23
P24738SVH	24738 PANAMA AVE	2012-10-26	10:30	House	<5.4	<6	<5.2	<8.5	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<23	<23	<23
P24738SVF	24738 PANAMA AVE	2012-10-26	10:33	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<25	<25	<25
P24738SVH	24738 RAVENNA AVE	2010-10-13	09:06	House	<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<9.7	<9.8
P24738SVB	24738 RAVENNA AVE	2010-10-13	09:42	Back	<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<9.8	<9.8
P24738SVF	24738 RAVENNA AVE	2010-10-13	10:14	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738VFD	24738 RAVENNA AVE	2010-10-13	10:14	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVF	24738 RAVENNA AVE	2011-03-03	09:57	Front	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<9.8	<9.8
P24738SVH	24738 RAVENNA AVE	2011-03-03	10:35	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738SVB	24738 RAVENNA AVE	2011-03-03	11:10	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
P24738VBD	24738 RAVENNA AVE	2011-03-03	11:10	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<9.6	<9.7
M24741SVH	24741 MARBELLA AVE	2010-05-28	09:20	House	<5.7	<6.4	<5.4	150	<3.4	<5	<17	180	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<9.6	<9.7
M24741SVB	24741 MARBELLA AVE	2010-05-28	10:01	Back	<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<10	<10
M24741SVF	24741 MARBELLA AVE	2010-05-28	10:37	Front	<5.9	20	<5.9	29	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<10	<10
M24741SVF	24741 MARBELLA AVE	2012-06-15	09:59	Front	<3.7	<4.1	<3.5	12	<2.2	<3.3	<11	<4	<5	<74	<12	<3.7	<83	<16	<16	<16
M24741SVF	24741 MARBELLA AVE	2012-06-15	09:59	Front	<1.7 U	<1.7 U	<1.7 U	8.4	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24741SVB	24741 MARBELLA AVE	2012-06-15	10:06	Back	<3.8	<4.2	<3.6	28	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<16	<16
M24741SVB	24741 MARBELLA AVE	2012-06-15	10:08	Back	<1.7 U	<1.7 U	<1.7 U	19	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24741SVH	24741 MARBELLA AVE	2012-06-12	12:08	House A	<3.7	<4.1	<3.5	130	<2.2	<3.3	<11	<4	<5	<75	<12	<3.7	<83	<16	<16	<16
M24741SVF	24741 MARBELLA AVE	2010-04-23	15:07	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<9.4	<9.6
M24741SVB	24741 MARBELLA AVE	2010-04-23	15:04	Back	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<10	<10	<10
M24741SVH	24741 MARBELLA AVE	2010-04-23	17:13	House	<5.6	<6.2	<5.3	17	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<9.4	<9.6
M24741SVH	24741 MARBELLA AVE	2010-08-02	09:39	House	<5.7	<6.4	<5.4	21	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<9.6	<9.7
M24741SVH	24741 MARBELLA AVE	2010-08-17	08:50	Garage	<5.7	<6.4	<5.4	9.5	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<9.6	<9.7
M24741SVH	24741 MARBELLA AVE	2011-02-09	09:25	House	<5.9	<6.5	<5.6	23	<3.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<9.9	<9.9
M24741SVG	24741 MARBELLA AVE	2011-02-09	10:02	Garage	<5.6	<6.2	<5.3	11	<3.3	<4.9	<16	<6.1	<7.6	<110	<18	<5.6	<120	<9.3	<9.3	<9.6
M24741SVB	24741 MARBELLA AVE	2011-02-09	10:52	Back	<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<18	<5.6	<120	<9.4	<9.4	<9.6
M24741SVB	24741 MARBELLA AVE	2011-02-09	10:52	Back	<5.6	<6.2	<5.3	<8.7	<3.4	<5	<16	<6.1	<7.6	<110	<18	<5.6	<120	<9.4	<9.4	<9.6

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Amlyte Unfo	4-Ethyltoluene UG/M3	1,1,1-Trichloro ethane UG/M3	2,2,4- Trimethyl pentane UG/M3	Freon 113 UG/M3	Tetrahydro- furan UG/M3	o-Xylene UG/M3	1,4-Dioxane UG/M3	Trichloro- ethane UG/M3	Bromodichlo- romethane UG/M3	C8-C10 Aromatics UG/M3	2-Hexanone UG/M3	1,3,5- Trimethyl- benzene UG/M3	C10-C12 Aromatics UG/M3	Chloro- methane UG/M3	Propyl- benzene UG/M3
Frequency of Detection						1.75%	1.60%	1.62%	1.63%	1.62%	1.55%	1.42%	1.36%	1.16%	1.33%	1.03%	0.97%	0.92%	0.78%	0.65%
M24744 SVH	24744 MARBELLA AVE	2012-03-15	15:26	House		<9.2	<10	<8.8	18	<5.5	<8.2	<27	<10	<12	<180	<31	<9.2	<710	<39	<9.2
M24744 SVG	24744 MARBELLA AVE	2012-03-15	15:30	Garage		<8.0	<4.9	<3.7	11	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24744 SVB	24744 MARBELLA AVE	2012-03-15	16:11	Back		<4.1	<4.6	<3.9	13	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
M24744 SVBD	24744 MARBELLA AVE	2012-03-15	16:11	Back		<4.1	<4.6	<3.9	12	<2.5	<3.6	<12	<4.5	<5.6	<82	<14	<4.1	<92	<17	<4.1
M24748 SVH	24748 RAVENNA AVE	2010-07-15	09:41	House		<5.9	<6.6	<5.6	<9.2	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<9.7	<5.9
M24748 SVB	24748 RAVENNA AVE	2010-07-15	10:32	Front		<5.8	<6.4	<5.5	<9	<3.5	<5.1	<17	<6.3	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.7	<5.8
M24748 SVG	24748 RAVENNA AVE	2010-07-15	11:13	Back		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	22	<120 NJ	<20	<5.9	<130 NJ	32	<5.9
M24748 SVH	24748 RAVENNA AVE	2012-09-14	10:13	Front		<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.3	<120	<20	<6.1	<140	<26	<6.1
M24748 SVBS	24748 RAVENNA AVE	2012-09-14	10:13	Front		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
M24748 SVB	24748 RAVENNA AVE	2012-08-14	10:53	Back		<6.8	<7.5	<6.4	<10	<4.1	<6	<20	<7.4	<9.2	<140	<23	<6.8	<150	<28	<6.8
M24748 SVH	24748 RAVENNA AVE	2012-09-14	11:03	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<5.9
M24748 SVB	24748 RAVENNA AVE	2010-09-10	09:09	House		<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<130	<24	<5.6
M24748 SVB	24748 RAVENNA AVE	2010-09-10	09:45	Back		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<5.9
M24748 SVB	24748 RAVENNA AVE	2010-09-10	09:45	Back		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<5.8
M24748 SVB	24748 RAVENNA AVE	2010-09-10	10:05	Garage		<190	<160	3700	<230	<68	<130	<430	<160	<200		<490	<150	<340	<150	<150
M24748 SVB	24748 RAVENNA AVE	2010-12-17	12:14	House		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<22	<5.5
M24748 SVB	24748 RAVENNA AVE	2010-12-17	12:14	House		<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6
M24748 SVB	24748 RAVENNA AVE	2010-12-17	12:57	Garage		<26	<32	1300	<45	<17	34	<85	<32	<40	<580	<97	<29	<650	<49	<29
M24748 SVB	24748 RAVENNA AVE	2010-12-17	13:05	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<26	<5.7
M24752 SVH	24752 RAVENNA AVE	2010-04-09	11:14	Front		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<26	<5.7
M24752 SVB	24752 RAVENNA AVE	2010-04-09	12:34	Back		<5.5	<6.9	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<19	<5.8	<130 NJ	<27	<5.8
M24752 SVH2	24752 RAVENNA AVE	2010-05-21	13:38	House 2		<10	<11	<9.6	<16	<6	<8.9	<30	<11	<14	<120 NJ	<24	<10	<120 NJ	<17	<10
M24752 SVH2	24752 RAVENNA AVE	2012-07-20	15:01	House 2		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24752 SVH	24752 RAVENNA AVE	2012-07-20	15:08	Front		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
M24752 SVB	24752 RAVENNA AVE	2012-07-20	15:45	Back		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24809 SVB	24809 NEPTUNE AVE	2010-10-15	08:57	Back		<5.5	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<22	<5.5
M24809 SVBS	24809 NEPTUNE AVE	2010-10-15	09:35	Front		<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6
M24809 SVB	24809 NEPTUNE AVE	2010-10-15	09:35	Front		<5.4	<6	<5.1	<8.4	<3.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<21	<5.4
M24809 SVH	24809 NEPTUNE AVE	2010-10-15	10:42	House		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<26	<5.7
M24809 SVB	24809 NEPTUNE AVE	2012-07-20	10:05	Back		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24809 SVH	24809 NEPTUNE AVE	2012-07-20	10:15	House		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24809 SVF	24809 NEPTUNE AVE	2012-07-20	10:52	Front		<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4
M24809 SVF	24809 PANAMA AVE	2009-10-15	13:40	Front		<5.9	<6.6	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<120 NJ	<29	<5.9
M24809 SVH	24809 PANAMA AVE	2009-10-15	15:07	House		<5.9	<6.6	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<120 NJ	<29	<5.9
M24809 SVH	24809 PANAMA AVE	2009-10-15	15:07	House		<2.1	7.3	<2.1	1.71	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	0.811	<2.1	<2.1	<2.1	<2.1
M24809 SVB	24809 PANAMA AVE	2009-10-15	16:08	Back		<5.9	<6.6	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<120 NJ	<29	<5.9
M24809 SVB	24809 PANAMA AVE	2009-10-15	16:08	Back		<5.9	<6.6	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<120 NJ	<29	<5.9
M24809 SVB	24809 PANAMA AVE	2010-07-28	10:19	Back		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<26	<5.7
M24809 SVF	24809 PANAMA AVE	2010-07-28	11:02	Front		<6.1	22	<5.8	<9.5	<3.6	<5.4	<18	<6.7	<8.3	<120 NJ	<20	<6.1	<140 NJ	<30	<6.1
M24809 SVH	24809 PANAMA AVE	2011-02-08	09:21	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<29	<5.9
M24809 SVH	24809 PANAMA AVE	2012-03-23	10:28	House A		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.1	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24809 SVH	24809 PANAMA AVE	2012-03-23	11:04	Front		<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.1	<5.3	<78	<13	<3.9	<87	<16	<3.9
M24809 SVB	24809 PANAMA AVE	2012-03-23	11:12	Back		<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8
M24812 SVB	24812 PANAMA AVE	2012-03-23	11:12	Back		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24812 SVH	24812 PANAMA AVE	2010-05-05	08:54	House		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120 NJ	<20	<5.9	<130 NJ	<29	<5.9
M24812 SVB	24812 PANAMA AVE	2010-05-05	10:21	Back		<5.8	<6.5	<5.5	<9.1	<3.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<28	<5.8
M24812 SVB	24812 PANAMA AVE	2010-05-05	10:21	Back		<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	<17	<6.4	<8	<120 NJ	<20	<5.9	<130 NJ	<29	<5.9
M24812 SVF	24812 PANAMA AVE	2010-05-05	11:08	Front		<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<26	<5.7
M24812 SVH	24812 PANAMA AVE	2012-12-06	15:07	House		<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<5.8
M24812 SVB	24812 PANAMA AVE	2012-12-06	15:08	Back		<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<5.9
M24812 SVF	24812 PANAMA AVE	2012-12-06	15:39	Front		<6.2	<6.9	<5.9	<9.8	<3.7	<5.3	<18	<6.8	<8.4	<120	<21	<6.2	<140	<26	<6.2
M24813 SVH	24813 PANAMA AVE	2010-10-26	09:15	House		<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<24	<5.6

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	4-Ethyltoluene	1,1,1-Trichloroethane	2,2,4-Trimethylpentane	Freon 113	Tetrahydrofuran	n-Xylene	1,4-Dioxane	Trichloroethene	Bromodichloromethane	CB-C10 Aromatics	2-Hexanone	1,3,5-Trimethylbenzene	C10-C12 Aromatics	Chloronaphthalene	Propylbenzene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
					Frequency of Detection	1.75%	1.68%	1.62%	1.62%	1.62%	1.42%	1.36%	1.16%	1.13%	1.03%	0.97%	0.92%	0.78%	0.65%	
P24813SVB	24813 PANAMA AVE	2010-10-26	10:54	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8	
P24813SVFA	24813 PANAMA AVE	2010-11-23	10:00	Front A	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	56	<110	<19	<5.7	<130	<9.6	<5.7	
P24813SVFAS	24813 PANAMA AVE	2010-11-23	10:00	Front A	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	66	<1.7	<1.7	<1.7	<1.7	<1.7	
P24813SVH	24813 PANAMA AVE	2012-08-23	10:00	House	<5.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.9	<120	<20	<6.1	<140	<28	<6.1	
P24813SVFA	24813 PANAMA AVE	2012-08-23	10:05	Front A	<5.9	<6.6	<5.6	<9.3	<3.5	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<5.9	
P24813SVFAD	24813 PANAMA AVE	2012-08-23	10:05	Front A	<5.9	<6.6	<5.6	<9.3	<3.5	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<25	<5.9	
P24813SVB	24818 PANAMA AVE	2012-08-23	10:28	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<24	<5.7	
N24815SVB	24815 NEPTUNE AVE	2009-09-17	14:43	Back	<3.4	<3.8	<3.2	<5.3	2.4	<3	<10	<3.7	<4.6	<130 NJ	<11	<3.4	<140 NJ	<5.7	<3.4	
N24815SVF	24815 NEPTUNE AVE	2009-09-17	15:57	Front	<6	<6.7	<5.7	<9.4	<3.6	<5.3	<18	<6.6	<8.2	<120 NJ	<20	<6	<130 NJ	<10	<6	
N24815SVH	24815 NEPTUNE AVE	2010-08-13	10:09	House	<5.5	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.4	<5.6	
N24815SVF	24815 NEPTUNE AVE	2010-08-13	10:54	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24815SVB	24815 NEPTUNE AVE	2010-08-13	11:50	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
N24815SVH	24815 NEPTUNE AVE	2012-03-20	09:50	House	<9.8	<9.3	<3.7	<6	<2.3	<3.4	<11	<4.7	<5.2	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
N24815SVH	24815 NEPTUNE AVE	2012-03-29	09:58	House	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
N24815SVB	24815 NEPTUNE AVE	2012-03-29	10:25	Back	<3.7	<4.1	<3.6	<5.9	<2.2	<3.3	<11	<4.1	<5.1	<75	<12	<3.7	<83	<16	<3.7	
N24815SVF	24815 NEPTUNE AVE	2012-03-29	10:37	Front	<3.9	<4.3	<3.7	<6	4	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9	
P24818SVH	24818 PANAMA AVE	2010-11-12	10:21	House	<3.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
P24818SVH	24818 PANAMA AVE	2010-11-12	10:21	House	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
P24818SVF	24818 PANAMA AVE	2010-11-12	11:06	Front	<5.9	<6.6	<5.6	<9.3	<3.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9	
P24818SVF	24818 PANAMA AVE	2012-06-06	10:25	Front	<4	<4.5	<3.8	<6.3	<2.4	<3.6	<12	<4.4	<5.5	<81	<13	<4	<90	<17	<4	
P24818SVF	24818 PANAMA AVE	2012-06-08	10:25	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
P24818SVH	24818 PANAMA AVE	2012-06-08	10:30	House	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4	
P24818SVB	24818 PANAMA AVE	2012-06-08	11:02	Back A	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9	
P24818SVB	24818 PANAMA AVE	2012-06-08	11:02	Back A	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
P24818SVB	24818 PANAMA AVE	2010-06-10	09:16	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7	
P24818SVB	24818 PANAMA AVE	2010-06-10	11:10	Back	<5.3	<6.1	<5.2	<8.6	<3.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5	
P24818SVF	24818 PANAMA AVE	2010-06-10	11:57	Front	10	<6.2	<5.3	<8.7	<3.3	<4.9	<16	<6.1	<7.6	<110 NJ	<18	<6	<120 NJ	<9.3	<5.6	
P24818SVF	24818 PANAMA AVE	2011-04-21	11:15	Front	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
P24818SVF	24818 PANAMA AVE	2011-04-21	11:15	Front	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
P24818SVH	24818 PANAMA AVE	2011-04-21	12:22	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
P24818SVH	24818 PANAMA AVE	2011-04-21	12:22	House	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	
P24818SVB	24818 PANAMA AVE	2011-04-21	12:31	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
P24818SVB	24818 PANAMA AVE	2011-04-21	12:31	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
P24828SVH	24828 PANAMA AVE	2011-10-27	08:46	House	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<14	<3.8	
P24828SVB	24828 PANAMA AVE	2011-10-27	09:21	Back	<3.6	<4	<3.4	<5.6	<2.2	<3.2	<10	<4.3	<4.9	<72	<12	<3.6	<80	<13	<3.6	
P24828SVF	24828 PANAMA AVE	2011-10-27	09:21	Back	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	
P24828SVF	24828 PANAMA AVE	2011-10-27	10:03	Front	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<14	<3.8	
P24828SVB	24828 PANAMA AVE	2012-09-13	10:20	Back	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<5.8	
P24828SVB	24828 PANAMA AVE	2012-09-13	10:20	Back	<2 U	<2 U	<2 U	<2 U	6.9J	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	
P24828SVH	24828 PANAMA AVE	2012-09-13	10:24	House	<5.3	<5.9	<5	<8.3	<3.2	<4.7	<16	<5.8	<7.2	<110	<18	<5.3	<120	<22	<5.3	
P24828SVF	24828 PANAMA AVE	2012-09-13	10:51	Front	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<24	<5.6	
P24832SVG	24832 PANAMA AVE	2010-10-06	09:38	Garage	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
P24832SVB	24832 PANAMA AVE	2010-10-06	10:13	Back	<5.7	<6.3	<5.4	<8.8	<3.4	<5	<17	<6.2	<7.7	<110	<19	<5.7	<130	<9.5	<5.7	
P24832SVH	24832 PANAMA AVE	2010-10-06	10:56	House	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
P24832SVB	24832 PANAMA AVE	2012-09-28	15:01	Back	<6.1	<6.7	<5.8	<9.5	<3.6	<5.4	<18	<6.6	<8.9	<120	<20	<6.1	<140	<26	<6.1	
P24832SVG	24832 PANAMA AVE	2012-09-28	15:21	Garage	<5.8	<6.5	<5.6	<9.1	<3.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<24	<5.8	
P24832SVH	24832 PANAMA AVE	2012-09-28	16:10	House	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<24	<5.6	
P24833SVH	24833 PANAMA AVE	2010-10-14	09:36	House	<5.1	<5.7	<4.9	<8	<3.1	<4.5	<15	<5.6	<7	<80	<360	<5.1	<110	<8.6	<5.1	
P24833SVF	24833 PANAMA AVE	2010-10-14	10:20	Front	<5.9	<6.5	<5.6	<9.2	<3.5	<5.2	18	23	<8	<120	<20	<5.9	<130	<9.9	<5.9	
P24833SVB	24833 PANAMA AVE	2010-10-14	11:06	Back	<5.7	<6.4	<5.4	<8.9	<3.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7	
P24833 SVB	24833 PANAMA AVE	2012-11-29	14:47	Back	<5.6	<6.2	<5.3	<8.8	<3.4	<5	<16	<6.2	<7.7	<110	<19	<5.6	<120	<24	<5.6	

Table B-2
Sub-Slab Soil Vapor Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte	1,1,1-Trichloroethane																Frequency of Detection
						2,2,4-Trimethylpentane																
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	
249352SVF	352 249TH ST	2011-01-20	10:24	Front	16	<6.4	99	<8.9	<8.4	28	<17	<6.3	<7.8	230	<19	<5.7	<130	<9.6	<5.7			
249352SVB	352 249TH ST	2011-01-20	11:09	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	1.9	<1.7	<1.7	<1.7	<1.7			
249352SVB	352 249TH ST	2011-01-20	11:09	Back	<5.8	<6.5	<5.5	<9.1	<8.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8			
249352SVB	352 249TH ST	2011-01-20	11:09	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	3.4	<1.7	<1.7	<1.7	<1.7			
249352SVF	352 249TH ST	2011-02-10	15:05	Front	<5.5	<6.1	<5.2	<8.6	<8.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5			
249352SVH	352 249TH ST	2011-02-10	15:16	House	<5.4	<6	<5.1	<8.4	<8.2	<4.8	<16	<5.9	<7.4	<110	<18	<5.4	<120	<9.1	<5.4			
249352SVB	352 249TH ST	2011-02-10	16:03	Back	<6.1	<6.7	<5.8	<9.5	<8.6	<5.4	74	<6.5	<8.3	<120	<20	<6.1	<140	<10	<6.1			
249352SVH	353 249TH ST	2010-06-08	10:30	House	<5.6	<6.3	<5.4	<8.8	<8.4	<5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<130 NJ	<9.5	<5.6			
249352SVB	353 249TH ST	2010-06-08	11:12	Back	<5.8	<6.5	<5.5	<9.1	<8.5	<5.1	<17	<6.4	<7.9	<120 NJ	<19	<5.8	<130 NJ	<9.8	<5.8			
249352SVB	353 249TH ST	2010-06-08	11:12	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7			
249352SVF	353 249TH ST	2010-06-08	12:28	Front	<5.7	<6.3	<5.4	<8.8	<8.4	<5	<17	<6.2	<7.7	<110 NJ	<19	<5.7	<130 NJ	<9.5	<5.7			
249352SVB	353 249TH ST	2011-02-04	11:56	Back	<5.5	<6.1	<5.2	<8.6	<8.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5			
249352SVF	353 249TH ST	2011-02-04	13:12	Front	<5.7	<6.4	<5.4	<8.9	<8.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7			
249352SVH	354 248TH ST	2010-09-16	09:16	House	<5.6	<6.2	<5.3	<8.8	<8.4	<5	<16	<6.2	<7.7	<110	<18	<5.6	<120	<9.4	<5.6			
249352SVG	354 248TH ST	2010-09-16	09:57	Garage	<5.7	<6.4	<5.4	<8.9	<8.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.5	<5.7			
249352SVB	354 248TH ST	2010-09-16	10:34	Back	<5.8	<6.5	<5.6	<9.1	<8.5	<5.2	<17	<6.4	<8	<120	<20	<5.8	<130	<9.8	<5.8			
249352SVB	354 248TH ST	2010-09-16	10:34	Back	<5.9	<6.6	<5.6	<9.3	<8.6	<5.2	<17	<6.5	<8.1	<120	<20	<5.9	<130	<10	<5.9			
249352SVH	354 248TH ST	2012-05-14	09:59	House A	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9			
249352SVB	354 248TH ST	2012-05-15	18:05	Back A	<8.7	<4.1	63	<5.8	<2.2	<3.8	<11	<4	<5	<74	<12	<3.7	<83	<16	<3.7			
249352SVH	357 244TH ST	2010-06-07	09:36	House	<15	<16	<14	<23	<8.8	<13	<43	<16	<20	<230 NJ	<49	<15	<330 NJ	<24	<15			
249352SVF	357 244TH ST	2010-06-07	10:30	Front	<5.7	<6.4	<5.4	<8.9	<8.4	<5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7			
249352SVB	357 244TH ST	2010-09-02	13:14	Back 2	<5.6	<6.2	<5.3	<8.7	<8.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6			
249352SVB	357 244TH ST	2010-09-02	13:14	Back 2	<5.6	<6.2	101	<8.7	<8.4	<5	<16	<6.1	<7.6	<110	<19	<5.6	<120	<9.4	<5.6			
249352SVH	357 244TH ST	2012-11-30	10:10	House	<5.9	<6.6	<5.6	<9.3	<8.6	<5.2	<17	<6.5	<8.1	<130	<20	<5.9	<130	<10	<5.9			
249352SVF	357 244TH ST	2012-11-30	10:46	Front	<5.8	<6.5	<5.6	<9.1	<8.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<10	<5.8			
249352SVB	357 244TH ST	2012-11-30	11:07	Back 2	<5.8	<6.5	<5.6	<9.1	<8.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<10	<5.8			
249352SVH	357 240TH ST	2010-05-28	13:21	House	<5.5	<6.1	<5.2	<8.6	<8.3	<4.9	<16	<6	<7.5	<110 NJ	<18	<5.5	<120 NJ	<9.2	<5.5			
249352SVF	357 249TH ST	2010-05-28	14:59	Front	<5.9	<6.6	<5.6	<9.3	<8.6	<5.2	<17	<6.5	<8.1	<130 NJ	<20	<5.9	<130 NJ	<10	<5.9			
249352SVF	357 249TH ST	2010-05-28	15:59	Front	<5.9	<6.6	<5.6	<9.3	<8.6	<5.2	<17	<6.5	<8.1	<130 NJ	<20	<5.9	<130 NJ	<10	<5.9			
249352SVB	357 249TH ST	2010-09-03	09:09	Back	<5.8	<6.5	<5.6	<9.1	<8.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.5	<5.8			
249352SVF	357 249TH ST	2010-09-03	09:56	Front	<5.7	<6.4	<5.4	<8.9	<8.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7			
249352SVF	357 249TH ST	2010-09-03	09:56	Front	<5.8	<6.5	<5.6	<9.1	<8.5	<5.2	<17	<6.4	<8	<120	<19	<5.8	<130	<9.8	<5.8			
249352SVH	357 249TH ST	2012-08-03	14:40	House	<4	18	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<85	<17	<4			
249352SVF	357 249TH ST	2012-08-03	15:15	Front	<3.8	<4.2	<3.6	<5.9	<2.3	<3.4	<11	<4.2	<5.2	<76	<13	<3.8	<85	<16	<3.8			
249352SVH	358 249TH ST	2011-09-16	08:41	House	<5.9	<6.5	<5.6	<9.2	<8.5	<5.2	<17	<6.4	<8	<120	<20	<5.9	<130	<9.9	<5.9			
249352SVG	358 249TH ST	2011-09-16	09:12	Garage	<5.8	<6.4	<5.5	<9	41	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8			
249352SVB	358 249TH ST	2011-09-16	09:12	Garage	<5.8	<6.4	<5.5	<9	23.5	<5.1	<17	<6.3	<7.9	<120	<19	<5.8	<130	<9.7	<5.8			
249352SVB	358 249TH ST	2011-09-16	09:47	Back	<5.7	<6.4	<5.4	<8.9	<8.4	<5	<17	<6.3	<7.8	<110	<19	<5.7	<130	<9.6	<5.7			
249352SVG	358 249TH ST	2012-03-09	10:35	Garage	<2.6	<4	<3.4	<5.6	<2.2	<3.2	<10	<3.5	<4.9	<72	<12	<1.6	<90	<15	<3.8			
249352SVH	358 249TH ST	2012-03-09	10:42	House	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9			
249352SVB	358 249TH ST	2012-03-09	11:25	Back	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9			
249352SVB	358 249TH ST	2012-03-09	11:25	Back	<3.9	<4.3	<3.7	<6	<2.3	<3.4	<11	<4.2	<5.3	<78	<13	<3.9	<87	<16	<3.9			
249352SVH	360 248TH ST	2011-01-13	09:31	House	<5.5	<6.1	<5.2	<8.6	<8.3	<4.9	<16	<6	<7.5	<110	<18	<5.5	<120	<9.2	<5.5			
249352SVB	360 248TH ST	2011-01-13	11:21	Back	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8			
249352SVB	360 248TH ST	2011-01-13	11:21	Back	<5.8	<6.5	<5.6	<9.1	<8.5	<5.1	<17	<6.4	<7.9	<120	<19	<5.8	<130	<9.8	<5.8			
249352SVG	360 248TH ST	2012-07-06	14:44	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4.4	<88	<17	<4			
249352SVG	360 248TH ST	2012-07-06	14:44	Garage	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4.4	<88	<17	<4			
249352SVH	360 248TH ST	2012-07-06	15:08	House	<4.7	<5.2	<4.4	<7.3	<2.8	<4.1	<14	<5.1	<6.4	<93	<16	<4.7 PF	<100	<20	<4.7			
249352SVB	360 248TH ST	2012-07-13	13:01	Back A	<4	<4.4	<3.8	<6.2	<2.4	<3.5	<12	<4.3	<5.4	<79	<13	<4	<88	<17	<4			
244-361SVB	361 244TH ST	2009-09-22	11:48	Back	<5.7	<6.3	<5.4	<8.8	<8.4	5	<17	<6.2	<7.7	<110 NJ	<19	<5.7	<120 NJ	<9.5	<5.7			
244-361SVF	361 244TH ST	2009-09-22	12:12	Front	<5.6	<6.3	<5.4	<8.8	<8.4	5	<16	<6.2	<7.7	<110 NJ	<19	<5.6	<120 NJ	<9.5	<5.6			
244-361SVH	361 244TH ST	2010-07-02	00:16	House	<5.7	<6.4	<5.4	<8.9	<8.4	5	<17	<6.3	<7.8	<110 NJ	<19	<5.7	<130 NJ	<9.6	<5.7			

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Amlyte Units	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanone	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethene	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
Frequency of Detection						0.52%	0.52%	0.45%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.19%	0.19%	0.05%	0.05%	0.06%
M24401SVH	24401 MARBELLA AVE	2010-07-29	09:17	House	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<3	<4.1	<5.2	<4.5	<4.5	<34	<2.5	
M24401SVS	24401 MARBELLA AVE	2010-07-29	10:15	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24401SVB	24401 MARBELLA AVE	2010-07-29	10:52	Back	<6.2	<6.2	<4.9	<5.4	<6.6	<12	<5.5	<5.6	<3.6	<4.9	<6.3	<5.4	<5.4	<40	<3	
M24401SVH	24401 MARBELLA AVE	2012-03-29	14:46	House	<4.9	<4.9	<3.8	<3.2	<5.1	<6.9	<3.3	<3.3	<3.6	<2.9	<3.8	<3.2	<3.2	<24	<1.8	
M24401SVB	24401 MARBELLA AVE	2012-03-29	15:09	Back	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<4	<2.7	<3.5	<3	<3	<22	<1.7	
M24401SVG	24401 MARBELLA AVE	2012-03-29	15:14	Garage	<5	<5	<3.8	<3.3	<5.2	<7	<3.3	<3.4	<4	<3	<3.8	<3.3	<3.3	<24	<1.8	
M24401SVG	24401 MARBELLA AVE	2012-03-29	15:14	Garage	<5	<5	<3.8	<3.3	<5.2	<7	<3.3	<3.4	<4	<3	<3.8	<3.3	<3.3	<24	<1.8	
M24402SVH	24402 NEPTUNE AVE	2010-07-01	14:03	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24402SVB	24402 NEPTUNE AVE	2010-07-01	14:47	Back	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
M24402SVG	24402 NEPTUNE AVE	2010-07-01	15:21	Garage	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
M24402SVB	24402 NEPTUNE AVE	2012-10-04	15:08	Back	<6.5	<6.5	<4.5	<3.6	<7.0	<12	<5.7	<5.8	<3	<4	<6.5	<5.6	<5.6	<42	<3.1	
M24402SVH	24402 NEPTUNE AVE	2012-10-04	15:13	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.5	
M24402SVG	24402 NEPTUNE AVE	2012-10-04	15:09	Garage	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.4	<5.7	<4.9	<4.9	<37	<2.7	
M24402SVG	24402 NEPTUNE AVE	2012-10-04	15:09	Garage	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.4	<5.7	<4.9	<4.9	<37	<2.7	
P24402SVB	24402 PANAMA AVE	2010-11-16	09:03	Back	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
P24402SVG	24402 PANAMA AVE	2010-11-16	09:06	Garage	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
P24402SVH	24402 PANAMA AVE	2010-11-16	10:18	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
P24402SVH	24402 PANAMA AVE	2012-12-21	09:47	House	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.4	<5.7	<4.9	<4.9	<37	<2.7	
P24402SVG	24402 PANAMA AVE	2012-12-21	10:00	Garage	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
P24402SVB	24402 PANAMA AVE	2012-12-21	10:14	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
R24402SVB	24402 RAVENNA AVE	2009-10-02	15:36	Back	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<34	<2.5	
R24402SVF	24402 RAVENNA AVE	2009-10-02	16:44	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
R24402SVB	24402 RAVENNA AVE	2010-12-09	11:14	Back	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
R24402SVF	24402 RAVENNA AVE	2010-12-09	11:54	Front	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
R24402SVF	24402 RAVENNA AVE	2010-12-09	11:54	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
R24402SVH	24402 RAVENNA AVE	2010-12-13	13:48	House	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
R24402SVB	24402 RAVENNA AVE	2012-05-25	09:55	Back	<5	<5	<3.8	<3.3	<5.1	<7.1	<3.4	<3.4	<3.8	<3	<3.8	<3.3	<3.3	<25	<1.8	
R24402SVB	24402 RAVENNA AVE	2012-05-25	09:55	Back	<5	<5	<3.8	<3.3	<5.1	<7.1	<3.4	<3.4	<3.8	<3	<3.8	<3.3	<3.3	<25	<1.8	
R24402SVF	24402 RAVENNA AVE	2012-05-25	10:28	Front	<4.5	<4.5	<3.5	<3	<4.8	<6.4	<3	<3.1	<4	<2.7	<3.5	<3	<3	<22	<1.7	
R24402SVH	24402 RAVENNA AVE	2012-05-25	10:54	House	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
N24403SVF	24403 NEPTUNE AVE	2010-06-25	09:26	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24403SVH	24403 NEPTUNE AVE	2010-06-25	10:04	House	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24403SVB	24403 NEPTUNE AVE	2010-06-25	11:12	Back	<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3	<4.1	<5.2	<4.5	<4.5	<34	<2.5	
N24403SVH	24403 NEPTUNE AVE	2012-11-09	09:48	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24403SVB	24403 NEPTUNE AVE	2012-11-09	10:18	Back	<7.2	<7.2	<5.5	<4.8	<7.6	<10	<4.9	<4.9	<13	<4.3	<5.5	<4.8	<4.8	<36	<2.6	
N24403SVB	24403 NEPTUNE AVE	2012-11-09	10:18	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24403SVF	24403 NEPTUNE AVE	2012-11-09	10:31	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24405SVF	24405 MARBELLA AVE	2010-11-10	12:36	Front	<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<36	<2.7	
M24405SVH	24405 MARBELLA AVE	2010-11-10	14:30	House	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6	
M24405SVF	24405 MARBELLA AVE	2012-03-22	15:21	Front	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<3.8	<3	<3.9	<3.3	<3.3	<25	<1.8	
M24405SVH	24405 MARBELLA AVE	2012-03-22	15:27	House	<4.4	<4.4	<3.4	<2.9	<4.6	<6.2	<3	<3	<7.7	<2.6	<3.4	<2.9	<2.9	<22	<1.6	
M24405SVB	24405 MARBELLA AVE	2010-09-17	08:38	Back	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
M24405SVB	24405 MARBELLA AVE	2010-09-17	09:39	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24405SVB	24405 MARBELLA AVE	2010-09-17	10:22	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24405SVB	24405 MARBELLA AVE	2012-03-09	15:13	Garage	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
M24405SVH	24405 MARBELLA AVE	2012-03-09	15:40	House	<4.9	<4.9	<3.8	<3.2	<5.2	<7	<3.3	<3.4	<3.6	<3	<3.8	<3.2	<3.2	<24	<1.8	
M24405SVB	24405 MARBELLA AVE	2012-03-09	16:07	Back	<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<7.9	<2.7	<3.4	<3	<3	<22	<1.6	
M24405SVB	24405 MARBELLA AVE	2012-03-09	16:07	Back	<4.7	<4.7	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
N24405SVH	24405 NEPTUNE AVE	2010-04-29	13:45	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24405SVF	24405 NEPTUNE AVE	2010-04-29	14:31	Front	<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
N24405SVF	24405 NEPTUNE AVE	2010-04-29	14:31	Front	<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanone	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethene	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
				Frequency of Detection		0.52%	0.52%	0.45%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.18%	0.18%	0.08%	0.06%	0.04%
N24405SVB	24406 NEPTUNE AVE	2010-04-29	15:22	Back		<7.3	<7.3	<5.6	<4.8	88	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
N24405SVH	24406 NEPTUNE AVE	2010-11-12	11:08	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<4	<4.1	<5.3	<4.5	<4.5	<34	<2.5
N24405SVB	24406 NEPTUNE AVE	2010-11-12	13:22	Back		<8.7	<8.7	<6.7	<5.7	<9.1	<12	<5.8	<5.9	<3.8	<5.2	<6.9	<5.7	<4.3	<43	<3.2
N24405SVB	24406 NEPTUNE AVE	2010-11-12	13:22	Back		<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1
N24405SVH	24406 NEPTUNE AVE	2012-01-26	11:02	House		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<3.7	<3.2	<3.2	<24	<1.5
N24405SVG	24406 NEPTUNE AVE	2012-01-26	11:44	Garage		<6.2	<6.2	<4.8	<4.1	<6.5	<8.8	<4.2	<4.3	<11	<3.7	<4.8	<4.1	<4.1	<31	<2.3
N24405SVB	24406 NEPTUNE AVE	2012-01-26	11:59	Back		<4.9	<4.9	<3.8	<3.2	<5.2	<7	<3.3	<3.4	<3.6	<3	<3.8	<3.2	<3.2	<24	<1.3
N24405SVB	24406 NEPTUNE AVE	2012-01-26	11:59	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
P24405SVB	24406 PANAMA AVE	2009-09-17	11:47	Back		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8
P24405SVB-O	24406 PANAMA AVE	2009-09-17	11:47	Back		<7.9	<7.9	<6.1	<5.2	<8.3	<11	<5.3	<5.4	<3.5	<4.8	<6.1	<5.2	<5.2	<38	<2.9
P24405SVF	24406 PANAMA AVE	2009-09-17	13:22	Front		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5
P24405SVB	24406 PANAMA AVE	2010-07-21	09:21	Back		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5
P24405SVH	24406 PANAMA AVE	2010-07-21	10:50	House		<7	<7	<5.4	<4.5	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
P24405SVB	24406 PANAMA AVE	2011-02-14	10:31	Back		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3	<4.1	<5.2	<4.5	<4.5	<34	<2.5
P24405SVH	24406 PANAMA AVE	2011-02-14	11:14	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6
P24405SVH	24406 PANAMA AVE	2012-06-16	15:05	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<2.6	<3.6	<3.1	<3.1	<23	<1.7
P24405SVF2	24406 PANAMA AVE	2012-06-16	15:24	Front 2		<5.3	<5.3	<4	<3.5	<5.5	<7.4	<3.5	<3.6	<3.2	<3.2	<4	<3.5	<3.5	<26	<1.9
P24405SVB	24406 PANAMA AVE	2012-06-16	15:48	Back		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
P24405SVB-D	24406 PANAMA AVE	2012-06-16	15:48	Back		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
N24405SVG	24409 NEPTUNE AVE	2010-07-16	09:09	Garage		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5
N24405SVB	24409 NEPTUNE AVE	2010-07-16	10:03	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
N24405SVB-D	24409 NEPTUNE AVE	2010-07-16	10:03	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
N24405SVH	24409 NEPTUNE AVE	2012-05-04	09:58	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
N24405SVG	24409 NEPTUNE AVE	2012-05-04	10:05	Garage		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
N24405SVG	24409 NEPTUNE AVE	2012-05-04	10:05	Garage		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24405SVB	24409 NEPTUNE AVE	2012-05-04	10:39	Back		<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<2.9	<2.7	<3.4	<3	<3	<22	<1.6
N24405SVB	24409 NEPTUNE AVE	2012-05-04	10:39	Back		<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U
P24410SVH	24410 PANAMA AVE	2010-07-30	14:06	House		<7	<7	<5.4	<4.5	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
P24410SVB	24410 PANAMA AVE	2010-07-30	14:58	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
P24410SVG	24410 PANAMA AVE	2010-07-30	15:02	Garage		<7	<7	<5.4	<4.5	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
P24410SVG	24410 PANAMA AVE	2010-07-30	15:02	Garage		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24410SVH	24410 PANAMA AVE	2012-07-19	09:52	House		<4.9	<4.9	<3.8	<3.2	<5.1	<6.9	<3.3	<3.3	<3.6	<2.9	<3.8	<3.2	<3.2	<24	<1.8
P24410SVG	24410 PANAMA AVE	2012-07-19	09:53	Garage		<5	<5	<3.8	<3.3	<5.2	<7.1	<3.4	<3.4	<3.8	<3	<3.8	<3.3	<3.3	<25	<1.8
P24410SVG-D	24410 PANAMA AVE	2012-07-19	09:53	Garage		<5	<5	<3.8	<3.3	<5.2	<7.1	<3.4	<3.4	<3.8	<3	<3.8	<3.3	<3.3	<25	<1.8
P24410SVB	24410 PANAMA AVE	2012-07-19	10:25	Back		<4.5	<4.5	<3.5	<3	<4.7	<6.4	<3	<3.1	<2.9	<2.7	<3.4	<3	<3	<22	<1.6
M24411SVH	24411 MARBELLA AVE	2010-09-13	13:36	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
M24411SVF	24411 MARBELLA AVE	2010-09-13	14:19	Front		<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<3.8	<4.5	<5.8	<5	<5	<37	<2.8
M24411SVB2	24411 MARBELLA AVE	2011-02-03	13:41	Back 2		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6
M24411SVF	24411 MARBELLA AVE	2012-04-27	13:58	Front		<4.7	<4.7	<3.6	<3.1	<4.9	<6.6	<3.2	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24411SVF-D	24411 MARBELLA AVE	2012-04-27	13:58	Front		<4.7	<4.7	<3.6	<3.1	<4.9	<6.6	<3.2	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24411SVB2	24411 MARBELLA AVE	2012-04-27	14:24	Back 2		<4.4	<4.4	<3.4	<2.9	<4.6	<6.2	<3	<3	<2.7	<2.6	<3.4	<2.9	<2.9	<22	<1.6
P24411SVH	24411 PANAMA AVE	2010-07-06	09:31	House		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5
P24411SVG	24411 PANAMA AVE	2010-07-06	10:24	Garage		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
P24411SVB	24411 PANAMA AVE	2010-07-06	11:08	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
P24411SVH	24411 PANAMA AVE	2012-12-14	10:07	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<12	<4	<5.2	<4.4	<4.4	<33	<2.5
P24411SVB	24411 PANAMA AVE	2012-12-14	10:13	Back		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5.1	<4.8	<4.5	<5.7	<4.9	<4.9	<37	<2.7
P24411SVB-D	24411 PANAMA AVE	2012-12-14	10:13	Back		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<12	<4.3	<5.4	<4.7	<4.7	<35	<2.6
P24411SVG	24411 PANAMA AVE	2012-12-14	10:50	Garage		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<12	<4.1	<5.2	<4.5	<4.5	<34	<2.5
N24413SVH	24413 NEPTUNE AVE	2010-11-01	09:20	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
N24413SVH-D	24413 NEPTUNE AVE	2010-11-01	09:20	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
N24413SVH	24413 NEPTUNE AVE	2010-11-01	10:34	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanone	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						0.52%	0.24%	0.49%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.19%	0.13%	0.06%	0.06%	0.06%	0.06%	0.06%	
N24413SVH	24413 NEPTUNE AVE	2012-10-11	14:59	Back	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<18	<4.4	<5.7	<4.9	<4.9	<4.9	<4.9	<2.7			
N24413SVH	24413 NEPTUNE AVE	2012-10-11	15:15	House	<7.2	<7.3	<5.6	<4.9	<7.3	<10	<5.6	<5.6	<10	<4.9	<5.6	<4.9	<4.9	<4.9	<4.9	<2.7			
N24413SVHD	24413 NEPTUNE AVE	2012-10-11	15:15	House	<7.3	<7.3	<5.6	<4.9	<7.6	<10	<5.6	<5.6	<10	<4.9	<5.6	<4.9	<4.9	<4.9	<4.9	<2.7			
N24413SVF	24413 NEPTUNE AVE	2012-10-11	15:34	Front	<7.8	<7.8	<6	<5.1	<8.1	<11	<5.2	<5.2	<13	<4.4	<5.9	<5.1	<5.1	<5.1	<3.6	<2.8			
R24413SVH	24413 RAVENNA AVE	2010-07-12	09:12	House	<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<3.6	<2.7			
N24413SVH	24413 RAVENNA AVE	2010-07-12	09:55	Garage	<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<3.6	<2.7			
R24413SVB	24413 RAVENNA AVE	2010-07-12	10:38	Back	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<4.6	<3.4	<2.5			
R24413SVG	24413 RAVENNA AVE	2010-09-20	14:50	Garage	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.6	<5.7	<4.9	<4.9	<4.9	<3.7	<2.8			
R24413SVB	24413 RAVENNA AVE	2010-09-20	14:50	Garage	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.6	<5.7	<4.9	<4.9	<4.9	<3.7	<2.8			
R24413SVH	24413 RAVENNA AVE	2010-09-20	14:50	House	<7	<7	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3.8	<4.2	<4.7	<4.9	<4.9	<4.9	<3.4	<2.6			
R24413SVH	24413 RAVENNA AVE	2010-09-20	15:51	Back	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.6	<3.8	<4.2	<4.7	<4.9	<4.9	<4.9	<3.4	<2.6			
N24413SVBA	24416 NEPTUNE AVE	2011-01-21	09:15	Back A	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<3.4	<2.5			
N24413SVF	24416 NEPTUNE AVE	2011-01-21	10:01	Front	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<4.5	<3.4	<2.5			
N24413SVFD	24416 NEPTUNE AVE	2011-01-21	10:01	Front	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<4.5	<3.4	<2.5			
N24413SVH	24416 NEPTUNE AVE	2011-01-21	11:00	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7	<2.8			
N24413SVH	24416 NEPTUNE AVE	2010-07-13	15:12	House	<5.1	<5.1	<4	<3.4	<5.4	<7.3	<3.5	<3.5	<9	<3.1	<3.9	<3.4	<3.4	<3.4	<2.5	<1.9			
N24413SVF	24416 NEPTUNE AVE	2010-07-13	15:37	Front	<4.9	<4.9	<3.8	<3.2	<5.2	<7.2	<3.3	<3.4	<8.6	<3	<4.4	<3.2	<3.2	<3.2	<2.4	<1.8			
N24413SVH	24416 PANAMA AVE	2010-09-13	08:57	House	<6.5	<6.5	<4.8	<4.1	<6.8	<9.4	<4.4	<4.5	<2.9	<4	<5.1	<4.4	<4.4	<4.4	<3.3	<2.4			
P24413SVF	24416 PANAMA AVE	2010-09-13	09:12	Front	<6.0	<6.0	<4.3	<3.5	<4.5	<7.2	<3.8	<4.1	<2.7	<3	<4.1	<3.5	<3.5	<3.5	<2.4	<1.7			
P24413SVFS	24416 PANAMA AVE	2010-09-13	09:32	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7			
P24413SVB	24416 PANAMA AVE	2010-09-13	10:13	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<4.8	<3.6	<2.7			
P24413SVF	24416 PANAMA AVE	2012-05-18	09:55	Front	<5	<5	<3.8	<3.3	<5.2	<7.1	<3.4	<3.4	<8.8	<4	<3.8	<3.8	<3.8	<3.8	<2.5	<1.8			
P24413SVFD	24416 PANAMA AVE	2012-05-18	09:55	Front	<4.9	<4.9	<3.8	<3.3	<5.2	<7	<3.3	<3.4	<8.7	<3	<3.8	<3.8	<3.8	<3.8	<2.4	<1.8			
N24413SVH	24416 PANAMA AVE	2012-05-18	10:15	House	<5.8	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8.1	<2.8	<3.5	<3	<3	<3	<2.3	<1.7			
P24413SVB	24416 PANAMA AVE	2012-05-18	10:34	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<3.1	<2.3	<1.7			
N24413SVH	24419 NEPTUNE AVE	2010-06-16	10:14	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<3.1	<2.3	<1.7			
N24413SVF	24419 NEPTUNE AVE	2010-06-16	10:13	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<13	<4.3	<5.4	<4.7	<4.7	<4.7	<3.5	<2.6			
N24413SVB	24419 NEPTUNE AVE	2010-06-16	11:09	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<4.8	<3.6	<2.7			
N24413SVH	24419 NEPTUNE AVE	2012-08-03	09:48	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<2.4	<1.8	<1.8			
N24413SVF	24419 NEPTUNE AVE	2012-08-03	10:11	Front	<6.6	<6.6	<5	<4.3	<6.8	<9.3	<4.4	<4.5	<12	<3.9	<5	<4.3	<4.3	<3.2	<2.4	<1.8			
N24413SVFS	24419 NEPTUNE AVE	2012-08-03	10:11	Front	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U			
N24413SVH	24419 NEPTUNE AVE	2012-08-03	10:31	Back	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<3.1	<2.3	<1.7			
N24413SVB	24419 NEPTUNE AVE	2012-08-03	10:51	Back	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U			
N24413SVH	24419 RAVENNA AVE	2009-09-21	15:24	Back	<4.6	<4.6	<3.6	<3.1	<4.6	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<3.1	<2.3	<1.7			
R24413SVF	24419 RAVENNA AVE	2009-09-21	16:08	Front	<5.7	<5.7	<4.4	<3.8	<6	<8.1	<3.9	<3.9	<2.5	<3.4	<4.4	<3.6	<3.6	<3.6	<2.8	<2.1			
R24413SVF	24419 RAVENNA AVE	2010-07-12	14:47	Front	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7	<2.8			
R24413SVH	24419 RAVENNA AVE	2010-07-12	15:27	Back	<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<3.6	<2.7			
R24419 SVHA	24419 RAVENNA AVE	2011-02-09	14:06	House A	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7	<2.8			
R24419 SVF	24419 RAVENNA AVE	2011-02-09	14:38	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
R24419 SVB	24419 RAVENNA AVE	2011-02-09	15:19	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7	<2.8			
R24419 SVH	24419 RAVENNA AVE	2012-06-05	14:07	Front	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<3.1	<2.3	<1.7			
R24419SVFD	24419 RAVENNA AVE	2012-06-15	14:31	Front	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<3.1	<2.3	<1.7			
R24419SVH	24419 RAVENNA AVE	2012-06-15	14:54	Back	<5	<5	<3.8	<3.3	<5.2	<7.7	<3.3	<3.4	<8.7	<3.9	<5.4	<4.7	<4.7	<4.7	<3.4	<2.1			
R24419SVHA	24419 RAVENNA AVE	2012-06-15	15:19	House A	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<2.4	<1.8	<1.8			
P244120SVB	24420 PANAMA AVE	2010-09-15	14:19	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
P244120SFA	24420 PANAMA AVE	2011-02-17	13:51	Front A	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.8	<2.5	<1.9			
P244120SVH	24420 PANAMA AVE	2011-02-17	14:25	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
P244120SVD	24420 PANAMA AVE	2011-02-17	14:25	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
P244120SVH	24420 PANAMA AVE	2012-12-07	14:02	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
P244120SVH	24420 PANAMA AVE	2012-12-07	10:23	House A	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
P244120SFA	24420 PANAMA AVE	2012-12-07	10:56	Front A	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6	<2.1			
M24422SVB	24422 MARBELLA AVE	2010-09-15	09:47	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<4.7	<3.5	<2.6			

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- pentanone	Chloro- ethane	Methyl-tert- butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
					Frequency of Detection	0.52%	0.52%	0.45%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.13%	0.13%	0.06%	0.06%	0.06%
M24422SVF	24422 MARBELLA AVE	2010-09-15	10:20	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<95	<2.6	<2.6
M24422SVF	24422 MARBELLA AVE	2010-09-15	10:20	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
M24422SVH	24422 MARBELLA AVE	2010-09-15	11:34	House	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<4	<4.1	<5.3	<4.6	<4.6	<94	<2.5	<2.5
M24422SVH	24422 MARBELLA AVE	2012-07-12	10:05	House	<4.8	<4.8	<3.7	<3.1	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back	<4.9	<4.9	<3.9	<3.2	<5.2	<7	<3.3	<4.4	<3.6	<3	<3.8	<3.7	<3.7	<3.7	<3.7	<3.7
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
N24422SVB	24422 NEPTUNE AVE	2009-09-21	11:40	Back	<7.9	<7.9	<6.1	<5.2	<8.3	<11	<5.3	<5.4	<3.5	<4.8	<6.1	<5.2	<5.2	<49	<2.9	<2.9
N24422SVF	24422 NEPTUNE AVE	2009-09-21	12:50	Front	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.4	<4.8	<96	<2.7	<2.7
N24422SVH	24422 NEPTUNE AVE	2010-07-09	09:27	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	<2.6
N24422SVF	24422 NEPTUNE AVE	2010-07-09	10:12	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	<2.6
N24422SVB	24422 NEPTUNE AVE	2010-07-09	10:51	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	<2.6
N24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<3.3	<4.5	<5.8	<5	<5	<37	<2.8	<2.8
N24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<3.3	<4.5	<5.8	<5	<5	<37	<2.8	<2.8
N24422SVH	24422 NEPTUNE AVE	2011-01-20	15:58	House	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<3	<4.1	<5.2	<4.3	<4.3	<34	<2.5	<2.5
N24422SVF	24422 NEPTUNE AVE	2011-01-20	15:58	Front	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6	<2.6
N24422SVH	24422 RAVENNA AVE	2011-01-19	09:32	House	<9.7	<9.7	<7.4	<6.4	<10	<14	<6.5	<6.6	<4.2	<5.8	<7.4	<6.4	<6.4	<48	<3.6	<3.6
N24422SVB	24422 RAVENNA AVE	2011-01-19	10:20	Back A	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	<2.7
N24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	<2.6
N24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	<2.6
N24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A	<14	<14	<11	<9.6	<15	<21	<9.8	<9.9	<2.6	<3.7	<11	<9.6	<9.6	<72	<5.4	<5.4
N24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<12	<6.2	<5.4	<4.6	<4.6	<35	<2.6	<2.6
N24422SVH	24422 RAVENNA AVE	2012-12-20	10:11	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<6.3	<5.5	<4.7	<4.7	<35	<2.6	<2.6
N24422SVF	24422 RAVENNA AVE	2012-12-20	10:35	Front	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<12	<6.1	<5.2	<4.3	<4.3	<34	<2.5	<2.5
N24422SVH	24422 MARBELLA AVE	2010-06-02	13:55	House	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	<2.5
N24422SVB	24422 MARBELLA AVE	2010-06-02	14:26	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	<2.7
N24422SVH	24422 MARBELLA AVE	2010-06-02	15:41	Garage	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	<2.7
N24422SVH	24422 MARBELLA AVE	2012-06-21	10:00	Garage	<4.8	<4.8	<3.7	<3.1	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
N24422SVH	24422 MARBELLA AVE	2012-06-21	10:00	Garage	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
N24422SVH	24422 MARBELLA AVE	2012-06-21	10:06	House	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2
N24422SVB	24422 MARBELLA AVE	2012-06-21	10:52	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
N24422SVB	24422 MARBELLA AVE	2012-06-21	10:52	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24422SVH	24422 NEPTUNE AVE	2010-09-23	14:24	House	<17	<17	<13	<11	<18	<24	<12	<12	<66	<10	<13	<11	<11	<8	<85	<6.3
N24422SVF	24422 NEPTUNE AVE	2010-09-23	15:18	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	<2.6
N24422SVB	24422 NEPTUNE AVE	2010-09-23	16:01	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	<2.5
N24422SVH	24422 NEPTUNE AVE	2013-03-12	11:21	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	<2.7
N24422SVH	24422 NEPTUNE AVE	2013-03-12	11:21	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	<2.7
N24422SVF	24422 NEPTUNE AVE	2011-10-26	12:54	Front	<5.1	<5.1	<3.9	<3.4	<5.3	<7.2	<3.4	<3.5	<3.9	<3	<3.9	<3.4	<3.4	<25	<1.9	<1.9
N24422SVH	24422 NEPTUNE AVE	2011-10-26	13:44	House	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
N24422SVH	24422 NEPTUNE AVE	2011-10-26	13:44	House	<4.8	<4.8	<3.7	<3.2	<5	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
N24422SVB	24422 NEPTUNE AVE	2011-10-26	14:24	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3
N24422SVH	24422 NEPTUNE AVE	2012-10-12	15:02	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<6.3	<5.5	<4.7	<4.7	<35	<2.6	<2.6
N24422SVH	24422 NEPTUNE AVE	2012-10-12	15:21	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<36	<2.7	<2.7
N24422SVB	24422 NEPTUNE AVE	2012-10-12	15:21	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<6.3	<5.5	<4.7	<4.7	<35	<2.6	<2.6
N24422SVH	24422 NEPTUNE AVE	2012-10-12	15:43	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<6.3	<5.5	<4.7	<4.7	<35	<2.6	<2.6
N24422SVB	24422 RAVENNA AVE	2009-09-24	09:10	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	<2.5
N24422SVF	24422 RAVENNA AVE	2009-09-24	10:25	Front	<7.6	<7.6	<5.8	<5	<8	<11	<5.1	<5.2	<3.8	<4.6	<5.8	<5	<5	<38	<2.8	<2.8
N24422SVH	24422 RAVENNA AVE	2009-09-24	10:25	Front	<7.6	<7.6	<5.8	<5	<8	<11	<5.1	<5.2	<3.8	<4.6	<5.8	<5	<5	<38	<2.8	<2.8
N24422SVB	24422 RAVENNA AVE	2012-10-26	14:39	Back	<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<14	<4.6	<5.9	<5.1	<5.1	<38	<2.8	<2.8
N24422SVH	24422 RAVENNA AVE	2012-10-26	14:55	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<6.2	<5.4	<4.6	<4.6	<34	<2.6	<2.6
N24422SVF	24422 RAVENNA AVE	2012-10-26	15:08	Front	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<12	<6.1	<5.3	<4.5	<4.5	<34	<2.5	<2.5

Table B-2
Sub-Slab Soil Vapor Results
Former Xant Property
Cerritos, California

				Analyte Unit	1,2-Dichloro- benzene UG/M3 0.52%	1,4-Dichloro- benzene UG/M3 0.52%	1,2-Dichloro- propane UG/M3 0.49%	cis-1,2- Dichloro- ethane UG/M3 0.45%	Carbon Tetrahalide UG/M3 0.39%	Dibromochloro- methane UG/M3 0.26%	1,2-Dichloro- ethane UG/M3 0.19%	4-Methyl-2- Pentanol UG/M3 0.19%	Chloro- ethane UG/M3 0.19%	Methyl-tert- Butyl Ether UG/M3 0.19%	Chloro- benzene UG/M3 0.13%	trans-1,2- Dichloro- ethane UG/M3 0.13%	1,1-Dichloro- ethane UG/M3 0.06%	1,2,4-Trichloro- benzene UG/M3 0.06%	1,3-Butadiene UG/M3 0.06%	
Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection															
M24426SVB	24426 MARBELLA AVE	2009-09-18	12:32	Back		<8.7	<8.7	<6.7	<5.7	<9.1	<12	<5.8	<5.9	<3.8	<5.2	<6.6	<5.7	<5.7	<4.3	<3.2
M24426SVF	24426 MARBELLA AVE	2009-09-21	10:04	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24426SVH	24426 MARBELLA AVE	2011-10-06	13:43	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24426SVH	24426 MARBELLA AVE	2011-10-06	10:41	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24426SVF	24426 MARBELLA AVE	2011-10-06	14:23	Front		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.4	<5.7	<4.9	<4.9	<3.7	<2.7
M24426SVB	24426 MARBELLA AVE	2011-10-06	14:53	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24426SVH	24426 MARBELLA AVE	2012-02-23	14:59	House		5	5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
M24426SVF	24426 MARBELLA AVE	2012-02-23	15:36	Front		12	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24426SVF	24426 MARBELLA AVE	2012-02-23	15:36	Front		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24426SVB	24426 MARBELLA AVE	2012-02-23	16:17	Back		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<2.2	<1.7
M24426SVB	24426 NEPTUNE AVE	2009-09-17	09:22	Back		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
M24426SVF	24426 NEPTUNE AVE	2009-09-17	10:19	Front		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<3.3	<2.5
M24426SVB	24426 NEPTUNE AVE	2010-06-25	15:03	Back		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
M24426SVH	24426 NEPTUNE AVE	2010-06-25	16:13	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24426SVF	24426 NEPTUNE AVE	2010-07-07	10:03	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24426SVF	24426 NEPTUNE AVE	2010-09-15	09:27	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24426SVH	24426 NEPTUNE AVE	2010-10-29	14:46	House		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3	<4.1	<5.2	<4.5	<4.5	<3.4	<2.5
M24426SVB	24426 NEPTUNE AVE	2010-10-29	15:02	Back		<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<3.4	<2.6
M24426SVB	24426 NEPTUNE AVE	2010-10-29	15:02	Back		<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<3.4	<2.6
M24426SVF	24426 NEPTUNE AVE	2010-10-29	15:01	Front		<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<3.4	<2.6
P24426SVH	24426 PANAMA AVE	2010-08-05	08:15	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24426SVG	24426 PANAMA AVE	2010-08-05	10:08	Garage		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
P24426SVB	24426 PANAMA AVE	2010-08-05	10:47	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
P24426SVH	24426 PANAMA AVE	2012-12-06	09:54	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24426SVG	24426 PANAMA AVE	2012-12-06	10:23	Garage		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24426SVB	24426 PANAMA AVE	2012-12-06	10:23	Garage		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24426SVB	24426 PANAMA AVE	2012-12-10	13:45	Back		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3.1	<4.2	<5.3	<4.6	<4.6	<3.4	<2.5
M24427SVH	24427 MARBELLA AVE	2010-05-26	10:10	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24427SVB	24427 MARBELLA AVE	2010-05-26	11:01	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24427SVG	24427 MARBELLA AVE	2010-05-26	11:42	Garage		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24427SVB	24427 MARBELLA AVE	2012-04-06	10:19	Garage		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24427SVH	24427 MARBELLA AVE	2012-04-06	10:21	House		<4.5	<4.5	<3.4	<3	<4.7	<6.5	<3	<3	<7.9	<2.7	<3.4	<3	<3	<2.2	<1.6
M24427SVB	24427 MARBELLA AVE	2012-04-06	10:57	Back		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<2.2	<1.7
M24427SVB	24427 MARBELLA AVE	2012-04-06	10:57	Back		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<2.2	<1.7
M24429SVB	24429 NEPTUNE AVE	2010-04-30	06:09	Back		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24429SVH	24429 NEPTUNE AVE	2010-04-30	13:27	House		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.5	<2.6
M24429SVF	24429 NEPTUNE AVE	2010-04-30	14:40	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.9	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24429SVB	24429 NEPTUNE AVE	2011-01-14	15:08	Back		<6	<6	<4.6	<3.9	<6.3	<8.5	<4	<4.1	<2.6	<3.6	<4.6	<3.9	<3.9	<3.0	<2.2
M24429SVF	24429 NEPTUNE AVE	2011-01-14	15:34	Front		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
M24429SVH	24429 NEPTUNE AVE	2011-01-14	16:00	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
P24430SVH	24430 PANAMA AVE	2009-10-01	09:28	Back		<8.7	<8.7	<6.7	<5.8	<9.2	<12	<5.9	<6	<3.8	<5.2	<6.7	<5.8	<5.8	<4.3	<3.2
P24430SVB	24430 PANAMA AVE	2009-10-01	09:28	Back		<8.6	<8.6	<6.6	<5.7	<9	<12	<5.8	<5.8	<3.8	<5.2	<6.6	<5.7	<5.7	<4.2	<3.2
P24430SVF	24430 PANAMA AVE	2009-10-01	10:54	Front		<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<3	<4.1	<5.2	<4.5	<4.5	<3.4	<2.5
P24430SVH	24430 PANAMA AVE	2010-06-14	09:42	House		<7.3	11	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24430SVB	24430 PANAMA AVE	2010-06-14	10:48	Back		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.5	<2.6
P24430SVF	24430 PANAMA AVE	2010-06-14	11:46	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
P24430SVH	24430 PANAMA AVE	2012-11-30	15:16	Front		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<12	<4	<5.2	<4.4	<4.4	<3.3	<2.5
M24432SVH	24432 MARBELLA AVE	2010-11-01	09:18	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24432SVB	24432 MARBELLA AVE	2010-11-01	09:53	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24432SVB	24432 MARBELLA AVE	2010-11-01	10:38	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24432SVH	24432 MARBELLA AVE	2011-01-27	14:09	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24432SVB	24432 MARBELLA AVE	2011-01-27	14:55	Back		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<12.9	<4	<5.1	<4.4	<4.4	<3.3	<2.5

Table B-2
Sub-Slab Soil Vapor Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,2-Dichloro- benzene UG/M3 0.52%	1,4-Dichloro- benzene UG/M3 0.52%	1,2-Dichloro- propane UG/M3 0.45%	cis-1,2- Dichloro- ethane UG/M3 0.45%	Carbon Tetrachloride UG/M3 0.39%	Dibromochloro- methane UG/M3 0.26%	1,2-Dichloro- ethane UG/M3 0.19%	4-Methyl-2- Pentanol UG/M3 0.19%	Chloro- ethane UG/M3 0.19%	Methyl-tert- Butyl Ether UG/M3 0.19%	Chloro- benzene UG/M3 0.13%	trans-1,2- Dichloro- ethane UG/M3 0.13%	1,1-Dichloro- ethane UG/M3 0.06%	1,2,4-Trichloro- benzene UG/M3 0.06%	1,3-Butadiene UG/M3 0.06%
M24432SVF	24432 MARBELLA AVE	2011-01-27	15:34	Front		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5
M24432SVH	24432 MARBELLA AVE	2012-03-16	10:24	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24432SVF	24432 MARBELLA AVE	2012-03-16	11:04	Front		<4.3	<4.8	<3.3	<2.8	<4.5	<6.1	<2.9	<2.9	<7.6	<2.6	<3.3	<2.9	<2.8	<21	<1.6
M24432SVB	24432 MARBELLA AVE	2012-03-16	11:28	Back		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<22	<1.7
M24432SVB	24432 MARBELLA AVE	2012-03-16	11:28	Back		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<22	<1.7
M24433SVB	24433 MARBELLA AVE	2009-02-16	13:05	Back		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3	<4.1	<5.2	<4.5	<4.5	<34	<2.5
M24433SVF	24433 MARBELLA AVE	2009-09-16	14:14	Front		<6.3	<6.3	<4.8	<4.1	<6.6	<8.9	<4.2	<4.3	<2.8	<3.8	<4.8	<4.1	<4.1	<31	<2.3
M24433SVB2	24433 MARBELLA AVE	2009-09-18	15:39	Back 2		<8.7	<8.7	<6.7	<5.7	<9.1	<12	<5.8	<5.9	<3.8	<5.2	<6.6	<5.7	<5.7	<43	<3.2
M24433SVH	24433 MARBELLA AVE	2011-02-14	13:51	House		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.5	<4.5	<35	<2.5
M24433SVB2	24433 MARBELLA AVE	2011-02-14	14:11	Back 2		<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<36	<2.7
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:29	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:29	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
M24433SVF	24433 MARBELLA AVE	2011-02-14	14:57	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.5
M24433SVF	24433 MARBELLA AVE	2011-02-14	14:57	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.5
M24433SVF	24433 MARBELLA AVE	2012-03-02	15:00	Front		<5	<5	<3.8	<3.3	<5.2	<7	<3.3	<3.4	<8.7	<3	<3.8	<3.3	<3.3	<24	<1.8
M24433SVF	24433 MARBELLA AVE	2012-03-02	15:00	Front		<5	<5	<3.8	<3.3	<5.2	<7.1	<3.4	<3.4	<8.8	<3	<3.8	<3.3	<3.3	<25	<1.8
M24433SVH	24433 MARBELLA AVE	2012-03-02	15:13	House		<5.4	<5.4	<4.1	<3.5	<5.6	<7.5	<3.6	<3.7	<9.4	<3.2	<4.1	<3.9	<3.5	<26	<2
M24433SVB	24433 MARBELLA AVE	2012-03-02	15:46	Back		<5.1	<5.1	<4.8	<3.4	<5.3	<7.2	<3.4	<3.5	<9	<3.1	<3.9	<3.4	<3.4	<25	<1.9
M24433SVB2	24433 MARBELLA AVE	2012-03-02	15:48	Back 2		<5.3	<5.3	<4.1	<3.5	<5.5	<7.5	<3.6	<3.6	<9.3	<3.2	<4.1	<3.5	<3.5	<26	<2
P24436SVH	24436 PANAMA AVE	2010-06-24	09:51	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.5
P24436SVF	24436 PANAMA AVE	2010-06-24	11:55	Front		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.5	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<34	<2.5
P24436SVH	24436 PANAMA AVE	2012-06-28	09:55	House A		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8
P24436SVH	24436 PANAMA AVE	2012-06-28	10:03	Front		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8
P24436SVF	24436 PANAMA AVE	2012-06-28	10:03	Front		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
P24436SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<25	<1.8
P24436SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A		<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U
P24436SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A		<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U
M24502SVH	24502 MARBELLA AVE	2010-09-20	09:49	House		<6.3	<6.3	<4.8	<4.1	<6.6	<8.9	<4.2	<4.3	<2.8	<3.8	<4.8	<4.1	<4.1	<31	<2.3
M24502SVB	24502 MARBELLA AVE	2010-09-20	10:59	Garage		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24502SVB	24502 MARBELLA AVE	2010-09-20	11:20	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
M24502SVB	24502 MARBELLA AVE	2010-09-20	14:34	Garage		<5.3	<5.3	<4	<3.5	<5.5	<7.4	<3.5	<3.6	<9.2	<3.2	<4	<3.5	<3.5	<26	<1.9
M24502SVB	24502 MARBELLA AVE	2010-09-20	14:34	Garage		<5.3	<5.3	<4	<3.5	<5.5	<7.4	<3.5	<3.6	<9.2	<3.2	<4	<3.5	<3.5	<26	<1.9
M24502SVB	24502 MARBELLA AVE	2010-09-20	14:34	Garage		<5.3	<5.3	<4	<3.5	<5.5	<7.4	<3.5	<3.6	<9.2	<3.2	<4	<3.5	<3.5	<26	<1.9
M24502SVH	24502 MARBELLA AVE	2012-05-04	14:56	House		<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<7.9	<3.4	<3	<3	<3	<22	<1.6
M24502SVB	24502 MARBELLA AVE	2012-05-04	15:13	Back		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<3.8	<3.6	<3.1	<3.1	<23	<1.7
M24502SVB	24502 RAVENNA AVE	2010-04-22	10:39	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24502SVF	24502 RAVENNA AVE	2010-04-22	12:16	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
M24502SVH	24502 RAVENNA AVE	2010-04-22	13:58	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.5	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<34	<2.5
M24502SVH	24502 RAVENNA AVE	2010-10-07	11:07	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5
M24502SVB	24502 RAVENNA AVE	2010-10-07	11:58	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24502SVH	24502 RAVENNA AVE	2010-10-07	12:58	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
M24502SVH	24502 RAVENNA AVE	2010-10-11	14:40	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24502SVB	24502 RAVENNA AVE	2010-10-11	15:17	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24502SVH	24502 RAVENNA AVE	2010-10-11	16:14	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
M24502SVH	24502 RAVENNA AVE	2012-07-26	15:07	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<28	<1.7
M24502SVB	24502 RAVENNA AVE	2012-07-26	15:20	Back		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8
M24502SVF	24502 RAVENNA AVE	2012-07-26	15:51	Front		<4.9	<4.9	<3.8	<3.2	<5.2	<7	<3.3	<3.4	<8.6	<3	<3.8	<3.2	<3.2	<24	<1.8
M24502SVF	24503 MARBELLA AVE	2010-05-28	08:58	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6
M24502SVB	24503 MARBELLA AVE	2010-05-28	09:40	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24502SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8
M24502SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8
M24502SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8
M24502SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8
M24502SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8
M24502SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.6	<5.9	&			

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethene	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentene	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethene	1,1-Dichloro- ethene	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.39%	UG/M3 0.26%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.13%	UG/M3 0.13%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
N24503SVB	24503 NEPTUNE AVE	2010-06-18	10:30	Back	<7	<7	<5.4	<4.8	<7.3	<9.9	<4.7	<4.8	<4.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
N24503SVHA	24503 NEPTUNE AVE	2011-02-02	09:46	House A	<6.6	<6.6	<5.1	<4.4	<7	<9.4	<4.8	<4.3	<2.9	<4	<5.1	<4.4	<4.4	<4.4	<34	<2.4
N24503SVH	24503 NEPTUNE AVE	2012-04-13	10:30	House A	<4.9	<4.9	<3.8	<3.2	<5.2	<7	<8.3	<3.4	<3.4	<3	<3.8	<3.2	<3.2	<3.2	<24	<1.8
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:46	Front	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.1	<3.1	<1.7
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:48	Front	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.1	<3.1	<1.7
N24503SVF	24503 NEPTUNE AVE	2011-04-04	14:05	Back	<7.8	<7.8	<6	<5.2	<8.2	<11	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<39	<2.9
P24503SVB	24503 PANAMA AVE	2011-04-04	14:55	House	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<37	<2.8
P24503SVH	24503 PANAMA AVE	2011-04-04	15:31	Garage	<7.8	<7.8	<6	<5.2	<8.2	<11	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<5.3	<39	<2.9
P24503SVH	24503 PANAMA AVE	2012-08-10	14:54	House	<5	<5	<3.8	<3.3	<5.2	<7.1	<8.4	<3.4	<3.4	<3	<3.8	<3.3	<3.3	<3.3	<25	<1.8
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back	<6.7	<6.7	<5.1	<4.4	<7	<9.4	<4.5	<4.5	<12	<4	<5.1	<4.4	<4.4	<4.4	<33	<2.4
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back	<10	<10	<7.8	<6.7	<11	<14	<6.9	<7	<18	<6.1	<7.8	<6.7	<6.7	<6.7	<50	<3.8
P24503SVG	24503 PANAMA AVE	2012-08-10	15:34	Garage	<4.9	<4.9	<3.7	<3.2	<5.1	<6.9	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<24	<1.8
P24503SVH	24503 RAVENNA AVE	2010-08-09	09:13	House	<7.3	<7.3	<5.5	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.3	<4.3	<4.3	<36	<2.7
P24503SVH	24503 RAVENNA AVE	2010-08-09	10:01	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24503SVB	24503 RAVENNA AVE	2010-08-09	14:01	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24503SVB	24503 RAVENNA AVE	2012-11-08	14:58	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24503SVH	24503 RAVENNA AVE	2012-11-08	15:00	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24503SVB	24503 RAVENNA AVE	2012-11-08	15:33	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<4.8	<36	<2.7
M24506SVH	24506 MARBELLA AVE	2010-04-21	09:55	House	<7	<7	<5.1	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
M24506SVF	24506 MARBELLA AVE	2010-04-21	10:11	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<35	<2.6
M24506SVB	24506 MARBELLA AVE	2010-08-10	09:00	Back 2	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<4.6	<34	<2.6
M24506SVH	24506 MARBELLA AVE	2011-01-26	10:01	House	<6.8	<6.8	<5.3	<4.5	<7.2	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
M24506SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
M24506SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
M24506SVB	24506 MARBELLA AVE	2011-01-26	11:06	Back 2	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
M24506 SVF	24506 MARBELLA AVE	2012-03-15	10:28	Front	<8.4	<8.4	<6.4	<5.5	<8.7	<12	<5.6	<5.7	<15	<5	<6.4	<5.5	<5.5	<5.5	<41	<3.1
M24506SVF	24506 MARBELLA AVE	2012-03-15	10:29	Front	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24506 SVH	24506 MARBELLA AVE	2012-03-15	10:29	House	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<24	<1.8
M24506 SVH	24506 MARBELLA AVE	2012-03-15	11:23	Back 2	<6.1	<6.1	<4.8	<4.1	<6.5	<12	<5.5	<5.6	<14	<4.9	<6.2	<5.4	<5.4	<5.4	<40	<3
N24508SVH	24508 NEPTUNE AVE	2010-06-11	09:08	House	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<33	<2.5
N24508SVB	24508 NEPTUNE AVE	2010-06-11	10:01	Back	<7	<7	<5.4	<4.6	<7.3	<9.8	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<33	<2.5
N24508SVF	24508 NEPTUNE AVE	2010-06-11	10:45	Front	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<4.9	<37	<2.7
N24508SVF	24508 NEPTUNE AVE	2011-01-28	10:23	Front	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<4.4	<33	<2.5
N24508SVH	24508 NEPTUNE AVE	2011-01-28	11:03	House	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<4.4	<33	<2.5
N24508SVB	24508 NEPTUNE AVE	2011-01-28	11:35	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
N24508SVB	24508 NEPTUNE AVE	2011-01-28	11:35	Back	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
P24508SVF	24508 PANAMA AVE	2010-05-19	09:43	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24508SVH	24508 PANAMA AVE	2010-05-19	10:26	House	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24508SVB	24508 PANAMA AVE	2010-05-19	11:08	Back	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
P24508SVH	24508 PANAMA AVE	2012-04-26	15:00	House	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<24	<1.8
P24508SVF	24508 PANAMA AVE	2012-04-26	15:07	Front	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<24	<1.8
P24508SVF	24508 PANAMA AVE	2012-04-26	15:07	Front	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<3.3	<24	<1.8
P24508SVB	24508 PANAMA AVE	2012-04-26	15:34	Back	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<3.2	<24	<1.7
N24509SVH	24509 NEPTUNE AVE	2010-05-04	13:45	House	<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<4.8	<36	<2.7
N24509SVF	24509 NEPTUNE AVE	2010-05-04	13:44	Front	<7.5	<7.5	<5.8	<5	<7.9	<11	<5	<5.1	<3.3	<4.5	<5.8	<5	<5	<5	<37	<2.8
N24509SVB	24509 NEPTUNE AVE	2010-07-30	09:30	Back 2	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<4.6	<34	<2.6
N24509SVH	24509 NEPTUNE AVE	2010-07-30	10:10	House	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<3	<2.7	<3.5	<3	<3	<3	<22	<1.7
N24509SVH	24509 NEPTUNE AVE	2012-07-06	10:12	Back 2	<4.4	<4.4	<3.4	<2.9	<4.6	<6.2	<2.9	<3	<2.6	<3.3	<2.9	<3	<3	<3	<22	<1.7
N24509SVF	24509 NEPTUNE AVE	2012-07-06	11:02	Front	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<3	<2.7	<3.5	<3	<3	<3	<22	<1.7
N24509SVF	24509 NEPTUNE AVE	2012-07-06	11:02	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24509SVH	24509 RAVENNA AVE	2010-06-21	10:03	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<4.7	<35	<2.6

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Cameron, California

Sample ID	Address	Sample Date	Sample Time	Location	1,2-Dichloro- benzene UG/M3	1,4-Dichloro- benzene UG/M3	1,2-Dichloro- propane UG/M3	trans-1,2- Dichloro- ethane UG/M3	Carbon Tetrachloride UG/M3	Dibromochloro- methane UG/M3	1,2-Dichloro- ethane UG/M3	4-Methyl-2- Pentanone UG/M3	Chloro- ethane UG/M3	Methyl-tert- Butyl Ether UG/M3	Chloro- benzene UG/M3	trans-1,2- Dichloro- ethane UG/M3	1,1-Dichloro- ethane UG/M3	1,2,4-Trichloro- benzene UG/M3	1,3-Butadiene UG/M3
					0.52%	0.52%	0.43%	0.43%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.13%	0.13%	0.05%	0.06%	0.09%
R24509SVB	24509 RAVENNA AVE	2010-06-21	10:50	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
R24509SVG	24509 RAVENNA AVE	2010-10-15	12:12	Garage	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6
R24509SVG	24509 RAVENNA AVE	2012-04-12	15:49	Garage	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.2	<3.2	<3.6	<3.1	<3.1	<23	<1.7
M24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	<7.9	<7.9	<6.1	<5.2	<8.3	<11	<5.3	<5.4	<3.4	<4.8	<6.1	<5.2	<5.2	<39	<2.9
M24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
M24512SVH	24512 MARBELLA AVE	2011-04-28	09:34	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.3	<4.4	<5.6	<4.8	<4.8	<36	<2.7
M24512SVF	24512 MARBELLA AVE	2011-04-28	10:12	Front	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3.2	<4.1	<5.3	<4.5	<4.5	<34	<2.5
M24512SVF	24512 MARBELLA AVE	2011-04-28	10:12	Front	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
M24512SVH	24512 MARBELLA AVE	2012-01-20	09:53	House	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<3	<2.7	<3.5	<3	<3	<22	<1.7
M24512SVF	24512 MARBELLA AVE	2012-01-20	11:38	Front	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<3	<2.7	<3.5	<3	<3	<22	<1.7
M24512SVF	24512 MARBELLA AVE	2012-01-20	11:38	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24512SVB	24512 MARBELLA AVE	2012-01-20	12:28	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8
P24512SVH	24512 PANAMA AVE	2010-11-08	09:27	House	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6
P24512SVF	24512 PANAMA AVE	2010-11-08	10:00	Front	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6
P24512SVF	24512 PANAMA AVE	2010-11-08	10:00	Front	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7
P24512SVB	24512 PANAMA AVE	2010-11-08	10:43	Back	<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<36	<2.7
P24512SVH	24512 PANAMA AVE	2012-11-15	15:43	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
P24512SVF	24512 PANAMA AVE	2012-11-15	15:46	Front	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3.2	<4	<5.2	<4.4	<4.4	<33	<2.5
P24512SVB	24512 PANAMA AVE	2012-11-15	16:26	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3.2	<4.1	<5.3	<4.5	<4.5	<34	<2.5
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:09	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
N24513SVB	24513 NEPTUNE AVE	2010-08-05	09:41	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
N24513SVB	24513 NEPTUNE AVE	2010-08-05	09:41	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
N24513SVF	24513 NEPTUNE AVE	2010-08-05	10:23	Front	<7	<7	<5.4	<4.6	<7.3	<9.8	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
N24513SVF	24513 NEPTUNE AVE	2012-08-02	15:00	Front	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<3	<3.9	<3.3	<3.3	<3.3	<25	<1.8
N24513SVF	24513 NEPTUNE AVE	2012-08-02	15:00	Front	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<3	<3.9	<3.3	<3.3	<3.3	<25	<1.8
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:28	House	<6.2	<6.2	<4.8	<4.1	<6.5	<8.8	<4.2	<4.3	<3.1	<3.7	<4.8	<4.1	<4.1	<31	<2.3
N24513SVB	24513 NEPTUNE AVE	2012-08-02	15:30	Back	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
N24513SVB	24513 RAVENNA AVE	2010-04-23	12:51	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5
R24513SVH	24513 RAVENNA AVE	2010-04-23	14:00	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
R24513SVF	24513 RAVENNA AVE	2010-04-23	15:45	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
R24513SVH	24513 RAVENNA AVE	2010-08-19	13:44	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6
R24513SVF	24513 RAVENNA AVE	2010-08-19	14:39	Front	<7.2	<7.2	<5.5	<4.8	<7.6	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<36	<2.6
R24513SVB	24513 RAVENNA AVE	2010-08-19	15:34	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
R24513SVF	24513 RAVENNA AVE	2012-05-25	14:44	Front	<4.8	<4.8	<3.7	<3.2	<5	<6.8	<3.2	<3.3	<3.4	<2.9	<3.7	<3.2	<3.2	<24	<2
R24513SVF	24513 RAVENNA AVE	2012-05-25	14:54	Front	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
R24513SVB	24513 RAVENNA AVE	2012-05-25	15:00	Back	<4.5	<4.5	<3.5	<3	<4.7	<6.4	<3	<3.1	<3.2	<2.7	<3.4	<3	<3	<22	<1.6
M24516SVH	24516 MARBELLA AVE	2010-05-27	09:16	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24516SVB	24516 MARBELLA AVE	2010-05-27	10:11	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
M24516SVG	24516 MARBELLA AVE	2010-05-27	10:53	Garage	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6
M24516SVH	24516 MARBELLA AVE	2012-05-24	14:57	House	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24516SVG	24516 MARBELLA AVE	2012-05-24	15:14	Garage	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24516SVB	24516 MARBELLA AVE	2012-05-24	15:14	Garage	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24516SVB	24516 MARBELLA AVE	2012-05-24	15:39	Back	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24517SVF	24517 MARBELLA AVE	2009-10-06	13:40	Front	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5
M24517SVB	24517 MARBELLA AVE	2009-10-06	17:10	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24517SVB	24517 MARBELLA AVE	2009-10-06	17:16	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6
M24517SVH	24517 MARBELLA AVE	2011-02-08	09:42	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7
M24517SVH	24517 MARBELLA AVE	2011-10-11	13:46	House	<4.8	<4.8	<3.7	<3.2	<5	<6.8	<3.2	<3.3	<3.4	<2.9	<3.7	<3.2	<3.2	<24	<1.8
M24517SVF	24517 MARBELLA AVE	2011-10-11	14:20	Front	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<3	<3.9	<3.3	<3.3	<3.3	<25	<1.8
M24517SVF	24517 MARBELLA AVE	2011-10-11	14:20	Front	<5.1	<5.1	<3.9	<3.4	<5.3	<7.2	<3.4	<3.5	<3.9	<3	<3.9	<3.4	<3.4	<25	<1.9
M24517SVB	24517 MARBELLA AVE	2011-10-11	14:57	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.6	<3.2	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
M24517SVB	24517 MARBELLA AVE	2011-10-11	14:57	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.6	<3.2	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	o-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanol	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.35%	UG/M3 0.29%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.13%	UG/M3 0.13%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
M24517SVB	24517 MARBELLA AVE	2012-03-23	15:05	Back		<4.6	<4.6	<3.6	<3.1	<4.0	<6.6	<3.1	<3.2	<8.2	<3.6	<3.1	<3.1	<2.3	<1.7	<1.7
M24517SVBD	24517 MARBELLA AVE	2012-03-23	15:05	Back		<4.6	<4.6	<3.6	<3.1	<4.0	<6.6	<3.1	<3.2	<8.2	<3.6	<3.1	<3.1	<2.3	<1.7	<1.7
M24517SVF	24517 MARBELLA AVE	2012-03-23	15:16	Front		<4.6	<4.6	<3.6	<3.1	<4.0	<6.6	<3.1	<3.2	<8.2	<3.6	<3.1	<3.1	<2.3	<1.7	<1.7
R24518SVH2	24518 RAVENNA AVE	2010-04-26	14:09	House 2		<7	<7	<5.4	<4.6	<7.8	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
R24518SVH1	24518 RAVENNA AVE	2010-04-26	13:09	House 1		<7.8	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
R24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<2.9	<4	<5.1	<4.4	<4.4	<3.3	<2.5
R24518SVF	24518 RAVENNA AVE	2012-07-12	14:58	Front		<4.3	<4.3	<3.3	<2.8	<4.5	<6.1	<2.9	<2.9	<7.6	<2.6	<3.3	<2.8	<2.8	<2.1	<1.6
R24518SVF	24518 RAVENNA AVE	2012-07-12	14:58	Front		<4.3	<4.3	<3.3	<2.8	<4.5	<6.1	<2.9	<2.9	<7.6	<2.6	<3.3	<2.8	<2.8	<2.1	<1.6
R24518SVH1	24518 RAVENNA AVE	2012-07-12	15:08	House 1		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
R24518SVH2	24518 RAVENNA AVE	2012-07-12	15:09	House 2		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
N24519SVB	24519 NEPTUNE AVE	2010-08-10	09:01	Back		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.5	<2.6
N24519SVH	24519 NEPTUNE AVE	2010-08-10	09:59	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.5
N24519SVF	24519 NEPTUNE AVE	2010-08-10	10:47	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
N24519SVB	24519 NEPTUNE AVE	2012-06-29	14:47	Back		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
N24519SVB	24519 NEPTUNE AVE	2012-06-29	14:47	Back		<4.9	<4.9	<3.9	<3.2	<5.2	<7	<3.3	<3.3	<8.6	<3	<3.8	<3.2	<3.2	<2.4	<1.8
N24519SVF	24519 NEPTUNE AVE	2012-06-29	14:56	House		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<3.6	<3.6	<3.6	<3.1	<2.3	<1.7
N24519SVF	24519 NEPTUNE AVE	2012-06-29	15:26	Front		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
M24521SVH	24521 MARBELLA AVE	2010-04-30	09:04	House		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
M24521SVB	24521 MARBELLA AVE	2010-04-30	09:57	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24521SVF	24521 MARBELLA AVE	2010-04-30	10:58	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24521SVF	24521 MARBELLA AVE	2010-04-30	10:58	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24521SVG	24521 MARBELLA AVE	2010-10-19	09:08	Back		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
M24521SVI	24521 MARBELLA AVE	2010-10-13	10:01	House		<6.5	<6.5	<5	<4.3	<6.8	<9.2	<4.4	<4.4	<2.8	<3.9	<4.9	<4.3	<4.3	<3.2	<2.4
M24521SVB	24521 MARBELLA AVE	2010-10-13	11:35	Back		<7.8	<7.8	<6	<5.1	<8.1	<11	<5.2	<5.3	<3.4	<4.7	<6	<5.1	<5.1	<3.8	<2.9
M24521SVF	24521 MARBELLA AVE	2012-04-20	10:30	Front		<6	<6	<4.6	<3.9	<6.2	<8.4	<4	<4	<10	<3.6	<4.6	<3.9	<3.9	<2.9	<2.2
M24521SVH	24521 MARBELLA AVE	2012-04-20	10:32	House		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<3.8	<3.8	<3.1	<3.1	<2.3	<1.7
M24521SVB	24521 MARBELLA AVE	2012-04-20	11:11	Back		<5.1	<5.1	<4	<3.4	<5.4	<7.8	<3.5	<3.5	<9	<3.1	<3.9	<3.4	<3.4	<2.5	<1.8
M24521SVBD	24521 MARBELLA AVE	2012-04-20	11:11	Back		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
N24521SVH	24521 NEPTUNE AVE	2010-06-15	14:13	House		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3	<4.1	<5.2	<4.5	<4.5	<3.4	<2.5
N24521SVF	24521 NEPTUNE AVE	2010-06-15	14:59	Front		<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<3.6	<2.7
N24521SVH	24521 NEPTUNE AVE	2011-02-02	13:54	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<3.3	<2.4
N24521SVB	24521 NEPTUNE AVE	2011-02-02	14:25	Back A		<6.6	<6.6	<5.1	<4.4	<7	<9.4	<4.5	<4.5	<2.9	<4	<5.1	<4.7	<4.7	<3.5	<2.6
N24521SVF	24521 NEPTUNE AVE	2011-02-02	14:57	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.8	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
N24521SVH	24521 NEPTUNE AVE	2012-04-05	09:57	House		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
N24521SVF	24521 NEPTUNE AVE	2012-04-05	09:58	Front		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
N24521SVBD	24521 NEPTUNE AVE	2012-04-05	09:59	Front		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<2.5	<1.8
N24521SVB	24521 NEPTUNE AVE	2012-04-05	10:55	Back A		<5.1	<5.1	<4	<3.4	<5.4	<7.8	<3.5	<3.5	<9	<3.1	<3.9	<3.4	<3.4	<2.5	<1.8
N24521SVH	24521 RAVENNA AVE	2010-11-01	13:28	House		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
R24521SVG	24521 RAVENNA AVE	2010-11-01	14:02	Garage		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.8	<3.1	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
R24521SVB	24521 RAVENNA AVE	2010-11-01	14:41	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.3	<5.4	<4.6	<4.6	<3.4	<2.6
R24521SVG	24521 RAVENNA AVE	2012-08-23	15:00	Garage		<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<4.5	<5.8	<5	<5	<3.7	<2.8
R24521SVH	24521 RAVENNA AVE	2012-08-23	15:08	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.6	<5.6	<4.8	<4.8	<3.6	<2.7
R24521SVB	24521 RAVENNA AVE	2012-08-23	15:29	Back		<7.8	<7.8	<6	<5.1	<8.1	<11	<5.2	<5.3	<14	<4.6	<5.9	<5.1	<5.1	<3.8	<2.8
M24521SVH	24521 MARBELLA AVE	2010-11-11	14:28	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24521SVG	24521 MARBELLA AVE	2010-11-11	15:24	Garage		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3	<4.1	<5.2	<4.5	<4.5	<3.4	<2.5
M24521SVB	24521 MARBELLA AVE	2010-11-11	15:51	Back		<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<3.6	<2.7
M24521SVH	24521 MARBELLA AVE	2012-04-21	14:10	Back		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24521SVG	24521 MARBELLA AVE	2012-04-27	10:08	Garage		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<2.2	<1.6
M24521SVH	24521 MARBELLA AVE	2012-04-27	10:09	House		<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<7.9	<2.7	<3.4	<3	<3	<2.2	<1.6
M24521SVB	24521 MARBELLA AVE	2012-04-27	10:46	Back		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<2.2	<1.6
N24521SVH	24521 NEPTUNE AVE	2010-04-07	14:40	House		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5

Table B-2
Sub-Slab Soil Vapor Results
Former Kant Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanone	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.39%	UG/M3 0.36%	UG/M3 0.19%	UG/M3 0.15%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.13%	UG/M3 0.13%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
M24532 SVF	24532 MARBELLA AVE	2011-09-23	09:04	Front	<7.2	<7.2	<5.5	<4.8	<7.6	<10	<4.8	<4.9	<13	<13	<5.5	<4.8	<4.8	<36	<1.6	
M24532 SVF D	24532 MARBELLA AVE	2011-09-23	09:04	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<13	<13	<5.5	<4.7	<4.7	<35	<2.8	
M24532 SVB	24532 MARBELLA AVE	2011-09-23	09:37	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
M24532 SVN	24532 MARBELLA AVE	2012-04-05	15:17	House	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
M24532 SVF	24532 MARBELLA AVE	2012-04-05	15:24	Front	<4.9	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.6	<3.6	<3.1	<3.1	<23	<1.7	
M24532 SVB	24532 MARBELLA AVE	2012-04-05	15:56	Back	<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<7.9	<2.7	<3.4	<3	<3	<22	<1.6	
M24532 SVB D	24532 MARBELLA AVE	2012-04-05	15:56	Back	<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<7.9	<2.7	<3.4	<3	<3	<22	<1.6	
P24532 SVG	24532 PANAMA AVE	2012-05-10	09:54	Garage	<4.9	<4.9	<3.8	<3.2	<5.2	<7	<3.3	<3.4	<6.6	<2	<3.8	<3.2	<3.2	<24	<1.8	
P24532 SVG S	24532 PANAMA AVE	2012-05-10	09:54	Garage	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	
P24532 SVH	24532 PANAMA AVE	2012-05-10	09:54	House	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
P24532 SVB	24532 PANAMA AVE	2012-05-10	10:23	Back	<4.5	<4.5	<3.4	<3	<4.7	<6.3	<3	<3	<7.9	<2.7	<3.4	<3	<3	<22	<1.6	
P24532 SVB S	24532 PANAMA AVE	2012-05-10	10:23	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
R24532 SVB	24532 RAVENNA AVE	2010-06-18	13:25	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
R24532 SVF	24532 RAVENNA AVE	2010-06-18	13:59	Front	<7.5	<7.5	<5.8	<5	<7.9	<11	<5	<5.1	<13	<13	<5.8	<5	<5	<37	<2.8	
R24532 SVB	24532 RAVENNA AVE	2011-05-11	14:06	Back	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
R24532 SVF	24532 RAVENNA AVE	2011-05-11	15:02	Front	<6.3	<6.3	<5.4	<4.6	<8.7	<12	<5.6	<5.6	<14	<14	<6.9	<6.3	<5.4	<40	<3	
R24532 SVF D	24532 RAVENNA AVE	2011-05-11	15:02	Front	<8.2	<8.2	<6.3	<5.4	<8.6	<12	<5.5	<5.6	<14	<14	<6.9	<6.3	<5.4	<40	<3	
R24532 SVH	24532 RAVENNA AVE	2011-05-11	15:48	House	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<12	<12	<5.3	<4.6	<4.6	<34	<2.6	
R24532 SVH D	24532 RAVENNA AVE	2011-05-11	15:48	House	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<12	<12	<5.3	<4.6	<4.6	<34	<2.6	
R24532 SVB	24532 RAVENNA AVE	2012-11-16	14:54	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
R24532 SVF	24532 RAVENNA AVE	2012-11-16	15:37	Front	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<13	<5.6	<4.8	<4.8	<36	<2.7	
P24532 SVH	24532 PANAMA AVE	2011-03-18	13:41	House	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
P24532 SVB	24532 PANAMA AVE	2011-03-18	14:10	Back A	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
P24532 SVB A	24532 PANAMA AVE	2011-03-18	14:44	Front A	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<12	<12	<5.3	<4.6	<4.6	<34	<2.6	
P24532 SVFAD	24532 PANAMA AVE	2011-03-18	14:44	Front A	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<12	<12	<5.3	<4.6	<4.6	<34	<2.6	
P24532 SVF A	24532 PANAMA AVE	2012-09-20	10:33	Front A	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<13	<5.6	<4.8	<4.8	<36	<2.7	
P24532 SVFAS	24532 PANAMA AVE	2012-09-20	10:33	Front A	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	
P24532 SVH	24532 PANAMA AVE	2012-09-20	10:44	House	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<13	<5.7	<4.9	<4.9	<37	<2.7	
P24532 SVB A	24532 PANAMA AVE	2012-09-20	11:20	Back A	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<13	<5.8	<5	<5	<37	<2.8	
R24532 SVG	24532 RAVENNA AVE	2010-09-07	09:25	Garage	<8.1	<8.1	<6.2	<5.3	<8.5	<11	<5.4	<5.5	<13	<13	<5.8	<5	<5	<37	<2.8	
R24532 SVH	24532 RAVENNA AVE	2010-09-07	10:02	House	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<13	<5.7	<4.9	<4.9	<37	<2.7	
R24532 SVB	24532 RAVENNA AVE	2010-09-07	11:04	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<13	<5.6	<4.8	<4.8	<36	<2.7	
R 24 533 SVH	24533 RAVENNA AVE	2012-09-27	10:16	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<13	<13	<5.5	<4.7	<4.7	<35	<2.6	
R 24 533 SVG	24533 RAVENNA AVE	2012-09-27	10:18	Garage	<6.5	<6.5	<5	<4.3	<6.8	<9.2	<4.4	<4.4	<11	<11	<5	<4.3	<4.3	<32	<2.4	
R 24 533 SVB	24533 RAVENNA AVE	2012-09-27	11:03	Back	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<12	<12	<5.4	<4.6	<4.6	<35	<2.5	
M24602 SVF	24602 MARBELLA AVE	2010-11-04	13:10	Front	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<12	<12	<5.3	<4.6	<4.6	<34	<2.5	
M24602 SVB	24602 MARBELLA AVE	2010-11-04	13:54	Back	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<13	<5.8	<5	<5	<37	<2.8	
M24602 SVH	24602 MARBELLA AVE	2012-06-01	08:55	House	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<8	<2.7	<3.5	<3	<3	<22	<1.7
M24602 SVF	24602 MARBELLA AVE	2012-06-01	10:05	Front	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
M24602 SVB	24602 MARBELLA AVE	2012-06-01	10:29	Back	<4.9	<4.9	<3.7	<3.2	<5.1	<6.9	<3.3	<3.3	<8.3	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
M24602 SVB S	24602 MARBELLA AVE	2012-06-01	10:29	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
N24602 SVH	24602 NEPTUNE AVE	2010-07-27	09:30	House	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<12	<12	<5.3	<4.6	<4.6	<34	<2.5	
N24602 SVB	24602 NEPTUNE AVE	2010-07-27	10:10	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
N24602 SVF	24602 NEPTUNE AVE	2010-07-27	11:00	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.6	
N24602 SVH	24602 NEPTUNE AVE	2011-03-04	15:08	Back	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<12	<12	<5.4	<4.6	<4.6	<35	<2.6	
N24602 SVF	24602 NEPTUNE AVE	2011-03-04	15:22	Front	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<12	<12	<5.4	<4.6	<4.6	<34	<2.5	
N24602 SVF D	24602 NEPTUNE AVE	2011-03-04	15:22	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<12	<5.4	<4.6	<4.6	<35	<2.6	
N24602 SVH	24602 NEPTUNE AVE	2011-03-04	15:56	House	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<12	<12	<5.4	<4.6	<4.6	<34	<2.5	
N24602 SVB	24602 NEPTUNE AVE	2012-06-29	09:59	Back	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<25	<1.8	
N24602 SVB S	24602 NEPTUNE AVE	2012-06-29	09:59	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
N24602 SVI	24602 NEPTUNE AVE	2012-06-29	10:05	House	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	

Table 9-3
Sub-Slab Soil Vapor Results
Former Kait Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- ethane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentene	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
N24608SVB	24608 NEPTUNE AVE	2012-05-18	15:22	Back	<4.9	<4.9	<3.7	<3.2	<5.1	<6.9	<3.3	<3.3	<8.5	<2.9	<8.7	<3.2	<3.2	<3.2	<24	<1.8
P24608SVF	24608 PANAMA AVE	2010-08-12	14:47	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24608SVF	24608 PANAMA AVE	2010-08-12	15:23	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
P24608SVB	24608 PANAMA AVE	2012-04-05	15:43	Back	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
P24608SVB	24608 PANAMA AVE	2012-04-05	15:43	Back	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
P24608SVF	24608 PANAMA AVE	2012-04-09	10:26	Front	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
P24608SVH	24608 PANAMA AVE	2012-04-27	11:58	House A	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
R24608SVB	24608 RAVENNA AVE	2010-04-08	11:15	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
R24608SVF	24608 RAVENNA AVE	2010-04-08	12:14	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
R24608SVG	24608 RAVENNA AVE	2010-08-04	13:23	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
R24608SVG	24608 RAVENNA AVE	2012-05-17	15:13	Garage	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<25	<1.8	
R24608SVG	24608 RAVENNA AVE	2012-05-17	15:13	Garage	<5	<5	<3.8	<3.3	<5.2	<7	<3.3	<3.4	<8.7	<3	<3.8	<3.3	<3.3	<24	<1.8	
R24608SVB	24608 RAVENNA AVE	2012-05-17	15:25	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
R24608SVF	24608 RAVENNA AVE	2012-05-17	16:01	Front	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
R24608SVH	24608 RAVENNA AVE	2010-04-28	14:09	House	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24608SVF	24608 NEPTUNE AVE	2010-04-28	15:05	Front	<7.2	<7.2	<5.6	<4.8	<7.5	<10	<4.9	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
N24608SVF	24608 NEPTUNE AVE	2010-04-28	15:06	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
N24608SVB	24608 NEPTUNE AVE	2010-04-28	15:48	Back	<7.1	<7.1	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24608SVF	24608 NEPTUNE AVE	2010-08-20	13:35	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24608SVH	24608 NEPTUNE AVE	2010-08-20	14:03	House	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<37	<2.7	
N24608SVB	24608 NEPTUNE AVE	2010-08-20	14:30	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
N24608SVH	24608 NEPTUNE AVE	2010-12-10	15:10	House	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
N24608SVB	24608 NEPTUNE AVE	2010-12-10	15:42	Back	<6.6	<6.6	<5.1	<4.4	<7	<9.4	<4.5	<4.5	<2.9	<4	<5.1	<4.4	<4.4	<33	<2.4	
N24608SVB	24608 NEPTUNE AVE	2010-12-10	15:42	Back	<6.6	<6.6	<5.1	<4.4	<7	<9.4	<4.5	<4.5	<2.9	<4	<5.1	<4.4	<4.4	<33	<2.4	
N24608SVF	24608 NEPTUNE AVE	2010-12-10	15:52	Front	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.4	
P24608SVH	24608 PANAMA AVE	2010-04-30	13:27	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24608SVF	24608 PANAMA AVE	2010-04-30	14:39	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24608SVB	24608 PANAMA AVE	2010-04-30	15:33	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
P24608SVH	24608 PANAMA AVE	2010-10-25	09:26	House	<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
P24608SVF	24608 PANAMA AVE	2010-10-25	10:11	Front	<6	<6	<4.6	<3.9	<6.3	<8.5	<4	<4.1	<2.6	<3.6	<4.6	<3.9	<3.9	<30	<2.2	
P24608SVB	24608 PANAMA AVE	2010-10-25	10:56	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
P24608SVB	24608 PANAMA AVE	2010-10-25	10:56	Back	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
P24608SVF	24608 PANAMA AVE	2011-02-18	10:08	Front	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
P24608SVF	24608 PANAMA AVE	2011-02-18	10:08	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
P24608SVH	24608 PANAMA AVE	2011-02-18	10:41	House	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
P24608SVB	24608 PANAMA AVE	2011-02-18	11:28	Back	<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
R24608SVH	24608 RAVENNA AVE	2010-11-09	09:25	House	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
R24608SVG	24608 RAVENNA AVE	2010-11-09	09:59	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
R24608SVH	24608 RAVENNA AVE	2010-11-09	10:31	Back	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
R24608SVB	24608 RAVENNA AVE	2012-09-21	15:01	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
R24608SVB	24608 RAVENNA AVE	2012-09-21	15:02	Garage	<7.9	<7.9	<6.1	<5.2	<8.3	<11	<5.3	<5.4	<3.4	<4.5	<6.1	<5.2	<5.2	<39	<2.9	
R24608SVB	24608 RAVENNA AVE	2012-09-21	15:04	Back	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
M24612SVH	24612 MARBELLA AVE	2010-08-13	09:15	House	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
M24612SVB	24612 MARBELLA AVE	2010-08-13	10:03	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24612SVG	24612 MARBELLA AVE	2010-08-13	10:45	Garage	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
M24612SVH	24612 MARBELLA AVE	2012-05-10	14:39	House	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
M24612SVG	24612 MARBELLA AVE	2012-05-10	14:53	Garage	<4.7	<4.7	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
M24612SVB	24612 MARBELLA AVE	2012-05-10	14:53	Garage	<4.7	<4.7	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
M24612SVB	24612 MARBELLA AVE	2012-05-10	15:17	Back	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
N24612SVH	24612 NEPTUNE AVE	2010-11-11	09:14	House	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24612SVF	24612 NEPTUNE AVE	2010-11-11	09:44	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24612SVF	24612 NEPTUNE AVE	2010-11-11	09:44	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	

Table B-2
Sub-Slab Soil Vapor Results
Former Kaut Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	o-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- ethane	1,2-Dichloro- ethane	4-Methyl-2- Pentanol	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.39%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:12	House		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<4.5	<2.9	<3.7	<3.2	<3.2	<3.4	<1.8
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:12	House		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:55	Back		<4.6	<4.6	<8.6	<3.1	<4.9	<6.6	<8.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<3.3	<1.7
M24628SVH	24628 MARBELLA AVE	2011-10-27	14:55	Back		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24629SVH	24629 NEPTUNE AVE	2010-07-08	13:57	House		<7.3	<7.3	<5.6	<4.8	<7.6	<9.0	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24629SVH	24629 NEPTUNE AVE	2010-07-08	15:14	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24629SVH	24629 NEPTUNE AVE	2010-07-08	15:32	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24629SVH	24629 NEPTUNE AVE	2011-02-03	15:16	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24629SVH	24629 NEPTUNE AVE	2011-02-03	15:24	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24629SVH	24629 NEPTUNE AVE	2011-02-03	15:57	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24702SVH	24702 PANAMA AVE	2010-06-03	09:09	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<3.3	<2.5
M24702SVH	24702 PANAMA AVE	2010-06-03	09:56	Garage		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<3.3	<2.5
M24702SVH	24702 PANAMA AVE	2010-06-03	09:56	Garage		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
M24702SVH	24702 PANAMA AVE	2010-06-03	10:38	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24702SVH	24702 PANAMA AVE	2011-02-24	15:30	Garage		<6.5	<6.5	<5	<4.3	<6.8	<9.3	<4.4	<4.5	<1.2	<3.9	<5	<4.3	<4.3	<3.2	<2.4
M24702SVH	24702 PANAMA AVE	2011-02-24	15:34	House		<7.1	<7.1	<5.1	<4.7	<7.4	<10	<4.8	<4.8	<1.2	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24702SVH	24702 PANAMA AVE	2011-02-24	16:20	Back		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<1.2	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2010-03-29	11:37	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2010-03-29	12:58	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24703SVH	24703 MARBELLA AVE	2010-03-29	13:53	Back		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2010-08-23	09:27	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2010-08-23	10:15	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24703SVH	24703 MARBELLA AVE	2010-08-23	10:57	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24703SVH	24703 MARBELLA AVE	2012-04-20	14:49	House		<6.7	<6.7	<4.8	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24703SVH	24703 MARBELLA AVE	2012-04-20	15:21	Back		<6.6	<6.6	<4.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24703SVH	24703 MARBELLA AVE	2012-04-20	15:21	Back		<6.6	<6.6	<4.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24703SVH	24703 MARBELLA AVE	2012-04-20	15:47	Front		<6.6	<6.6	<4.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24703SVH	24703 MARBELLA AVE	2010-05-28	09:52	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2010-06-28	11:30	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24703SVH	24703 MARBELLA AVE	2011-05-06	14:12	House		<7.5	<7.5	<5.8	<5	<7.9	<11	<5	<5.1	<1.9	<4.5	<5.8	<5	<5	<3.7	<2.8
M24703SVH	24703 MARBELLA AVE	2011-05-06	14:33	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<1.3	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24703SVH	24703 MARBELLA AVE	2011-05-06	14:53	Back		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
M24703SVH	24703 MARBELLA AVE	2011-05-06	15:24	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2011-05-06	15:26	Front		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
M24703SVH	24703 MARBELLA AVE	2012-09-07	10:34	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<1.9	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24703SVH	24703 MARBELLA AVE	2012-09-07	11:01	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<1.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24703SVH	24703 MARBELLA AVE	2012-09-07	11:01	Front		<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
M24703SVH	24703 MARBELLA AVE	2012-09-07	11:14	Back		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<1.2	<4.1	<5.3	<4.5	<4.5	<3.4	<2.5
M24703SVH	24703 PANAMA AVE	2010-06-17	09:11	House		<7.6	<7.6	<5.8	<5	<8	<11	<5.1	<5.2	<3.3	<4.6	<5.8	<5	<5	<3.8	<2.8
M24703SVH	24703 PANAMA AVE	2010-06-17	10:06	Garage		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24703SVH	24703 PANAMA AVE	2010-06-17	10:26	Garage		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
M24703SVH	24703 PANAMA AVE	2010-06-17	11:03	Back		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5.1	<3.3	<4.5	<5.7	<4.9	<4.9	<3.7	<2.7
M24703SVH	24703 PANAMA AVE	2010-06-17	11:03	Back		<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<3.6	<2.7
M24703SVH	24703 PANAMA AVE	2012-08-16	10:23	House		<4.9	<4.9	<3.8	<3.2	<5.2	<7	<3.3	<3.4	<8.6	<3	<3.8	<3.2	<3.2	<2.4	<1.6
M24703SVH	24703 PANAMA AVE	2012-08-16	10:58	Garage		<4.7	<4.7	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24703SVH	24703 PANAMA AVE	2012-08-16	10:58	Garage		<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
M24703SVH	24703 PANAMA AVE	2012-08-16	11:26	Back		<4.9	<4.9	<3.8	<3.2	<5.2	<7	<3.3	<3.4	<8.6	<3	<3.8	<3.2	<3.2	<2.4	<1.6
M24703SVH	24703 PANAMA AVE	2012-08-16	11:26	Back		<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
M24703SVH	24703 PANAMA AVE	2012-08-16	11:26	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24703SVH	24703 NEPTUNE AVE	2010-07-01	09:18	House		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<3.7	<2.7
M24703SVH	24703 NEPTUNE AVE	2010-07-01	10:09	Back		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<3.7	<2.7
M24703SVH	24703 NEPTUNE AVE	2010-07-01	10:44	Garage		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
M24703SVH	24703 NEPTUNE AVE	2012-08-10	10:03	Garage		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<2.4	<1.6

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Corson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,2-Dichloro- benzene UG/M3	1,4-Dichloro- benzene UG/M3	1,2-Dichloro- ethane UG/M3	cis-1,2- Dichloro- ethane UG/M3	Carbon Tetrachloride UG/M3	Difluoromethane UG/M3	1,1-Dichloro- ethane UG/M3	4-Methyl-2- Pentanol UG/M3	Chloro- ethane UG/M3	Methyl-tert- Butyl Ether UG/M3	Chloro- benzene UG/M3	trans-1,2- Dichloro- ethane UG/M3	1,1-Dichloro- ethane UG/M3	1,2,4-Trichloro- benzene UG/M3	1,3-Butadiene UG/M3
						0.53%	0.52%	0.49%	0.45%	0.58%	0.26%	0.19%	0.19%	0.19%	0.19%	0.19%	0.19%	0.06%	0.06%	0.06%
N24709SVS	24709 NEPTUNE AVE	2012-08-10	10:03	Garage		<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U
N24709SVH	24709 NEPTUNE AVE	2012-08-10	10:16	House		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.8	<3.5	<2.9	<3.7	<3.2	<3.2	<2.4	<1.8
N24709SVB	24709 NEPTUNE AVE	2012-08-10	10:43	Back		<5.3	<5.3	<4	<3.5	<5.5	<7.4	<3.5	<3.6	<3.5	<3.2	<4	<3.5	<3.5	<2.6	<1.9
N24709SVS	24709 NEPTUNE AVE	2012-08-10	10:43	Back		<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U	<2.3 U
P24709SVH	24709 PANAMA AVE	2009-10-03	11:28	House		<6.9	<6.9	22	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
P24709SVB	24709 PANAMA AVE	2009-10-03	12:20	Back		<7	<7	<5.4	<4.8	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
P24709SVF	24709 PANAMA AVE	2009-10-03	13:23	Front		<6.2	<6.2	<4.7	<4.1	<6.4	<8.7	<4.1	<4.2	<2.7	<3.7	<4.7	<4.1	<4.1	<3.0	<2.5
P24709SVB	24709 PANAMA AVE	2011-02-11	09:03	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
P24709SVB	24709 PANAMA AVE	2011-02-11	09:03	Back		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House		<6.4	<6.4	7.3	<4.2	<6.7	<9.1	<4.3	<4.4	<2.8	<3.8	<4.9	<4.2	<4.2	<3.2	<2.4
P24709SVH	24709 PANAMA AVE	2011-02-11	09:51	House		<1.8	8.6	8.7	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
P24709SVF	24709 PANAMA AVE	2011-02-11	10:49	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
P24709SVF	24709 PANAMA AVE	2012-03-08	15:54	Front		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
P24709SVH	24709 PANAMA AVE	2012-03-08	15:55	House		<4.9	<4.9	5.2	<3.2	<5.2	<7	<3.3	<3.4	<3.4	<3	<3.8	<3.2	<3.2	<2.4	<1.8
P24709SVH	24709 PANAMA AVE	2012-03-08	15:55	House		<4.9	<4.9	5	<3.2	<5.2	<7	<3.3	<3.4	<3.4	<3	<3.8	<3.2	<3.2	<2.4	<1.8
M24710SVB	24710 MARBELLA AVE	2010-09-14	14:59	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
M24710SVF	24710 MARBELLA AVE	2010-09-14	15:10	Front		<6.6	<6.6	<5.1	<4.4	<6.9	<9.4	<4.4	<4.5	<2.9	<4	<5.1	<4.4	<4.4	<3.3	<2.4
M24710SVF	24710 MARBELLA AVE	2011-02-08	13:36	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24710SVH	24710 MARBELLA AVE	2011-02-08	14:11	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.7
M24710SVB	24710 MARBELLA AVE	2011-02-08	15:14	Back		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<3.4	<2.5
M24710SVF	24710 MARBELLA AVE	2012-05-03	15:19	Front		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24710SVF	24710 MARBELLA AVE	2012-05-03	15:19	Front		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24710SVH	24710 MARBELLA AVE	2012-05-03	15:38	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.3	<3.3	<2.8	<3.6	<3.1	<3.1	<2.3	<1.7
M24710SVB	24710 MARBELLA AVE	2012-05-03	16:03	Back		<5.1	<5.1	7.3	<3.4	<5.4	<7.3	<3.5	<3.5	<3	<3.1	<3.9	<3.4	<3.4	<2.5	<1.9
P24712SVH	24712 PANAMA AVE	2010-08-12	14:06	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24712SVB	24712 PANAMA AVE	2010-08-12	14:54	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
P24712SVH	24712 PANAMA AVE	2010-08-12	15:45	Front		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24712SVH	24712 PANAMA AVE	2011-02-25	15:09	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
P24712SVB	24712 PANAMA AVE	2011-02-25	15:38	Back		<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<3.2	<4.1	<5.2	<4.5	<4.5	<3.4	<2.5
P24712SVF	24712 PANAMA AVE	2011-02-25	15:38	Back		<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<3.2	<4.1	<5.2	<4.5	<4.5	<3.4	<2.5
P24712SVF	24712 PANAMA AVE	2011-02-25	16:00	Front		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.2	<4.2	<5.4	<4.6	<4.6	<3.5	<2.6
R24712SVF	24712 RAVENNA AVE	2010-01-04	10:51	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
R24712SVH	24712 RAVENNA AVE	2010-01-04	11:38	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<3.3	<2.5
R24712SVB	24712 RAVENNA AVE	2010-01-04	12:30	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<3.5	<2.6
R24712SVH	24712 RAVENNA AVE	2011-06-10	11:35	Back		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<3.3	<4.4	<5.7	<4.9	<4.9	<3.7	<2.7
R24712SVB	24712 RAVENNA AVE	2011-06-10	11:35	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
R24712SVF	24712 RAVENNA AVE	2011-06-10	12:17	Front		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3.2	<4.1	<5.3	<4.5	<4.5	<3.4	<2.5
R24712SVF	24712 RAVENNA AVE	2011-06-10	12:17	Front		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
R24712SVH	24712 RAVENNA AVE	2011-06-10	13:00	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3.2	<4.1	<5.3	<4.5	<4.5	<3.4	<2.5
R24712SVH	24712 RAVENNA AVE	2011-06-10	13:00	House		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24715SVB	24715 NEPTUNE AVE	2010-04-26	09:40	Back		<7	<7	<5.4	<4.6	<7.3	<9.8	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
N24715SVF	24715 NEPTUNE AVE	2010-04-26	10:30	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<3.5	<2.6
N24715SVH	24715 NEPTUNE AVE	2010-04-26	11:38	House		<7	<7	<5.4	<4.6	<7.3	<9.8	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.4	<2.6
N24715SVB	24715 NEPTUNE AVE	2011-02-18	15:05	Back		<7.2	<7.2	<5.5	<4.7	<7.6	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<3.6	<2.7
N24715SVH	24715 NEPTUNE AVE	2011-02-18	15:48	House		<8.3	<8.3	<6.4	<5.5	<8.7	<12	<5.6	<5.6	<3.6	<5	<6.4	<5.5	<5.5	<4.1	<3
N24715SVF	24715 NEPTUNE AVE	2011-02-18	16:41	Front		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.5	<2.6
M24716SVG	24716 MARBELLA AVE	2010-07-02	14:50	Garage		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24716SVH	24716 MARBELLA AVE	2010-07-02	16:23	House		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<3.5	<2.6
M24716SVH	24716 MARBELLA AVE	2011-04-19	14:21	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3.2	<4.1	<5.3	<4.6	<4.6	<3.4	<2.5
M24716SVG	24716 MARBELLA AVE	2011-04-19	15:03	Garage		<8.7	<8.7	<6.7	<5.8	<9.2	<12	<5.9	<6	<3.5	<5.2	<6.7	<5.8	<5.8	<4.3	<3.2
M24716SVB	24716 MARBELLA AVE	2011-04-19	15:40	Back		<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<3.3	<4.4	<5.6	<4.8	<4.8	<3.6	<2.7
M24716SVB	24716 MARBELLA AVE	2011-04-19	15:40	Back		<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.3	<4.4	<5.7	<4.9	<4.9	<3.6	<2.7

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	tri-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanone	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.89%	UG/M3 0.20%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.13%	UG/M3 0.13%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	
M24710SVB	24710 MARBELLA AVE	2012-05-24	09:56	Back	<6.3	<6.3	<4.9	<4.2	<6.6	<9	<4.3	<4.3	<11	<3.8	<4.8	<4.2	<4.2	<31	<2.3	
M24710SVB	24710 MARBELLA AVE	2012-05-24	09:56	Back	<4.7	<4.7	<3.6	<2	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.8	<3.1	<3.1	<33	<1.7	
M24710SVH	24710 MARBELLA AVE	2012-05-24	10:29	House	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8.1	<2.8	<3.5	<3	<3	<23	<1.7	
M24710SVH	24710 MARBELLA AVE	2012-05-24	10:42	Garage	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
R24710SVH	24710 RAVENNA AVE	2012-03-01	11:22	House	<6.5	<6.5	<5	<4.3	<6.8	<9.2	<4.4	<4.4	<11	<3.9	<5	<4.3	<4.3	<32	<2.4	
R24710SVH	24710 RAVENNA AVE	2012-03-01	11:22	House	<6.4	<6.4	<4.9	<4.2	<6.7	<9	<4.3	<4.3	<11	<3.8	<4.9	<4.2	<4.2	<31	<2.3	
R24710SVH	24710 RAVENNA AVE	2012-03-01	11:32	Garage	<5.9	<5.9	<4.5	<3.9	<6.2	<8.3	<4	<4	<10	<3.5	<4.5	<3.9	<3.9	<29	<2.2	
R24710SVH	24710 RAVENNA AVE	2012-03-01	12:01	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
M24710SVH	24710 MARBELLA AVE	2010-07-02	14:52	House	<7.1	11	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
M24710SVH	24710 MARBELLA AVE	2010-07-02	16:12	Front	<7	<7	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6	
M24710SVH	24710 MARBELLA AVE	2010-07-02	16:51	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24710SVH	24710 MARBELLA AVE	2012-07-26	09:56	House	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7	
M24710SVH	24710 MARBELLA AVE	2012-07-26	10:08	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
M24710SVH	24710 MARBELLA AVE	2012-07-26	10:28	Back	<4.8	<4.8	<3.7	<3.2	<5	<6.8	<3.2	<3.3	<8.4	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
M24710SVH	24710 MARBELLA AVE	2012-07-26	10:27	Front	<7.7	<7.7	<5.9	<5.1	<8.1	<11	<5.2	<5.3	<14	<4.6	<5.9	<5.1	<5.1	<48	<2.8	
N24710SVH	24710 NEPTUNE AVE	2010-09-08	09:57	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.7	<4.7	<35	<2.6	
N24710SVH	24710 NEPTUNE AVE	2010-09-08	10:47	Back	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24710SVH	24710 NEPTUNE AVE	2011-02-04	09:36	House A	<6.6	<6.6	<5.1	<4.4	<6.9	<9.4	<4.4	<4.5	<2.0	<4	<5.1	<4.4	<4.4	<33	<2.4	
N24710SVH	24710 NEPTUNE AVE	2012-02-24	10:34	Back	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<22	<1.7	
N24710SVH	24710 NEPTUNE AVE	2012-02-24	10:58	Garage	<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<22	<1.7	
N24710SVH	24710 NEPTUNE AVE	2012-02-24	11:25	Back	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<25	<1.8	
N24710SVH	24710 NEPTUNE AVE	2012-02-24	11:25	Back	<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<25	<1.8	
P24710SVH	24710 PANAMA AVE	2010-06-24	09:32	Back 2	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
P24710SVH	24710 PANAMA AVE	2010-06-24	10:19	Front	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
P24710SVH	24710 PANAMA AVE	2010-06-24	11:18	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.9	<4.9	<36	<2.7	
P24710SVH	24710 PANAMA AVE	2012-10-18	10:00	Back 2	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2012-10-18	10:00	Back 2	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.4	<5.5	<4.7	<4.7	<35	<2.6	
P24710SVH	24710 PANAMA AVE	2012-10-18	10:03	House	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2012-10-18	10:42	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24710SVH	24710 NEPTUNE AVE	2010-07-16	14:09	Back	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<4.9	<5	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24710SVH	24710 NEPTUNE AVE	2010-07-16	14:53	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.3	<5.4	<4.6	<4.6	<34	<2.6	
N24710SVH	24710 NEPTUNE AVE	2010-07-16	15:43	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
N24710SVH	24710 NEPTUNE AVE	2012-07-19	15:00	Front	<4.7	<4.7	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.8	<3.1	<3.1	<23	<1.7	
N24710SVH	24710 NEPTUNE AVE	2012-07-19	15:02	Back	<6.5	<6.5	<5	<4.3	<6.8	<9.2	<4.4	<4.4	<11	<3.9	<4.9	<4.3	<4.3	<32	<2.4	
N24710SVH	24710 NEPTUNE AVE	2012-07-19	15:32	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8	
P24710SVH	24710 PANAMA AVE	2010-06-28	09:23	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2010-06-28	11:21	Front	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2011-03-04	08:51	Back A	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2011-03-04	09:38	House	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2011-03-04	09:38	House	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
P24710SVH	24710 PANAMA AVE	2011-03-04	10:20	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2011-03-04	10:20	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
P24710SVH	24710 PANAMA AVE	2012-09-28	09:49	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24710SVH	24710 PANAMA AVE	2012-09-28	10:34	Back A	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
R24710SVH	24710 RAVENNA AVE	2010-04-21	12:16	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
R24710SVH	24710 RAVENNA AVE	2010-04-21	12:43	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
R24710SVH	24710 RAVENNA AVE	2012-11-29	10:07	Back	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
R24710SVH	24710 RAVENNA AVE	2012-11-29	10:07	Back	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
R24710SVH	24710 RAVENNA AVE	2012-11-29	10:31	House	<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
R24710SVH	24710 RAVENNA AVE	2012-11-29	10:44	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24710SVH	24710 MARBELLA AVE	2010-11-29	09:10	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24710SVH	24710 MARBELLA AVE	2010-11-29	09:55	Front	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.9	<4.9	<36	<2.7	

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Cameron, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,2-Dichloro-	1,4-Dichloro-	1,2-Dichloro-	Dichloro-	Carbon	Dibromochloro-	1,2-Dichloro-	4-Methyl-2-	Chloro-	Methyl-tert-	Chloro-	trans-1,2-	1,1-Dichloro-	1,2,4-Trichloro-	1,3-Butadiene				
						benzene	benzene	propane	ethane	Tetrachloride	methane	ethane	ethane	ethane	ethane	ethane	ethane	ethane	ethane	ethane	ethane	ethane	ethane	ethane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						0.52%	0.52%	0.45%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.13%	0.13%	0.06%	0.06%					
M24722SVF	24722 MARBELLA AVE	2010-11-29	09:55	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.9	<5.5	<4.7	<4.7	<35	<2.6					
M24722SVB	24722 MARBELLA AVE	2010-11-29	11:08	Back	<7.8	<7.8	<6	<5.1	<8.1	<11	<5.2	<5.3	<8.4	<4.6	<5.9	<5.1	<5.1	<38	<2.8					
M24722SVH	24722 MARBELLA AVE	2012-06-07	10:06	House	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
M24722SVI	24722 MARBELLA AVE	2012-06-07	10:10	Front	<4.9	<4.9	<3.8	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
M24722SVJ	24722 MARBELLA AVE	2012-06-07	10:10	Front	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U					
M24722SVB	24722 MARBELLA AVE	2012-06-07	10:49	Back	<5.2	<5.2	<4	<3.4	<5.4	<7.3	<3.3	<3.5	<9.1	<3.1	<4	<3.4	<3.4	<26	<1.8					
N24722SVH	24722 NEPTUNE AVE	2010-07-28	13:35	House	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5					
N24722SVG	24722 NEPTUNE AVE	2010-07-28	14:07	Garage	<6.6	<6.6	<5.1	<4.4	<6.9	<9.4	<4.4	<4.5	<2.9	<4	<5.1	<4.4	<4.4	<33	<2.4					
N24722SVB	24722 NEPTUNE AVE	2010-07-28	14:42	Back	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5					
N24722SVH	24722 NEPTUNE AVE	2012-04-13	15:06	House	<4.9	<4.9	<3.8	<3.2	<5.1	<6.9	<3.3	<3.3	<8.6	<2.9	<3.8	<3.2	<3.2	<24	<1.8					
N24722SVG	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
N24722SVG D	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
N24722SVB	24722 NEPTUNE AVE	2012-04-13	15:40	Back	<4	<4	<3.1	<2.7	<4.2	<5.8	<2.7	<2.8	<7.1	<2.4	<3.1	<2.7	<2.7	<20	<1.5					
P24722SVB	24722 PANAMA AVE	2010-04-26	10:23	Back	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5.1	<3.3	<4.5	<5.7	<4.9	<4.9	<37	<2.7					
P24722SVF	24722 PANAMA AVE	2010-04-26	11:28	Front	<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<36	<2.7					
P24722SVH	24722 PANAMA AVE	2010-08-17	13:32	House 3	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
P24722SVF	24722 PANAMA AVE	2011-03-07	09:27	Front	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<12	<4.2	<5.3	<4.6	<4.6	<34	<2.6					
P24722SVF	24722 PANAMA AVE	2011-03-07	09:27	Front	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<12	<4.1	<5.3	<4.6	<4.6	<34	<2.5					
P24722SVG	24722 PANAMA AVE	2011-03-07	10:06	Garage	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<12	<4.1	<5.2	<4.5	<4.5	<34	<2.5					
P24722SVB	24722 PANAMA AVE	2011-03-07	10:49	Garage	54	7.2	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<12	<4.1	<5.2	<4.5	<4.5	<34	<2.5					
P24722SVB	24722 PANAMA AVE	2011-03-07	10:49	Back	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<12	<4.2	<5.3	<4.6	<4.6	<34	<2.6					
P24722SVG	24722 PANAMA AVE	2012-04-26	10:06	Garage	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
P24722SVF	24722 PANAMA AVE	2012-04-26	10:23	Front	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
P24722SVB	24722 PANAMA AVE	2012-04-26	10:23	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8					
P24722SVB	24722 PANAMA AVE	2012-04-26	10:38	Back	<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
U24722SVI	24722 RAVENNA AVE	2010-10-25	09:53	House	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6					
U24722SVI	24722 RAVENNA AVE	2010-10-25	10:39	Front	<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
U24722SVB	24722 RAVENNA AVE	2010-10-25	11:15	Back	<7.5	<7.5	<5.8	<5	<7.9	<11	<5	<5.1	<3.3	<4.5	<5.8	<5	<5	<37	<2.8					
U24722SVH	24722 RAVENNA AVE	2012-11-09	15:01	House	<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5.1	<3.3	<4.5	<5.7	<4.9	<4.9	<37	<2.7					
U24722SVB	24722 RAVENNA AVE	2012-11-09	15:15	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.3	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
U24722SVF	24722 RAVENNA AVE	2012-11-09	15:39	Front	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.3	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
M24722SVB	24722 MARBELLA AVE	2010-03-29	16:23	Back	<7.7	<7.7	<5.9	<5	<8	<11	<5.2	<5.2	<3.4	<4.6	<5.9	<5	<5	<38	<2.8					
M24722SVH	24722 MARBELLA AVE	2010-04-07	12:12	House	<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6					
M24722SVF	24722 MARBELLA AVE	2010-07-21	09:24	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
M24722SVF	24722 MARBELLA AVE	2012-06-21	15:14	Front	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8					
M24722SVF	24722 MARBELLA AVE	2012-06-21	15:14	Front	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8					
M24722SVH	24722 MARBELLA AVE	2012-06-21	15:21	House	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8					
M24722SVB	24722 MARBELLA AVE	2012-06-21	15:47	Back	<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8					
R24722SVH	24722 RAVENNA AVE	2010-11-02	13:51	Back	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<3.3	<4.5	<5.8	<5	<5	<37	<2.8					
R24722SVH	24722 RAVENNA AVE	2010-11-02	13:54	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
R24722SVF	24722 RAVENNA AVE	2010-11-02	14:27	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
R24722SVF	24722 RAVENNA AVE	2012-11-08	10:04	Front	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.3	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
R24722SVF	24722 RAVENNA AVE	2012-11-08	10:04	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
R24722SVH	24722 RAVENNA AVE	2012-11-08	10:23	House	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
R24722SVB	24722 RAVENNA AVE	2012-11-08	10:40	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24722SVB	24725 NEPTUNE AVE	2009-10-02	09:53	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24722SVF	24725 NEPTUNE AVE	2009-10-02	10:54	Front	<7.4	<7.4	<5.7	<4.9	<7.7	<10	<5	<5	<3.2	<4.4	<5.7	<4.9	<4.9	<36	<2.7					
N24722SVH	24725 NEPTUNE AVE	2010-06-16	09:14	House	<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24722SVB	24725 NEPTUNE AVE	2010-06-16	10:30	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24722SVF	24725 NEPTUNE AVE	2010-06-16	11:18	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24722SVH	24725 NEPTUNE AVE	2012-06-22	14:51	House	<4.9	<4.9	<3.8	<3.2	<5.1	<6.9	<3.3	<3.3	<8.6	<2.9	<3.8	<3.2	<3.2	<24	<1.8					

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	trans-1,2- Dichloro- ethene	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanol	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethene	1,1-Dichloro- ethene	1,2,4-Trichloro- benzene	1,3-Butadiene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						Frequency of Detection	0.52%	0.52%	0.45%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.13%	0.13%	0.06%	0.06%	0.06%	0.06%	0.06%	0.06%
N24725SVB	24725 NEPTUNE AVE	2012-06-22	15:21	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.8	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
N24725SVBD	24725 NEPTUNE AVE	2012-06-22	15:21	Back	<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.8	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
N24725SVF	24725 NEPTUNE AVE	2012-06-22	15:27	Front	<4.7	<4.7	<3.6	<3.1	<4.9	<6.6	<3.2	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7					
N24726SVH	24726 MARBELLA AVE	2010-06-07	09:03	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24726SVB	24726 MARBELLA AVE	2010-06-07	10:06	Back	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<34	<2.5					
N24726SVF	24726 MARBELLA AVE	2010-08-19	08:52	Front	<6.8	<6.8	<5.3	<4.5	<7.2	<9.7	<4.6	<4.7	<3	<4.1	<5.2	<4.5	<4.5	<34	<2.5					
N24726SVHA	24726 MARBELLA AVE	2012-12-14	15:04	House A	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<12	<4	<5.2	<4.4	<4.4	<33	<2.5					
N24726SVG	24726 MARBELLA AVE	2012-12-19	11:07	Garage	<14	<14	<10	<9	<14	<19	<9.1	<9.2	<24	<6.1	<10	<9	<9	<67	<5					
N24726SVB	24726 RAVENNA AVE	2011-03-14	10:13	Back A	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24726SVB	24726 RAVENNA AVE	2011-03-14	10:13	Back A	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24726SVH	24726 RAVENNA AVE	2011-03-14	11:00	House	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24726SVH	24726 RAVENNA AVE	2012-12-20	14:55	House	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<12	<4.1	<5.3	<4.5	<4.5	<34	<2.5					
N24726SVG	24726 RAVENNA AVE	2012-12-20	15:01	Garage	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24726SVB	24726 RAVENNA AVE	2012-12-20	15:33	Back A	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24728SVH	24728 PANAMA AVE	2010-11-08	09:17	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24728SVB	24728 PANAMA AVE	2010-11-08	10:29	Back	<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6					
N24728SVG	24728 PANAMA AVE	2010-11-08	11:20	Garage	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24728SVB	24728 PANAMA AVE	2010-11-08	11:20	Garage	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
N24728SVG	24728 PANAMA AVE	2012-11-02	10:05	Garage	<8.1	<8.1	<6.2	<5.3	<8.5	<11	<5.4	<5.5	<14	<4.8	<6.2	<5.3	<5.3	<40	<3					
N24728SVB	24728 PANAMA AVE	2012-11-02	10:05	Garage	<7.8	<7.8	<6	<5.1	<8.1	<11	<5.2	<5.3	<14	<4.6	<5.9	<5.1	<5.1	<38	<2.8					
N24728SVB	24728 PANAMA AVE	2012-11-02	10:20	Back	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<18	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24729SVB	24729 NEPTUNE AVE	2009-09-18	09:13	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24729SVF	24729 NEPTUNE AVE	2009-09-18	10:30	Front	<7.9	<7.9	<6.1	<5.2	<8.3	<11	<5.3	<5.4	<3.5	<4.8	<6.1	<5.2	<5.2	<39	<2.9					
N24729SVH	24729 NEPTUNE AVE	2010-07-08	09:11	House	<6.0	<6.0	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5					
N24729SVF	24729 NEPTUNE AVE	2010-07-08	09:54	Front	<6.2	<6.2	<4.7	<4.1	<6.4	<8.7	<4.1	<4.2	<2.7	<3.7	<4.7	<4.1	<4.1	<31	<2.3					
N24729SVF	24729 NEPTUNE AVE	2010-07-08	09:54	Front	<6.3	<6.3	<4.8	<4.1	<6.6	<8.9	<4.2	<4.3	<2.8	<3.8	<4.8	<4.1	<4.1	<31	<2.3					
N24729SVB	24729 NEPTUNE AVE	2010-07-08	10:54	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24729SVF	24729 NEPTUNE AVE	2010-08-24	13:55	Front	<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24729SVF	24729 NEPTUNE AVE	2012-10-19	14:00	Front	<6.2	<6.2	<4.7	<4.1	<6.4	<8.7	<4.1	<4.2	<11	<3.7	<4.7	<4.1	<4.1	<30	<2.3					
N24729SVB	24729 NEPTUNE AVE	2012-10-19	14:55	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24729SVH	24729 NEPTUNE AVE	2012-10-19	15:20	House	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<4.5	<5.8	<5	<5	<37	<2.8					
N24729SVB	24729 RAVENNA AVE	2010-07-14	13:57	Back	<7.6	<7.6	<5.8	<5	<8	<11	<5.1	<5.2	<13	<4.6	<5.8	<5	<5	<38	<2.8					
N24729SVH	24729 RAVENNA AVE	2010-07-14	14:44	House	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24729SVF	24729 RAVENNA AVE	2010-07-14	15:25	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24729SVH	24729 RAVENNA AVE	2012-08-24	14:48	House	<6.9	<6.9	<5.3	<4.6	<7.3	<9.8	<4.7	<4.7	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24729SVF	24729 RAVENNA AVE	2012-08-24	14:49	Front	<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<12	<4.1	<5.3	<4.5	<4.5	<34	<2.5					
N24729SVB	24729 RAVENNA AVE	2012-08-24	15:18	Back	<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<4.5	<5.8	<5	<5	<37	<2.8					
N24732SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	<6.6	<6.6	<5	<4.3	<6.8	<9.3	<4.4	<4.5	<2.9	<3.9	<5	<4.3	<4.3	<32	<2.4					
N24732SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	<6.6	<6.6	<5	<4.3	<6.8	<9.3	<4.4	<4.5	<2.9	<3.9	<5	<4.3	<4.3	<32	<2.4					
N24732SVB	24732 NEPTUNE AVE	2010-09-20	15:13	Back	<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5					
N24732SVF	24732 NEPTUNE AVE	2010-09-20	16:00	Front	<20	<20	<15	<13	<20	<28	<13	<13	<8.6	<12	<15	<13	<13	<97	<7.2					
N24732SVHA	24732 NEPTUNE AVE	2011-02-18	09:09	House A	<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7					
N24732SVF	24732 NEPTUNE AVE	2011-02-18	09:52	Front	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<36	<2.6					
N24732SVF	24732 NEPTUNE AVE	2011-02-18	09:52	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
N24732SVB	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24732SVH	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7					
N24732SVF	24732 NEPTUNE AVE	2011-03-10	09:56	Front	<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<12	<4.1	<5.3	<4.5	<4.5	<34	<2.5					
N24732SVF	24732 NEPTUNE AVE	2011-03-10	09:56	Front	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8					
N24732SVH	24732 NEPTUNE AVE	2011-03-10	10:38	House A	<6.2	<6.2	<4.7	<4.1	<6.4	<8.7	<4.1	<4.2	<11	<3.7	<4.7	<4.1	<4.1	<30	<2.3					
N24732SVB	24732 NEPTUNE AVE	2011-03-10	11:13	Back	<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6					
N24732SVF	24732 PANAMA AVE	2010-04-22	15:11	Front	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					
N24732SVB	24732 PANAMA AVE	2010-04-22	17:02	Back	<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6					

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Casson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- ethane	1,2-Dichloro- ethane	4-Methyl-2- Pentanol	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene	
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.39%	UG/M3 0.28%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.13%	UG/M3 0.13%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%		
P24732SVH	24732 PANAMA AVE	2010-04-23	10:34	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5	
P24732SVH	24732 PANAMA AVE	2010-08-31	13:58	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24732SVB	24732 PANAMA AVE	2010-08-31	14:36	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
P24732SVBD	24732 PANAMA AVE	2010-08-31	14:39	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
P24732SVF	24732 PANAMA AVE	2010-08-31	15:16	Front		<7.5	<7.5	<5.8	<5	<7.9	<11	<5	<5.1	<3.3	<4.5	<5.8	<5	<5	<37	<2.8	
P24732SVH	24732 PANAMA AVE	2012-05-14	14:49	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<3.5	<3.1	<3.1	<23	<1.7		
P24732SVF	24732 PANAMA AVE	2012-05-14	15:01	Front		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<3	<2.7	<3.5	<3	<3	<22	<1.7	
P24732SVFD	24732 PANAMA AVE	2012-05-14	15:01	Front		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<3	<2.7	<3.5	<3	<3	<22	<1.7	
P24732SVB	24732 PANAMA AVE	2012-05-14	15:27	Back		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<3.6	<3.6	<3.1	<3.1	<23	<1.7	
P24732SVH	24732 RAVENNA AVE	2010-10-11	09:20	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
P24732SVG	24732 RAVENNA AVE	2010-10-11	10:23	Garage		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24732SVG	24732 RAVENNA AVE	2010-10-11	10:23	Garage		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
P24732SVB	24732 RAVENNA AVE	2010-10-11	11:09	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
P24732SVG	24732 RAVENNA AVE	2012-06-22	10:00	Garage		<4.6	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.2	<24	<1.8	
P24732SVB	24732 RAVENNA AVE	2012-06-22	10:11	Back		<5	<5	<3.6	<3.3	<5.3	<7.2	<3.4	<3.4	<3	<3.9	<3.3	<3.3	<3.3	<25	<1.8	
P24732SVB	24732 RAVENNA AVE	2012-06-22	10:11	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
P24732SVH	24732 RAVENNA AVE	2012-06-22	10:53	House		<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<3	<3.8	<3.6	<3.1	<3.1	<23	<1.7	
M24733SVH	24733 MARBELLA AVE	2010-08-06	09:12	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
M24733SVG	24733 MARBELLA AVE	2010-08-06	09:53	Garage		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
M24733SVB	24733 MARBELLA AVE	2010-08-06	09:53	Garage		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
M24733SVB	24733 MARBELLA AVE	2010-08-06	10:38	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24733SVG	24733 MARBELLA AVE	2012-05-09	14:36	Garage		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.1	<23	<1.7
M24733SGD	24733 MARBELLA AVE	2012-06-08	14:36	Garage		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.1	<23	<1.7
M24733SVB	24733 MARBELLA AVE	2012-06-08	15:08	Back		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.2	<24	<1.8	
M24733SVH	24733 RAVENNA AVE	2010-04-08	13:49	House		22	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
M24733SVF	24733 RAVENNA AVE	2010-04-08	14:57	Front		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
M24733SVB	24733 RAVENNA AVE	2010-04-08	15:49	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24733SVH	24733 RAVENNA AVE	2012-07-27	10:03	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.1	<23	<1.7
M24733SVB	24733 RAVENNA AVE	2012-07-27	10:42	Back		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.2	<24	<1.8	
M24733SVB	24733 RAVENNA AVE	2012-07-27	10:42	Back		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<3.5	<2.9	<4.7	<3.2	<3.2	<24	<1.8	
M24733SVF	24733 RAVENNA AVE	2012-07-27	10:46	Front		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<3.2	<3.6	<3.6	<3.1	<3.1	<23	<1.7	
N24735SVH	24735 NEPTUNE AVE	2010-11-17	09:23	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
N24735SVF	24735 NEPTUNE AVE	2010-11-17	10:19	Front		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5	
N24735SVB	24735 NEPTUNE AVE	2010-11-17	11:03	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24735SVBD	24735 NEPTUNE AVE	2010-11-17	11:03	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24735SVB	24735 NEPTUNE AVE	2012-11-15	10:09	Back		<6.9	<6.9	<5.3	<4.5	<7.3	<9.8	<4.7	<4.7	<3.1	<4.2	<5.3	<4.6	<4.6	<34	<2.6	
N24735SVF	24735 NEPTUNE AVE	2012-11-15	10:45	Front		<7.2	<7.2	<5.5	<4.8	<7.6	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.8	<4.8	<36	<2.7	
N24735SVH	24735 NEPTUNE AVE	2012-11-20	13:43	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
M24737SVB	24737 MARBELLA AVE	2010-04-30	09:18	Back		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
M24737SVF	24737 MARBELLA AVE	2010-04-30	10:04	Front		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6	
M24737SVH	24737 MARBELLA AVE	2010-04-30	11:03	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
M24737SVH	24737 MARBELLA AVE	2010-09-03	09:56	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34 U	<2.5	
M24737SVH	24737 MARBELLA AVE	2010-09-03	09:56	House		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
M24737SVF	24737 MARBELLA AVE	2010-09-03	10:57	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34 U	<2.6	
M24737SVB	24737 MARBELLA AVE	2010-09-08	12:02	Back		<14	<14	<11	<9.5	<15	<20	<9.7	<9.8	<6.8	<4.7	<11	<9.5	<9.5	<71	<5.3	
M24737SVB	24737 MARBELLA AVE	2012-12-07	15:06	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7	
M24737SVH	24737 MARBELLA AVE	2012-12-07	15:12	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6	
M24737SVF	24737 MARBELLA AVE	2012-12-07	15:42	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6	
N24738SVB	24738 NEPTUNE AVE	2009-09-23	09:00	Back		780	110	<5.3	36	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<34	<2.5	
N24738SVF	24738 NEPTUNE AVE	2009-09-23	09:45	Front		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6	
N24738SVI	24738 NEPTUNE AVE	2012-02-23	10:03	House		<6.3	<6.3	<4.8	<4.2	<6.6	<8.9	<4.2	<4.3	<3.1	<3.8	<4.8	<4.2	<4.2	<31	<2.3	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,2-Dichloro- benzene UG/M3	1,4-Dichloro- benzene UG/M3	1,2-Dichloro- propane UG/M3	cis-1,2- Dichloro- ethane UG/M3	Carbon Tetrachloride UG/M3	Dibromochloro- methane UG/M3	1,2-Dichloro- ethane UG/M3	4-Methyl-2- Pentadecane UG/M3	Chloro- ethane UG/M3	Methyl-tert- Butyl Ether UG/M3	Chloro- benzene UG/M3	trans-1,2- Dichloro- ethane UG/M3	1,1-Dichloro- ethane UG/M3	1,2,4-Trichloro- benzene UG/M3	1,3-Butadiene UG/M3
					Frequency of Detection	0.52%	0.52%	0.45%	0.45%	0.89%	0.26%	0.19%	0.19%	0.19%	0.19%	0.19%	0.19%	0.06%	0.06%	0.06%
M24738SVF	24738 NEPTUNE AVE	2012-02-23	10:33	Front	< 6.7	< 6.7	< 5.2	< 4.4	< 7	< 9.5	< 4.5	< 4.6	< 12	< 4	< 5.1	< 4.4	< 4.4	< 33	< 2.5	
M24738SVFO	24738 NEPTUNE AVE	2012-02-23	10:33	Front	< 6.6	< 6.6	< 5.1	< 4.3	< 6.9	< 9.3	< 4.4	< 4.5	< 12	< 3.9	< 5	< 4.3	< 4.3	< 32	< 2.4	
M24738SVH	24738 PANAMA AVE	2010-09-07	13:44	House	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVHO	24738 PANAMA AVE	2010-09-07	13:44	House	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVB	24738 PANAMA AVE	2010-09-07	14:25	Back	< 6.9	< 6.9	< 5.3	< 4.5	< 7.2	< 9.8	< 4.6	< 4.7	< 3	< 4.1	< 5.3	< 4.5	< 4.5	< 34	< 2.5	
M24738SVF	24738 PANAMA AVE	2010-09-07	15:03	Front	< 7.2	< 7.2	< 5.5	< 4.7	< 7.5	< 10	< 4.8	< 4.9	< 3.1	< 4.3	< 5.5	< 4.7	< 4.7	< 35	< 2.6	
M24738SVH	24738 PANAMA AVE	2012-09-07	14:53	House	< 6.9	< 6.9	< 5.3	< 4.5	< 7.2	< 9.8	< 4.6	< 4.7	< 12	< 4.1	< 5.3	< 4.5	< 4.5	< 34	< 2.5	
M24738SVF	24738 PANAMA AVE	2012-09-07	15:37	Front	< 6.5	< 6.5	< 5	< 4.3	< 6.8	< 9.2	< 4.4	< 4.4	< 11	< 3.9	< 5	< 4.3	< 4.3	< 32	< 2.4	
M24738SVB	24738 PANAMA AVE	2012-09-07	15:55	Back	< 7.3	< 7.3	< 5.6	< 4.8	< 7.6	< 10	< 4.9	< 5	< 13	< 4.4	< 5.6	< 4.8	< 4.8	< 36	< 2.7	
M24738SVH	24738 NEPTUNE AVE	2010-10-12	09:45	House	< 6.1	< 6.1	< 4.7	< 4	< 6.4	< 8.5	< 4.1	< 4.1	< 2.7	< 3.6	< 4.6	< 4	< 4	< 30	< 2.2	
M24738SVF	24738 NEPTUNE AVE	2010-10-12	11:04	Front	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVG	24738 NEPTUNE AVE	2011-11-11	12:08	Garage	< 4.6	< 4.6	< 3.5	< 3	< 4.8	< 6.5	< 3.1	< 3.1	< 8	< 2.7	< 3.5	< 3	< 3	< 22	< 1.7	
M24738SVH	24738 NEPTUNE AVE	2011-11-11	12:45	House	< 4.6	< 4.6	< 3.5	< 3	< 4.8	< 6.5	< 3.1	< 3.1	< 8	< 2.7	< 3.5	< 3	< 3	< 22	< 1.7	
M24738SVF	24738 NEPTUNE AVE	2011-11-11	13:30	Front	< 4.6	< 4.6	< 3.6	< 3.1	< 4.9	< 6.6	< 3.1	< 3.2	< 8.2	< 2.8	< 3.6	< 3.1	< 3.1	< 23	< 1.7	
M24738SVFO	24738 NEPTUNE AVE	2011-11-11	13:30	Front	< 4.6	< 4.6	< 3.6	< 3.1	< 4.9	< 6.6	< 3.1	< 3.2	< 8.2	< 2.8	< 3.6	< 3.1	< 3.1	< 23	< 1.7	
M24738SVH	24738 NEPTUNE AVE	2012-09-21	10:05	House	< 7.2	< 7.2	< 5.5	< 4.7	< 7.5	< 10	< 4.8	< 4.9	< 12	< 4.3	< 5.5	< 4.7	< 4.7	< 35	< 2.6	
M24738SVG	24738 NEPTUNE AVE	2012-09-21	10:10	Garage	< 7.2	< 7.2	< 5.5	< 4.7	< 7.5	< 10	< 4.8	< 4.9	< 12	< 4.3	< 5.5	< 4.7	< 4.7	< 35	< 2.6	
M24738SVGS	24738 NEPTUNE AVE	2012-09-21	10:10	Garage	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	
M24738SVH	24738 PANAMA AVE	2011-02-07	13:57	House	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVH	24738 PANAMA AVE	2011-02-07	13:57	House	< 1.7	2	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	
M24738SVB	24738 PANAMA AVE	2011-02-07	14:43	Back	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVF	24738 PANAMA AVE	2011-02-07	14:43	Front	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVB	24738 PANAMA AVE	2011-02-07	15:15	Back	< 7.6	< 7.6	< 5.8	< 5	< 7.9	< 11	< 5.1	< 5.2	< 3.3	< 4.5	< 5.8	< 5	< 5	< 37	< 2.3	
M24738SVH	24738 PANAMA AVE	2012-10-26	10:02	Back	< 8.9	< 8.9	< 5.3	< 4.6	< 7.2	< 9.8	< 4.6	< 4.7	< 12	< 4.1	< 5.3	< 4.6	< 4.6	< 34	< 2.5	
M24738SVB	24738 PANAMA AVE	2012-10-26	10:02	Back	< 6.6	< 6.6	< 5.1	< 4.4	< 7	< 9.4	< 4.5	< 4.5	< 12	< 4	< 5.1	< 4.4	< 4.4	< 33	< 2.4	
M24738SVH	24738 PANAMA AVE	2012-10-26	10:30	House	< 6.6	< 6.6	< 5.1	< 4.4	< 7	< 9.4	< 4.5	< 4.5	< 12	< 4	< 5.1	< 4.4	< 4.4	< 33	< 2.4	
M24738SVF	24738 PANAMA AVE	2012-10-26	10:38	Front	< 7.2	< 7.2	< 5.5	< 4.7	< 7.6	< 10	< 4.8	< 4.9	< 13	< 4.3	< 5.5	< 4.8	< 4.8	< 36	< 2.6	
M24738SVH	24738 RAVENNA AVE	2010-10-13	09:06	House	< 7.1	< 7.1	< 5.4	< 4.6	< 7.4	< 10	< 4.8	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 35	< 2.6	
M24738SVB	24738 RAVENNA AVE	2010-10-13	09:42	Back	< 7.1	< 7.1	< 5.5	< 4.7	< 7.4	< 10	< 4.8	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 35	< 2.6	
M24738SVF	24738 RAVENNA AVE	2010-10-13	10:14	Front	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.5	
M24738SVH	24738 RAVENNA AVE	2010-10-13	10:14	Front	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.5	
M24738SVFO	24738 RAVENNA AVE	2011-03-03	09:57	Front	< 7.2	< 7.2	< 5.5	< 4.7	< 7.5	< 10	< 4.8	< 4.9	< 12	< 4.3	< 5.5	< 4.7	< 4.7	< 35	< 2.6	
M24738SVH	24738 RAVENNA AVE	2011-03-03	10:35	House	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 12	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVB	24738 RAVENNA AVE	2011-03-03	11:10	Back	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 12	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24738SVB	24738 RAVENNA AVE	2011-03-03	11:10	Back	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 12	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24741SVH	24741 MARBELLA AVE	2010-05-28	09:20	House	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24741SVB	24741 MARBELLA AVE	2010-05-28	10:01	Back	< 7.2	< 7.2	< 5.5	< 4.7	< 7.6	< 10	< 4.9	< 4.9	< 3.2	< 4.3	< 5.5	< 4.8	< 4.8	< 36	< 2.7	
M24741SVF	24741 MARBELLA AVE	2010-05-28	10:37	Front	< 7.3	< 7.3	< 5.6	< 4.8	< 7.6	< 10	< 4.9	< 5	< 3.2	< 4.4	< 5.6	< 4.8	< 4.8	< 36	< 2.7	
M24741SVF	24741 MARBELLA AVE	2012-06-15	09:59	Front	< 4.5	< 4.5	< 3.5	< 3	< 4.8	< 6.4	< 3	< 3.1	< 8	< 2.7	< 3.5	< 3	< 3	< 22	< 1.7	
M24741SVF	24741 MARBELLA AVE	2012-06-15	09:59	Front	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	
M24741SVB	24741 MARBELLA AVE	2012-06-15	10:08	Back	< 4.6	< 4.6	< 3.6	< 3.1	< 4.9	< 6.6	< 3.1	< 3.2	< 8.2	< 2.8	< 3.6	< 3.1	< 3.1	< 23	< 1.7	
M24741SVB	24741 MARBELLA AVE	2012-06-15	10:08	Back	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	< 1.7 U	
M24741SVH	24741 MARBELLA AVE	2012-06-22	12:08	House A	< 4.6	< 4.6	< 3.5	< 3	< 4.8	< 6.5	< 3.1	< 3.1	< 8	< 2.7	< 3.5	< 3	< 3	< 22	< 1.7	
M24744SVF	24744 MARBELLA AVE	2010-06-23	15:07	Front	< 6.9	< 6.9	< 5.3	< 4.5	< 7.2	< 9.8	< 4.6	< 4.7	< 3	< 4.1	< 5.3	< 4.5	< 4.5	< 34	< 2.5	
M24744SVB	24744 MARBELLA AVE	2010-04-23	16:04	Back	< 7.3	< 7.3	< 5.6	< 4.8	< 7.6	< 10	< 4.9	< 5	< 3.2	< 4.4	< 5.6	< 4.8	< 4.8	< 36	< 2.7	
M24744SVH	24744 MARBELLA AVE	2010-04-23	17:13	House	< 6.9	< 6.9	< 5.3	< 4.5	< 7.2	< 9.8	< 4.6	< 4.7	< 3	< 4.1	< 5.3	< 4.5	< 4.5	< 34	< 2.5	
M24744SVG	24744 MARBELLA AVE	2010-08-02	09:39	House	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24744SVH	24744 MARBELLA AVE	2010-08-17	08:50	Garage	< 7	< 7	< 5.4	< 4.6	< 7.3	< 9.9	< 4.7	< 4.8	< 3.1	< 4.2	< 5.4	< 4.6	< 4.6	< 34	< 2.6	
M24744SVH	24744 MARBELLA AVE	2011-02-09	09:26	House	< 7.2	< 7.2	< 5.5	< 4.7	< 7.5	< 10	< 4.8	< 4.9	< 3.2	< 4.3	< 5.5	< 4.7	< 4.7	< 35	< 2.6	
M24744SVG	24744 MARBELLA AVE	2011-02-09	10:02	Garage	< 6.8	< 6.8	< 5.2	< 4.5	< 7.1	< 9.6	< 4.6	< 4.6	< 3	< 4.1	< 5.2	< 4.5	< 4.5	< 34	< 2.5	
M24744SVB	24744 MARBELLA AVE	2011-02-09	10:52	Back	< 6.8	< 6.8	< 5.3	< 4.5	< 7.2	< 9.7	< 4.6	< 4.7	< 3	< 4.1	< 5.2	< 4.5	< 4.5	< 34	< 2.5	
M24744SVB	24744 MARBELLA AVE	2011-02-09	10:52	Back	16	< 6.8	< 5.3	< 4.5	< 7.2	< 9.7	< 4.6	< 4.7	< 3	< 4.1	< 5.2	< 4.5	< 4.5	< 34	< 2.5	

Table B-3
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethene	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanone	Chloro- ethane	Methyl-tert- Butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethene	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						Frequency of Detection	0.52%	0.52%	0.45%	0.45%	0.39%	0.26%	0.19%	0.19%	0.19%	0.19%	0.19%	0.19%	0.19%	0.19%	0.13%	0.12%	0.06%	0.06%
M24744 SVH	24744 MARBELLA AVE	2012-03-15	15:26	House		<11	<11	<8.7	<7.4	<12	<16	<7.6	<7.7	<20	<6.8	<8.6	<7.4	<7.4	<56	<4.2				
M24744 SVH	24744 MARBELLA AVE	2012-03-15	15:30	Garage		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<3.8	<3.6	<3.1	<3.1	<28	<1.7				
M24744 SVH	24744 MARBELLA AVE	2012-03-15	16:11	Back		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<8	<8.9	<3.3	<3.3	<25	<1.8				
M24744 SVHD	24744 MARBELLA AVE	2012-03-15	16:11	Back		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<8	<8.9	<3.3	<3.3	<25	<1.8				
R24748SVH	24748 RAVENNA AVE	2010-07-15	09:41	House		<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<36	<2.7				
R24748SVF	24748 RAVENNA AVE	2010-07-15	10:37	Front		<7.1	<7.1	<5.4	<4.6	<7.4	<10	<4.8	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<35	<2.6				
R24748SVB	24748 RAVENNA AVE	2010-07-15	11:13	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7				
R24748SVF	24748 RAVENNA AVE	2012-06-14	10:13	Front		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<4.9	<5	<13	<4.4	<5.7	<4.9	<4.9	<37	<2.7				
R24748SVF	24748 RAVENNA AVE	2012-06-14	10:13	Front		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U				
R24748SVH	24748 RAVENNA AVE	2012-06-14	11:03	Back		<8.3	<8.3	<6.4	<5.5	<8.7	<12	<5.6	<5.6	<14	<5	<6.4	<5.5	<5.5	<41	<3				
R24748SVH	24748 RAVENNA AVE	2012-06-14	11:03	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3	<4.4	<5.6	<4.8	<4.8	<36	<2.7				
R24749SVH	24749 RAVENNA AVE	2010-09-10	09:09	House		<6.9	<6.9	<5.3	<4.5	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.5	<4.5	<34	<2.5				
R24749SVB	24749 RAVENNA AVE	2010-09-10	09:45	Back		<7.3	<7.3	<5.6	<4.8	<7.8	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7				
R24749SVBD	24749 RAVENNA AVE	2010-09-10	09:45	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6				
R24749SVG	24749 RAVENNA AVE	2010-09-10	10:25	Garage		<180	<180	<140	<140	<190	<250	<120	<120	<78	<40	<140	<120	<120	<880	<66				
R24749SVH	24749 RAVENNA AVE	2010-12-17	12:14	House		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5				
R24749SVH	24749 RAVENNA AVE	2010-12-17	12:14	House		<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6				
R24749SVH	24749 RAVENNA AVE	2010-12-17	12:37	Garage		<85	<85	<27	<38	<37	<50	<47	<24	<16	<20	<48	<23	<23	<180	<13				
R24749SVH	24749 RAVENNA AVE	2010-12-17	13:05	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6				
R24752SVF	24752 RAVENNA AVE	2010-04-09	11:14	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6				
R24752SVH	24752 RAVENNA AVE	2010-04-09	12:34	Back		<15	<15	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.5	<4.7	<4.7	<35	<2.6			
R24752SVH2	24752 RAVENNA AVE	2010-05-21	13:38	House 2		<12	<12	<8.5	<8.1	<13	<17	<8.8	<8.4	<5.4	<7.4	<9.4	<8.1	<8.1	<61	<4.5 U				
R24752SVH2	24752 RAVENNA AVE	2012-07-20	15:01	House 2		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<7.8	<3.8	<3.1	<3.1	<23	<1.7				
R24752SVF	24752 RAVENNA AVE	2012-07-20	15:06	Front		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<7.8	<3.6	<3.1	<3.1	<23	<1.7				
R24752SVH	24752 RAVENNA AVE	2012-07-20	15:46	Back		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<7.8	<3.6	<3.1	<3.1	<23	<1.7				
N24809SVB	24809 NEPTUNE AVE	2010-10-15	08:57	Back		<6.7	<6.7	<5.2	<4.4	<7	<9.5	<4.5	<4.6	<3	<4	<5.2	<4.4	<4.4	<33	<2.5				
N24809SVF	24809 NEPTUNE AVE	2010-10-15	09:35	Front		<1.9	<1.9	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6				
N24809SVF	24809 NEPTUNE AVE	2010-10-15	09:35	Front		<6.6	<6.6	<5.1	<4.4	<6.9	<9.4	<4.4	<4.5	<2.9	<4	<5.1	<4.4	<4.4	<33	<2.4				
N24809SVH	24809 NEPTUNE AVE	2010-10-15	10:42	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6				
N24809SVB	24809 NEPTUNE AVE	2012-07-20	10:05	Back		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<7.8	<3.8	<3.1	<3.1	<23	<1.7				
N24809SVH	24809 NEPTUNE AVE	2012-07-20	10:15	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<7.8	<3.8	<3.1	<3.1	<23	<1.7				
N24809SVF	24809 NEPTUNE AVE	2012-07-20	10:52	Front		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<8.2	<3.6	<3.1	<3.1	<24	<1.8				
P24809SVF	24809 PANAMA AVE	2009-10-15	13:49	Front		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6				
P24809SVH	24809 PANAMA AVE	2009-10-15	15:07	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6				
P24809SVH	24809 PANAMA AVE	2009-10-15	15:07	House		<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1				
P24809SVH	24809 PANAMA AVE	2009-10-15	16:08	Back		<7.2	<7.2	<5.6	<4.8	<7.6	<10	<4.9	<4.9	<3.2	<4.3	<5.5	<4.8	<4.8	<36	<2.7				
P24809SVBD	24809 PANAMA AVE	2009-10-15	16:08	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6				
P24809SVB	24809 PANAMA AVE	2010-07-28	10:19	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6				
P24809SVF	24809 PANAMA AVE	2010-07-28	11:02	Front		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<4.9	<5	<13	<4.3	<4.5	<4.7	<4.9	<37	<2.7				
P24809SVH	24809 PANAMA AVE	2011-02-03	09:21	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7				
P24809SVH	24809 PANAMA AVE	2012-03-23	10:28	House A		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<7.8	<3.6	<3.1	<3.1	<23	<1.7				
P24809SVF	24809 PANAMA AVE	2012-03-23	11:04	Front		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<7.8	<3.6	<3.1	<3.1	<23	<1.7				
P24809SVH	24809 PANAMA AVE	2012-03-23	11:12	Back		<4.6	<4.6	<3.6	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<7.8	<3.6	<3.1	<3.1	<23	<1.7				
P24809SVB	24809 PANAMA AVE	2012-03-23	11:12	Back		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U				
P24812SVH	24812 PANAMA AVE	2010-05-05	08:54	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.2	<4.4	<5.6	<4.8	<4.8	<36	<2.7				
P24812SVH	24812 PANAMA AVE	2010-05-05	10:21	Back		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6				
P24812SVH	24812 PANAMA AVE	2010-05-05	10:21	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.1	<4.3	<5.4	<4.7	<4.7	<35	<2.6				
P24812SVF	24812 PANAMA AVE	2010-05-05	11:08	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<3.1	<4.2	<5.4	<4.6	<4.6	<34	<2.6				
P24812SVH	24812 PANAMA AVE	2012-12-06	15:07	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<3.2	<4.3	<5.5	<4.7	<4.7	<35	<2.6				
P24812SVH	24812 PANAMA AVE	2012-12-06	15:08	Back		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<3.3	<4.4	<5.6	<4.8	<4.8	<36	<2.7				
P24812SVF	24812 PANAMA AVE	2012-12-06	15:39	Front		<7.6	<7.6	<5.8	<5	<7.9	<11													

Table B-3
Sui-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,2-Dichloro- benzene	1,4-Dichloro- benzene	1,2-Dichloro- propane	cis-1,2- Dichloro- ethane	Carbon Tetrachloride	Dibromochloro- methane	1,2-Dichloro- ethane	4-Methyl-2- Pentanol	Chloro- ethane	Methyl-tert- butyl Ether	Chloro- benzene	trans-1,2- Dichloro- ethane	1,1-Dichloro- ethane	1,2,4-Trichloro- benzene	1,3-Butadiene
						UG/M3 0.52%	UG/M3 0.52%	UG/M3 0.45%	UG/M3 0.45%	UG/M3 0.39%	UG/M3 0.25%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.19%	UG/M3 0.13%	UG/M3 0.13%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
249377SVH	377 249TH ST	2012-08-24	10:03	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.5	<4.8	<36	<2.7
249377SVF	377 249TH ST	2012-08-24	10:04	Front		<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<4.5	<5.8	<5	<5	<37	<2.8
249377SVF	377 249TH ST	2012-08-24	10:04	Front		<7.6	<7.6	<5.8	<5	<7.9	<11	<5.1	<5.2	<13	<4.5	<5.8	<5	<5	<37	<2.8
249377SVB	377 249TH ST	2012-08-24	10:41	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6
249378SVBA	378 249TH ST	2011-01-17	09:28	Back A		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.5	<4.8	<36	<2.7
249378SVGC	378 249TH ST	2011-01-17	10:15	Garage C		<140	<140	<110	<96	<150	<210	<98	<99	<64	<87	<110	<96	<96	<720	<54
249378SVGCD	378 249TH ST	2011-01-17	10:15	Garage C		<140	<140	<110	<96	<150	<210	<98	<99	<64	<87	<110	<96	<96	<720	<54
249378SVH	378 249TH ST	2011-01-17	11:07	House		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6
249378SVB	378 249TH ST	2011-05-12	15:30	Back A		<6.8	<6.8	<5.2	<4.5	<7.1	<9.6	<4.6	<4.6	<12	<4.1	<5.2	<4.5	<4.5	<34	<2.5
249378SVBA5	378 249TH ST	2011-06-12	15:30	Back A		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
249378SVH	378 249TH ST	2011-05-12	15:42	House		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<13	<4.3	<5.5	<4.7	<4.7	<35	<2.6
249378SVGC	378 249TH ST	2011-05-12	16:47	Garage C		<140	<140	<110	<94	<150	<200	<96	<97	<250	<85	<110	<94	<94	<700	<52
249378SVGCS	378 249TH ST	2011-05-12	16:47	Garage C		<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170
249 378SVGC	378 249TH ST	2012-02-24	14:54	Garage C		<90	<90	<69	<59	<94	<130	<60	<61	<160	<54	<68	<59	<59	<440	<33
249378SVH	378 249TH ST	2012-02-24	15:04	House		<4.4	<4.4	<3.4	<2.9	<4.6	<6.2	<3	<3	<7.7	<2.6	<3.4	<2.9	<2.9	<22	<1.6
249378SVBA	378 249TH ST	2012-02-24	16:32	Back A		<130	<130	<100	<89	<140	<190	<91	<92	<240	<81	<100	<89	<89	<670	<50
249378SVBAD	378 249TH ST	2012-02-24	16:32	Back A		<240	<240	<180	<160	<250	<340	<160	<160	<420	<140	<180	<160	<160	<1200	<87
249378SVDA	378 249TH ST	2012-03-23	09:10	Back A		<98	<98	<75	<65	<100	<140	<66	<67	<170	<59	<75	<65	<65	<430	<36
249378SVBA5	378 249TH ST	2012-03-23	09:10	Back A		<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U
249383SVB	383 249TH ST	2010-05-21	10:04	Back		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6 U
249383SVG	383 249TH ST	2010-05-21	11:18	Garage		<16	<16	<12	<10	<17	<23	<11	<11	<7	<9.6	<12	<10	<10	<79	<5.9 U
249383SVH2	383 249TH ST	2010-09-02	09:18	House 2		<6.9	<6.9	<5.3	<4.6	<7.2	<9.8	<4.6	<4.7	<3	<4.1	<5.3	<4.6	<4.6	<34	<2.5
249383SVB	383 249TH ST	2012-06-07	15:08	Back		<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
249383SVB2	383 249TH ST	2012-06-07	15:08	Back		<4.7	<4.7	<3.6	<3.1	<4.9	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
249383SVH2	383 249TH ST	2012-06-07	15:08	House 2		<4.6	<4.6	<3.5	<3	<4.8	<6.5	<3.1	<3.1	<8	<2.7	<3.5	<3	<3	<22	<1.7
249383SVG	383 249TH ST	2012-06-07	15:45	Garage		<4.8	<4.8	<3.7	<3.2	<5.1	<6.8	<3.2	<3.3	<8.5	<2.9	<3.7	<3.2	<3.2	<24	<1.8
249402SVH	402 249TH ST	2010-09-20	13:42	House		<7.1	<7.1	<5.5	<4.7	<7.4	<10	<4.8	<4.8	<13	<4.3	<5.4	<4.7	<4.7	<35	<2.6
249402SVB	402 249TH ST	2010-09-20	14:24	Back		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<13	<4.3	<5.5	<4.7	<4.7	<35	<2.6
249402SVF	402 249TH ST	2010-09-20	14:59	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6
249 402 SVH	402 249TH ST	2012-03-22	10:14	House		<4.7	<4.8	<3.6	<3.1	<5	<6.7	<3.2	<3.2	<8.3	<2.8	<3.6	<3.1	<3.1	<23	<1.7
249 402 SVF	402 249TH ST	2012-03-22	10:25	Front		<5	<5	<3.9	<3.3	<5.3	<7.2	<3.4	<3.4	<8.9	<3	<3.9	<3.3	<3.3	<25	<1.8
249402SVB5	402 249TH ST	2012-03-22	10:25	Front		<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U
249 402 SVB	402 249TH ST	2012-03-22	10:51	Back		<4.6	<4.6	<3.5	<3.1	<4.9	<6.6	<3.1	<3.2	<8.2	<2.8	<3.6	<3.1	<3.1	<23	<1.7
249412SVF	412 249TH ST	2009-10-03	14:42	Front		<7.3	<7.3	<5.6	<4.8	<7.7	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<36	<2.7
249412 SVH	412 249TH ST	2011-09-13	09:24	House		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.4	<5.7	<4.9	<4.9	<37	<2.7
249412 SVF	412 249TH ST	2011-09-13	10:30	Front		<7	<7	<5.4	<4.6	<7.3	<9.9	<4.7	<4.8	<12	<4.2	<5.4	<4.6	<4.6	<34	<2.6
249412 SVBA	412 249TH ST	2011-09-26	13:38	Back A		<7.2	<7.2	<5.5	<4.7	<7.5	<10	<4.8	<4.9	<12	<4.3	<5.5	<4.7	<4.7	<35	<2.6
249 412 SVH	412 249TH ST	2012-09-27	15:10	House		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<36	<2.7
249 412 SVBA	412 249TH ST	2012-09-27	15:20	Back A		<7.3	<7.3	<5.6	<4.8	<7.6	<10	<4.9	<5	<13	<4.4	<5.6	<4.8	<4.8	<36	<2.7
249 412 SVF	412 249TH ST	2012-09-27	15:55	Front		<7.4	<7.4	<5.7	<4.9	<7.8	<10	<5	<5	<13	<4.4	<5.7	<4.9	<4.9	<37	<2.7

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,3-Dichloro- benzene UG/M3 0.05%	Bromobenzene UG/M3 0.05%	Freon 114 UG/M3 0.05%	Styrene UG/M3 0.05%	trans-1,3- Dichloro- propene UG/M3 0.05%	Vinyl Chloride UG/M3 0.05%	1,1,2,2- Tetrachloro- ethane UG/M3 0.05%	1,1,2-Trichloro- ethane UG/M3 0.05%	1,1-Dichloro- ethane UG/M3 0.05%	1,2-Dibromo- ethane (DEB) UG/M3 0.05%	3-Chloro- propene UG/M3 0.05%	alpha-Chloro- toluene UG/M3 0.05%	cis-1,3- Dichloro- propene UG/M3 0.05%	Hexachloro- 1,3-Butadiene UG/M3 0.05%
N24413SVB	24413 NEPTUNE AVE	2012-10-11	14:59	Back		<7.4	<13	<8.8	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<8.5	<15	<6.4	<5.6	<53
N24413SVH	24413 NEPTUNE AVE	2012-10-11	15:15	House		<7.9	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
N24413SVHD	24413 NEPTUNE AVE	2012-10-11	15:15	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
N24413SVF	24413 NEPTUNE AVE	2012-10-11	15:34	Front		<7.8	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.7	<5.8	<55
R24413SVH	24413 RAVENNA AVE	2010-07-12	09:12	House		<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<5.2	<15	<6.2	<5.5	<51
R24413SVG	24413 RAVENNA AVE	2010-07-12	09:55	Garage		<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<5.2	<15	<6.2	<5.5	<51
R24413SVB	24413 RAVENNA AVE	2010-07-12	10:38	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<8	<5.2	<49
R24413SVG	24413 RAVENNA AVE	2012-09-20	14:50	Garage		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<5.2	<15	<6.4	<5.6	<53
R24413SVGD	24413 RAVENNA AVE	2012-09-20	14:50	Garage		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<5.2	<15	<6.4	<5.6	<53
R24413SVH	24413 RAVENNA AVE	2012-09-20	15:06	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
R24413SVB	24413 RAVENNA AVE	2012-09-20	15:31	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
N24416SVBA	24416 NEPTUNE AVE	2011-01-21	09:15	Back A		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
N24416SVF	24416 NEPTUNE AVE	2011-01-21	10:01	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
N24416SVFD	24416 NEPTUNE AVE	2011-01-21	10:01	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
N24416SVH	24416 NEPTUNE AVE	2011-01-21	11:00	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
N24416SVH	24416 NEPTUNE AVE	2012-07-13	15:12	House		<5.1	<8.8	<6	<3.6	<3.9	<2.2	<5.9	<4.7	<3.5	<6.6	<11	<4.4	<3.9	<36
N24416SVF	24416 NEPTUNE AVE	2012-07-13	15:37	Front		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<35
P24416SVH	24416 PANAMA AVE	2010-09-13	08:57	House		<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.4	<8.4	<14	<5.7	<5	<47
P24416SVF	24416 PANAMA AVE	2010-09-13	09:32	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
P24416SVFS	24416 PANAMA AVE	2010-09-13	09:32	Front		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24416SVB	24416 PANAMA AVE	2010-09-13	10:13	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
P24416SVF	24416 PANAMA AVE	2012-05-18	09:55	Front		<5	<8.6	<5.8	<3.5	<3.8	<2.1	<5.7	<4.5	<3.4	<6.4	<10	<4.3	<3.8	<35
P24416SVFD	24416 PANAMA AVE	2012-05-18	09:55	Front		<5	<8.3	<5.8	<3.5	<3.7	<2.1	<5.7	<4.5	<3.3	<6.3	<10	<4.3	<3.7	<35
P24416SVH	24416 PANAMA AVE	2012-05-18	10:15	House		<4.6	<7.9	<5.3	<3.2	<3.5	<2	<5.2	<4.2	<3.1	<5.9	<9.6	<4	<3.5	<33
P24416SVB	24416 PANAMA AVE	2012-05-18	10:44	Back		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<33
N24419SVH	24419 NEPTUNE AVE	2010-06-16	09:13	House		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
N24419SVF	24419 NEPTUNE AVE	2010-06-16	10:13	Front		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
N24419SVB	24419 NEPTUNE AVE	2010-06-16	11:03	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
N24419SVH	24419 NEPTUNE AVE	2012-08-03	09:46	House		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
N24419SVF	24419 NEPTUNE AVE	2012-08-03	10:11	Front		<6.6	<11	<7.6	<4.6	<4.9	<2.8	<7.5	<5.9	<4.4	<5.4	<14	<5.6	<4.9	<46
N24419SVFS	24419 NEPTUNE AVE	2012-08-03	10:11	Front		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
N24419SVB	24419 NEPTUNE AVE	2012-08-03	10:31	Back		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
N24419SVBS	24419 NEPTUNE AVE	2012-08-03	10:31	Back		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
R24419SVB	24419 RAVENNA AVE	2009-09-21	15:24	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
R24419SVF	24419 RAVENNA AVE	2009-09-21	16:49	Front		<5.7	<9.9	<6.7	<4.1	<4.3	<2.4	<6.6	<5.2	<3.9	<7.3	<12	<4.9	<4.3	<41
R24419SVF	24419 RAVENNA AVE	2010-07-12	14:47	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
R24419SVB	24419 RAVENNA AVE	2010-07-12	15:27	Back		<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<5.2	<15	<6.2	<5.5	<51
R24419 SVHA	24419 RAVENNA AVE	2011-02-09	14:06	House A		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
R24419 SVF	24419 RAVENNA AVE	2011-02-09	14:38	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
R24419 SVB	24419 RAVENNA AVE	2011-02-09	15:19	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<5.3	<15	<6.3	<5.5	<52
R24419SVF	24419 RAVENNA AVE	2012-06-15	14:37	Front		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<33
R24419SVFD	24419 RAVENNA AVE	2012-06-15	14:37	Front		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<33
R24419SVB	24419 RAVENNA AVE	2012-06-15	14:54	Back		<5	<8.5	<5.8	<3.5	<3.7	<2.1	<5.7	<4.5	<3.3	<6.3	<10	<4.3	<3.7	<35
R24419SVHA	24419 RAVENNA AVE	2012-06-15	15:19	House A		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
P24420SVB	24420 PANAMA AVE	2010-09-15	14:19	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
P24420SVFA	24420 PANAMA AVE	2011-02-17	13:51	Front A		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
P24420SVB	24420 PANAMA AVE	2011-02-17	14:25	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
P24420SVBD	24420 PANAMA AVE	2011-02-17	14:25	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
P24420SVB	24420 PANAMA AVE	2012-12-07	10:00	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
P24420SVHA	24420 PANAMA AVE	2012-12-07	10:23	House A		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48
P24420SVFA	24420 PANAMA AVE	2012-12-07	10:56	Front A		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50
M24422SVB	24422 MARBELLA AVE	2010-09-45	09:47	Back		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51

Table B-2
Sub-Slab Soil Vapor Results
Former Kant Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit	1,3-dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (DEB)	3-Chloro- propene	alpha-Chloro- toluene	di-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
					Frequency of Detection	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%
M24422SVF	24422 MARBELLA AVE	2009-09-15	10:30	Front		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<8.2	<5.4	<51
M24422SVF5	24422 MARBELLA AVE	2009-09-15	10:30	Front		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
M24422SVH	24422 MARBELLA AVE	2009-09-15	11:34	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<8	<5.2	<49
M24422SVH	24422 MARBELLA AVE	2012-07-12	10:05	House		<4.8	<6.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:13	Back		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.3	<3.3	<6.3	<10	<4.2	<3.7	<35
M24422SVB5	24422 MARBELLA AVE	2012-07-12	10:13	Back		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
M24422SVF	24422 MARBELLA AVE	2012-07-12	10:57	Front		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
M24422SVB	24422 MARBELLA AVE	2012-07-12	10:57	Front		<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
N24422SVB	24422 NEPTUNE AVE	2009-09-21	11:50	Back		<7.9	<14	<5.2	<3.5	<3.6	<5.4	<9.1	<7.2	<5.3	<10	<16	<6.8	<4.6	<56
N24422SVF	24422 NEPTUNE AVE	2009-09-21	11:50	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
N24422SVH	24422 NEPTUNE AVE	2010-07-09	09:27	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24422SVF	24422 NEPTUNE AVE	2010-07-09	10:12	Front		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
N24422SVB	24422 NEPTUNE AVE	2010-07-09	10:51	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
N24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
N24422SVB	24422 NEPTUNE AVE	2011-01-20	15:21	Back		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
N24422SVH	24422 NEPTUNE AVE	2011-01-20	15:38	House		<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<4.2	<49
N24422SVF	24422 NEPTUNE AVE	2011-01-20	15:56	Front		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
R24422SVH	24422 RAVENNA AVE	2011-01-19	09:32	House		<9.7	<17	<11	<6.8	<7.3	<4.1	<11	<8.8	<6.5	<12	<20	<8.3	<7.3	<69
R24422SVB	24422 RAVENNA AVE	2011-01-19	10:20	Back A		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
R24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24422SVF	24422 RAVENNA AVE	2011-01-19	10:57	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A		<14	<25	<17	<10	<11	<6.2	<17	<13	<9.8	<19	<30	<12	<11	<100
R24422SVB	24422 RAVENNA AVE	2012-12-20	09:57	Back A		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
R24422SVH	24422 RAVENNA AVE	2012-12-20	10:11	House		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
R24422SVF	24422 RAVENNA AVE	2012-12-20	10:35	Front		<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<4.2	<49
M24422SVH	24422 MARBELLA AVE	2010-06-02	13:55	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<4.2	<49
M24422SVB	24422 MARBELLA AVE	2010-06-02	14:36	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
M24422SVG	24422 MARBELLA AVE	2010-06-02	15:41	Garage		<7.9	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
M24422SVG	24422 MARBELLA AVE	2012-06-21	10:09	Garage		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
M24422SVG	24422 MARBELLA AVE	2012-06-21	10:09	Garage		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
M24422SVH	24422 MARBELLA AVE	2012-06-21	10:06	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24422SVB	24422 MARBELLA AVE	2012-06-21	10:52	Back		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
M24422SVB5	24422 MARBELLA AVE	2012-06-21	10:52	Back		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24422SVH	24423 NEPTUNE AVE	2010-09-23	14:54	House		<17	<29	<20	<12	<13	<7.1	<20	<16	<12	<36	<15	<13	<120	<120
N24422SVF	24423 NEPTUNE AVE	2010-09-23	15:18	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24422SVB	24423 NEPTUNE AVE	2010-09-23	16:01	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<4.2	<49
N24422SVH	24423 NEPTUNE AVE	2011-01-12	11:21	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
N24422SVB	24423 NEPTUNE AVE	2011-01-12	11:21	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
N24422SVF	24423 NEPTUNE AVE	2011-10-26	12:54	Front		<5.1	<8.7	<5.0	<3.6	<3.8	<2.2	<5.8	<4.6	<3.4	<6.5	<10	<4.4	<3.8	<36
N24422SVH	24423 NEPTUNE AVE	2011-10-26	13:44	House		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.8	<34
N24422SVH	24423 NEPTUNE AVE	2011-10-26	14:44	House		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.1	<10	<4.1	<3.6	<34
N24422SVB	24423 NEPTUNE AVE	2011-10-26	14:14	Back		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.1	<10	<4.1	<3.6	<34
N24422SVH	24423 NEPTUNE AVE	2012-10-12	15:02	House		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
N24422SVB	24423 NEPTUNE AVE	2012-10-12	15:21	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
N24422SVB	24423 NEPTUNE AVE	2012-10-12	15:21	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<4.5	<52
N24422SVF	24423 NEPTUNE AVE	2012-10-12	15:43	Front		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
R24422SVB	24423 RAVENNA AVE	2009-09-24	09:10	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<4.2	<49
R24422SVF	24423 RAVENNA AVE	2009-09-24	10:25	Front		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.7	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
R24422SVH	24423 RAVENNA AVE	2009-09-24	10:25	Front		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.7	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
R24422SVB	24423 RAVENNA AVE	2012-10-26	14:55	Back		<7.7	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.6	<5.8	<55
R24422SVH	24423 RAVENNA AVE	2012-10-26	14:55	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24422SVF	24423 RAVENNA AVE	2012-10-26	15:08	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<4.2	<49

Table B-2
Sub-Slab Soil Vapor Results
Former West Property
Carson, California

				Analyte Units	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (EDB)	8-Chloro- propene	alpha-Chloro- toluene	Dichloro- propane	Hexachloro- 1,3-Butadiene
				Frequency of Detection	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
Sample ID	Address	Sample Date	Location															
M24425SVB	24426 MARBELLA AVE	2009-09-18	12:32	Back	<8.7	<15	<10	<6.2	<6.6	<8.7	<9.9	<7.9	<5.8	<11	<18	<7.5	<6.6	<6.2
M24425SVF	24426 MARBELLA AVE	2009-09-21	10:04	Front	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<5.1
M24425SVH	24426 MARBELLA AVE	2011-10-06	13:43	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24425SVHD	24426 MARBELLA AVE	2011-10-06	14:23	Front	<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<5.3
M24425SVB	24426 MARBELLA AVE	2011-10-06	14:53	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24425SVH	24426 MARBELLA AVE	2012-02-23	14:59	House	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<3.6
M24425SVF	24426 MARBELLA AVE	2012-02-23	15:36	Front	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<3.4
M24425SVF	24426 MARBELLA AVE	2012-02-23	15:36	Front	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<3.4
M24425SVB	24426 MARBELLA AVE	2012-02-23	16:17	Back	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.8	<3.4	<3.2
N24425SVB	24426 NEPTUNE AVE	2009-08-17	09:22	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<5	<5.2	<4.9
N24425SVF	24426 NEPTUNE AVE	2009-08-17	10:19	Front	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<4.8
N24425SVB	24426 NEPTUNE AVE	2010-06-25	15:03	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<4.9
N24425SVH	24426 NEPTUNE AVE	2010-06-25	16:13	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0
N24425SVF	24426 NEPTUNE AVE	2010-07-07	10:03	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
N24425SVF	24426 NEPTUNE AVE	2010-09-15	09:27	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
N24425SVH	24426 NEPTUNE AVE	2010-10-29	14:46	House	<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<4.8
N24425SVB	24426 NEPTUNE AVE	2010-10-29	15:02	Back	<6.9	<13	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<4.9
N24425SVBD	24426 NEPTUNE AVE	2010-10-29	15:02	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<4.9
N24425SVF	24426 NEPTUNE AVE	2010-10-29	15:31	Front	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<4.9
P24426SVH	24426 PANAMA AVE	2010-08-05	09:15	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
P24426SVG	24426 PANAMA AVE	2010-08-05	10:08	Garage	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9
P24426SVB	24426 PANAMA AVE	2010-08-05	10:47	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
P24426SVH	24426 PANAMA AVE	2011-2-12-06	09:54	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
P24435SVF	24426 PANAMA AVE	2012-12-06	10:21	Garage	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
P24426SVGD	24426 PANAMA AVE	2012-12-06	10:23	Garage	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
P24425SVB	24426 PANAMA AVE	2012-12-10	13:45	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9
M24427SVH	24427 MARBELLA AVE	2010-05-26	10:10	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24427SVB	24427 MARBELLA AVE	2010-05-26	11:01	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24427SVG	24427 MARBELLA AVE	2010-05-26	11:42	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24427SVB	24427 MARBELLA AVE	2012-04-05	10:19	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3
M24427SVH	24427 MARBELLA AVE	2012-04-05	10:21	House	<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<9.3	<3.8	<3.4	<3.2
M24427SVF	24427 MARBELLA AVE	2012-04-05	10:57	Back	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2
N24427SVBD	24427 MARBELLA AVE	2012-04-05	10:57	Back	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2
N24425SVL	24429 NEPTUNE AVE	2010-04-30	00:00	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0
N24425SVH	24429 NEPTUNE AVE	2010-04-30	13:27	House	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<5.0
N24425SVF	24429 NEPTUNE AVE	2010-04-30	14:40	Front	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<5.1
N24425SVB	24429 NEPTUNE AVE	2011-01-14	15:08	Back	<6	<10	<7	<4.2	<4.5	<2.5	<6.8	<5.4	<4	<7.6	<12	<5.2	<4.5	<4.2
N24425SVF	24429 NEPTUNE AVE	2011-01-14	15:34	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9
N24425SVH	24429 NEPTUNE AVE	2011-01-14	16:00	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
P24435SVB	24430 PANAMA AVE	2009-10-01	09:28	Back	<6.7	<15	<10	<6.1	<6.6	<3.7	<10	<7.9	<5.9	<11	<18	<7.5	<6.6	<6.2
P24435SVBD	24430 PANAMA AVE	2009-10-01	09:28	Back	<6.6	<15	<10	<6.1	<6.5	<3.6	<9.8	<7.8	<5.8	<11	<18	<7.4	<6.5	<6.1
P24435SVF	24430 PANAMA AVE	2009-10-01	09:54	Front	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.7	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9
P24435SVH	24430 PANAMA AVE	2010-06-14	09:42	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
P24435SVB	24430 PANAMA AVE	2010-06-14	10:48	Back	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<5.0
P24435SVF	24430 PANAMA AVE	2010-06-14	11:46	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
P24435SVF	24430 PANAMA AVE	2012-11-30	15:16	Front	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<4.8
M24432SVH	24432 MARBELLA AVE	2010-11-01	09:18	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0
M24432SVF	24432 MARBELLA AVE	2010-11-01	09:53	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24432SVB	24432 MARBELLA AVE	2010-11-01	10:36	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24432SVH	24432 MARBELLA AVE	2011-01-27	14:09	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24432SVB	24432 MARBELLA AVE	2011-01-27	14:55	Back	<6.7	<12	<7.8	<4.7	<5.1	<2.8	<7.6	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<4.8

Table B-2
Sub-Slab Soil Vapor Results
Former Kite Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Type	Location	Analyte Units	Frequency of Detection													
						1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (EOR)	3-Chloro- propane	alpha Chloro- toluene	dis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.05%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
M24432SVF	24432 MARBELLA AVE	2011-01-17	15:34	Front		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.9	<8.6	<14	<5.8	<5.1	<4.8
M24432SVH	24432 MARBELLA AVE	2012-03-16	10:24	House		<4.8	<8.2	<5.5	<3.4	<5.6	<2	<5.4	<4.3	<3.2	<6.1	<9	<4.1	<3.6	<3.4
M24432SVF	24432 MARBELLA AVE	2012-03-16	11:04	Front		<4.3	<7.4	<5	<3.1	<3.3	<4.9	<3.9	<2.9	<5.5	<9	<3.7	<3.3	<3.1	
M24432SVB	24432 MARBELLA AVE	2012-03-16	11:28	Back		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2
M24432SVB	24432 MARBELLA AVE	2012-03-16	11:28	Back		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2
M24433SVB	24433 MARBELLA AVE	2009-09-16	13:03	Back		<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<16	<5.8	<5.1	<4.8
M24433SVF	24433 MARBELLA AVE	2009-09-16	14:14	Front		<6.3	<11	<7.3	<4.4	<4.7	<2.7	<7.2	<5.7	<4.2	<8	<13	<5.4	<4.7	<4.4
M24433SVB	24433 MARBELLA AVE	2009-09-16	13:39	Back 2		<6.7	<15	<10	<6.2	<6.6	<3.7	<9.9	<7.9	<5.8	<11	<18	<7.5	<6.6	<6.2
M24433SVH	24433 MARBELLA AVE	2011-02-14	13:51	House		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<5.0
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:11	Back 2		<7.4	<19	<8.6	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<8.4	<15	<6.4	<5.6	<5.2
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:29	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.8	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24433SVB	24433 MARBELLA AVE	2011-02-14	14:29	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24433SVF	24433 MARBELLA AVE	2011-02-14	14:57	Front		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0
M24433SVF	24433 MARBELLA AVE	2012-03-02	15:00	Front		<5	<8.5	<5.8	<3.5	<3.7	<2.1	<5.7	<4.5	<3.3	<6.3	<10	<4.3	<3.7	<3.5
M24433SVF	24433 MARBELLA AVE	2012-03-02	15:00	Front		<5	<8.6	<5.8	<3.5	<3.8	<2.1	<5.7	<4.5	<3.4	<6.4	<10	<4.3	<3.8	<3.5
M24433SVH	24433 MARBELLA AVE	2012-03-02	15:13	House		<5.4	<9.2	<6.2	<3.8	<4.1	<2.3	<6.1	<4.9	<3.6	<6.9	<11	<4.6	<4.1	<3.8
M24433SVB	24433 MARBELLA AVE	2012-03-02	15:46	Back		<5.1	<8.8	<5.9	<3.6	<3.8	<2.2	<5.8	<4.6	<3.4	<6.5	<11	<4.4	<3.8	<3.6
M24433SVB	24433 MARBELLA AVE	2012-03-02	15:48	Back 2		<5.3	<9.1	<6.2	<3.3	<4	<2.3	<6.1	<4.8	<3.6	<6.8	<11	<4.6	<4	<3.8
P24433SVH	24436 PANAMA AVE	2010-06-24	09:51	House		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0
P24433SVF	24436 PANAMA AVE	2010-06-24	11:55	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<4.9
P24433SVH	24436 PANAMA AVE	2012-06-28	09:55	House A		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<3.4
P24433SVF	24436 PANAMA AVE	2012-06-28	10:03	Front		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<3.4
P24433SVF	24436 PANAMA AVE	2012-06-28	10:03	Front		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
P24433SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<3.6
P24433SVB	24436 PANAMA AVE	2012-06-28	10:39	Back A		<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U
M24502SVH	24502 MARBELLA AVE	2010-09-20	09:49	House		<6.3	<11	<7.3	<4.4	<4.7	<2.7	<7.2	<5.7	<4.2	<8	<13	<5.4	<4.7	<4.4
M24502SVG	24502 MARBELLA AVE	2010-09-20	10:39	Garage		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24502SVB	24502 MARBELLA AVE	2010-09-20	11:20	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.9	<4.8	<9.1	<15	<6.2	<5.4	<5.1
M24502SVB	24502 MARBELLA AVE	2012-05-04	14:34	Garage		<5.3	<9	<6.1	<3.7	<4	<2.2	<5	<4.8	<3.5	<6.7	<11	<4.5	<4	<3.7
M24502VGD	24502 MARBELLA AVE	2012-05-04	14:34	Garage		<5.3	<9	<6.1	<3.7	<4	<2.2	<5	<4.8	<3.5	<6.7	<11	<4.5	<4	<3.7
M24502SVH	24502 MARBELLA AVE	2012-05-04	14:56	House		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<9.3	<3.8	<3.4	<3.2
M24502SVB	24502 MARBELLA AVE	2012-05-04	15:13	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3
M24502SVB	24502 RAVENNA AVE	2010-04-22	10:59	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24502SVF	24502 RAVENNA AVE	2010-04-22	12:15	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24502SVH	24502 RAVENNA AVE	2010-04-22	13:38	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9
M24502SVH	24502 RAVENNA AVE	2010-10-07	11:07	House		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.5	<14	<5.8	<5.1	<4.8
M24502SVB	24502 RAVENNA AVE	2010-10-07	11:58	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24502SVF	24502 RAVENNA AVE	2010-10-07	12:58	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2
M24502SVH	24502 RAVENNA AVE	2010-10-11	14:40	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24502SVB	24502 RAVENNA AVE	2010-10-11	15:17	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24502SVF	24502 RAVENNA AVE	2010-10-11	16:14	Front		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1
M24502SVH	24502 RAVENNA AVE	2012-07-26	15:07	House		<4.8	<8.2	<5.3	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.0	<4.1	<3.6	<3.4
M24502SVB	24502 RAVENNA AVE	2012-07-26	15:20	Back		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<3.4
M24502SVF	24502 RAVENNA AVE	2012-07-26	15:51	Front		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<3.5
M24503SVF	24503 MARBELLA AVE	2010-05-28	08:58	Front		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0
M24503SVB	24503 MARBELLA AVE	2010-05-28	09:40	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0
M24503SVH	24503 MARBELLA AVE	2010-05-28	10:22	House		<7.7	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.9	<5.8	<5.5
M24503SVH	24503 MARBELLA AVE	2012-03-30	14:54	House		<4.8	<8.2	<5.9	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<3.4
M24503SVF	24503 MARBELLA AVE	2012-03-30	15:12	Front		<4.7	<8.1	<5.5	<3.3	<3.5	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<3.3
M24503SVF	24503 MARBELLA AVE	2012-03-30	15:12	Front		<4.8	<8.2	<5.3	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<3.4
M24503SVB	24503 MARBELLA AVE	2012-03-30	15:40	Back		<4.7	<8.1	<5.4	<3.3	<3.5	<2	<5.4	<4.2	<3.2	<6	<9.8	<4	<3.5	<3.3
M24503SVF	24503 NEPTUNE AVE	2010-06-18	09:48	Front		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1

Table B-2
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,3-Dichloro- benzene	Bromobenzene	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dichloro- ethane (EDC)	3-Chloro- propene	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%
N24503SVB	24503 NEPTUNE AVE	2010-08-18	10:10	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<8	<5.3	<50	
N24503SVHA	24503 NEPTUNE AVE	2011-02-02	09:46	House A	<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.5	<8.5	<14	<5.7	<5	<47	
N24503SVHA	24503 NEPTUNE AVE	2012-04-13	10:10	House A	<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.9	<6.3	<10	<4.2	<3.7	<35	
N24503SVF	24503 NEPTUNE AVE	2012-04-13	10:46	Front	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
N24503SVFD	24503 NEPTUNE AVE	2012-04-13	10:46	Front	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
P24503SVB	24503 PANAMA AVE	2011-04-04	14:05	Back	<7.8	<13	<9.1	<5.6	<5.9	<3.3	<9	<7.1	<5.3	<10	<16	<6.8	<5.9	<56	
P24503SVH	24503 PANAMA AVE	2011-04-04	14:05	House	<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54	
P24503SVG	24503 PANAMA AVE	2011-04-04	15:31	Garage	<7.8	<13	<9.1	<5.6	<5.9	<3.3	<9	<7.1	<5.3	<10	<16	<6.8	<5.9	<56	
P24503SVH	24503 PANAMA AVE	2012-08-10	14:54	House	<5	<8.5	<5.8	<3.5	<3.8	<2.1	<5.7	<4.5	<3.4	<6.4	<10	<4.3	<3.8	<35	
P24503SVB	24503 PANAMA AVE	2012-08-10	15:31	Back	<6.7	<11	<7.8	<4.7	<5	<2.8	<7.6	<6	<4.5	<8.5	<14	<5.7	<5	<47	
P24503SVBD	24503 PANAMA AVE	2012-08-10	15:31	Back	<10	<18	<12	<7.2	<7.7	<4.3	<12	<9.3	<6.9	<13	<21	<8.8	<7.7	<72	
P24503SVG	24503 PANAMA AVE	2012-08-10	15:34	Garage	<4.9	<8.4	<5.7	<3.4	<3.7	<2.1	<5.6	<4.4	<3.8	<6.2	<10	<4.2	<3.7	<34	
R24503SVH	24503 RAVENNA AVE	2010-08-09	09:13	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.8	<15	<6.3	<5.5	<52	
R24503SVG	24503 RAVENNA AVE	2010-08-09	10:01	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24503SVB	24503 RAVENNA AVE	2010-08-09	11:01	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24503SVG	24503 RAVENNA AVE	2012-11-08	14:58	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24503SVH	24503 RAVENNA AVE	2012-11-08	15:09	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24503SVH	24503 RAVENNA AVE	2012-11-08	15:33	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.8	<15	<6.3	<5.5	<52	
M24506SVH	24506 MARBELLA AVE	2010-04-21	09:55	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24506SVF	24506 MARBELLA AVE	2010-04-21	10:11	Front	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
M24506SVB2	24506 MARBELLA AVE	2010-08-10	09:00	Back 2	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49	
M24506SVH	24506 MARBELLA AVE	2011-01-26	10:01	House	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
M24506SVF	24506 MARBELLA AVE	2011-01-26	10:45	Front	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
M24506SVF2	24506 MARBELLA AVE	2011-01-26	10:45	Front	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
M24506SVB2	24506 MARBELLA AVE	2011-01-26	11:36	Back 2	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24506SVF	24506 MARBELLA AVE	2012-03-15	10:29	Front	<8.4	<14	<9.7	<5.9	<6.3	<3.6	<9.5	<7.5	<5.6	<11	<17	<7.2	<6.7	<59	
M24506SVF5	24506 MARBELLA AVE	2012-03-15	10:29	Front	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
M24506SVH	24506 MARBELLA AVE	2012-03-15	10:29	House	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
M24506SVB2	24506 MARBELLA AVE	2012-03-15	11:23	Back 2	<6.1	<14	<9.5	<5.8	<6.1	<3.5	<9.3	<7.4	<5.5	<10	<17	<7	<6.1	<58	
N24508SVH	24508 NEPTUNE AVE	2010-06-11	09:06	House	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
N24508SVB	24508 NEPTUNE AVE	2010-06-11	10:01	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24508SVF	24508 NEPTUNE AVE	2010-06-11	10:45	Front	<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53	
N24508SVF	24508 NEPTUNE AVE	2011-01-28	10:23	Front	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
N24508SVH	24508 NEPTUNE AVE	2011-01-28	11:03	House	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
N24508SVB	24508 NEPTUNE AVE	2011-01-28	11:35	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24508SVB5	24508 NEPTUNE AVE	2011-01-28	11:35	Back	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	
P14508SVF	24508 PANAMA AVE	2010-05-19	09:43	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
P24508SVH	24508 PANAMA AVE	2010-05-19	10:26	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
P24508SVB	24508 PANAMA AVE	2010-05-19	11:06	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
P24508SVH	24508 PANAMA AVE	2012-04-26	15:00	House	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
P24508SVF	24508 PANAMA AVE	2012-04-26	15:07	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
P24508SVF2	24508 PANAMA AVE	2012-04-26	15:07	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
P24508SVF3	24508 PANAMA AVE	2012-04-26	15:34	Back	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
N24509SVH	24509 NEPTUNE AVE	2010-05-04	13:43	House	<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<9.2	<15	<6.2	<5.5	<51	
N24509SVF	24509 NEPTUNE AVE	2010-05-04	15:44	Front	<7.5	<13	<8.7	<5.3	<5.7	<3.2	<8.6	<6.8	<5	<9.6	<16	<6.5	<5.7	<53	
N24509SVB2	24509 NEPTUNE AVE	2010-07-30	09:30	Back 2	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24509SVB25	24509 NEPTUNE AVE	2010-07-30	09:30	Back 2	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
N24509SVH	24509 NEPTUNE AVE	2012-07-06	10:10	House	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.1	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<32	
N24509SVB2	24509 NEPTUNE AVE	2012-07-06	10:12	Back 2	<4.4	<7.5	<5.1	<3.1	<3.3	<1.8	<5	<4	<2.9	<5.6	<8.1	<3.8	<3.3	<31	
N24509SVF	24509 NEPTUNE AVE	2012-07-06	11:02	Front	<4.6	<7.9	<5.3	<3.2	<3.5	<2	<5.2	<4.2	<3.1	<5.9	<9.6	<4	<3.5	<33	
N24509SVF5	24509 NEPTUNE AVE	2012-07-06	11:02	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
N24509SVH	24509 RAVENNA AVE	2010-06-21	10:03	House	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51	

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Cameron, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,3-Dichloro- benzene UG/M3 0.00%	Bromoform UG/M3 0.00%	Freon 114 UG/M3 0.00%	Styrene UG/M3 0.00%	trans-1,3- Dichloro- propene UG/M3 0.00%	Vinyl Chloride UG/M3 0.00%	1,1,2,2- Tetrachlo- roethane UG/M3 0.00%	1,1,2-Trichloro- ethane UG/M3 0.00%	1,1-Dichloro- ethane UG/M3 0.00%	1,2-Dibromo- ethane (EDS) UG/M3 0.00%	3-Chloro- propene UG/M3 0.00%	alpha-Chloro- toluene UG/M3 0.00%	cis-1,3- Dichloro- propene UG/M3 0.00%	Hexachloro- 1,3-Butadiene UG/M3 0.00%
R24509SVB	24509 RAVENNA AVE	2010-06-21	10:50	Back	<7	<12	<8.1	<5	<5.8	<3	<8	<8.4	<4.7	<9	<14	<6	<5.3	<50	
R24509SVG	24509 RAVENNA AVE	2010-10-15	12:12	Garage	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<5.2	<15	<6.2	<5.4	<51	
R24509SVG	24509 RAVENNA AVE	2012-04-12	15:46	Garage	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
M24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	<7.9	<14	<9.2	<5.6	<6	<8.4	<9.1	<7.2	<5.3	<10	<16	<6.8	<6	<36	
M24512SVB	24512 MARBELLA AVE	2011-04-28	08:53	Back	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	
M24512SVH	24512 MARBELLA AVE	2011-04-28	09:34	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.5	<4.9	<5.3	<15	<6.3	<5.5	<32	
M24512SVH	24512 MARBELLA AVE	2011-04-28	10:12	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
M24512SVH	24512 MARBELLA AVE	2011-04-28	10:12	Front	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
M24512SVH	24512 MARBELLA AVE	2012-01-20	09:53	House	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<4.9	<3.4	<32	
M24512SVH	24512 MARBELLA AVE	2012-01-20	11:35	Front	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<4.9	<3.4	<32	
M24512SVH	24512 MARBELLA AVE	2012-01-20	11:35	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
M24512SVH	24512 MARBELLA AVE	2012-01-20	12:28	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
P24512SVH	24512 PANAMA AVE	2010-11-08	09:27	House	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50	
P24512SVH	24512 PANAMA AVE	2010-11-08	10:01	Front	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50	
P24512SVH	24512 PANAMA AVE	2010-11-08	10:01	Front	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	<2.7	
P24512SVH	24512 PANAMA AVE	2010-11-08	10:43	Back	<7.4	<13	<8.6	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<5.4	<15	<6.6	<5.6	<52	
P24512SVH	24512 PANAMA AVE	2012-11-15	15:43	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
P24512SVH	24512 PANAMA AVE	2012-11-15	15:46	Front	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
P24512SVH	24512 PANAMA AVE	2012-11-15	16:26	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:09	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:41	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24513SVH	24513 NEPTUNE AVE	2010-08-05	09:41	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24513SVH	24513 NEPTUNE AVE	2010-08-05	10:21	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
N24513SVH	24513 NEPTUNE AVE	2010-08-02	15:00	Front	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<10	<4.2	<3.8	<36	<36	
N24513SVH	24513 NEPTUNE AVE	2010-08-02	15:00	Front	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<10	<4.2	<3.8	<36	<36	
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:26	House	<6.2	<11	<7.3	<4.4	<4.7	<2.6	<7.1	<5.7	<4.2	<8	<13	<5.4	<4.7	<44	
N24513SVH	24513 NEPTUNE AVE	2012-08-02	15:30	Back	<4.8	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.3	<3.1	<6	<9.7	<4	<3.5	<33	
R24513SVH	24513 RAVENNA AVE	2010-04-23	12:51	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
R24513SVH	24513 RAVENNA AVE	2010-04-23	14:30	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24513SVH	24513 RAVENNA AVE	2010-04-23	15:45	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24513SVH	24513 RAVENNA AVE	2010-08-19	13:44	House	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51	
R24513SVH	24513 RAVENNA AVE	2010-08-19	14:38	Front	<7.2	<12	<8.4	<5.1	<5.4	<3.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51	
R24513SVH	24513 RAVENNA AVE	2010-08-19	15:14	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
R24513SVH	24513 RAVENNA AVE	2012-05-25	14:44	Front	<4.8	<8.3	<5.5	<3.4	<3.6	<2	<5.3	<4.4	<3.2	<6.1	<10	<4.1	<3.6	<34	
R24513SVH	24513 RAVENNA AVE	2012-05-25	14:44	Front	<4.8	<8.4	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
R24513SVH	24513 RAVENNA AVE	2012-05-25	15:00	Back	<4.5	<7.8	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.8	<9.4	<3.9	<3.4	<42	
M24516SVH	24516 MARBELLA AVE	2010-05-27	09:16	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24516SVH	24516 MARBELLA AVE	2010-05-27	10:11	Back	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
M24516SVH	24516 MARBELLA AVE	2010-08-27	10:55	Garage	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
M24516SVH	24516 MARBELLA AVE	2012-05-24	14:57	House	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
M24516SVH	24516 MARBELLA AVE	2012-05-24	15:14	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
M24516SVH	24516 MARBELLA AVE	2012-05-24	15:14	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
M24516SVH	24516 MARBELLA AVE	2012-05-24	15:39	Back	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
M24517SVH	24517 MARBELLA AVE	2009-10-06	13:40	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49	
M24517SVH	24517 MARBELLA AVE	2009-10-06	17:16	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24517SVH	24517 MARBELLA AVE	2009-10-06	17:16	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24517SVH	24517 MARBELLA AVE	2011-02-08	09:42	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52	
M24517SVH	24517 MARBELLA AVE	2011-10-11	12:46	House	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.1	<10	<4.1	<3.6	<34	
M24517SVH	24517 MARBELLA AVE	2011-10-11	14:20	Front	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<10	<4.3	<3.9	<36	<36	
M24517SVH	24517 MARBELLA AVE	2011-10-11	14:20	Front	<5.1	<8.7	<5.9	<3.6	<3.8	<2.2	<5.8	<4.6	<3.4	<10	<4.3	<3.9	<36	<36	
M24517SVH	24517 MARBELLA AVE	2011-10-11	14:57	Back	<4.7	<8.1	<5.4	<3.3	<3.5	<2	<5.4	<4.2	<3.2	<6	<9.8	<4	<3.5	<33	
M24517SVH	24517 MARBELLA AVE	2011-10-11	14:57	Back	<4.7	<8.1	<5.4	<3.3	<3.5	<2	<5.4	<4.2	<3.2	<6	<9.8	<4	<3.5	<33	

Table B-2
Sub-Slab Soil Vapor Results
Former Kati Property
Carmen, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dichloro- ethane (ED)	3-Chloro- propane	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
M24512SVB	24517 MARBELLA AVE	2011-03-23	15:05	Back		<4.6	<8	<3.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24517SVBD	24517 MARBELLA AVE	2012-02-23	15:05	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24517SVF	24517 MARBELLA AVE	2012-03-23	15:16	Front		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24518SVH2	24518 RAVENNA AVE	2010-04-26	14:09	House 2		<7	<12	<6.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
M24518SVH1	24518 RAVENNA AVE	2010-04-26	15:09	House 1		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<8.3	<5.5	<52
M24518SVF	24518 RAVENNA AVE	2010-04-26	16:04	Front		<6.7	<12	<7.8	<4.7	<5.1	<2.8	<7.6	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48
M24518SVF	24518 RAVENNA AVE	2012-07-12	14:58	Front		<4.3	<7.4	<5	<3.1	<3.3	<1.8	<4.9	<3.9	<2.9	<5.5	<9	<3.7	<3.3	<31
M24518SVFD	24518 RAVENNA AVE	2012-07-12	14:58	Front		<4.3	<7.4	<5	<3.1	<3.3	<1.8	<4.9	<3.9	<2.9	<5.5	<9	<3.7	<3.3	<31
M24518SVH1	24518 RAVENNA AVE	2012-07-12	15:08	House 1		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
M24518SVH2	24518 RAVENNA AVE	2012-07-12	15:49	House 2		<5	<8.7	<5.9	<3.5	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.2	<3.8	<36
M24519SVB	24519 NEPTUNE AVE	2010-08-10	09:01	Back		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
M24519SVH	24519 NEPTUNE AVE	2010-08-10	09:59	House		<7.1	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
M24519SVF	24519 NEPTUNE AVE	2010-08-10	10:47	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
M24519SVB	24519 NEPTUNE AVE	2012-06-29	14:47	Back		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24519SVBD	24519 NEPTUNE AVE	2012-06-29	14:47	Back		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<35
M24519SVH	24519 NEPTUNE AVE	2012-06-29	14:56	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24519SVF	24519 NEPTUNE AVE	2012-06-29	15:26	Front		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24522SVH	24522 MARBELLA AVE	2010-04-30	09:04	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.1	<4.5	<8.9	<14	<6	<5.2	<49
M24522SVB	24522 MARBELLA AVE	2010-04-30	09:57	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
M24522SVF	24522 MARBELLA AVE	2010-04-30	10:58	Front		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
M24522SVFD	24522 MARBELLA AVE	2010-04-30	10:58	Front		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
M24522SVH	24522 MARBELLA AVE	2010-10-13	09:08	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
M24522SVB	24522 MARBELLA AVE	2010-10-13	10:04	House		<6.5	<11	<7.5	<4.6	<4.9	<2.7	<7.4	<5.9	<4.4	<8.3	<13	<5.6	<4.9	<46
M24522SVF	24522 MARBELLA AVE	2010-10-13	11:35	Back		<7.8	<13	<9	<5.5	<5.9	<3.3	<8.9	<7.1	<5.2	<10	<16	<6.7	<5.9	<55
M24522SVF	24522 MARBELLA AVE	2012-04-20	10:30	Front		<6	<10	<6.9	<4.2	<4.5	<2.5	<6.8	<5.4	<4	<7.6	<12	<5.1	<4.5	<42
M24522SVH	24522 MARBELLA AVE	2012-04-20	10:32	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24522SVB	24522 MARBELLA AVE	2012-04-20	11:11	Back		<5.1	<8.8	<6	<3.6	<3.9	<2.2	<5.9	<4.7	<3.5	<6.6	<11	<4.4	<3.9	<36
M24522SVBD	24522 MARBELLA AVE	2012-04-20	11:11	Back		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24522SVH	24522 NEPTUNE AVE	2010-06-15	14:13	House		<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<48
M24522SVF	24522 NEPTUNE AVE	2010-06-15	14:59	Front		<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<9.2	<15	<6.2	<5.5	<51
M24522SVH	24522 NEPTUNE AVE	2011-02-02	13:54	House		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48
M24522SVB	24522 NEPTUNE AVE	2011-02-02	14:25	Back A		<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.5	<8.5	<14	<5.7	<5	<47
M24522SVF	24522 NEPTUNE AVE	2011-02-02	14:57	Front		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
M24522SVH	24522 NEPTUNE AVE	2012-04-05	09:57	House		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24522SVF	24522 NEPTUNE AVE	2012-04-05	09:59	Front		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24522SVBD	24522 NEPTUNE AVE	2012-04-05	09:59	Front		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24522SVB	24522 NEPTUNE AVE	2012-04-05	10:55	Back A		<5.1	<8.8	<6	<3.6	<3.9	<2.2	<5.9	<4.7	<3.5	<6.6	<11	<4.4	<3.9	<36
M24522SVH	24522 RAVENNA AVE	2010-11-01	13:28	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
M24522SVF	24522 RAVENNA AVE	2010-11-01	14:02	Garage		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
M24522SVB	24522 RAVENNA AVE	2010-11-01	14:41	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
M24522SVG	24522 RAVENNA AVE	2012-08-23	15:00	Garage		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
M24522SVH	24522 RAVENNA AVE	2012-08-23	15:08	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
M24522SVF	24522 RAVENNA AVE	2012-08-23	15:29	Back		<7.8	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.7	<5.8	<55
M24522SVH	24523 MARBELLA AVE	2010-11-11	14:28	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
M24522SVB	24523 MARBELLA AVE	2010-11-11	15:24	Garage		<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<48
M24522SVH	24523 MARBELLA AVE	2010-11-11	15:51	Back		<7.4	<13	<8.6	<5.3	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52
M24522SVF	24523 MARBELLA AVE	2012-04-24	14:30	Back		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
M24522SVG	24523 MARBELLA AVE	2012-04-27	10:08	Garage		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<32
M24522SVG	24523 MARBELLA AVE	2012-04-27	10:08	Garage		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<32
M24522SVH	24523 MARBELLA AVE	2012-04-27	10:09	House		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3.1	<5.7	<9.3	<3.8	<3.4	<32
M24522SVB	24523 MARBELLA AVE	2012-04-27	10:45	Back		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<32
M24522SVH	24523 NEPTUNE AVE	2010-04-07	14:40	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49

Table B-2
Sub-Slab Soil Vapor Results
Former Kasi Property
Cusson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachlo- roethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (EOR)	3-Chloro- propene	alpha-Chloro- toluene	dis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
N24523SVF	24523 NEPTUNE AVE	2010-04-07	15:41	Front	<7.2	<12	<8.4	<5.1	<5.5	<5.1	<8.0	<6.6	<4.9	<9.2	<15	<6.2	<5.8	<51	
N24523SVB	24523 NEPTUNE AVE	2010-04-07	16:36	Back	<7.2	<12	<8.4	<5.1	<5.5	<5.1	<8.0	<6.6	<4.9	<9.2	<15	<6.2	<5.8	<51	
N24523SVH	24523 NEPTUNE AVE	2012-10-04	09:56	House	<7.2	<12	<8.4	<5.1	<5.5	<5.1	<8.0	<6.6	<4.9	<9.2	<15	<6.2	<5.8	<51	
N24523SVF	24523 NEPTUNE AVE	2012-10-04	10:37	Front	<6.4	<11	<7.4	<4.5	<4.8	<3.7	<7.3	<5.8	<4.3	<8.1	<13	<5.5	<4.8	<45	
N24523SVB	24523 NEPTUNE AVE	2012-10-04	10:50	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49	
N24523SVB	24523 NEPTUNE AVE	2012-10-04	10:50	Back	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	
N24523SVF	24523 RAVENNA AVE	2009-11-08	10:58	Front	<6.5	<11	<7.6	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<46	
N24523SVF	24523 RAVENNA AVE	2009-11-08	10:58	Front	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	
N24523SVB	24523 RAVENNA AVE	2009-11-08	12:23	Back	<9.0	<16.0	<10.0	<6.0	<7.0	<3.0	<10.0	<8.0	<6.0	<10.0	<19.0	<30.0	<7.0	<66.0	
N24523SVB	24523 RAVENNA AVE	2009-11-08	12:23	Back	<3.70	<5.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	<3.70	
N24523SVB	24523 RAVENNA AVE	2009-12-03	18:11	Back	<6.4	<11	<7.4	<4.5	<4.8	<3.7	<7.3	<5.8	<4.3	<8.1	<13	<5.5	<4.8	<45	
N24523SVH	24523 RAVENNA AVE	2010-08-24	09:54	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
N24523SVF	24523 RAVENNA AVE	2010-08-24	10:58	Front	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49	
N24523SVB	24523 RAVENNA AVE	2010-08-24	11:00	Back	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.8	<51	
N24523SVH	24523 RAVENNA AVE	2011-03-25	09:23	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24526SVH	24526 MARBELLA AVE	2010-10-13	13:28	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
M24526SVG	24526 MARBELLA AVE	2010-10-13	14:08	Garage	<6.1	<10	<7.1	<4.3	<4.6	<2.6	<6.9	<5.5	<4.1	<7.8	<13	<5.2	<4.6	<43	
M24526SVB	24526 MARBELLA AVE	2010-10-13	14:51	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
M24526SVH	24526 MARBELLA AVE	2012-04-19	10:00	House	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
M24526SVG	24526 MARBELLA AVE	2012-04-19	10:36	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
M24526SVG	24526 MARBELLA AVE	2012-04-19	10:36	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
M24526SVB	24526 MARBELLA AVE	2012-04-19	10:41	Back	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36	
N24528SVH	24528 NEPTUNE AVE	2010-11-03	09:42	House	<7.2	<12	<8.4	<5.1	<5.4	<3.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.8	<51	
N24528SVG	24528 NEPTUNE AVE	2010-11-03	10:25	Garage	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
N24528SVB	24528 NEPTUNE AVE	2010-11-03	11:34	Back	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.5	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
N24528SVH	24528 NEPTUNE AVE	2012-03-08	10:40	House	<4.4	<7.5	<5.1	<3.1	<3.3	<2.9	<4	<3	<5.6	<9.1	<3.8	<3.3	<31		
N24528SVG	24528 NEPTUNE AVE	2012-03-08	11:17	Garage	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
N24528SVG	24528 NEPTUNE AVE	2012-03-08	11:17	Garage	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
N24528SVH	24528 NEPTUNE AVE	2010-11-19	12:48	House	<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53	
N24529SVF	24529 NEPTUNE AVE	2010-11-19	13:22	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
N24529SVH	24529 NEPTUNE AVE	2011-03-07	10:32	House	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
N24529SVF	24529 NEPTUNE AVE	2011-03-07	11:12	Front	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50	
N24529SVF	24529 NEPTUNE AVE	2012-03-02	09:58	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
N24529SVG	24529 NEPTUNE AVE	2012-03-02	09:59	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
N24529SVF	24529 NEPTUNE AVE	2012-03-02	10:19	Parking	<5.1	<8.8	<5.9	<3.6	<3.8	<2.2	<5.8	<4.6	<3.4	<6.5	<11	<4.4	<3.8	<36	
N24529SVH	24529 NEPTUNE AVE	2012-03-02	10:41	House	<5.3	<9.1	<6.2	<3.7	<4	<2.2	<5.6	<4.8	<3.6	<6.8	<11	<4.6	<4	<38	
P24529SVB	24529 PANAMA AVE	2012-05-17	10:17	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
P24529SVG	24529 PANAMA AVE	2012-05-17	10:17	Back	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	
P24529SVF	24529 PANAMA AVE	2012-05-17	10:37	Front	<8	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36	
P24529SVH	24529 PANAMA AVE	2012-05-17	10:37	Front	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	
P24529SVH	24529 PANAMA AVE	2012-05-31	08:20	House A	<4.8	<8.7	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
R24529SVF	24529 RAVENNA AVE	2011-08-18	14:04	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.5	<4.9	<9.3	<15	<6.3	<5.5	<52	
R24529SVF	24529 RAVENNA AVE	2011-08-18	14:54	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	
R24529SVH	24529 RAVENNA AVE	2011-08-18	15:25	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
R24529SVH	24529 RAVENNA AVE	2011-08-18	15:25	House	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
R24529SVB	24529 RAVENNA AVE	2011-08-18	16:24	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.5	<4.9	<9.3	<15	<6.3	<5.5	<52	
R24529SVB	24529 RAVENNA AVE	2011-08-18	16:24	Back	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	
M24532SVB	24532 MARBELLA AVE	2009-10-09	10:05	Back	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
M24532SVB	24532 MARBELLA AVE	2009-10-09	10:05	Back	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	<2.3	
M24532SVF	24532 MARBELLA AVE	2009-10-09	11:40	Front	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.5	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
M24532SVF	24532 MARBELLA AVE	2009-10-09	11:40	Front	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
M24532SVH	24532 MARBELLA AVE	2011-09-23	08:33	House	<7.2	<12	<8.4	<5.1	<5.4	<3.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.8	<51	

Table B-1
Sub-Slab Soil Vapor Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,8-Dichloro- benzene UG/M3 0.00%	Bromoforn UG/M3 0.00%	Freon 114 UG/M3 0.00%	Styrene UG/M3 0.00%	trans-1,3- Dichloro- propene UG/M3 0.00%	Vinyl Chloride UG/M3 0.00%	1,1,2,2- Tetra- chloroethane UG/M3 0.00%	1,1,2-Trichloro- ethane UG/M3 0.00%	1,1-Dichloro- ethane UG/M3 0.00%	1,2-Dichloro- ethane (EDB) UG/M3 0.00%	3-Chloro- propene UG/M3 0.00%	alpha-Chloro- toluene UG/M3 0.00%	cis-1,3- Dichloro- propene UG/M3 0.00%	Hexachloro- 1,3-Butadiene UG/M3 0.00%
M24532 SVF	24532 MARBELLA AVE	2011-09-23	09:04	Front		<7.2	<12	<8.4	<5.1	<5.4	<8.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
M24532 SVF-D	24532 MARBELLA AVE	2011-09-23	09:04	Front		<7.2	<12	<8.4	<5.1	<5.4	<8.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
M24532 SVB	24532 MARBELLA AVE	2011-09-23	09:37	Back		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
M24532 SVH	24532 MARBELLA AVE	2012-04-05	15:17	House		<4.8	<8.2	<5.5	<3.4	<3.5	<2	<5.4	<4.3	<3.2	<6.1	<9.0	<4.1	<3.6	<34
M24532 SVF	24532 MARBELLA AVE	2012-04-05	15:24	Front		<4.6	<8	<5.4	<3.3	<3.5	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<35
M24532 SVB	24532 MARBELLA AVE	2012-04-05	15:36	Back		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<9.3	<3.8	<3.4	<32
M24532 SVB-D	24532 MARBELLA AVE	2012-04-05	15:56	Back		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<9.3	<3.8	<3.4	<32
P24532 SVG	24532 PANAMA AVE	2012-05-10	09:54	Garage		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<35
P24532 SVG	24532 PANAMA AVE	2012-05-10	09:54	Garage		<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U
P24532 SVH	24532 PANAMA AVE	2012-05-10	09:54	House		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.0	<4.1	<3.6	<34
P24532 SVB	24532 PANAMA AVE	2012-05-10	10:23	Back		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<9.3	<3.8	<3.4	<32
P24532 SVB	24532 PANAMA AVE	2012-05-10	10:23	Back		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
R24532 SVB	24532 RAVENNA AVE	2010-08-18	13:25	Back		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24532 SVF	24532 RAVENNA AVE	2010-08-18	13:58	Front		<7.5	<18	<8.7	<5.3	<5.7	<8.2	<8.6	<6.8	<5	<9.6	<16	<6.5	<5.7	<53
R24532 SVB	24532 RAVENNA AVE	2011-05-11	14:05	Back		<7.1	<12	<8.3	<5	<5.4	<8.1	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
R24532 SVF	24532 RAVENNA AVE	2011-05-11	15:02	Front		<8.3	<14	<9.5	<5.9	<6.3	<3.5	<9.5	<7.5	<5.6	<11	<17	<7.1	<6.3	<59
R24532 SVF-D	24532 RAVENNA AVE	2011-05-11	15:02	Front		<8.2	<14	<9.5	<5.8	<6.2	<3.5	<9.4	<7.4	<5.5	<10	<17	<7.1	<6.2	<58
R24532 SVI	24532 RAVENNA AVE	2011-05-11	15:48	House		<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49
R24532 SVB-D	24532 RAVENNA AVE	2011-05-11	15:48	House		<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49
R24532 SVB	24532 RAVENNA AVE	2012-11-16	14:54	Back		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24532 SVF	24532 RAVENNA AVE	2012-11-16	15:37	Front		<7.3	<12	<8.4	<5.2	<5.5	<8.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24533 SVH	24533 PANAMA AVE	2011-08-18	13:41	House		<7.1	<12	<8.2	<5	<5.3	<8	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
P24533 SVB-A	24533 PANAMA AVE	2011-08-18	14:10	Back A		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24533 SVB-A	24533 PANAMA AVE	2011-08-18	14:44	Front A		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
P24533 SVFAD	24533 PANAMA AVE	2011-08-18	14:44	Front A		<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49
P24533 SVF-A	24533 PANAMA AVE	2012-09-20	10:33	Front A		<7.3	<12	<8.4	<5.2	<5.5	<8.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24533 SVFAS	24533 PANAMA AVE	2012-09-20	10:33	Front A		<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
P24533 SVH	24533 PANAMA AVE	2012-09-20	10:44	House		<7.4	<13	<8.6	<5.3	<5.6	<8.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
P24533 SVB-A	24533 PANAMA AVE	2012-09-20	11:28	Back A		<7.6	<13	<8.8	<5.4	<5.7	<8.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
R24533 SVG	24533 RAVENNA AVE	2010-09-07	09:26	Garage		<8.1	<14	<9.4	<5.7	<6.1	<3.4	<9.2	<7.3	<5.4	<10	<17	<7	<6.1	<57
R24533 SVH	24533 RAVENNA AVE	2010-09-07	10:05	House		<7.4	<13	<8.7	<5.3	<5.6	<8.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
R24533 SVB	24533 RAVENNA AVE	2010-09-07	11:04	Back		<7.2	<12	<8.4	<5.2	<5.5	<8.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
R24 533 SVH	24533 RAVENNA AVE	2012-09-27	10:16	House		<7.2	<12	<8.4	<5.1	<5.4	<8	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
R24 533 SVG	24533 RAVENNA AVE	2012-09-27	10:18	Garage		<6.5	<11	<7.6	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.8	<4.9	<46
R24 533 SVB	24533 RAVENNA AVE	2012-09-27	11:05	Back		<7.1	<12	<8.3	<5	<5.4	<8	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
M24602 SVF	24602 MARBELLA AVE	2010-11-04	13:10	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
M24602 SVB	24602 MARBELLA AVE	2010-11-04	13:54	Back		<7.6	<13	<8.8	<5.4	<5.7	<8.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
M24602 SVH	24602 MARBELLA AVE	2012-06-01	09:55	House		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<32
M24602 SVF	24602 MARBELLA AVE	2012-06-01	10:05	Front		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
M24602 SVF-B	24602 MARBELLA AVE	2012-06-01	10:05	Front		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
M24602 SVB	24602 MARBELLA AVE	2012-06-01	10:29	Back		<4.9	<8.4	<5.7	<3.4	<3.7	<2.1	<5.6	<4.4	<3.3	<6.2	<10	<4.2	<3.7	<34
M24602 SVB	24602 MARBELLA AVE	2012-06-01	10:29	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
N24602 SVI	24602 NEPTUNE AVE	2010-07-27	09:30	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
N24602 SVB	24602 NEPTUNE AVE	2010-07-27	10:10	Back		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24602 SVF	24602 NEPTUNE AVE	2010-07-27	11:00	Front		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24602 SVB	24602 NEPTUNE AVE	2011-03-04	13:08	Back		<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
N24602 SVF	24602 NEPTUNE AVE	2011-03-04	13:22	Front		<7.1	<12	<8.2	<5	<5.3	<8	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
N24602 SVF-D	24602 NEPTUNE AVE	2011-03-04	13:22	Front		<7	<12	<8.1	<5	<5.3	<8	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24602 SVH	24602 NEPTUNE AVE	2011-03-04	15:15	House		<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
N24602 SVB	24602 NEPTUNE AVE	2012-06-29	09:59	Back		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<8.4	<10	<4.3	<3.8	<36
N24602 SVB	24602 NEPTUNE AVE	2012-06-29	09:59	Back		<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U
N24602 SVH	24602 NEPTUNE AVE	2012-06-29	10:05	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33

Table B-2
Sub-Slab Soil Vapor Results
Former Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,3-Dichloro- benzene	Bromofom	Freon 114	Styrene	trans-1,3- Dichloro- propane	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (E08)	3-Chloro- propane	Alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-butadiene			
						UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.06%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
						0.06%	0.06%	0.06%	0.06%	0.06%	0.06%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
M24718SVB	24718 MARBELLA AVE	2012-05-24	09:56	Back	<6.3	<11	<7.4	<4.5	<4.8	<2.7	<7.2	<5.5	<4.3	<8.1	<13	<5.5	<4.8	<4.5				
M24718SVDB	24718 MARBELLA AVE	2012-05-24	09:56	Back	<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<3.8				
M24718SVN	24718 MARBELLA AVE	2012-05-24	10:29	House	<4.6	<7.9	<5.8	<3.2	<3.5	<2	<5.3	<4.2	<3.1	<5.9	<9.6	<4	<3.5	<3.3				
M24718SVG	24718 MARBELLA AVE	2012-05-24	10:42	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3				
M24718SVH	24718 RAVENNA AVE	2012-03-01	11:22	House	<6.5	<11	<7.6	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<4.6				
M24718SVHD	24718 RAVENNA AVE	2012-03-01	11:22	House	<6.4	<11	<7.4	<4.5	<4.8	<2.7	<7.3	<5.8	<4.3	<8.1	<13	<5.5	<4.8	<4.5				
M24718SVG	24718 RAVENNA AVE	2012-03-01	11:22	Garage	<5.9	<10	<6.8	<4.2	<4.4	<2.5	<6.7	<5.3	<4	<7.5	<12	<5.1	<4.4	<4.2				
M24718SVB	24718 RAVENNA AVE	2012-03-01	12:01	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<3.4				
M24717SVH	24717 MARBELLA AVE	2010-07-02	14:52	House	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0				
M24717SVB	24717 MARBELLA AVE	2010-07-02	15:12	Front	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<5.0				
M24717SVB	24717 MARBELLA AVE	2010-07-02	16:51	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24717SVH	24717 MARBELLA AVE	2012-07-26	09:56	House	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3				
M24717SVB	24717 MARBELLA AVE	2012-07-26	10:08	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<3.4				
M24717SVDB	24717 MARBELLA AVE	2012-07-26	10:08	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.1	<10	<4.1	<3.6	<3.4				
M24717SVF	24717 MARBELLA AVE	2012-07-26	10:27	Front	<7.7	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.6	<5.8	<5.5				
M24718SVG	24718 NEPTUNE AVE	2010-09-08	09:57	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24718SVB	24718 NEPTUNE AVE	2010-09-08	10:47	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0				
M24718SVH	24718 NEPTUNE AVE	2011-02-04	09:36	House A	<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.4	<8.4	<14	<5.7	<5	<4.7				
M24718SVHB	24718 NEPTUNE AVE	2012-02-24	10:34	Back	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2				
M24718SVG	24718 NEPTUNE AVE	2012-02-24	10:58	Garage	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2				
M24718SVB	24718 NEPTUNE AVE	2012-02-24	11:25	Back	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<3.6				
M24718SVDB	24718 NEPTUNE AVE	2012-02-24	11:25	Back	<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<3.6				
M24718SVG	24718 PANAMA AVE	2010-06-24	09:42	Back 2	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0				
M24718SVF	24718 PANAMA AVE	2010-06-24	10:19	Front	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0				
M24718SVH	24718 PANAMA AVE	2010-06-24	11:18	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2				
M24718SVB	24718 PANAMA AVE	2012-10-18	10:00	Back 2	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24718SVDB	24718 PANAMA AVE	2012-10-18	10:00	Back 2	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1				
M24718SVH	24718 PANAMA AVE	2012-10-18	10:08	House	<6.7	<12	<7.8	<4.5	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<4.8				
M24718SVF	24718 PANAMA AVE	2012-10-18	10:42	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719SVB	24719 NEPTUNE AVE	2010-07-16	14:03	Back	<7.4	<13	<8.7	<5.3	<5.6	<3.2	<8.5	<6.5	<5	<9.5	<16	<6.4	<5.6	<5.3				
M24719SVN	24719 NEPTUNE AVE	2010-07-16	14:52	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719SVH	24719 NEPTUNE AVE	2010-07-16	15:43	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1				
M24719SVN	24719 NEPTUNE AVE	2012-07-19	15:00	House	<6.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<3.4				
M24719SVB	24719 NEPTUNE AVE	2012-07-19	15:32	Back	<6.5	<11	<7.5	<4.6	<4.9	<2.7	<7.4	<5.9	<4.4	<8.3	<13	<5.8	<4.9	<4.6				
M24719SVDB	24719 NEPTUNE AVE	2012-07-19	15:32	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<3.4				
M24719SVH	24719 PANAMA AVE	2010-06-28	09:23	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719SVF	24719 PANAMA AVE	2010-06-28	11:21	Front	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<4.9				
M24719SVB	24719 PANAMA AVE	2011-03-04	08:51	Back A	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<4.9				
M24719SVH	24719 PANAMA AVE	2011-03-04	09:38	House	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<4.9				
M24719SVH	24719 PANAMA AVE	2011-03-04	09:38	House	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7				
M24719SVF	24719 PANAMA AVE	2011-03-04	10:20	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719SVH	24719 PANAMA AVE	2012-09-28	09:49	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719SVB	24719 PANAMA AVE	2012-09-28	10:34	Back A	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719SVB	24719 RAVENNA AVE	2010-04-21	12:16	Back	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<5.1				
M24719SVF	24719 RAVENNA AVE	2010-04-21	12:43	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24719 SVB	24719 RAVENNA AVE	2012-11-29	10:07	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<4.9				
M24719 SVB	24719 RAVENNA AVE	2012-11-29	10:11	House	<6.8	<12	<7.9	<4.8	<5.1	<2.8	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<4.8				
M24719 SVF	24719 RAVENNA AVE	2012-11-29	10:44	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24722SVH	24722 MARBELLA AVE	2010-11-29	09:19	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
M24722SVF	24722 MARBELLA AVE	2010-11-29	09:55	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2				

Table B-2
Sub-Slab Soil Vapor Results
Former Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,3-Dichloro-benzene	Bromoform	Freon 114	Styrene	trans-1,3-Dichloro-propene	Vinyl Chloride	1,1,2,2-Tetrachloro-ethane	1,1,2-Trichloro-ethane	1,1-Dichloro-ethane	1,2-Dibromo-ethane (EDB)	3-Chloro-propene	alpha-Chloro-toluene	cis-1,3-Dichloro-propene	Hexachloro-1,3-Butadiene				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						0.05%	0.05%	0.05%	0.06%	0.05%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
M24722SVDF	24722 MARBELLA AVE	2010-11-29	09:55	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51					
M24722SVB	24722 MARBELLA AVE	2010-11-29	11:03	Back	<7.8	<13	<9	<5.5	<5.8	<3.3	<6.8	<7	<5.2	<9.9	<16	<6.7	<5.8	<95					
M24722SVH	24722 MARBELLA AVE	2012-06-07	10:06	House	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<84					
M24722SVF	24722 MARBELLA AVE	2012-06-07	10:10	Front	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33					
M24722SVS	24722 MARBELLA AVE	2012-06-07	10:10	Front	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U	<1.8 U				
M24722SVB	24722 MARBELLA AVE	2012-06-07	10:46	Back	<8.2	<8.9	<6	<3.7	<3.9	<2.2	<5.8	<4.7	<3.5	<6.6	<11	<4.4	<3.9	<37					
N24722SVH	24722 NEPTUNE AVE	2010-07-23	13:35	House	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.9	<8.6	<14	<5.8	<5.1	<46					
N24722SVG	24722 NEPTUNE AVE	2010-07-23	14:07	Garage	<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.4	<11	<5.7	<5	<47						
N24722SVB	24722 NEPTUNE AVE	2010-07-23	14:42	Back	<6.9	<12	<8	<4.9	<5.2	<2.6	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49					
N24722SVH	24722 NEPTUNE AVE	2012-04-13	15:06	House	<4.9	<8.4	<5.7	<3.5	<3.7	<2.1	<5.6	<4.4	<3.3	<6.3	<10	<4.2	<3.7	<33					
N24722SVG	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33					
N24722SVG D	24722 NEPTUNE AVE	2012-04-13	15:07	Garage	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33					
N24722SVB	24722 NEPTUNE AVE	2012-04-13	15:49	Back	<4	<7	<4.7	<2.9	<3.1	<1.7	<4.6	<3.7	<2.7	<5.2	<8.4	<3.5	<3.1	<28					
P24722SVB	24722 PANAMA AVE	2010-04-26	10:22	Back	<7.4	<13	<8.7	<5.3	<5.6	<3.2	<8.5	<6.8	<5	<9.5	<16	<6.4	<5.6	<53					
P24722SVF	24722 PANAMA AVE	2010-04-26	11:28	Front	<7.4	<13	<8.7	<5.3	<5.6	<3.2	<8.5	<6.8	<5	<9.5	<16	<6.4	<5.6	<53					
P24722SVF	24722 PANAMA AVE	2010-04-26	11:29	Front	<7.4	<13	<8.6	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52					
P24722SVH	24722 PANAMA AVE	2010-08-17	13:32	House 3	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52					
P24722SVF	24722 PANAMA AVE	2011-09-07	09:27	Front	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49					
P24722SVF	24722 PANAMA AVE	2011-09-07	09:27	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49					
P24722SVG	24722 PANAMA AVE	2011-09-07	10:06	Garage	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49					
P24722SVG	24722 PANAMA AVE	2011-09-07	10:06	Garage	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49					
P24722SVB	24722 PANAMA AVE	2011-09-07	10:49	Back	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49					
P24722SVG	24722 PANAMA AVE	2012-04-26	10:06	Garage	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<84					
P24722SVF	24722 PANAMA AVE	2012-04-26	10:23	Front	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<84					
P24722SVF	24722 PANAMA AVE	2012-04-26	10:23	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<84					
P24722SVB	24722 PANAMA AVE	2012-04-26	10:38	Back	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<84					
R24722SVH	24722 RAVENNA AVE	2010-10-25	09:53	House	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50					
R24722SVF	24722 RAVENNA AVE	2010-10-25	10:39	Front	<7.3	<13	<8.5	<5.2	<5.5	<3.1	<8.4	<6.6	<4.9	<10.4	<15	<6.3	<5.5	<52					
R24722SVB	24722 RAVENNA AVE	2010-10-25	11:16	Back	<7.5	<13	<8.7	<5.3	<5.7	<3.2	<8.6	<6.8	<5	<9.6	<16	<6.5	<5.7	<53					
R24722SVH	24722 RAVENNA AVE	2012-11-09	13:01	House	<7.4	<13	<8.7	<5.3	<5.6	<3.2	<8.5	<6.8	<5	<9.5	<16	<6.4	<5.6	<53					
R24722SVB	24722 RAVENNA AVE	2012-11-09	13:15	Back	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51					
R24722SVF	24722 RAVENNA AVE	2012-11-09	13:39	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52					
M24722SVB	24723 MARBELLA AVE	2010-08-28	16:23	Back	<7.7	<13	<8.9	<5.4	<5.8	<3.2	<8.9	<7	<5.2	<9.8	<16	<6.6	<5.8	<54					
M24722SVH	24723 MARBELLA AVE	2010-04-07	12:12	House	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50					
M24722SVF	24723 MARBELLA AVE	2010-07-21	09:24	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50					
M24722SVF	24723 MARBELLA AVE	2012-06-21	15:14	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<84					
M24722SVF	24723 MARBELLA AVE	2012-06-21	15:14	Front	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<84					
M24722SVH	24723 MARBELLA AVE	2012-06-21	15:21	House	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<84					
M24722SVB	24723 MARBELLA AVE	2012-06-21	15:47	Back	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<84					
R24722SVB	24723 RAVENNA AVE	2010-11-02	13:51	Back	<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54					
R24722SVH	24723 RAVENNA AVE	2010-11-02	13:54	House	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51					
R24722SVF	24723 RAVENNA AVE	2010-11-02	14:27	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50					
J24722SVF	24723 RAVENNA AVE	2012-11-08	10:04	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52					
R24722SVF	24723 RAVENNA AVE	2012-11-08	10:04	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51					
R24722SVH	24723 RAVENNA AVE	2012-11-08	10:23	House	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51					
R24722SVB	24723 RAVENNA AVE	2012-11-08	10:40	Back	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51					
N24722SVB	24725 NEPTUNE AVE	2009-10-02	09:53	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52					
N24722SVF	24725 NEPTUNE AVE	2009-10-02	10:54	Front	<7.4	<13	<8.5	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52					
N24722SVH	24725 NEPTUNE AVE	2010-06-16	09:14	House	<7.3	<13	<8.5	<5.2	<5.5	<3.1	<8.4	<6.6	<4.9	<9.4	<15	<6.3	<5.5	<52					
N24722SVB	24725 NEPTUNE AVE	2010-06-16	10:30	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50					
N24722SVF	24725 NEPTUNE AVE	2010-06-16	11:18	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50					
N24722SVH	24725 NEPTUNE AVE	2012-06-22	14:51	House	<4.9	<8.4	<5.7	<3.5	<3.7	<2.1	<5.6	<4.4	<3.3	<6.3	<10	<4.2	<3.7	<35					

Table B-2
Sub-Slab Soil Vapor Results
Former K&S Property
Carson, California

					1,3-Dichloro- benzene				trans-1,3- Dichloro- propene				1,1,2,2- Tetrachloro- ethane		1,1,2-Trichloro- ethane		1,1-Dichloro- ethane		1,2-Dibromo- ethane (DBE)		8-Chloro- propane		alpha-Chloro- toluene		cis-1,3- Dichloro- propane		Hexachloro- 1,3-butadiene		
Analyte Units					UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
Frequency of Detection					0.06%	0.06%	0.06%	0.06%	0.06%	0.06%	0.06%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Sample ID	Address	Sample Date	Sample Time	Location																									
N24725SV	24725 NEPTUNE AVE	2012-06-22	15:21	Back	<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<83											
N24725VBD	24725 NEPTUNE AVE	2012-06-22	15:21	Back	<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<83											
N24725SVF	24725 NEPTUNE AVE	2012-06-22	15:27	Front	<4.7	<8.1	<5.4	<3.8	<3.5	<2	<5.4	<4.2	<3.2	<6	<9.8	<4	<3.5	<83											
M24725SVH	24726 MARBELLA AVE	2010-06-07	09:03	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50											
M24725SVB	24726 MARBELLA AVE	2010-06-07	10:06	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49											
M24725SVF	24726 MARBELLA AVE	2010-08-19	08:52	Front	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49											
M24725SVH	24726 MARBELLA AVE	2012-12-14	15:04	House A	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48											
M24725SVG	24726 MARBELLA AVE	2011-12-19	11:07	Garage	<14	<23	<16	<9.6	<10	<5.8	<16	<12	<9.1	<17	<18	<12	<10	<96											
R24728SVBA	24726 RAVENNA AVE	2011-03-14	10:13	Back A	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51											
R24728SVBAD	24726 RAVENNA AVE	2011-03-14	10:13	Back A	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51											
R24728SVH	24726 RAVENNA AVE	2011-03-14	11:00	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50											
R24728SVG	24726 RAVENNA AVE	2012-12-20	14:58	House	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49											
R24728SVG	24726 RAVENNA AVE	2012-12-20	15:01	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50											
R24728SVBA	24726 RAVENNA AVE	2012-12-20	15:53	Back A	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50											
P24728SVH	24728 PANAMA AVE	2010-11-08	09:17	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52											
P24728SVB	24728 PANAMA AVE	2010-11-08	10:09	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50											
P24728SVG	24728 PANAMA AVE	2010-11-08	11:20	Garage	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52											
P24728SVG	24728 PANAMA AVE	2010-11-08	11:20	Garage	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7										
P24728SVG	24728 PANAMA AVE	2012-11-02	10:05	Garage	<8.1	<14	<8.4	<5.7	<6.1	<3.4	<9.2	<7.8	<5.4	<10	<17	<7	<6.1	<57											
P24728SVGU	24728 PANAMA AVE	2012-11-02	10:05	Garage	<7.8	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.7	<5.8	<55											
P24728SVB	24728 PANAMA AVE	2012-11-02	10:20	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52											
N24729SVB	24729 NEPTUNE AVE	2009-09-18	09:13	Back	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51											
N24729SVF	24729 NEPTUNE AVE	2009-09-18	10:38	Front	<7.9	<14	<9.2	<5.6	<6	<3.4	<9.1	<7.2	<5.3	<10	<16	<6.8	<6	<56											
N24729SVH	24729 NEPTUNE AVE	2010-07-08	09:11	House	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49											
N24729SVF	24729 NEPTUNE AVE	2010-07-08	09:54	Front	<6.2	<10	<7.2	<4.4	<4.6	<2.6	<7	<5.6	<4.1	<7.9	<13	<5.3	<4.6	<44											
N24729SVF	24729 NEPTUNE AVE	2010-07-08	09:54	Front	<6.3	<11	<7.3	<4.4	<4.7	<2.7	<7.2	<5.7	<4.2	<8	<13	<5.4	<4.7	<44											
N24729SVB	24729 NEPTUNE AVE	2010-07-08	10:54	Back	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51											
N24729SVF	24729 NEPTUNE AVE	2010-08-24	13:35	Front	<7.3	<13	<8.5	<5.2	<5.5	<3.1	<8.4	<6.6	<4.9	<9.4	<15	<6.3	<5.5	<52											
N24729SVF	24729 NEPTUNE AVE	2012-10-19	14:30	Front	<6.2	<10	<7.2	<4.4	<4.6	<2.6	<7	<5.6	<4.1	<7.9	<13	<5.3	<4.6	<44											
N24729SVB	24729 NEPTUNE AVE	2012-10-19	14:56	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50											
M24728SVH	24729 NEPTUNE AVE	2012-10-19	15:20	House	<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54											
R24729SVB	24729 RAVENNA AVE	2010-07-14	13:57	Back	<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.7	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54											
R24729SVH	24729 RAVENNA AVE	2010-07-14	14:44	House	<7.8	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52											
R24729SVF	24729 RAVENNA AVE	2010-07-14	15:25	Front	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51											
R24729SVH	24729 RAVENNA AVE	2012-08-24	14:48	House	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<9	<14	<6	<5.2	<49											
R24729SVF	24729 RAVENNA AVE	2012-08-24	14:49	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49											
R24729SVB	24729 RAVENNA AVE	2012-08-24	15:18	Back	<7.5	<13	<8.9	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54											
N24732SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	<6.6	<11	<7.6	<4.6	<4.9	<2.8	<7.5	<5.9	<4.4	<8.4	<14	<5.6	<4.9	<46											
N24732SVH	24732 NEPTUNE AVE	2010-09-20	14:13	House	<6.6	<11	<7.6	<4.6	<4.9	<2.8	<7.5	<5.9	<4.4	<8.4	<14	<5.6	<4.9	<46											
N24732SVB	24732 NEPTUNE AVE	2010-09-20	15:13	Back	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48											
N24732SVF	24732 NEPTUNE AVE	2010-09-20	16:00	Front	<20	<34	<24	<15	<15	<8.3	<22	<18	<13	<25	<41	<17	<15	<140											
N24732SVH	24732 NEPTUNE AVE	2011-02-18	09:09	House A	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52											
N24732SVF	24732 NEPTUNE AVE	2011-02-18	09:52	Front	<7.2	<12	<8.4	<5.1	<5.4	<3.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51											
N24732SVF	24732 NEPTUNE AVE	2011-02-18	09:52	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7										
N24732SVB	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50											
N24732SVB	24732 NEPTUNE AVE	2011-02-18	10:42	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7										
N24732SVF	24732 NEPTUNE AVE	2011-03-10	09:56	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49											
N24732SVF	24732 NEPTUNE AVE	2011-03-10	09:56	Front	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8										
N24732SVH	24732 NEPTUNE AVE	2011-03-10	10:38	House A	<6.2	<10	<7.2	<4.4	<4.6	<2.6	<7	<5.6	<4.1	<7.9	<13	<5.3	<4.6	<44											
N24732SVB	24732 NEPTUNE AVE	2011-03-10																											

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (EDB)	3-Chloro- propene	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
P24732SVH	24732 PANAMA AVE	2010-04-23	10:34	House		< 6.7	< 12	< 7.8	< 4.8	< 5.1	< 2.9	< 7.7	< 5.1	< 4.5	< 8.6	< 14	< 5.8	< 5.1	< 4.8
P24732SVH	24732 PANAMA AVE	2010-08-31	13:58	House		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
P24732SVB	24732 PANAMA AVE	2010-08-31	14:16	Back		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 6.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 52
P24732SVB	24732 PANAMA AVE	2010-08-31	14:36	Back		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 6.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 52
P24732SVF	24732 PANAMA AVE	2010-08-31	15:16	Front		< 7.5	< 13	< 8.7	< 5.3	< 5.7	< 3.2	< 6.6	< 6.8	< 5	< 9.6	< 16	< 6.5	< 5.7	< 53
P24732SVH	24732 PANAMA AVE	2012-06-14	14:49	House		< 4.5	< 8.2	< 5.5	< 3.4	< 3.6	< 2	< 5.4	< 4.3	< 3.2	< 6.1	< 8.9	< 4.1	< 3.6	< 34
P24732SVF	24732 PANAMA AVE	2012-06-14	15:01	Front		< 4.6	< 7.8	< 5.3	< 3.2	< 3.4	< 1.9	< 5.2	< 4.1	< 3.1	< 5.8	< 8.5	< 3.9	< 3.4	< 32
P24732SVF	24732 PANAMA AVE	2012-06-14	15:01	Front		< 4.6	< 7.8	< 5.3	< 3.2	< 3.4	< 1.9	< 5.2	< 4.1	< 3.1	< 5.8	< 8.5	< 3.9	< 3.4	< 32
P24732SVB	24732 PANAMA AVE	2012-06-14	15:27	Back		< 4.6	< 8	< 5.4	< 3.5	< 3.5	< 2	< 5.3	< 4.2	< 3.1	< 6	< 8.7	< 4	< 3.5	< 33
R24732SVH	24732 RAVENNA AVE	2010-10-11	09:20	House		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.2	< 4.6	< 8.8	< 14	< 5.9	< 5.2	< 49
R24732SVG	24732 RAVENNA AVE	2010-10-11	10:23	Garage		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
R24732SVG	24732 RAVENNA AVE	2010-10-11	10:23	Garage		< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7
R24732SVB	24732 RAVENNA AVE	2010-10-11	11:09	Back		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
R24732SVG	24732 RAVENNA AVE	2012-06-22	10:09	Garage		< 4.8	< 8.3	< 5.6	< 3.4	< 3.6	< 2	< 5.5	< 4.4	< 3.2	< 6.2	< 10	< 4.2	< 3.6	< 34
R24732SVB	24732 RAVENNA AVE	2012-06-22	10:11	Back		< 5	< 8.7	< 5.9	< 3.6	< 3.8	< 2.1	< 5.8	< 4.6	< 3.4	< 6.4	< 10	< 4.3	< 3.8	< 36
R24732SVB	24732 RAVENNA AVE	2012-06-22	10:11	Back		< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U
R24732SVH	24732 RAVENNA AVE	2012-06-22	10:33	House		< 4.7	< 8.1	< 5.5	< 3.3	< 3.6	< 2	< 5.4	< 4.3	< 3.2	< 6	< 9.8	< 4.1	< 3.6	< 33
M24733SVH	24733 MARBELLA AVE	2010-08-06	09:12	House		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 6.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 52
M24733SVG	24733 MARBELLA AVE	2010-08-06	09:53	Garage		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 51
M24733SVG	24733 MARBELLA AVE	2010-08-06	09:53	Garage		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 51
M24733SVB	24733 MARBELLA AVE	2010-08-06	10:38	Back		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
M24733SVG	24733 MARBELLA AVE	2012-06-08	14:36	Garage		< 4.8	< 8.2	< 5.5	< 3.4	< 3.6	< 2	< 5.4	< 4.3	< 3.2	< 6.1	< 8.9	< 4.1	< 3.6	< 34
M24733SVG	24733 MARBELLA AVE	2012-06-08	14:36	Garage		< 4.8	< 8.2	< 5.5	< 3.4	< 3.6	< 2	< 5.4	< 4.3	< 3.2	< 6.1	< 8.9	< 4.1	< 3.6	< 34
M24733SVB	24733 MARBELLA AVE	2012-06-08	15:06	Back		< 4.8	< 8.3	< 5.6	< 3.4	< 3.6	< 2	< 5.5	< 4.4	< 3.2	< 6.2	< 10	< 4.2	< 3.6	< 34
R24733SVH	24733 RAVENNA AVE	2010-04-08	13:40	House		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.2	< 4.6	< 8.8	< 14	< 5.9	< 5.2	< 49
R24733SVF	24733 RAVENNA AVE	2010-04-08	14:57	Front		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.2	< 4.6	< 8.8	< 14	< 5.9	< 5.2	< 49
R24733SVB	24733 RAVENNA AVE	2010-04-08	15:49	Back		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
R24733SVH	24733 RAVENNA AVE	2012-07-27	10:03	House		< 4.8	< 8.2	< 5.5	< 3.4	< 3.6	< 2	< 5.4	< 4.3	< 3.2	< 6.1	< 8.9	< 4.1	< 3.6	< 34
R24733SVB	24733 RAVENNA AVE	2012-07-27	10:42	Back		< 4.8	< 8.3	< 5.6	< 3.4	< 3.6	< 2	< 5.5	< 4.4	< 3.2	< 6.2	< 10	< 4.2	< 3.6	< 34
R24733SVB	24733 RAVENNA AVE	2012-07-27	10:42	Back		< 4.8	< 8.3	< 5.6	< 3.4	< 3.6	< 2	< 5.5	< 4.4	< 3.2	< 6.2	< 10	< 4.2	< 3.6	< 34
R24733SVF	24733 RAVENNA AVE	2012-07-27	10:46	Front		< 4.6	< 8	< 5.4	< 3.3	< 3.5	< 2	< 5.3	< 4.2	< 3.1	< 6	< 9.7	< 4	< 3.5	< 33
N24735SVH	24735 NEPTUNE AVE	2010-11-17	09:20	House		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 51
N24735SVF	24735 NEPTUNE AVE	2010-11-17	10:45	Front		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.2	< 4.6	< 8.8	< 14	< 5.9	< 5.2	< 49
N24735SVB	24735 NEPTUNE AVE	2010-11-17	11:03	Back		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
N24735SVB	24735 NEPTUNE AVE	2010-11-17	11:03	Back		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
N24735SVB	24735 NEPTUNE AVE	2012-11-15	10:03	Back		< 6.9	< 12	< 8.1	< 4.9	< 5.2	< 3	< 7.9	< 6.3	< 4.7	< 8.9	< 14	< 6	< 5.2	< 49
N24735SVB	24735 NEPTUNE AVE	2012-11-15	10:03	Back		< 6.9	< 12	< 8.1	< 4.9	< 5.2	< 3	< 7.9	< 6.3	< 4.7	< 8.9	< 14	< 6	< 5.2	< 49
N24735SVF	24735 NEPTUNE AVE	2012-11-15	10:45	Front		< 7.2	< 12	< 8.4	< 5.1	< 5.4	< 3.1	< 8.2	< 6.5	< 4.8	< 9.2	< 15	< 6.2	< 5.4	< 51
N24735SVH	24735 NEPTUNE AVE	2012-11-20	13:43	House		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 8.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 52
M24737SVH	24737 MARBELLA AVE	2010-04-30	09:18	Back		< 7.1	< 12	< 8.3	< 5	< 5.4	< 3	< 8.1	< 6.5	< 4.8	< 9.1	< 15	< 6.1	< 5.4	< 50
M24737SVF	24737 MARBELLA AVE	2010-04-30	10:04	Front		< 7.1	< 12	< 8.3	< 5	< 5.4	< 3	< 8.1	< 6.5	< 4.8	< 9.1	< 15	< 6.1	< 5.4	< 50
M24737SVH	24737 MARBELLA AVE	2010-04-30	11:03	House		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
M24737SVH	24737 MARBELLA AVE	2010-09-03	09:56	House		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.2	< 4.6	< 8.8	< 14	< 5.9	< 5.2	< 49 U
M24737SVH	24737 MARBELLA AVE	2010-09-03	09:56	House		< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7
M24737SVF	24737 MARBELLA AVE	2010-09-03	10:37	Front		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50 U
M24737SVB	24737 MARBELLA AVE	2010-09-03	12:02	Back		< 14	< 25	< 17	< 10	< 11	< 6.1	< 16	< 13	< 9.7	< 18	< 30	< 12	< 11	< 100
M24737SVB	24737 MARBELLA AVE	2012-12-07	15:05	Back		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 8.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 52
M24737SVH	24737 MARBELLA AVE	2012-12-07	15:12	House		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 51
M24737SVF	24737 MARBELLA AVE	2012-12-07	15:42	Front		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 50
M24738SVB	24738 NEPTUNE AVE	2009-09-23	09:50	Back		36	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.3	< 4.6	< 8.8	< 14	< 6	< 5.2	< 49
M24738SVF	24738 NEPTUNE AVE	2009-09-23	09:45	Front		< 7.1	< 12	< 8.2	< 5	< 5.3	< 3	< 8.1	< 6.4	< 4.8	< 9	< 15	< 6.1	< 5.3	< 50
M24738SVH	24738 NEPTUNE AVE	2012-02-23	10:03	House		< 6.3	< 11	< 7.3	< 4.5	< 4.8	< 2.7	< 7.2	< 5.7	< 4.2	< 8.1	< 13	< 5.4	< 4.8	< 45

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (EDS)	3-Chloro- propene	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						0.06%	0.06%	0.06%	0.06%	0.06%	0.06%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
N24738SVF	24738 NEPTUNE AVE	2012-09-23	10:33	Front	<6.7	<12	<7.8	<4.7	<5.1	<2.8	<7.6	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<4.8				
N24738SVF	24738 NEPTUNE AVE	2012-09-23	10:33	Front	<6.6	<11	<7.6	<4.7	<5	<2.5	<7.5	<6	<4.4	<8.4	<14	<5.7	<5	<4.7				
N24738SVH	24738 PANAMA AVE	2010-09-07	19:44	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVH	24738 PANAMA AVE	2010-09-07	19:44	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVB	24738 PANAMA AVE	2010-09-07	14:25	Back	<6.9	<12	<8	<4.9	<5.1	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9				
N24738SVF	24738 PANAMA AVE	2010-09-07	15:03	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1				
N24738SVH	24738 PANAMA AVE	2012-09-07	14:53	House	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9				
N24738SVF	24738 PANAMA AVE	2012-09-07	15:37	Front	<6.5	<11	<7.6	<4.6	<4.9	<2.6	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<4.6				
N24738SVB	24738 PANAMA AVE	2012-09-07	15:55	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.5	<5.5	<5.2				
N24738SVI	24738 NEPTUNE AVE	2010-10-12	09:45	House	<6.1	<10	<7.1	<4.3	<4.6	<2.6	<6.9	<5.5	<4.1	<7.8	<13	<5.2	<4.6	<4.5				
N24738SVF	24738 NEPTUNE AVE	2010-10-12	11:48	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVG	24738 NEPTUNE AVE	2011-11-11	12:08	Garage	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2				
N24738SVH	24738 NEPTUNE AVE	2011-11-11	12:45	House	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2				
N24738SVF	24738 NEPTUNE AVE	2011-11-11	13:30	Front	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3				
N24738SVF	24738 NEPTUNE AVE	2011-11-11	18:30	Front	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3				
N24738SVH	24738 NEPTUNE AVE	2012-09-21	10:05	House	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1				
N24738SVG	24738 NEPTUNE AVE	2012-09-21	10:10	Garage	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1				
N24738SVH	24738 NEPTUNE AVE	2012-09-21	10:10	Garage	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U	<1.9 U				
N24738SVH	24738 PANAMA AVE	2011-02-07	13:57	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVH	24738 PANAMA AVE	2011-02-07	13:57	House	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7				
N24738SVB	24738 PANAMA AVE	2011-02-07	14:43	Back																		
N24738SVF	24738 PANAMA AVE	2011-02-07	14:43	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVB	24738 PANAMA AVE	2011-02-07	15:15	Back	<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<5.4				
N24738SVF	24738 PANAMA AVE	2012-10-26	10:02	Back	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<4.9				
N24738SVB	24738 PANAMA AVE	2012-10-26	10:02	Back	<6.6	<11	<7.7	<4.7	<5	<2.6	<7.6	<6	<4.5	<8.5	<14	<5.7	<5	<4.7				
N24738SVH	24738 PANAMA AVE	2012-10-26	10:30	House	<6.6	<11	<7.7	<4.7	<5	<2.6	<7.6	<6	<4.5	<8.5	<14	<5.7	<5	<4.7				
N24738SVF	24738 PANAMA AVE	2012-10-26	10:33	Front	<7.2	<12	<8.4	<5.1	<5.4	<3.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<5.1				
N24738SVH	24738 RAVENNA AVE	2010-10-13	09:06	House	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<5.0				
N24738SVB	24738 RAVENNA AVE	2010-10-13	09:42	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<5.0				
N24738SVF	24738 RAVENNA AVE	2010-10-13	10:14	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVF	24738 RAVENNA AVE	2010-10-13	10:14	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVF	24738 RAVENNA AVE	2011-03-03	05:57	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<5.1				
N24738SVH	24738 RAVENNA AVE	2011-03-03	10:35	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVB	24738 RAVENNA AVE	2011-03-03	11:10	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24738SVB	24738 RAVENNA AVE	2011-03-03	11:10	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24741SVH	24741 MARBELLA AVE	2010-05-28	09:20	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24741SVB	24741 MARBELLA AVE	2010-05-28	10:01	Back	<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<9.2	<15	<6.2	<5.5	<5.1				
N24741SVF	24741 MARBELLA AVE	2010-05-28	10:37	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2				
N24741SVF	24741 MARBELLA AVE	2012-06-15	09:59	Front	<4.5	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3	<5.8	<9.4	<3.0	<3.4	<3.2				
N24741SVB	24741 MARBELLA AVE	2012-06-15	09:59	Front	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U				
N24741SVH	24741 MARBELLA AVE	2012-06-15	10:08	Back	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<3.3				
N24741SVB	24741 MARBELLA AVE	2012-06-15	10:08	Back	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U				
N24741SVH	24741 MARBELLA AVE	2012-06-22	12:08	House A	<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<3.2				
N24744SVF	24744 MARBELLA AVE	2010-04-23	15:07	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9				
N24744SVB	24744 MARBELLA AVE	2010-04-23	16:04	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<5.2				
N24744SVH	24744 MARBELLA AVE	2010-04-23	17:13	House	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9				
N24744SVH	24744 MARBELLA AVE	2010-03-02	09:39	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24744SVG	24744 MARBELLA AVE	2010-08-17	08:50	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<5.0				
N24744SVH	24744 MARBELLA AVE	2011-02-09	09:26	House	<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<5.1				
N24744SVH	24744 MARBELLA AVE	2011-02-09	10:02	Garage	<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<4.8				
N24744SVB	24744 MARBELLA AVE	2011-02-09	10:52	Back	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9				
N24744SVB D	24744 MARBELLA AVE	2011-02-09	10:52	Back	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<4.9				

Table B-2
Sub-Slab Soil Vapor Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,3-Dichloro- benzene UG/M3	Bromobenzene UG/M3	Freon 114 UG/M3	Styrene UG/M3	trans-1,3- Dichloro- propene UG/M3	Vinyl Chloride UG/M3	1,1,2,2- Tetrachloro- ethane UG/M3	1,1,2-Trichloro- ethane UG/M3	1,1-Dichloro- ethane UG/M3	1,2-Dibromo- ethane (DEB) UG/M3	3-Chloro- propene UG/M3	alpha-Chloro- toluene UG/M3	cis-1,3- Dichloro- propene UG/M3	Heptachloro- 1,3-Butadiene UG/M3
M24744 SVH	24744 MARBELLA AVE	2012-03-15	15:28	House		<11	<19	<13	<8	<8.5	<4.8	<13	<10	<7.5	<14	<24	<9.7	<8.5	<80
M24744 SVG	24744 MARBELLA AVE	2012-03-15	15:30	Garage		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
M24744 SVB	24744 MARBELLA AVE	2012-03-15	16:11	Back		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
M24744 SVBD	24744 MARBELLA AVE	2012-03-15	16:11	Back		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
R24748 SVH	24748 RAVENNA AVE	2010-07-15	09:41	House		<7.2	<12	<8.4	<5.1	<5.5	<3.1	<8.3	<6.6	<4.9	<9.2	<19	<6.2	<5.5	<51
R24748 SVF	24748 RAVENNA AVE	2010-07-15	11:13	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9	<15	<6.1	<5.3	<50
R24748 SVF	24748 RAVENNA AVE	2012-09-14	10:13	Front		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
R24748 SVS	24748 RAVENNA AVE	2012-09-14	10:13	Front		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U
R24748 SVB	24748 RAVENNA AVE	2012-09-14	10:33	Back		<8.3	<14	<9.6	<5.9	<6.3	<3.5	<9.5	<7.5	<5.6	<11	<17	<7.1	<6.3	<59
R24748 SVH	24748 RAVENNA AVE	2012-09-14	11:03	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
R24748 SVH	24748 RAVENNA AVE	2010-09-10	09:09	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
R24748 SVB	24748 RAVENNA AVE	2010-09-10	09:43	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
R24748 SVB	24748 RAVENNA AVE	2010-09-10	09:45	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
R24748 SVG	24748 RAVENNA AVE	2010-09-10	10:23	Garage		<180	<100	<210	<130	<140	<76	<200	<160	<120	<230	<370	<150	<190	<1900
R24748 SVH	24748 RAVENNA AVE	2010-12-17	12:14	House		<6.7	<12	<7.6	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48
R24748 SVH	24748 RAVENNA AVE	2010-12-17	12:24	House		<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6
R24748 SVH	24748 RAVENNA AVE	2010-12-17	12:37	Garage		<35	<61	<41	<25	<27	<15	<40	<33	<24	<45	<74	<30	<27	<250
R24748 SVH	24748 RAVENNA AVE	2010-12-17	13:05	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24752 SVF	24752 RAVENNA AVE	2010-04-09	11:14	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
R24752 SVB	24752 RAVENNA AVE	2010-04-09	12:34	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
R24752 SVH2	24752 RAVENNA AVE	2010-05-21	13:38	House 2		<12	<21	<16	<8.7	<9.9	<5.2	<14	<11	<8.3	<16	<26	<11	<9.3	<87
R24752 SVH2	24752 RAVENNA AVE	2012-07-30	15:01	House 2		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
R24752 SVF	24752 RAVENNA AVE	2012-07-30	15:06	Front		<6.6	<8	<5.6	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
R24752 SVB	24752 RAVENNA AVE	2012-07-30	15:43	Back		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
N24809 SVS	24809 NEPTUNE AVE	2010-10-15	08:57	Back		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48
N24809 SVS	24809 NEPTUNE AVE	2010-10-15	09:35	Front		<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6
N24809 SVF	24809 NEPTUNE AVE	2010-10-15	09:35	Front		<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.4	<8.4	<14	<5.7	<5	<47
N24809 SVH	24809 NEPTUNE AVE	2010-10-15	10:42	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24809 SVB	24809 NEPTUNE AVE	2012-07-30	10:05	Back		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
N24809 SVH	24809 NEPTUNE AVE	2012-07-30	10:15	House		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
N24809 SVF	24809 NEPTUNE AVE	2012-07-30	10:52	Front		<6.8	<9.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
P24809 SVF	24809 PANAMA AVE	2009-10-15	13:49	Front		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
P24809 SVH	24809 PANAMA AVE	2009-10-15	15:07	House		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
P24809 SVH	24809 PANAMA AVE	2009-10-15	15:07	House		<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1
P24809 SVB	24809 PANAMA AVE	2009-10-15	16:08	Back		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
P24809 SVBD	24809 PANAMA AVE	2009-10-15	16:08	Back		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
P24809 SVB	24809 PANAMA AVE	2010-07-28	10:19	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24809 SVF	24809 PANAMA AVE	2010-07-28	11:22	Front		<7.4	<13	<8.7	<5.3	<5.6	<3.2	<8.5	<6.8	<5	<9.5	<16	<6.4	<5.6	<53
P24809 SVH	24809 PANAMA AVE	2011-02-08	09:21	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24809 SVH	24809 PANAMA AVE	2012-03-23	10:28	House A		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
P24809 SVF	24809 PANAMA AVE	2012-03-23	11:04	Front		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
P24809 SVB	24809 PANAMA AVE	2012-03-23	11:12	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
P24809 SVS	24809 PANAMA AVE	2012-03-23	11:12	Back		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
P24812 SVH	24812 PANAMA AVE	2010-05-06	08:54	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24812 SVB	24812 PANAMA AVE	2010-05-06	10:21	Back		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
P24812 SVBD	24812 PANAMA AVE	2010-05-06	10:21	Back		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
P24812 SVF	24812 PANAMA AVE	2010-05-06	11:08	Front		<7	<12	<8.3	<5.1	<5.4	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24812 SVH	24812 PANAMA AVE	2012-12-06	15:07	House		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
P24812 SVB	24812 PANAMA AVE	2012-12-06	15:08	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24812 SVF	24812 PANAMA AVE	2012-12-06	15:30	Front		<7.5	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
P24813 SVH	24813 PANAMA AVE	2010-10-26	09:15	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49

Table B-3
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (DBE)	3-Chloro- propene	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%
P24813SVB	24813 PANAMA AVE	2010-10-26	10:54	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
P24813SVFA	24813 PANAMA AVE	2010-11-23	10:00	Front A		<7	<12	<8.1	<5	<5.8	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVFAS	24813 PANAMA AVE	2010-11-23	10:00	Front A		<1.7	2.2	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24813SVH	24813 PANAMA AVE	2012-08-23	10:00	House		<7.4	<13	<8.6	<5.8	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<58
P24813SVFA	24813 PANAMA AVE	2012-08-23	10:06	Front A		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24813SVFAD	24813 PANAMA AVE	2012-08-23	10:05	Front A		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24813SVB	24813 PANAMA AVE	2012-08-23	10:28	Back		<7	<12	<8.1	<5	<5.8	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24813SVB	24813 NEPTUNE AVE	2009-09-17	14:43	Back		<4.2	<7.2	<4.8	<2	<2.2	<1.8	<4.8	<3.6	<2.8	<5.3	<8.7	<3.6	<3.2	<30
N24813SVF	24813 NEPTUNE AVE	2009-09-17	15:57	Front		<7.4	<13	<8.6	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52
N24813SVH	24813 NEPTUNE AVE	2010-08-13	10:09	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<48
N24813SVF	24813 NEPTUNE AVE	2010-08-13	10:54	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24813SVB	24813 NEPTUNE AVE	2010-08-13	11:59	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24813SVH	24813 NEPTUNE AVE	2012-03-29	09:58	House		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<5	<9.8	<4.1	<3.6	<33
N24813SVHS	24813 NEPTUNE AVE	2012-03-29	09:58	House		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
N24813SVB	24813 NEPTUNE AVE	2012-03-29	10:25	Back		<4.8	<7.8	<5.3	<3.4	<3.6	<2	<5.5	<4.4	<3.1	<5.8	<9.5	<3.8	<3.4	<32
N24813SVF	24813 NEPTUNE AVE	2012-03-29	10:37	Front		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<5.1	<9	<4.1	<3.6	<34
P24813SVH	24813 PANAMA AVE	2010-11-12	10:21	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24813SVHS	24813 PANAMA AVE	2010-11-12	10:21	House		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24813SVF	24813 PANAMA AVE	2010-11-12	11:08	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
P24813SVFD	24813 PANAMA AVE	2010-11-12	11:06	Front		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
P24813SVF	24813 PANAMA AVE	2012-05-08	10:25	Front		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<25
P24813SVFS	24813 PANAMA AVE	2012-05-08	10:25	Front		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
P24813SVH	24813 PANAMA AVE	2012-05-08	10:59	House		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.1	<5.8	<9.5	<3.8	<3.4	<32
P24813SVFA	24813 PANAMA AVE	2012-05-08	11:02	Back A		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<5.1	<9	<4.1	<3.6	<34
P24813SVBS	24813 PANAMA AVE	2012-05-08	11:02	Back A		<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U	<1.7 U
P24813SVH	24813 PANAMA AVE	2010-06-10	09:16	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVB	24813 PANAMA AVE	2010-06-10	11:10	Back		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48
P24813SVF	24813 PANAMA AVE	2010-06-10	11:17	Front		<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<48
P24813SVF	24813 PANAMA AVE	2011-04-21	11:16	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVFS	24813 PANAMA AVE	2011-04-21	11:16	Front		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
P24813SVH	24813 PANAMA AVE	2011-04-21	12:22	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVHS	24813 PANAMA AVE	2011-04-21	12:22	House		<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
P24813SVB	24813 PANAMA AVE	2011-04-21	12:31	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVBS	24813 PANAMA AVE	2011-04-21	12:31	Back		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
P24813SVH	24813 PANAMA AVE	2011-10-27	08:46	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3 U	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
P24813SVB	24813 PANAMA AVE	2011-10-27	09:21	Back		<4.4	<7.5	<5.1	<3.1	<3.3	<1.9	<5 U	<4	<3	<5.6	<9.1	<3.8	<3.3	<31
P24813SVBS	24813 PANAMA AVE	2011-10-27	09:21	Back		<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U	<1.6 U
P24813SVH	24813 PANAMA AVE	2011-10-27	10:03	Front		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4 U	<4.3	<3.2	<5.1	<9.9	<4.1	<3.6	<34
P24813SVB	24813 PANAMA AVE	2012-09-13	10:20	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
P24813SVFS	24813 PANAMA AVE	2012-09-13	10:30	Back		<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U	<2 U
P24813SVH	24813 PANAMA AVE	2012-09-13	10:24	House		<6.5	<11	<7.6	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<46
P24813SVF	24813 PANAMA AVE	2012-09-13	10:51	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.5	<14	<5.9	<5.2	<49
P24813SVG	24813 PANAMA AVE	2010-10-06	09:38	Garage		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVB	24813 PANAMA AVE	2010-10-06	10:13	Back		<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49
P24813SVH	24813 PANAMA AVE	2010-10-06	10:56	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813SVB	24813 PANAMA AVE	2012-09-28	15:01	Back		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
P24813SVG	24813 PANAMA AVE	2012-09-28	15:21	Garage		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
P24813SVH	24813 PANAMA AVE	2012-09-28	15:10	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
P24813SVH	24813 PANAMA AVE	2010-10-14	09:36	House		<8.3	<11	<7.3	<5.4	<5.7	<2.7	<7.2	<5.7	<4.2	<8	<13	<5.4	<4.7	<44
P24813SVF	24813 PANAMA AVE	2010-10-14	10:20	Front		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
P24813SVB	24813 PANAMA AVE	2010-10-14	11:06	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
P24813 SVB	24813 PANAMA AVE	2012-11-29	14:47	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49

Table B-1
Sub-Slab Soil Vapor Results
Former Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Freon 114	Styrene	trans-1,3- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dichloro- ethane (EUB)	3-Chloro- propene	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-butadiene
						UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.05%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
P24833 SVH	24833 PANAMA AVE	2012-11-29	14:49	House		<6.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.4	<8.4	<14	<5.7	<5	<47
P24833 SVF	24833 PANAMA AVE	2012-11-29	15:19	Front		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
N24904SVH	24904 NEPTUNE AVE	2010-07-16	13:01	House		<7.9	<14	<9.2	<5.6	<6	<3.4	<9.1	<7.2	<5.3	<10	<18	<6.8	<6	<56
N24904SVG	24904 NEPTUNE AVE	2010-07-16	13:39	Garage		<7.8	<13	<9	<5.5	<5.8	<3.8	<8.8	<7	<5.2	<9.9	<16	<6.7	<5.8	<55
N24904SVH	24904 NEPTUNE AVE	2010-07-16	14:11	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
N24904SVG	24904 NEPTUNE AVE	2012-09-14	16:04	Garage		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
N24904SVG	24904 NEPTUNE AVE	2012-09-14	16:04	Garage		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
N24904SVH	24904 NEPTUNE AVE	2012-09-14	16:15	House		<7.1	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
N24904SVH	24904 NEPTUNE AVE	2012-09-14	16:39	Back		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
N24912SVH	24912 NEPTUNE AVE	2009-09-30	13:15	Back		<7.8	<13	<8.5	<5.2	<5.5	<3.1	<8.4	<6.6	<4.9	<9.4	<15	<6.3	<5.5	<52
N24912SVF	24912 NEPTUNE AVE	2009-09-30	13:55	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.3	<52
N24912SVH	24912 NEPTUNE AVE	2010-06-14	09:58	House		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
N24912SVH	24912 NEPTUNE AVE	2010-06-14	10:48	Back		<7.7	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.6	<5.8	<55
N24912SVF	24912 NEPTUNE AVE	2010-06-14	11:36	Front		<7.3	<13	<8.5	<5.2	<5.5	<3.1	<8.4	<6.6	<4.9	<9.4	<15	<6.3	<5.5	<52
N24912SVH	24912 NEPTUNE AVE	2012-03-16	13:11	House		<5.9	<10	<6.6	<4.2	<4.4	<2.5	<6.7	<5.3	<4	<7.5	<12	<5.1	<4.4	<42
N24912SVF	24912 NEPTUNE AVE	2012-03-16	13:32	Front		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
N24912SVF	24912 NEPTUNE AVE	2012-03-16	13:32	Front		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
N24912SVH	24912 NEPTUNE AVE	2012-03-16	16:13	Back		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.5	<3.3	<6.3	<10	<4.2	<3.7	<35
24436SVH	305 244TH ST	2010-07-01	14:36	House		<7	<12	<8.1	<5	<5.8	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24436SVG	305 244TH ST	2010-07-01	15:23	Garage		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
24436SVH	305 244TH ST	2010-07-01	16:06	Back		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.7	<6.9	<5.1	<9.7	<16	<6.5	<5.7	<54
24436SVH	305 244TH ST	2012-10-18	14:50	House		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
24436SVG	305 244TH ST	2012-10-18	15:00	Garage		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24436SVH	305 244TH ST	2012-10-22	12:54	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
24431SVH	317 244TH ST	2011-01-24	09:07	House		<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
24431SVG	317 244TH ST	2011-01-24	09:51	Garage		<6.8	<12	<7.9	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<48
24431SVH	317 244TH ST	2011-01-24	10:27	Back		<28	<48	<32	<20	<21	<12	<32	<25	<19	<36	<58	<24	<21	<200
24431SVH	317 244TH ST	2011-03-24	15:44	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
24431SVH	317 244TH ST	2011-03-24	18:44	Back		<1.5	<1.6	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
24431SVH	317 244TH ST	2011-03-24	19:58	Garage		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<16	<5.8	<5.1	<48
24431SVH	317 244TH ST	2011-03-24	16:33	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24432SVH	331 244TH ST	2010-08-04	13:23	House		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
24432SVG	331 244TH ST	2010-08-04	14:04	Garage		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
24432SVH	331 244TH ST	2010-08-04	14:40	Back		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
24432SVH	331 244TH ST	2012-08-30	15:14	House		<6.5	<11	<7.6	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<46
24432SVG	331 244TH ST	2012-08-30	15:50	Garage		<7.8	<13	<9	<5.5	<5.8	<3.3	<8.8	<7	<5.2	<9.9	<16	<6.7	<5.8	<55
24432SVH	331 244TH ST	2012-08-30	16:30	Back		<7.4	<13	<8.8	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
24432SVH	331 244TH ST	2012-08-30	16:59	Back		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
24432SVH	337 244TH ST	2010-06-16	14:11	House		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
24432SVH	337 244TH ST	2010-06-16	14:49	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24432SVH	337 244TH ST	2010-06-16	15:32	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
24432SVH	337 244TH ST	2010-11-11	15:05	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24432SVH	337 244TH ST	2010-11-11	15:44	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24432SVH	337 244TH ST	2010-11-11	16:06	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
24434SVH	341 244TH ST	2010-06-30	14:18	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
24434SVH	341 244TH ST	2010-06-30	15:03	Back		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
24434SVG	341 244TH ST	2010-06-30	15:57	Garage		<7.1	<12	<8.2	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
24434SVH	341 244TH ST	2012-08-02	09:47	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
24434SVH	341 244TH ST	2012-08-02	09:47	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
24434SVH	341 244TH ST	2012-08-02	10:20	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
24434SVH	341 244TH ST	2012-08-02	10:20	Garage		<4.9	<8.5	<5.7	<3.5	<3.7	<2.1	<5.6	<4.3	<3.3	<6.3	<10	<4.2	<3.7	<35
24434SVH	341 244TH ST	2012-08-02	10:20	Garage		<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U	<2.1 U

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit	1,1-Dichloro- ethylene	Bromoform	Freon 114	Styrene	trans-1,2- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2,2-Tetrachloro- ethane	1,1-Dichloro- ethane	1,2-Dichloro- ethane (E20)	3-Chloro- propane	alpha-Chloro- toluene	cis-1,3- Dichloro- propane	Hexachloro- 1,3-Butadiene
					Frequency of Detection	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
249_345SVB	345 249TH ST	2009-09-28	09:31	Back		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.3	< 4.6	< 8.8	< 14	< 8	< 5.2	< 4.9
249_345SVF	345 249TH ST	2009-09-28	10:14	Front		< 7.4	< 13	< 8.7	< 5.3	< 5.6	< 3.2	< 8.5	< 6.8	< 5	< 9.5	< 19	< 6.4	< 5.6	< 5.3
249_345SVF	345 249TH ST	2009-09-28	10:14	Front		< 7.6	< 13	< 8.8	< 5.4	< 5.7	< 3.2	< 8.7	< 6.9	< 5.1	< 9.7	< 16	< 6.5	< 5.7	< 5.4
249345SVH	345 249TH ST	2010-11-10	09:08	House		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.3	< 4.6	< 8.8	< 14	< 8	< 5.2	< 4.9
249345SVF	345 249TH ST	2010-11-10	09:37	Front		< 7.4	< 13	< 8.6	< 5.2	< 5.6	< 3.1	< 8.6	< 6.7	< 5	< 9.4	< 15	< 6.4	< 5.6	< 5.2
249345SVB	345 249TH ST	2010-11-10	10:13	Back		< 6.8	< 12	< 8	< 4.8	< 5.2	< 2.9	< 7.8	< 6.2	< 4.6	< 8.6	< 14	< 5.9	< 5.2	< 4.9
249345SVH	345 249TH ST	2012-11-02	14:39	House A		< 7.8	< 13	< 9	< 5.5	< 5.9	< 3.3	< 8.9	< 7.1	< 5.2	< 10	< 16	< 6.7	< 5.9	< 5.5
249345SVF	345 249TH ST	2012-11-02	15:07	Front		< 7.9	< 14	< 9.2	< 5.6	< 6	< 3.4	< 9.1	< 7.2	< 5.3	< 10	< 16	< 6.8	< 6	< 5.6
249345SVB	345 249TH ST	2012-11-02	15:08	Back		< 7.1	< 12	< 8.3	< 5	< 5.4	< 3	< 8.1	< 6.5	< 4.8	< 9.1	< 15	< 6.1	< 5.4	< 5.0
244347SVH	347 244TH ST	2010-06-25	09:30	House		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 8	< 5.3	< 5.0
244347SVG	347 244TH ST	2010-06-25	10:17	Garage		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.3	< 4.6	< 8.8	< 14	< 6	< 5.2	< 4.9
244347SVB	347 244TH ST	2010-06-25	11:09	Back		< 7.1	< 12	< 8.3	< 5	< 5.4	< 3	< 8.1	< 6.5	< 4.8	< 9.1	< 15	< 6.1	< 5.4	< 5.0
244347SVH	347 244TH ST	2012-12-21	14:49	House		< 7.4	< 13	< 8.6	< 5.3	< 5.6	< 3.2	< 8.5	< 6.7	< 5	< 9.5	< 15	< 6.4	< 5.6	< 5.3
244347SVG	347 244TH ST	2012-12-21	15:00	Garage		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 8	< 5.3	< 5.0
244347SVB	347 244TH ST	2012-12-21	15:13	Back		< 7.4	< 13	< 8.6	< 5.3	< 5.6	< 3.2	< 8.3	< 6.7	< 5	< 9.5	< 15	< 6.4	< 5.6	< 5.3
248348SVH	348 248TH ST	2010-05-04	14:12	House		< 7.8	< 13	< 9	< 5.5	< 5.9	< 3.3	< 8.9	< 7.1	< 5.2	< 10	< 16	< 6.7	< 5.9	< 5.5
248348SVF	348 248TH ST	2010-05-04	15:18	Front		< 7.5	< 13	< 8.7	< 5.3	< 5.7	< 3.2	< 8.6	< 6.8	< 5	< 9.6	< 16	< 6.5	< 5.7	< 5.3
248348SVB	348 248TH ST	2010-05-04	15:58	Back		< 7.8	< 13	< 9.1	< 5.6	< 5.9	< 3.3	< 9	< 7.1	< 5.3	< 10	< 16	< 6.8	< 5.9	< 5.6
248 348 SVH	348 248TH ST	2010-08-26	10:38	House		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 8.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 5.2
248 348 SVF	348 248TH ST	2010-08-26	11:48	Front		< 7.6	< 13	< 8.8	< 5.4	< 5.7	< 3.2	< 8.6	< 6.9	< 5.1	< 9.7	< 16	< 6.5	< 5.7	< 5.4
248 348 SVFD	348 248TH ST	2010-08-26	11:48	Front		< 7.7	< 13	< 8.9	< 5.4	< 5.8	< 3.2	< 8.8	< 7	< 5.2	< 9.8	< 16	< 6.6	< 5.8	< 5.4
248 348 SVB	348 248TH ST	2010-08-26	12:32	Back		< 7.8	< 13	< 9	< 5.5	< 5.9	< 3.3	< 8.9	< 7.1	< 5.2	< 10	< 16	< 6.7	< 5.9	< 5.5
248348 SVFS	348 248TH ST	2011-01-13	11:15	Front		< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8
248348SVF	348 248TH ST	2011-01-13	11:15	Front		< 7	< 12	< 8.1	< 5	< 5.3	< 3.1	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 5.0
248 348 SVH	348 248TH ST	2011-04-25	09:42	Back		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 5.1
248 348 SVF	348 248TH ST	2011-04-25	10:39	Front		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 5.1
248 348 SVFD	348 248TH ST	2011-04-25	10:39	Front		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 5.1
249348SVF	348 249TH ST	2010-06-21	10:05	Front		< 6.9	< 12	< 8.1	< 4.9	< 5.2	< 3	< 7.9	< 6.3	< 4.7	< 8.9	< 14	< 6	< 5.2	< 4.9
249348SVB	348 249TH ST	2010-06-21	11:12	Back		< 6.9	< 12	< 8.1	< 4.9	< 5.2	< 3	< 7.9	< 6.3	< 4.7	< 8.9	< 14	< 6	< 5.2	< 4.9
249 348 SVH	348 249TH ST	2011-01-28	09:34	House		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 5.0
249 348 SVF	348 249TH ST	2011-01-28	10:06	Front		< 6.7	< 12	< 7.8	< 4.8	< 5.1	< 2.9	< 7.7	< 6.1	< 4.5	< 8.6	< 14	< 5.8	< 5.1	< 4.8
249348SVFS	348 249TH ST	2011-01-28	10:08	Front		< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7
249348SVH	348 249TH ST	2012-08-17	10:28	House		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 5.1
249348SVF	348 249TH ST	2012-08-17	10:56	Front		< 7.3	< 12	< 8.4	< 5.2	< 5.5	< 3.1	< 8.3	< 6.6	< 4.9	< 9.3	< 15	< 6.3	< 5.5	< 5.2
249348SVFS	348 249TH ST	2012-08-17	10:56	Front		< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1
249348SVH	348 249TH ST	2012-08-17	11:31	Back A		< 7.2	< 12	< 8.3	< 5.1	< 5.4	< 3	< 8.2	< 6.5	< 4.8	< 9.1	< 15	< 6.2	< 5.4	< 5.1
244 351SVB	351 244TH ST	2009-09-16	15:34	Back		< 7.4	< 13	< 8.7	< 5.3	< 5.6	< 3.2	< 8.5	< 6.8	< 5	< 9.5	< 15	< 6.4	< 5.6	< 5.3
244 351SVB-D	351 244TH ST	2009-09-16	15:34	Back		< 8	< 14	< 9.3	< 5.7	< 6	< 3.4	< 9.1	< 7.2	< 5.4	< 10	< 17	< 6.9	< 6	< 5.7
244351SVF	351 244TH ST	2009-09-16	16:05	Front		< 7.4	< 13	< 8.6	< 5.2	< 5.6	< 3.1	< 8.4	< 6.7	< 5	< 9.4	< 15	< 6.4	< 5.6	< 5.3
244351SVF	351 244TH ST	2010-05-18	10:31	Front		< 7.9	< 14	< 9.2	< 5.6	< 6	< 3.4	< 9.1	< 7.2	< 5.3	< 10	< 16	< 6.8	< 6	< 5.6
244351SVB	351 244TH ST	2010-05-18	11:03	Back		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 5.0
244351SVH	351 244TH ST	2010-06-18	11:48	House		< 7	< 12	< 8.1	< 5	< 5.3	< 3	< 8	< 6.4	< 4.7	< 9	< 14	< 6	< 5.3	< 5.0
244351SVF	351 244TH ST	2010-10-22	09:00	Front		< 6.7	< 12	< 7.8	< 4.8	< 5.1	< 2.9	< 7.7	< 6.1	< 4.5	< 8.6	< 14	< 5.8	< 5.1	< 4.8
244351SVB	351 244TH ST	2010-10-22	10:50	Back		< 7.7	< 13	< 8.9	< 5.4	< 5.8	< 3.2	< 8.8	< 7	< 5.2	< 9.8	< 16	< 6.6	< 5.8	< 5.4
244351SVH	351 244TH ST	2010-10-22	11:24	House		< 6.6	< 11	< 7.6	< 4.6	< 4.9	< 2.8	< 7.5	< 5.9	< 4.4	< 8.4	< 14	< 5.6	< 4.9	< 4.6
244351SVH-D	351 244TH ST	2010-10-22	11:24	House		< 6.6	< 11	< 7.6	< 4.6	< 4.9	< 2.8	< 7.5	< 5.9	< 4.4	< 8.4	< 14	< 5.6	< 4.9	< 4.6
244351 SVF	351 244TH ST	2010-10-28	09:04	Front		< 6.5	< 11	< 7.5	< 4.6	< 4.9	< 2.7	< 7.4	< 5.9	< 4.4	< 8.3	< 13	< 5.6	< 4.9	< 4.6
244351 SVB	351 244TH ST	2010-10-28	09:43	Back		< 6.5	< 11	< 7.6	< 4.6	< 4.9	< 2.8	< 7.4	< 5.9	< 4.4	< 8.3	< 13	< 5.6	< 4.9	< 4.6
244351 SVH	351 244TH ST	2010-10-28	10:27	House		< 7.2	< 12	< 8.4	< 5.1	< 5.4	< 3.1	< 8.2	< 6.5	< 4.8	< 9.2	< 15	< 6.2	< 5.4	< 5.1
249 352SVB	352 249TH ST	2009-10-03	09:19	Back		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.3	< 4.6	< 8.8	< 14	< 6	< 5.2	< 4.9
249 352SVF	352 249TH ST	2009-10-03	10:11	Front		< 7.1	< 12	< 8.3	< 5	< 5.4	< 3	< 8.1	< 6.5	< 4.8	< 9.1	< 15	< 6.1	< 5.4	< 5.0
249352SVH	352 249TH ST	2011-04-20	09:55	House		< 6.9	< 12	< 8	< 4.9	< 5.2	< 2.9	< 7.9	< 6.3	< 4.6	< 8.8	< 14	< 6	< 5.2	< 4.9

Table B-2
Sub-Slab Soil Vapor Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	1,3-Dichloro- benzene	Bromoform	Peron 114	Styrene	trans-1,2- Dichloro- propene	Vinyl Chloride	1,1,2,2- Tetrachloro- ethane	1,1,2-Trichloro- ethane	1,1-Dichloro- ethane	1,2-Dibromo- ethane (EDS)	3-Chloro- propane	alpha-Chloro- toluene	cis-1,3- Dichloro- propene	Hexachloro- 1,3-Butadiene
						UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%	UG/M3 0.00%
249352SVF	352 249TH ST	2011-01-20	10:24	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
249352SVF	352 249TH ST	2011-01-20	10:24	Front	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
249352SVB	352 249TH ST	2011-01-20	11:09	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
249352SVB	352 249TH ST	2011-01-20	11:09	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
249352SVF	352 249TH ST	2011-02-10	15:05	Front	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
249352SVH	352 249TH ST	2011-02-10	15:16	House	<5.6	<11	<7.7	<4.7	<5	<2.8	<7.6	<6	<4.4	<8.4	<14	<5.7	<5	<47	
249352SVB	352 249TH ST	2011-07-10	16:03	Back	<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53	
249352SVH	352 249TH ST	2010-06-08	10:30	House	<6.0	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49	
249352SVB	352 249TH ST	2010-06-08	11:12	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
249352SVB	352 249TH ST	2010-06-08	11:12	Back	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	
249352SVF	352 249TH ST	2010-06-08	12:28	Front	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49	
249352SVB	352 249TH ST	2011-02-04	11:55	Back	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
249352SVF	352 249TH ST	2011-02-04	13:12	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
248354SVH	354 248TH ST	2010-09-16	09:16	House	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
248354SVG	354 248TH ST	2010-09-16	09:57	Garage	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
248354SVB	354 248TH ST	2010-09-16	10:34	Back	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
248354SVB	354 248TH ST	2010-09-16	10:34	Back	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52	
248354SVH	354 248TH ST	2012-06-14	09:59	House A	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
248354SVB	354 248TH ST	2012-06-15	13:09	Back A	<4.5	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.1	<3	<5.8	<9.4	<3.9	<3.4	<32	
244357SVH	357 244TH ST	2010-06-07	09:36	House	<18	<31	<21	<13	<13	<7.6	<20	<16	<12	<23	<37	<15	<13	<130	
244357SVF	357 244TH ST	2010-06-07	10:30	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
244357SVB	357 244TH ST	2010-09-02	13:14	Back 2	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
244357SVB	357 244TH ST	2010-09-02	13:14	Back 2	<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49	
244357SVH	357 244TH ST	2012-11-30	10:10	House	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52	
244357SVH	357 244TH ST	2012-11-30	10:46	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
244357SVB	357 244TH ST	2012-11-30	11:07	Back 2	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
249357SVH	357 249TH ST	2010-05-28	13:21	House	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
249357SVF	357 249TH ST	2010-05-28	13:59	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52	
249357SVH	357 249TH ST	2010-05-28	13:59	Front	<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52	
249357SVB	357 249TH ST	2010-09-03	09:09	Back	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
249357SVF	357 249TH ST	2010-09-03	09:56	Front	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
249357SVF	357 249TH ST	2010-09-03	09:56	Front	<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51	
249357SVH	357 249TH ST	2012-08-03	14:40	House	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
249357SVF	357 249TH ST	2012-08-03	15:13	Front	<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33	
249357SVH	357 249TH ST	2011-09-16	08:41	House	<7.2	<12	<8.4	<5.1	<5.4	<3.1	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51	
249357SVB	357 249TH ST	2011-09-16	09:12	Garage	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50	
249357SVB	357 249TH ST	2011-09-16	09:12	Garage	<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50	
249357SVB	357 249TH ST	2011-09-16	09:47	Back	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	
249357SVB	357 249TH ST	2012-03-09	10:35	Garage	<4.4	<7.5	<5.1	<3.1	<3.3	<1.9	<5	<4	<3	<5.6	<9.1	<3.8	<3.3	<31	
249357SVH	357 249TH ST	2012-03-09	10:42	House	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
249357SVB	357 249TH ST	2012-03-09	11:29	Back	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
249357SVB	357 249TH ST	2012-03-09	11:29	Back	<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34	
248354SVH	350 248TH ST	2011-01-13	09:31	House	<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.1	<4.5	<8.6	<14	<5.8	<5.1	<48	
248354SVB	350 248TH ST	2011-01-13	11:21	Back	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	
248354SVB	350 248TH ST	2011-01-13	11:21	Back	<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50	
248354SVG	350 248TH ST	2012-07-06	14:04	Garage	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
248354SVG	350 248TH ST	2012-07-06	14:04	Garage	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
248354SVH	350 248TH ST	2012-07-06	15:08	House	<5.7	<9.8	<6.6	<4	<4.3	<2.4	<6.5	<5.2	<3.8	<7.3	<12	<4.9	<4.3	<40	
248354SVB	350 248TH ST	2012-07-13	13:03	Back A	<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34	
244-361SVB	361 244TH ST	2009-09-22	11:18	Back	<6.9	<12	<8.1	<4.9	<5.2	<3	<7.9	<6.3	<4.7	<8.9	<14	<6	<5.2	<49	
244-361SVF	361 244TH ST	2009-09-22	12:12	Front	<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.7	<8.8	<14	<6	<5.2	<49	
244-361SVH	361 244TH ST	2010-07-02	09:16	House	<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50	

Table B-2
Sub-Slab Soil Vapor Results
Former Kart Property
Carmichael, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,3-Dichlorobenzene UG/M3	Bromoform UG/M3	Freon 114 UG/M3	Styrene UG/M3	trans-1,3-Dichloropropene UG/M3	Vinyl Chloride UG/M3	1,1,2,2-Tetrachloroethane UG/M3	1,1,2-Trichloroethane UG/M3	1,1-Dichloroethane UG/M3	1,2-Dibromomethane [EIS] UG/M3	3-Chloropropene UG/M3	alpha-Chlorotoluene UG/M3	cis-1,3-Dichloropropene UG/M3	Hexachloro-1,3-Butadiene UG/M3
Frequency of Detection						0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%	0.05%
244-361 SVG	361 244TH ST	2010-07-02	10:04	Front		<7.1	<12	<8.2	<5	<5.8	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
244-361 SVB	361 244TH ST	2010-07-02	11:20	Back		<7.8	<12	<8.4	<5.2	<5.9	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
244-361 SVBA	361 244TH ST	2010-07-02	11:10	Back A		<7.1	<120	<82	<50	<53	<30	<81	<64	<48	<80	<150	<61	<53	<500
244361SVB2	361 244TH ST	2010-08-05	18:01	Back A		<7000	<12000	<8100	<5000	<5300	<3000	<8000	<6400	<4700	<9000	<14000	<6000	<5300	<50000
244361SVB	361 244TH ST	2010-11-12	11:08	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
244361SVH	361 244TH ST	2010-11-12	15:18	House		<6.8	<12	<8	<4.8	<5.2	<2.9	<7.8	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
244361SVB2	361 244TH ST	2010-11-12	15:39	Back 2		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
244361SVF	361 244TH ST	2010-11-12	15:49	Front		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
249367SVH	367 249TH ST	2010-05-15	09:39	House		<6.9	<12	<8	<4.9	<5.1	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
249367SVB	367 249TH ST	2010-06-15	11:27	Back		<7.4	<18	<8.7	<5.3	<5.6	<3.2	<8.5	<6.8	<5	<9.5	<16	<6.4	<5.6	<53
249367SVF	367 249TH ST	2010-06-15	11:38	Front		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
249 367 SVH	367 249TH ST	2010-07-29	13:29	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
249 367 SVB	367 249TH ST	2010-07-29	14:52	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249 367 SVF	367 249TH ST	2010-07-29	15:31	Front		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
249367SVH	367 249TH ST	2012-10-25	15:23	House		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
249367SVF	367 249TH ST	2012-10-25	15:27	Front		<7.4	<13	<8.5	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52
249367SVB	367 249TH ST	2012-10-25	16:13	Back		<6.9	<11	<7.3	<4.4	<4.7	<2.7	<7.7	<6.2	<4.2	<8	<13	<5.4	<4.7	<44
249368SVH	368 249TH ST	2010-12-01	09:39	House		<7.1	<12	<8.2	<5	<5.3	<3	<8.1	<6.4	<4.8	<9	<15	<6.1	<5.3	<50
249368SVB	368 249TH ST	2010-12-01	10:27	Garage		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
249368SVG	368 249TH ST	2010-12-01	10:27	Garage		<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
249368SVB	368 249TH ST	2010-12-01	11:05	Back		<7.4	<13	<8.5	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52
249368SVH	368 249TH ST	2010-12-01	11:06	Back		<7.4	<13	<8.5	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52
249368SVHA	368 249TH ST	2012-04-09	15:07	House A		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
249368SVGA	368 249TH ST	2012-04-09	15:26	Garage A		<4.8	<8.3	<5.6	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
249373SVH	373 249TH ST	2010-10-26	09:47	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249373SVB	373 249TH ST	2010-10-26	10:28	Back		<6.9	<11	<7.5	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<46
249373SVF	373 249TH ST	2010-10-26	11:03	Front		<6.5	<11	<7.6	<4.6	<4.9	<2.8	<7.4	<5.9	<4.4	<8.3	<14	<5.6	<4.9	<46
249373SVH	373 249TH ST	2012-04-12	10:02	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
249373SVB	373 249TH ST	2012-04-12	10:17	Back		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<8.3	<3.8	<3.4	<32
249373SVB	373 249TH ST	2012-04-12	10:17	Back		<4.5	<7.7	<5.2	<3.2	<3.4	<1.9	<5.1	<4.1	<3	<5.7	<8.3	<3.8	<3.4	<32
249373SVF	373 249TH ST	2012-04-12	10:45	Front		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.2	<4.2	<3.1	<5.8	<8.9	<3.9	<3.4	<32
248374SVH	374 248TH ST	2010-11-05	13:34	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
248374SVH	374 248TH ST	2010-11-05	13:34	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
248374SVB	374 248TH ST	2010-11-05	14:14	Back		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
248 374 SVF	374 248TH ST	2011-02-03	09:18	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
248374SVH	374 248TH ST	2011-09-14	10:00	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
248374SVF	374 248TH ST	2011-09-14	10:34	Front		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
248374SVB	374 248TH ST	2011-09-14	11:04	Back		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
248374SVB	374 248TH ST	2012-10-05	14:40	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
248374SVB	374 248TH ST	2012-10-05	14:46	Back		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.2	<4.6	<8.8	<14	<5.9	<5.2	<49
248374SVH	374 248TH ST	2012-10-05	14:52	House		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
248374SVF	374 248TH ST	2012-10-05	15:25	Front		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
244377SVH	377 244TH ST	2010-08-11	13:13	House		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
244377SVF	377 244TH ST	2010-08-11	14:14	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
244377SVB	377 244TH ST	2010-08-11	14:58	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
244377SVF	377 244TH ST	2012-06-28	15:30	Front		<5.6	<5.6	<5.5	<3.9	<4.2	<2.4	<6.4	<5	<3.7	<7.1	<12	<4.3	<4.2	<39
244377SVB	377 244TH ST	2012-06-28	16:20	Front		<5	<8.5	<5.8	<3.5	<3.7	<2.1	<5.7	<4.3	<3.3	<6.3	<10	<4.3	<3.7	<35
244377SVH	377 244TH ST	2012-06-28	16:52	House		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
244377SVB	377 244TH ST	2012-06-28	16:04	Back		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<33
244377SVH	377 244TH ST	2010-10-19	09:29	House		<7.4	<13	<8.6	<5.2	<5.6	<3.1	<8.4	<6.7	<5	<9.4	<15	<6.4	<5.6	<52
244377SVF	377 244TH ST	2010-10-19	10:02	Front		<6.7	<12	<7.8	<4.8	<5.1	<2.9	<7.7	<6.3	<4.6	<8.6	<14	<5.3	<5.1	<48
244377SVB	377 244TH ST	2010-10-19	10:51	Back		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51

Table B-2
Sub-Slab Soil Vapor Results
Former Kase Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	1,3-Dichloro- benzene UG/M3 0.06%	Bromoform UG/M3 0.06%	Freon 114 UG/M3 0.06%	Styrene UG/M3 0.06%	trans-1,3- Dichloro- propene UG/M3 0.06%	Vinyl Chloride UG/M3 0.06%	1,1,2,2- Tetrachlo- roethane UG/M3 0.06%	1,1,2-Trichloro- ethane UG/M3 0.06%	1,1-Dichloro- ethane UG/M3 0.06%	1,2-Dibromo- ethane (EDB) UG/M3 0.06%	3-Chloro- propene UG/M3 0.06%	alpha-Chloro- toluene UG/M3 0.06%	cis-1,3- Dichloro- propene UG/M3 0.06%	Hexachloro- 1,3-Butadiene UG/M3 0.06%
249377SVH	377 249TH ST	2012-08-24	10:00	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<8.3	<15	<6.3	<5.5	<52
249377SVF	377 249TH ST	2012-08-24	10:04	Front		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<8.7	<16	<6.5	<5.7	<54
249377SVB	377 249TH ST	2012-08-24	10:04	Front		<7.6	<13	<8.8	<5.4	<5.7	<3.2	<8.6	<6.9	<5.1	<8.7	<16	<6.5	<5.7	<54
249377SVB	377 249TH ST	2012-08-24	10:41	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249378SVBA	378 249TH ST	2011-01-17	09:28	Back A		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
249378SVGC	378 249TH ST	2011-01-17	10:15	Garage C		<140	<250	<170	<100	<110	<62	<170	<130	<98	<180	<300	<120	<110	<1000
249378SVGC	378 249TH ST	2011-01-17	10:15	Garage C		<140	<250	<170	<100	<110	<62	<170	<130	<98	<180	<300	<120	<110	<1000
249378SVH	378 249TH ST	2011-01-17	11:07	House		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249378SVBA	378 249TH ST	2011-05-12	15:30	Back A		<5.8	<12	<7.6	<4.8	<5.1	<2.9	<7.8	<6.2	<4.6	<8.7	<14	<5.8	<5.1	<48
249378SVBA	378 249TH ST	2011-05-12	15:30	Back A		<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7
249378SVH	378 249TH ST	2011-05-12	15:42	House		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
249378SVGC	378 249TH ST	2011-05-12	16:47	Garage C		<140	<240	<160	<100	<110	<60	<160	<130	<96	<180	<300	<120	<110	<1000
249378SVGC	378 249TH ST	2011-05-12	16:47	Garage C		<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170
249378SVGC	378 249TH ST	2012-02-24	14:54	Garage C		<90	<150	<100	<63	<68	<36	<109	<81	<60	<110	<190	<77	<68	<640
249378SVH	378 249TH ST	2012-02-24	15:04	House		<4.4	<7.5	<5.1	<3.1	<3.3	<1.9	<5	<4	<3	<5.6	<9.1	<3.8	<3.3	<31
249378SVBA	378 249TH ST	2012-02-24	16:32	Back A		<130	<230	<160	<96	<100	<57	<150	<120	<91	<170	<280	<120	<100	<960
249378SVBA	378 249TH ST	2012-02-24	16:32	Back A		<240	<210	<280	<170	<180	<100	<270	<220	<160	<300	<490	<200	<180	<1700
249378SVBA	378 249TH ST	2012-03-23	09:10	Back A		<98	<170	<110	<69	<74	<42	<110	<89	<66	<120	<200	<84	<74	<700
249378SVBA	378 249TH ST	2012-03-23	09:10	Back A		<45 U	<46 U	<45 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U	<46 U
249383SVB	383 249TH ST	2010-05-21	10:04	Back		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249383SVG	383 249TH ST	2010-05-21	11:18	Garage		<16	<27	<18	<11	<12	<6.8	<18	<14	<11	<20	<33	<14	<12	<110
249383SVH	383 249TH ST	2010-09-02	09:18	House 2		<6.9	<12	<8	<4.9	<5.2	<2.9	<7.9	<6.3	<4.6	<8.8	<14	<6	<5.2	<49
249383SVB	383 249TH ST	2012-06-07	15:08	Back		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<33
249383SVB	383 249TH ST	2012-06-07	15:08	Back		<4.7	<8.1	<5.5	<3.3	<3.6	<2	<5.4	<4.3	<3.2	<6	<9.8	<4.1	<3.6	<33
249383SVH	383 249TH ST	2012-06-07	15:08	House 2		<4.6	<7.8	<5.3	<3.2	<3.4	<1.9	<5.7	<4.1	<3.1	<5.8	<9.5	<3.9	<3.4	<32
249383SVG	383 249TH ST	2012-06-07	15:45	Garage		<4.8	<8	<5.5	<3.4	<3.6	<2	<5.5	<4.4	<3.2	<6.2	<10	<4.2	<3.6	<34
249402SVH	402 249TH ST	2010-09-20	13:42	House		<7.1	<12	<8.3	<5	<5.4	<3	<8.1	<6.5	<4.8	<9.1	<15	<6.1	<5.4	<50
249402SVB	402 249TH ST	2010-09-20	14:24	Back		<7.2	<12	<8.4	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.2	<15	<6.2	<5.4	<51
249402SVF	402 249TH ST	2010-09-20	14:59	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249402SVH	402 249TH ST	2012-03-22	10:14	House		<4.8	<8.2	<5.5	<3.4	<3.6	<2	<5.4	<4.3	<3.2	<6.1	<9.9	<4.1	<3.6	<34
249402SVF	402 249TH ST	2012-03-22	10:25	Front		<5	<8.7	<5.9	<3.6	<3.8	<2.1	<5.8	<4.6	<3.4	<6.4	<10	<4.3	<3.8	<36
249402SVB	402 249TH ST	2012-03-22	10:25	Front		<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U	<2.2 U
249403SVB	402 249TH ST	2012-03-22	10:51	Back		<4.6	<8	<5.4	<3.3	<3.5	<2	<5.3	<4.2	<3.1	<6	<9.7	<4	<3.5	<33
249412SVF	412 249TH ST	2009-10-05	14:42	Front		<7.3	<13	<8.5	<5.2	<5.5	<3.1	<8.4	<6.6	<4.9	<9.4	<15	<6.3	<5.5	<52
249412 SVH	412 249TH ST	2011-09-13	09:24	House		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53
249412 SVF	412 249TH ST	2011-09-13	10:30	Front		<7	<12	<8.1	<5	<5.3	<3	<8	<6.4	<4.7	<9	<14	<6	<5.3	<50
249412 SVBA	412 249TH ST	2011-09-26	13:38	Back A		<7.2	<12	<8.3	<5.1	<5.4	<3	<8.2	<6.5	<4.8	<9.1	<15	<6.2	<5.4	<51
249412 SVH	412 249TH ST	2012-09-27	15:10	House		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
249412 SVB A	412 249TH ST	2012-09-27	15:20	Back A		<7.3	<12	<8.4	<5.2	<5.5	<3.1	<8.3	<6.6	<4.9	<9.3	<15	<6.3	<5.5	<52
249412 SVF	412 249TH ST	2012-09-27	15:35	Front		<7.4	<13	<8.6	<5.3	<5.6	<3.2	<8.5	<6.7	<5	<9.5	<15	<6.4	<5.6	<53

Table B-3
Sub-slab Soil Vapor Risk-Based Screening Level Evaluation
Former Kast Site
Carson, California

Analyte	Number of Samples	Number of Detections	Detection Frequency	Number of Samples Above RBSL	Number of Properties Sampled	# of Props. where Analyte Detected	# of Props. with one sample exceeding RBSL	# of Props. with Multiple Samples Exceeding RBSL
1,1,1-Trichloroethane	1524	26	1.71%	0	262	16	0	0
1,1,2,2-Tetrachloroethane	1524	0	0%	0	262	0	0	0
1,1,2-Trichloroethane	1524	0	0%	0	262	0	0	0
1,1-Dichloroethane	1524	0	0%	0	262	0	0	0
1,1-Dichloroethene	1524	1	0.07%	0	262	1	0	0
1,2,4-Trichlorobenzene	1524	1	0.07%	1	262	1	1	0
1,2,4-Trimethylbenzene	1524	56	3.67%	2	262	56	2	0
1,2-Dibromoethane (EDB)	1524	0	0%	0	262	0	0	0
1,2-Dichlorobenzene	1524	5	0.33%	0	262	8	0	0
1,2-Dichloroethane	1524	3	0.20%	1	262	4	1	0
1,2-Dichloropropane	1524	5	0.33%	0	262	3	0	0
1,3,5-Trimethylbenzene	1524	18	1.18%	1	262	21	1	0
1,3-Butadiene	1524	1	0.07%	1	262	1	1	0
1,3-Dichlorobenzene	1524	1	0.07%	0	262	1	0	0
1,4-Dichlorobenzene	1524	4	0.26%	1	262	7	1	0
1,4-Dioxane	1524	23	1.51%	10	262	29	10	0
2,2,4-Trimethylpentane	1524	27	1.77%	0	262	26	0	0
2-Butanone (Methyl Ethyl Ketone)	1524	411	26.97%	0	262	200	0	0
2-Hexanone	1524	2	0.13%	0	262	17	0	0
3-Chloropropene	1524	0	0%	0	262	0	0	0
4-Ethyltoluene	1524	35	2.30%	0	262	37	0	0
4-Methyl-2-Pentanone	1524	1	0.07%	0	262	3	0	0
Acetone	1524	979	64.24%	0	262	259	0	0
alpha-Chlorotoluene	1524	0	0%	0	262	0	0	0
Benzene	1524	171	11.22%	78	262	118	42	16
Bromodichloromethane	1524	21	1.38%	24	262	24	17	3
Bromoform	1524	0	0%	0	262	2	0	0
Bromomethane	1477	32	2.17%	0	262	25	0	0
Carbon Disulfide	1524	110	7.22%	0	262	97	0	0
Carbon Tetrachloride	1524	6	0.39%	6	262	6	6	0

Table B-3
Sub-slab Soil Vapor Risk-Based Screening Level Evaluation
Former Kast Site
Carson, California

Analyte	Number of Samples	Number of Detections	Detection Frequency	Number of Samples Above RBSL	Number of Properties Sampled	# of Props. where Analyte Detected	# of Props. with one sample exceeding RBSL	# of Props. with Multiple Samples Exceeding RBSL
Chlorobenzene	1524	1	0.07%	0	262	2	0	0
Chloroethane	1524	2	0.13%	0	262	3	0	0
Chloroform	1524	224	14.70%	66	262	133	28	14
Chloromethane	1524	16	1.05%	0	262	16	0	0
cis-1,2-Dichloroethene	1524	6	0.39%	0	262	7	0	0
cis-1,3-Dichloropropene	1524	0	0%	0	262	0	0	0
Cumene (Isopropylbenzene)	1524	36	2.36%	0	262	36	0	0
Cyclohexane	1524	33	2.17%	0	262	26	0	0
Dibromochloromethane	1524	4	0.26%	6	262	5	2	2
Ethanol	1524	407	26.71%	0	262	200	0	0
Ethylbenzene	1524	39	2.56%	6	262	40	4	1
Freon 11	1524	13	0.85%	0	262	24	0	0
Freon 113	1524	21	1.38%	0	262	6	0	0
Freon 114	1524	1	0.07%	0	262	1	0	0
Freon 12	1524	23	1.51%	0	262	95	0	0
Heptane	1524	48	3.15%	0	262	42	0	0
Hexachloro-1,3-Butadiene	1524	0	0%	0	262	0	0	0
Hexane	1524	62	4.07%	0	262	58	0	0
Isopropanol	1524	81	5.31%	0	262	84	0	0
Methylene Chloride	1524	31	2.03%	5	262	35	1	1
Methyl-tert-Butyl Ether	1524	5	0.33%	0	262	4	0	0
Naphthalene	1524	707	46.39%	56	262	216	36	9
o-Xylene	1524	31	2.03%	0	262	32	0	0
p/m-Xylene	1524	67	4.40%	0	262	71	0	0
Propylbenzene	1524	14	0.92%	0	262	15	0	0
Styrene	1524	2	0.13%	0	262	2	0	0
Tetrachloroethene	1524	134	8.79%	51	262	77	15	12
Tetrahydrofuran	1524	28	1.84%	0	262	32	0	0
Toluene	1524	126	8.27%	0	262	111	0	0
trans-1,2-Dichloroethene	1524	2	0.13%	0	262	2	0	0

Table B-3
Sub-slab Soil Vapor Risk-Based Screening Level Evaluation
Former Kast Site
Carson, California

Analyte	Number of Samples	Number of Detections	Detection Frequency	Number of Samples Above RBSL	Number of Properties Sampled	# of Props. where Analyte Detected	# of Props. with one sample exceeding RBSL	# of Props. with Multiple Samples Exceeding RBSL
trans-1,3-Dichloropropene	1524	1	0.07%	0	262	1	0	0
Trichloroethene	1524	20	1.31%	3	262	22	1	1
Vinyl Chloride	1524	1	0.07%	1	262	1	1	0

Shaded analytes were not detected above risk-based screening level

Table B-4
Indoor, Garage, and Outdoor Air Results
Fertner East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Acetone UG/M3 100.00%	Benzene UG/M3 100.00%	Carbon Tetrachloride UG/M3 100.00%	Ethylbenzene UG/M3 100.00%	Freon 11 UG/M3 100.00%	Freon 12 UG/M3 100.00%	Methylene Chloride UG/M3 100.00%	Oxygen/ Argon MOL % 100.00%	Toluene UG/M3 100.00%	Chloroform UG/M3 99.91%	1,4-Dichloro- benzene UG/M3 99.90%	Naphthalene UG/M3 99.90%	1,2-Dichloro- ethane UG/M3 99.81%	Tetrachloro- ethene UG/M3 99.71%	Ethanol UG/M3 99.62%
M24401OAF	24401 MARBELLA AVE	2012-03-28	13:02	Outdoor Air		2.8 J	0.88	0.41	0.095 J	1.1	2	0.19	21.6	0.58 J	0.087 J	0.012 J	0.09 J	0.055	0.12	8.5 J
M24401OAB	24401 MARBELLA AVE	2012-03-28	13:03	Outdoor Air		4.9 J	0.4	0.4	0.14 J	1.1	2	0.21	21.8	0.77 J	0.14 J	0.016 J	0.073 J	0.055	0.094 J	<8.7 J
M24401IAB	24401 MARBELLA AVE	2012-03-28	14:02	Bedroom		28	0.47	0.41	0.38	1.1	2	0.23	21.6	3.2	0.16 J	0.032 J	0.14 J	0.11	0.22	890
M24401IAK	24401 MARBELLA AVE	2012-03-28	14:03	Kitchen		20	0.52	0.42	0.36	1.1	2	0.24	21.8	2.8	0.15 J	0.033 J	0.085 J	0.15	0.063	800
M24401IAG	24401 MARBELLA AVE	2012-03-28	14:04	Garage		73	0.42	0.45	0.49	1.4	2.1	0.2	21.5	6.7	0.21	0.039	0.029 J	0.058	0.23	150
M24402OAF	24402 NEPTUNE AVE	2012-10-03	13:06	Outdoor Air		11	0.52	0.48	0.3	1.1	2.2	0.39	21.5	1.6	0.2 B	0.25	0.37	0.15	0.1	11
M24402OAB	24402 NEPTUNE AVE	2012-10-03	13:08	Outdoor Air		13	0.44	0.5	0.19	1.1	2.3	0.3	21.5	1.4	0.22 B	0.041 J	0.11 J	0.059	0.13	5.3 J
M24402IAG	24402 NEPTUNE AVE	2012-10-03	14:06	Garage		17	0.55	0.54	0.29	1.2	2.8	0.31	21.7	1.7	0.21 B	0.041 J	0.26	0.11	0.14	15
M24402IAK	24402 NEPTUNE AVE	2012-10-03	14:07	Kitchen		20	0.76	0.52	0.44	2	2.3	0.37	21.5	2.7	0.21 B	0.11	0.31	0.59	0.42 M	56
M24402IAB	24402 NEPTUNE AVE	2012-10-03	14:08	Bedroom		27	0.93	0.45	0.49	1.5	2.3	0.39	21.7	2.9	0.24 B	0.13	0.65	0.55	0.21	78
P24402OAF	24402 PANAMA AVE	2012-12-20	08:15	Outdoor Air		14	1.5 B	0.47	0.88	1.1	2.2	0.65 B	22	4.2	0.15 J	0.09	0.18	0.074	0.22	33
P24402OAB	24402 PANAMA AVE	2012-12-20	08:17	Outdoor Air		16	1.6 B	0.42	0.89	1.2	2.5	0.66 B	22	4.8	0.14 J	0.11	0.18	0.075	0.24	20
P24402IAK	24402 PANAMA AVE	2012-12-20	09:15	Kitchen		22	1.6 B	0.48	1.3	1.2	2.3	0.67 B	22.1	7.1	0.34	0.33	0.33	0.7	0.22	170
P24402IAB	24402 PANAMA AVE	2012-12-20	09:16	Bedroom		26	1.6 B	0.49	1.4	1.2	2.2	0.69 B	22.1	8.1	0.39	0.25	0.27	0.91	0.22	180
P24402IAG	24402 PANAMA AVE	2012-12-20	09:17	Garage		15	1.9 B	0.46	0.95	1.1	2.2	0.68 B	22	4.8	0.14 J	0.087	0.14 J	0.091	0.22	25
P24402OAB	24402 RAVENNA AVE	2010-12-08	09:15	Outdoor Air		27 b	4.5 b	0.49 b	3.2 b	2	2.4	3.6 B	22	16 b	0.42 B	0.34 b	0.72	0.2 b	0.82 b	80 b
R24402OAF	24402 RAVENNA AVE	2010-12-08	09:16	Outdoor Air		20 b	4.5 b	0.49 b	2.5 b	2.1	2.3	3.1 B	21.9	14 b	0.4 B	0.3 b	0.5	0.18 b	0.76 b	30 b
R24402IAK	24402 RAVENNA AVE	2010-12-08	10:17	Kitchen		64 b	4.1 b	0.22 b	2.2 b	3.1	3.9	2.9 B	21.9	14 b	0.51 B	0.46 b	1	0.28 b	1.1 b	280 b
R24402IAB	24402 RAVENNA AVE	2010-12-08	10:18	Bedroom		66 b	8.9 b	0.49 b	2.1 b	2.9	3.4	2.5 B	21.9	14 b	0.5 B	0.46 b	1.2	0.28 b	1.4 b	280 b
R24402IAG	24402 RAVENNA AVE	2010-12-08	10:19	Garage		20 b	4.5 b	0.5 b	3 b	2	2.5	3.5 B	21.9	15 b	0.42 B	0.31 b	0.49	0.19 b	0.97 b	32 b
R24402OAF	24402 RAVENNA AVE	2012-05-24	08:10	Outdoor Air		4.2 J, b	0.27 B	0.54	0.11 J	1.2	2.2	0.25	21.6	0.54 J, b	0.1 J	0.019 J	0.11 J	0.08	0.042 J	11
R24402IAB	24402 RAVENNA AVE	2012-05-24	08:12	Outdoor Air		5.8 J, b	0.27 B	0.53	0.12 J	1.2	2.2	0.24	21.5	0.51 J, b	0.097 J	0.016 J	0.23	0.077	0.044	4.2 J
R24402IAG	24402 RAVENNA AVE	2012-05-24	09:14	Garage		22	0.43 B	0.53	0.26	1.2	2.1	0.5	21.6	8.2	0.12 J	0.042 J	0.18 J	0.081	0.53	41
R24402IAK	24402 RAVENNA AVE	2012-05-24	09:15	Kitchen		29	0.42 B	0.55	0.28	2.8	4	0.31	21.6	2.3	0.2	0.38	0.82	0.37	0.58	410
R24402OAB	24402 RAVENNA AVE	2012-05-24	09:16	Bedroom		27	0.45 B	0.54	0.3	2.2	3.4	0.34	21.6	9	0.21	0.38	1.2	0.36	0.83	520
N24403OAF	24403 NEPTUNE AVE	2012-11-08	08:09	Outdoor Air		5.8 J	0.44 B	0.57	0.17	1.2	2.4	0.8 B	21.6	0.99	0.19	0.029 J	0.11 J	0.077	0.049	3.9 J
N24403OAB	24403 NEPTUNE AVE	2012-11-08	08:11	Outdoor Air		6.9 J	0.38 B	0.54	0.16	1.3	2.3	0.91 B	21.6	1	0.2	0.02 J	0.21	0.078	0.053	5.4 J
N24403IAG	24403 NEPTUNE AVE	2012-11-08	09:09	Garage		18	2.3 B	0.6	1.1	1.3	2.5	0.93 B	21.7	8.3	0.65	0.16	0.32	0.71	0.069	110
N24403IAB	24403 NEPTUNE AVE	2012-11-08	09:10	Bedroom		21	1.3 B	0.58	0.86	1.3	2.5	0.95 B	21.6	10	0.79	0.088	0.36	0.58	0.089	290
N24403IAK	24403 NEPTUNE AVE	2012-11-08	09:11	Kitchen		16	0.82 B	0.45	0.67	1.2	2.8	0.45 B	21.7	5.4	0.45	0.076	0.53	1.1	0.085	390
M24405OAF	24405 MARBELLA AVE	2012-03-21	13:07	Outdoor Air		5.1 B	0.8 b	0.29	0.30 b	1.3	2.2	0.4	21.6	3.7	0.11 J	0.046	0.065 J	0.056	0.065	13
M24405OAB	24405 MARBELLA AVE	2012-03-21	13:10	Outdoor Air		10 B	0.93 b	0.34	0.41 b	1.3	2.2	0.49	21.6	3.5	0.13 J	0.053	0.14 J	0.071	0.084	25
M24405IAG	24405 MARBELLA AVE	2012-03-21	14:07	Garage		12 b	1.3 b	0.37	0.6 b	1.4	2.2	1.8	21.5	4.7	0.15	0.052	0.14 J	0.071	0.88	20
M24405IAK	24405 MARBELLA AVE	2012-03-21	14:07	Kitchen		25 B	1.2 b	0.37	0.56 b	1.5	2.2	0.96	21.6	4.9	0.2	0.27	0.18	0.33	0.51	86
M24405IAB	24405 MARBELLA AVE	2012-03-21	14:09	Bedroom		22 b	1.2 b	0.36	0.59 b	1.3	2.2	1.1	21.6	5.2	0.21	0.19	0.22	0.5	0.57	100
M24406OAF	24406 NEPTUNE AVE	2012-03-08	13:05	Outdoor Air		17 b	1.6	0.39	0.71	1.9	2.5	0.91	21.6	6.2	0.24	0.097	0.11 J	0.096	0.38	36
M24406OAB	24406 NEPTUNE AVE	2012-03-08	13:06	Outdoor Air		16 b	1.7	0.47	0.68	2.1	2.4	0.93	21.6	5.9	0.23	0.11	0.16 J	0.097	0.33	72
M24406IAK	24406 NEPTUNE AVE	2012-03-08	14:05	Kitchen		82 b	1.4	0.45	0.98	19	2.3	1	21.6	7.2	0.54	0.069	0.31	1	2.8	110
M24406IAB	24406 NEPTUNE AVE	2012-03-08	14:07	Bedroom		110 b	1.3	0.47	1.1	18	2.3	1.1	21.6	7.3	0.66	0.086	0.34	1	3.5	140
M24406IAG	24406 NEPTUNE AVE	2012-03-08	14:08	Garage		18 b	1.6	0.45	2.2	1.9	2.2	0.97	21.6	7.1	0.24	0.07	0.11 J	0.093	0.32	15
M24406OAB	24406 NEPTUNE AVE	2010-11-12	09:17	Outdoor Air		24	2.7	0.46 b	2 b	1.4	2.6	1.4 B	21.8	11 b	0.45 B	0.21 B	0.39 B	0.13	0.39 B	37
N24406OAF	24406 NEPTUNE AVE	2010-11-12	09:18	Outdoor Air		26	2.7	0.45 b	2 b	1.4	2.5	1.4 B	21.9	12 b	0.44 B	0.21 B	0.14 B	0.13	0.39 B	87
N24406IAG	24406 NEPTUNE AVE	2010-11-12	10:20	Garage		33	2.8	0.53 b	3.7 b	1.4	2.6	1.5 B	22	16 b	0.5 B	0.2 B	1.6 B	0.37	0.42 B	96
N24406IAK	24406 NEPTUNE AVE	2010-11-12	10:20	Kitchen		31	2.7	0.5 b	2.9 b	1.4	2.7	1.9 B	21.9	15 b	1.7 B	0.21 B	1.1 B	0.32	0.42 B	96
N24406IAB	24406 NEPTUNE AVE	2010-11-12	10:21	Bedroom		62	2.9	0.49 b	3.7 b	1.5	2.6	1.8 B	21.9	38 b	1.5 B	0.2 B	0.84 B	0.44	0.47 B	120
N24406OAB	24406 NEPTUNE AVE	2012-01-25	08:48	Outdoor Air		28	3.4 B	0.42	2	1.3	2.6	2.4	21.6	15 b	0.45	0.29	0.34	0.15	0.44	29
N24406OAF	24406 NEPTUNE AVE	2012-01-25	08:49	Outdoor Air		29	3.7 B	0.4	2.1	1.2	2.4	2.4	21.7	22 b	0.45	0.28	0.33	0.15	0.44	32
N24406IAB	24406 NEPTUNE AVE	2012-01-25	09:50	Bedroom		48	3.3 B	0.42	2.2	1.2	2.4	2.1	21.6	21 b	0.52	0.19	0.52	0.25	0.47	310
N24406IAK	24406 NEPTUNE AVE	2012-01-25	09:51	Kitchen		48	3.1 B	0.42	2.1	1.2	2.3	1.8	21.7	20 b	0.49	0.19	0.5	0.24	0.43	360
N24406IAG	24406 NEPTUNE AVE	2012-01-25	09:52	Garage		57	3.6 B	0.4	8.2	1.2	2.3	2.2	21.6	46 b	0.44	0.19	1.3	0.49	0.38	120
P24406OAF	24406 PANAMA AVE	2012-09-15	13:04	Outdoor Air		8.5 J	0.53	0.39	0.26	1.2	2.1	0.91	21.6	1.8	0.12 J	0.044 J	0.28	0.048 J	0.13	13
P24406OAB	24406 PANAMA AVE	2012-09-15	13:06	Outdoor Air		6.2 J	0.63	0.5	0.43	1.1	2.1	0.92	21.6	2.1	0.13 J	0.039 J	0.056 J	0.05	0.24	6.5 J

Table B-4
Indoor, Garage, and Outdoor Air Results
Former K&T Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Concentration														
						Acetone UG/M3 100.00%	Benzene UG/M3 100.00%	Carbon Tetrachloride UG/M3 100.00%	Ethylbenzene UG/M3 100.00%	Freon 11 UG/M3 100.00%	Freon 12 UG/M3 100.00%	Methylene Chloride UG/M3 100.00%	Oxygen/ Argon MOL % 100.00%	Toluene UG/M3 100.00%	Chloroform UG/M3 99.91%	1,4-Dichloro- benzene UG/M3 99.90%	Naphthalene UG/M3 99.90%	1,2-Dichloro- ethane UG/M3 99.81%	Tetrachloro- ethene UG/M3 99.71%	Ethanol UG/M3 99.62%
P24406IAG	24406 PANAMA AVE	2012-08-15	14:05	Garage	37	3.3	0.54	47	1.1	3.2	18	21.6	27	0.73	0.057 J	0.53	0.6	14	96	
P24406IAK	24406 PANAMA AVE	2012-08-15	14:05	Kitchen	23	0.84	0.55	0.74	1.4	2.4	0.42	21.6	2.9	1.8	0.11	0.13 J b	0.33	0.26	500	
P24406IAB	24406 PANAMA AVE	2012-08-15	14:08	Bedroom	25	0.83	0.53	0.65	1.4	2.5	0.41	21.6	2.4	1.8	0.12	0.19 J b	0.27	0.23	640	
N24409DAF	24409 NEPTUNE AVE	2012-05-03	08:15	Outdoor Air	5.8 J	0.64	0.42	0.36	1.7	2.3	0.37 b	21.6	2.7 b	0.15 J	0.068	0.097 J	0.088	0.076	9.9	
N24409DAF	24409 NEPTUNE AVE	2012-05-03	08:17	Outdoor Air	6.1 J	0.82	0.4	0.44	1.1	2.2	0.33	21.6	2.9 b	0.13 J	0.034 J	0.11 J	0.079 b	0.1	6.4 J	
N24409IAB	24409 NEPTUNE AVE	2012-05-03	09:17	Bedroom	35	1.2	0.43	2.2	1.8	2.8	1.5 b	21.6	11	1.1	0.34	1.1 J	0.76	0.58 J	740	
N24409IAG	24409 NEPTUNE AVE	2012-05-03	09:17	Garage	22	2.78	0.56	7.7	1.7	2.3	10	21.6	29	0.43 b	0.051 J	1.3	0.13	0.27	35	
N24409IAK	24409 NEPTUNE AVE	2012-05-03	09:18	Kitchen	31	0.9	0.41	1.5	1.1	2.2	0.79 b	21.6	8.1	0.99	0.22	0.94	0.86	0.17	740	
P24410DAF	24410 PANAMA AVE	2012-07-18	08:00	Outdoor Air	7.1 J	0.43 b	0.45	0.19	1.1	2.1	0.26	21.6	1.5	0.12 J, b	0.022 J	0.082 J, b	0.043	0.09	9.7	
P24410IAB	24410 PANAMA AVE	2012-07-18	08:08	Outdoor Air	9.1	0.43 b	0.42	0.25	1.2	2.2	0.26	21.6	2.1	0.1 J, b	0.022 J	0.12 J, b	0.042	0.23	16	
P24410IAG	24410 PANAMA AVE	2012-07-18	08:04	Garage	51	6.9 b	0.61	5.4	1.8	2.1	8.3	21.6	61	0.19 b	0.054 J	2.7	0.28	0.14	230	
P24410IAK	24410 PANAMA AVE	2012-07-18	09:05	Kitchen	36	1.1 b	0.48	3.3	1.3	2.3	1.2	21.6	8.8	0.16 J, b	0.054	0.58	0.53	0.29	280	
P24410IAB	24410 PANAMA AVE	2012-07-18	09:06	Bedroom	30	1.8	0.48	1.1	1.3	2.3	1.1	21.6	7.8	0.13 J, b	0.053	0.58 J	0.48	0.43 J	270	
M24411DAF	24411 MARBELLA AVE	2012-04-26	12:20	Outdoor Air	4.1 J	0.47	0.42	0.24	1.2	2.4	0.28	21.6	1.5	0.15 b	0.035 b	0.096 J	0.088	0.39	5.5 J	
M24411IAB	24411 MARBELLA AVE	2012-04-26	12:23	Outdoor Air	6 J	0.51	0.36	0.25	1.2	2.8	0.3	21.6	2.1	0.16 b	0.034 J, b	0.15 J	0.094	0.073	20	
M24411IAG	24411 MARBELLA AVE	2012-04-26	13:20	Garage	170	0.99	0.43	0.81	1.2	180	1.2	22	1.8	0.048 J, b	0.2	0.15	0.15	0.37	100	
M24411IAB	24411 MARBELLA AVE	2012-04-26	13:21	Bedroom	70	0.53	0.4	0.65	1.2	93	0.5	21.6	18	0.43 b	0.086	0.23	0.52	2.5	610	
M24411IAK	24411 MARBELLA AVE	2012-04-26	13:22	Kitchen	39	0.37	0.38	0.38	0.78 J	30	0.33	21.6	7.9	0.26 b	0.046 b	0.15 J	0.29	1.1	370	
P24411DAF	24411 PANAMA AVE	2012-12-13	08:13	Outdoor Air	8.5	1.3 b	0.47	0.69	1.3	2.5	0.53 b	22	4.3	0.29	0.14	0.15 J	0.083	0.16	17	
P24411IAB	24411 PANAMA AVE	2012-12-13	08:16	Outdoor Air	10	1.2 b	0.45	0.63	1.2	2.5	0.61 b	22	3.9	0.29	0.13	0.17 J	0.079	0.17	28	
P24411IAK	24411 PANAMA AVE	2012-12-13	09:16	Kitchen	18	1.1 b	0.52	0.73	1.3	2.5	0.43 b	22	4.5	0.34	0.23	0.28	0.36	0.24	159	
P24411IAB	24411 PANAMA AVE	2012-12-13	09:18	Bedroom	21	1.1 b	0.52	0.81	1.3	2.5	0.41 b	22	4.4	0.35	0.33	0.19 J	0.36	0.35	180	
P24411IAG	24411 PANAMA AVE	2012-12-13	09:18	Garage	17	1.3 b	0.51	0.70	1.3	6.9	0.39 b	22	4.1	0.38	0.52	0.23	1.1	0.18	90	
P24413DAF	24413 NEPTUNE AVE	2012-10-10	13:06	Outdoor Air	8.2 J	0.67	0.47	0.34	1.3	2.6	0.37	21.6	2.6	0.26 b	0.086	0.17 J, b	0.084	0.067 b	13	
N24413DAF	24413 NEPTUNE AVE	2012-10-10	13:07	Outdoor Air	7.1 J	0.77	0.5	0.34	1.3	2.5	0.4	21.6	2.3	0.25 b	0.096	0.12 J, b	0.082	0.077 b	12	
N24413IAB	24413 NEPTUNE AVE	2012-10-10	14:13	Bedroom	43	0.76	0.52	0.91	1.5	2.5	0.41	21.6	7.8	0.92 b	0.098	0.23	0.12	0.13	150	
N24413IAG	24413 NEPTUNE AVE	2012-10-10	14:24	Garage	26	1.1	0.62	0.89	1.3	2.5	0.86	21.6	12	0.35 b	0.11	0.11	0.12	0.12	130	
N24413IAK	24413 NEPTUNE AVE	2012-10-10	14:34	Kitchen	37	0.74	0.49	0.83	1.6	2.5	0.41	21.6	7.2	0.52 b	0.09	0.23	0.12	0.12	130	
R24413DAF	24413 RAVENNA AVE	2012-09-19	13:06	Outdoor Air	13 b	0.84 b	0.43	0.47	1.2	2.3	0.61	21.6	3	0.15 b	0.071	0.2	0.001	0.14	12	
R24413IAB	24413 RAVENNA AVE	2012-09-19	13:08	Outdoor Air	24 b	0.78 b	0.45	0.44	1.2	2.3	0.64	21.6	3	0.18 J, b	0.074	0.18 J	0.062	0.16	15	
R24413IAG	24413 RAVENNA AVE	2012-09-19	14:06	Kitchen	33	1.8	0.48	1.5	1.9	2.3	1.2	21.6	10	0.53 b	0.19	0.46	1.2	1.3 M	71	
R24413IAK	24413 RAVENNA AVE	2012-09-19	14:07	Bedroom	33	1.1 b	0.48	1.5	1.8	2.4	1.2	21.6	11	0.58 b	0.21	0.34	1.3	0.28	65	
R24413IAG	24413 RAVENNA AVE	2012-09-19	14:07	Garage	65	1.6 b	0.53	3.1	1.5	2.9	6.9	21.6	5.5	0.28 J, b	0.085 J	1	<0.1 U	0.31 M	36	
N24416DAF	24416 NEPTUNE AVE	2012-07-12	13:06	Outdoor Air	11	1.5	0.45	0.62	1.4	2.1	0.82	21.6	3.2	0.17 J, b	0.04 J	0.29	0.065	0.21	25	
N24416IAB	24416 NEPTUNE AVE	2012-07-12	13:09	Outdoor Air	12	0.66 b	0.44	0.43	1.4	2.1	0.77	21.6	2.4	0.17 J, b	0.057	0.2	0.079	0.18	9.5	
N24416IAG	24416 NEPTUNE AVE	2012-07-12	14:06	Garage	45	1.5 b	0.48	2	1.4	2.2	0.44	21.6	7.6	1.4 b	0.061 J	0.21 J	0.37	0.19	310	
N24416IAG2	24416 NEPTUNE AVE	2012-07-12	14:06	Garage	41	1.2 b	0.46	1.3	1.3	2	0.43	21.6	8.4	0.66 b	0.062 J	0.21 J	1.7	0.29	350	
N24416IAK	24416 NEPTUNE AVE	2012-07-12	14:08	Kitchen	16	0.58 b	0.46	0.44	1.1	2	0.28	21.6	3.1	0.14 J, b	0.059	0.17	0.26	0.15	91	
N24416IAB	24416 NEPTUNE AVE	2012-07-12	14:09	Bedroom	44	0.64 b	0.46	1.3	1.3	2	0.45	21.6	13	0.49 b	0.085	0.25	1.6	0.4	240	
P24416DAF	24416 PANAMA AVE	2012-05-17	08:11	Outdoor Air	6 J	0.38 b	0.52	0.2 b	1.4	2.2	0.27	21.6	1.1 b	0.14 J	0.025 J, b	0.049 J	0.074	0.089	3.7 J	
P24416IAB	24416 PANAMA AVE	2012-05-17	08:12	Outdoor Air	5.3 J	0.42 b	0.5	0.19 J, b	1.4	2.3	0.3	21.6	1.2 b	0.14 J	0.045 J, b	0.11 J	0.082	0.049 J	11	
P24416IAG	24416 PANAMA AVE	2012-05-17	09:12	Garage	17	0.58 b	0.57	0.78	1.5	2.2	1.2	21.6	3.5	0.17 J	0.047 b	0.54	0.086	0.059	36	
P24416IAB	24416 PANAMA AVE	2012-05-17	09:13	Bedroom	18	0.63 b	0.57	0.67	1.4	2.2	0.46	21.6	3.1	0.47	0.11 J, b	1.41	0.15	0.38 J	360	
P24416IAK	24416 PANAMA AVE	2012-05-17	09:13	Kitchen	16	0.64 b	0.57	0.57	1.4	2.3	0.42	21.6	2.6	0.29	0.051 b	0.18	0.14	0.75	190	
N24419DAF	24419 NEPTUNE AVE	2012-08-02	08:12	Outdoor Air	6.1 J	0.34	0.44	0.19 J	1.1	1.8	0.91	21.6	1.1	0.13 J, b	0.046 J	0.19 J	0.053	<0.053 U	17	
N24419DAF	24419 NEPTUNE AVE	2012-08-02	08:13	Outdoor Air	4.8 J	0.37	0.46	0.21	1	1.9	0.77	21.6	1.2	0.11 J, b	0.065	0.06 J	0.059	<0.043 U	8.3 J	
N24419IAK	24419 NEPTUNE AVE	2012-08-02	09:12	Kitchen	19	0.71	0.43	0.45	1	1.8	0.53	21.6	3.4	0.65 b	0.043 J	0.99	0.56	0.11	230	
N24419IAB	24419 NEPTUNE AVE	2012-08-02	09:13	Bedroom	22	0.57	0.41	0.43	1	1.8	0.52	21.6	2.5	1.8	0.045 J	0.31	0.55	0.12	240	
N24419IAB2	24419 NEPTUNE AVE	2012-08-02	09:13	Bedroom	21	0.61	0.45	0.5	1	1.8	0.48	21.6	2.8	0.69 b	0.043 J	0.2	0.52	0.12	240	
N24419IAG	24419 NEPTUNE AVE	2012-08-02	09:14	Garage	190	0.6	0.35	0.5	1	1.8	2	21.6	21	0.17 J, b	0.037 J	0.13 J	0.54	0.062	130	
R24419DAF	24419 RAVENNA AVE	2012-06-11	13:15	Outdoor Air	5.7 J	0.26	0.5	0.12 J	1.4	2.5	0.25 b	21.6	0.55 J	0.094 J, b	0.037 J	0.055 J	0.062	0.051	3.1 J	
R24419DAF	24419 RAVENNA AVE	2012-06-14	13:15	Outdoor Air	4.1	0.27	0.47	0.18 J	1.5	2.2	0.22 b	21.6	0.64 J	0.087 J, b	0.041 J	0.039 J	0.057	0.17	2.4 J	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kac Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Acetone	Benzene	Carbon	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/Argon	Toluene	Chloroform	1,4-Dichlorobenzene	Naphthalene	1,2-Dichloroethane	Tetrachloroethene	Ethanol
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL%	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.90%	99.81%	99.71%	99.62%
R24419IAB	24419 RAVENNA AVE	2012-06-14	14:15	Bedroom	38	0.63	0.5	0.62	1.6	2.6	0.35 b	21.7	4.8	0.59 b	0.069	0.22	6	0.1	690	
R24419IAB	24419 RAVENNA AVE	2012-06-14	14:16	Garage	82	0.49	0.5	1	1.7	2.3	0.36 b	21.6	4.2	0.25 b	0.1	0.13	2.2	0.089	25	
R24419IAB	24419 RAVENNA AVE	2012-06-14	14:16	Kitchen	44	0.61	0.49	0.68	1.7	3.1	0.34 b	21.6	4	0.48 b	0.065	0.28	4.6	0.088	550	
P24420OAF	24420 PANAMA AVE	2012-12-06	08:08	Outdoor Air	16	2.2 b	0.6	1.2	1.2	2.3	1.2 b	22	4.9	0.34	0.19	0.18	0.12	0.3	26	
P24420OAB	24420 PANAMA AVE	2012-12-06	08:08	Outdoor Air	16	2.1 b	0.61	1.2	1.2	2.4	1.2 b	21.9	5	0.34	0.2	0.24	0.12	0.29	31	
P24420IAB	24420 PANAMA AVE	2012-12-06	09:13	Garage	38	2.2 b	0.59	1.7	1.4	2.6	1.2 b	22	12	0.51	0.19	0.28	0.23	0.3	37	
P24420IAB	24420 PANAMA AVE	2012-12-06	09:14	Kitchen	34	2.1 b	0.59	1.6	1.2	2.4	0.91 b	21.9	12	0.38	0.16	0.77	2.2	0.34	240	
P24420IAB	24420 PANAMA AVE	2012-12-06	09:15	Bedroom	33	2.1 b	0.61	1.5	1.2	2.4	0.93 b	22	11	0.4	0.18	0.57	1.5	0.38	290	
M24422OAF	24422 MARBELLA AVE	2012-07-11	08:10	Outdoor Air	9	0.45	0.43	0.19	2.1	2.4	0.29	21.6	1.4	0.14 b	0.032	0.073	0.17	0.16	5.4	
M24422OAB	24422 MARBELLA AVE	2012-07-11	08:11	Outdoor Air	10	0.5	0.47	0.19	2	2.4	0.29	21.5	1.3	0.14 b	0.027	0.19	0.067	0.17	16	
M24422IAB	24422 MARBELLA AVE	2012-07-11	08:14	Bedroom	28	0.6	0.48	0.52	2	2.4	0.7	21.6	3.2	0.22 b	0.051	0.28	0.2	0.34	100	
M24422IAB	24422 MARBELLA AVE	2012-07-11	09:15	Garage	35	0.7	0.61	0.8	2.4	3	2.3	21.6	8.6	0.26 b	0.099	0.16	0.1	0.89	37	
M24422IAB	24422 MARBELLA AVE	2012-07-11	09:15	Kitchen	28	0.58	0.47	0.53	1.9	2.3	0.74	21.6	3.3	0.21 b	0.052	0.23	0.18	0.28	139	
N24422OAF	24422 NEPTUNE AVE	2011-01-19	13:19	Outdoor Air	12	1.3	0.43	0.66	1.3	2.4	0.97 b	22.3	4.3	0.15 b	0.16	0.21 b	0.11	0.35	13	
N24422OAB	24422 NEPTUNE AVE	2011-01-19	13:20	Outdoor Air	12	1.2	0.45	0.63	1.8	2.4	0.97 b	22.2	4	0.15 b	0.14	0.2 b	0.097	0.17	13	
N24422IAB	24422 NEPTUNE AVE	2011-01-19	14:40	Bedroom	59	2.9	0.44	2.1	1.7	2.4	1.6 b	22.3	28	1.8 b	0.19	0.65 b	0.72	0.34	570	
N24422IAB	24422 NEPTUNE AVE	2011-01-19	14:40	Kitchen	50	2.9	0.43	1.9	1.6	2.4	1.6 b	22.3	22	1.6 b	0.2	0.6 b	0.81	0.22	520	
N24422IAB	24422 NEPTUNE AVE	2011-01-19	14:41	Garage	300	7.4	0.45	2.9	1.8	2.4	3.2 b	22.3	67	0.4 b	0.17	0.55 b	0.24	0.18	120	
R24422OAF	24422 RAVENNA AVE	2012-12-19	08:09	Outdoor Air	18	1.7 b	0.45	0.76	1.2	2.4	0.82 b	22	5	0.15	0.09	0.092	0.073	0.2	18	
R24422OAB	24422 RAVENNA AVE	2012-12-19	08:11	Outdoor Air	11	1.6 b	0.43	0.76	1.3	2.5	0.75 b	22	5	0.14	0.098	0.13	0.072	0.2	18	
R24422IAB	24422 RAVENNA AVE	2012-12-19	09:11	Garage	14	1.7 b	0.45	0.76	1.3	2.5	1.8	22	5.5	0.46	0.087	0.11	0.077	0.2	19	
R24422IAB	24422 RAVENNA AVE	2012-12-19	09:12	Kitchen	16	1.5 b	0.47	0.67	1.3	2.6	0.81 b	22	8	0.2	0.069	0.074	0.12	0.16	71	
R24422IAB	24422 RAVENNA AVE	2012-12-19	09:13	Bedroom	18	1.4 b	0.48	0.58	1.5	2.9	0.8 b	22	6.3	0.21	0.065	0.09	0.12	0.16	86	
M24423OAF	24423 MARBELLA AVE	2012-06-20	08:05	Outdoor Air	11	0.84 b	0.37	0.14	1.3	2.4	0.26 b	21.6	1.1	0.11 b	0.025	0.046	0.086	0.075	24	
M24423OAB	24423 MARBELLA AVE	2012-06-20	08:06	Outdoor Air	19	0.37 b	0.42	0.16	1.3	2.4	0.27 b	21.5	1.6	0.12 b	0.043	0.29	0.11	0.061	25	
M24423IAB	24423 MARBELLA AVE	2012-06-20	09:05	Bedroom	27	0.42 b	0.45	0.47	1.4	2.5	1.6	21.6	5.7	0.27 b	0.085	0.16	0.17	0.29	340	
M24423IAB	24423 MARBELLA AVE	2012-06-20	09:06	Kitchen	32	0.4 b	0.43	0.42	1.4	2.5	1.5	21.6	4.8	0.27 b	0.092	0.32	0.21	0.19	330	
M24423IAB	24423 MARBELLA AVE	2012-06-20	09:06	Garage	29	0.32 b	0.46	0.37	1.2	2.2	3.2	21.5	3.6	0.19 b	0.17	0.086	0.18	0.53	26	
N24423OAF	24423 NEPTUNE AVE	2012-10-11	13:09	Outdoor Air	12	1.6	0.48	0.76	1.3	2.3	1	21.5	5	0.21 b	0.11	0.19	0.13	0.17	30	
N24423OAB	24423 NEPTUNE AVE	2012-10-11	13:13	Outdoor Air	14	1.4	0.49	0.69	1.2	2.2	1	21.5	4	0.21 b	0.1	0.22	0.12	0.16	21	
N24423IAB	24423 NEPTUNE AVE	2012-10-11	14:12	Garage	17	1.6	0.45	0.75	1.2	2.4	0.93	21.6	5	0.24 b	0.17	0.3	0.77	0.34	26	
N24423IAB	24423 NEPTUNE AVE	2012-10-11	14:14	Kitchen	33	2.8	0.48	0.88	1.3	2.3	1.3	21.6	14	0.47 b	0.13	0.32	7	0.29	260	
N24423IAB	24423 NEPTUNE AVE	2012-10-11	14:15	Bedroom	35	4.4	0.49	1	1.4	2.3	1.9	21.6	25	1.8	0.22	0.55	6.7	0.3	420	
R24425OAF	24425 RAVENNA AVE	2012-10-25	13:05	Outdoor Air	21	0.88	0.68	0.57	1.9	3.2	2.2	21.6	7.9	1.8	0.059	0.11	0.1	0.11	27	
R24425OAB	24425 RAVENNA AVE	2012-10-25	13:05	Outdoor Air	20	1.3	0.45	0.69	1.3	2.6	0.93	21.6	5.5	0.22	0.098	0.12	0.096	0.18	29	
R24425IAB	24425 RAVENNA AVE	2012-10-25	14:04	Bedroom	32	2.2	0.49	0.81	1.2	2.4	0.87	21.7	8.4	0.4	0.071	0.29	0.73	0.15	190	
R24425IAB	24425 RAVENNA AVE	2012-10-25	14:04	Garage	45	1.4	0.9	0.83	1.4	2.7	0.9	21.7	11	0.88	0.085	0.16	0.15	0.45	75	
R24425IAB	24425 RAVENNA AVE	2012-10-25	14:05	Kitchen	24	1.6	0.47	0.68	1.3	2.6	0.78	21.6	6.9	0.36	0.071	0.18	0.39	0.15	190	
M24426OAF	24426 MARBELLA AVE	2012-02-23	13:03	Outdoor Air	16 b	2 b	0.45	0.97	1.2	2.2	0.84	21.6	6.2	0.28	0.16	0.26	0.11	0.24 b	19	
M24426OAB	24426 MARBELLA AVE	2012-02-23	13:04	Outdoor Air	16 b	1.9 b	0.34	1	1.2	2.1	0.86	21.6	6.2	0.29	0.18	0.24	0.11	0.24 b	19	
M24426IAB	24426 MARBELLA AVE	2012-02-23	14:03	Bedroom	51 b	2.3 b	0.45	1.3	2.7	2.9	2.4	21.7	11	0.48	0.17	0.56	0.19	0.29 b	290	
M24426IAB	24426 MARBELLA AVE	2012-02-23	14:04	Kitchen	49 b	2.2 b	0.46	1.3	3.5	3.1	2.2	21.6	11	0.44	0.14	0.37	0.18	0.28 b	220	
M24426IAB	24426 MARBELLA AVE	2012-02-23	14:05	Garage	24 b	1.7 b	0.44	0.98	1.2	2.1	0.75	21.5	7.2	0.33	0.091	0.26	0.11	0.36 b	43	
N24426OAF	24426 NEPTUNE AVE	2010-10-29	12:51	Outdoor Air	21	2.2	0.37 b	1.7 b	1.7	2.6	1.1 b	21.5	13	0.20 b	0.35 b	0.44	0.11	0.36 b	43	
N24426OAB	24426 NEPTUNE AVE	2010-10-29	12:55	Outdoor Air	23	2.2	0.38 b	1.6 b	1.9	2.7	1.1 b	21.5	14	0.3 b	0.38 b	0.58	0.11	0.35 b	44	
N24426IAB	24426 NEPTUNE AVE	2010-10-29	13:59	Kitchen	48	3.1	0.35 b	2.7 b	3.5	2.7	1.1 b	22	25	0.66 b	0.15 b	0.55	0.19	0.34 b	190	
N24426IAB	24426 NEPTUNE AVE	2010-10-29	14:00	Bedroom	48	4.1	0.39 b	3.4 b	17	2.6	1.1 b	21.9	30	0.82 b	0.19 b	0.81	0.21	0.35 b	200	
N24426IAB	24426 NEPTUNE AVE	2010-10-29	14:02	Garage	35	6.9	0.5 b	4.8 b	3.6	2.7	1.3 b	22	47	1.8	0.32 b	0.83	0.22	0.44 b	130	
P24426OAF	24426 PANAMA AVE	2012-12-05	08:05	Outdoor Air	12	1.5 b	0.55	0.83	1.2	2.4	0.82 b	22	3.8	0.2	0.13	0.18	0.095	0.21	16	
P24426OAB	24426 PANAMA AVE	2012-12-05	08:10	Outdoor Air	13	1.4 b	0.55	0.75	1.3	2.4	1 b	22	3.5	0.19	0.12	0.16	0.093	0.18	42	
P24426IAB	24426 PANAMA AVE	2012-12-05	09:05	Garage	15	1.6 b	0.57	1	1.2	2.4	0.79 b	21.9	6.2	0.25	0.24	0.3	0.12	0.21	92	
P24426IAB	24426 PANAMA AVE	2012-12-05	09:07	Bedroom	38	1.8 b	0.58	1.5	1.5	2.8	1 b	22	11	0.32	0.2	0.35	0.29	1.7	270	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/ Argon	Toluene	Chloroform	1,4-Dichloro- benzene	Naphthalene	1,2-Dichloro- ethane	Tetrachloro- ethene	Ethanol
						UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	MOL % 100.00%	UG/M3 100.00%	UG/M3 99.91%	UG/M3 99.90%	UG/M3 99.90%	UG/M3 99.81%	UG/M3 99.71%	UG/M3 99.62%
N24503OAF	24503 NEPTUNE AVE	2012-04-12	08:01	Outdoor Air	2.8 f, b	0.99	0.47	0.14 f	1.1	2	0.23	21.6	0.63 f	0.15 f	0.026 f	0.062 f	0.009	0.21	4.7 f	
N24503OAB	24503 NEPTUNE AVE	2012-04-12	08:06	Outdoor Air	2.8 f, b	0.96	0.46	0.15 f	1.1	2	0.22	21.6	0.73	0.13 f	0.025 f	0.14 f	0.071	0.22	9.2	
N24503IAG	24503 NEPTUNE AVE	2012-04-12	09:00	Garage	20	1.7	0.46	0.58	1	2	0.24	21.7	8.8	0.73	0.068	0.17 f	0.46	0.1	45	
N24503IAK	24503 NEPTUNE AVE	2012-04-12	09:07	Kitchen	20	0.73	0.47	0.55	1.5	2	0.34	21.7	1.9	0.44	0.2	0.19	0.17	0.057	200	
N24503IAB	24503 NEPTUNE AVE	2012-04-12	09:08	Bedroom	21	0.84	0.47	0.51	1.3	2	0.34	21.7	2.1	0.52	0.25	0.21	0.19	0.057	210	
P24503OAB	24503 PANAMA AVE	2012-08-09	13:04	Outdoor Air	7.3 f	0.48	0.44	0.28	1.1	2.1	0.3	21.6	1.4	0.12 f, b	0.059	0.12 f	0.031	0.33	8.7 f	
P24503CAF	24503 PANAMA AVE	2012-08-09	13:04	Outdoor Air	6.2 f	0.39 b	0.43	0.24	1.1	2	0.31	21.6	1.3	0.12 f, b	0.058	0.091 f	0.046	0.25	8.2 f	
P24503IAG	24503 PANAMA AVE	2012-08-09	14:04	Garage	17	0.5 b	0.47	1.1	2.6	2	0.83	21.6	4.7	0.17 f, b	0.068	0.26	0.26	0.099	20	
P24503IAB	24503 PANAMA AVE	2012-08-09	14:05	Bedroom	52	0.65 b	0.47	2.1	1.5	1.9	0.96	21.6	6.9	1.2 b	0.077	0.7	12	0.14	110	
P24503IAK	24503 PANAMA AVE	2012-08-09	14:05	Kitchen	74	0.68 b	0.49	2.7	1.4	1.4	0.89	21.6	9	1.2 b	0.082	0.9	14	0.2	150	
R24503OAF	24503 RAVENNA AVE	2012-11-07	13:05	Outdoor Air	9.4	0.76 b	0.54	0.29	1.3	2.4	0.39 b	21.7	1.3	0.16 f	0.061	0.16 f	0.1	0.1	6.2 f	
R24503OAB	24503 RAVENNA AVE	2012-11-07	13:07	Outdoor Air	7.1 f	0.48 b	0.54	0.18	1.3	2.5	0.32 b	21.6	1.1	0.14 f	0.056	0.13 f	0.082	0.062	4 f	
R24503IAG	24503 RAVENNA AVE	2012-11-07	14:07	Garage	17	3.9 b	0.74	3.3	3	2.4	0.75 b	21.7	13	0.27	0.071	0.43	0.097	0.12	81	
R24503IAB	24503 RAVENNA AVE	2012-11-07	14:08	Kitchen	15	1.8	0.58	0.76	1.5	2.4	0.48 b	21.6	4.8	0.2	0.094	0.34	0.24	0.65	84	
R24503IAK	24503 RAVENNA AVE	2012-11-07	14:09	Bedroom	14	1.8	0.58	0.73	1.5	2.4	0.41 b	21.6	4.6	0.2	0.096	0.24	0.26	0.73	63	
M24506OAF	24506 MARBELLA AVE	2012-03-14	08:21	Outdoor Air	3.1 b	0.78	0.45	0.21	1	2.1	0.27	21.6	1.5	0.12 f	0.013 f	0.076 f	0.066	0.19	6.6 f	
M24506IAB	24506 MARBELLA AVE	2012-03-14	09:25	Kitchen	15 b	0.77	0.42	0.22	1.2	2.5	0.26	21.6	2.3	0.22	0.63	0.12 f	0.095	0.068	39	
M24506IAB	24506 MARBELLA AVE	2012-03-14	09:26	Bedroom	16 b	0.85	0.45	0.26	1	2.1	0.3	21.6	1.8	0.28	0.88	0.18	0.094	0.096	43	
M24506IAG	24506 MARBELLA AVE	2012-03-14	09:27	Garage	7.4 b	2.7	0.45	0.76	1.2	2.5	0.29	21.6	6.2	0.15 f	0.025 f	0.13 f	0.084	0.069	20	
M24506OAB	24506 MARBELLA AVE	2012-03-14	10:03	Outdoor Air	4.8 f, b	0.36	0.45	0.08 f	1.1	2.1	0.26	21.6	0.62 f	0.12 f	0.035	0.047 f	0.054	0.12	4.4 f	
N24508OAB	24508 NEPTUNE AVE	2011-01-27	08:26	Outdoor Air	23	2.9	0.42	1.7 b	1.4	2.6	2.8	22.3	11	0.34 b	0.27 b	0.34 b	0.17	0.42 b	38	
N24508DAF	24508 NEPTUNE AVE	2011-01-27	08:27	Outdoor Air	27	2.9	0.33	1.8 b	1.4	2.6	2.8	22.3	10	0.34 b	0.27 b	0.34 b	0.17	0.42 b	41	
N24508IAG	24508 NEPTUNE AVE	2011-01-27	09:32	Garage	230	23	0.66	17 b	1.3	2.3	5.3 b	22.3	110	0.78	0.14 b	1.3 b	0.72	0.51 b	270	
N24508IAK	24508 NEPTUNE AVE	2011-01-27	09:32	Kitchen	44	3.7	0.42	2.1 b	1.4	2.6	1.9 b	22.3	12	0.58 b	0.26 b	0.45 b	1.7	0.5 b	750 D	
N24508IAB	24508 NEPTUNE AVE	2011-01-27	09:34	Bedroom	49	3.4	0.44	2.1 b	1.4	2.6	1.8 b	22.3	11	0.69 b	0.25 b	0.37 b	1.7	0.5 b	960 D	
P24508OAF	24508 PANAMA AVE	2012-04-25	13:06	Outdoor Air	6 f	0.46	0.41	0.23	1.1	2.2	0.27	21.6	1.5	0.11 b	0.033 f	0.015 f	0.063	0.074	8.3	
P24508OAB	24508 PANAMA AVE	2012-04-25	13:08	Outdoor Air	6.1 f	0.41	0.42	0.14 f, b	1.2	2.1	0.26	21.6	1.1	0.11 b	0.039 f	0.094 f	0.052	0.055 b	3.7 f	
P24508IAG	24508 PANAMA AVE	2012-04-25	14:05	Garage	28	1.3	0.44	0.59	1.2	2.1	2.2	21.6	3.3	0.22 b	26	0.14 f	0.088	0.73	20	
P24508IAB	24508 PANAMA AVE	2012-04-25	14:05	Bedroom	38	0.89	0.4	0.51	1.1	2.1	0.88	21.6	2.8	0.38 b	11	0.24	0.83	1.7	230	
P24508IAK	24508 PANAMA AVE	2012-04-25	14:06	Kitchen	26	1.8	0.38	0.42	1.1	2.1	0.73	21.6	9.4	0.3 b	5.1	0.16	1.1	0.72	280	
N24509OAF	24509 NEPTUNE AVE	2012-07-05	08:05	Outdoor Air	8.2 f	0.2 b	0.4	0.1 f	1.1	2.1	0.2	21.6	0.9	0.088 f, b	0.021 f	0.048 f	0.066	0.039 f	19	
N24509OAB	24509 NEPTUNE AVE	2012-07-05	08:07	Outdoor Air	4.8 f	0.18 b	0.45	0.11 f	1.1	2.3	0.21	21.6	0.87 f	0.11 b	0.029 f	0.055 f	0.057	0.11 f	3 f	
N24509IAB	24509 NEPTUNE AVE	2012-07-05	09:08	Bedroom	21	0.23 b	0.44	0.26	1.2	2.2	0.21	21.6	1.9	0.37 b	0.034 f	0.72 b	0.11	0.28 f	99	
N24509IAK	24509 NEPTUNE AVE	2012-07-05	09:08	Kitchen	15	0.34 b	0.45	0.26	1.1	1.9	0.22	21.6	1.7	0.47 b	0.037 f	0.25	0.1	0.041 f	44	
N24509IAB	24509 NEPTUNE AVE	2012-07-05	09:10	Garage	34	0.53	0.3	0.72	2.6	2.4	0.2	21.6	6.8	14 b	0.035 f	0.15 f	0.077	0.045 f	47	
R24509OAB	24509 RAVENNA AVE	2012-04-11	13:40	Outdoor Air	3 f	0.66	0.46	0.31	1.1	2.3	0.39	21.6	1.2	0.21	0.062	0.091 f, b	0.087	0.22	3.5 f	
R24509DAF	24509 RAVENNA AVE	2012-04-11	13:40	Outdoor Air	5.1 f	0.58	0.45	0.31	1.1	2.3	0.39	21.6	1.5	0.22	0.055	0.11 b	0.087	0.13	6.9 f	
R24509IAG	24509 RAVENNA AVE	2012-04-11	14:40	Garage	23	0.87	0.47	0.62	1.7	3.1	0.42	21.6	5	0.32	0.068	0.36	0.15	1	24	
R24509IAB	24509 RAVENNA AVE	2012-04-11	14:42	Bedroom	25	0.81	0.46	0.54	1.3	2.4	0.41	21.7	3.5	0.57	0.16	0.44 f	0.18	1.1	250	
R24509IAK	24509 RAVENNA AVE	2012-04-11	14:42	Kitchen	27	0.86	0.47	0.53	1.1	2	0.42	21.6	3.2	0.58	0.13	0.24	0.19	0.82	200	
M24512OAF	24512 MARBELLA AVE	2012-01-19	09:07	Outdoor Air	16 b	2.1	0.41	1	1.2	2.2	1.6	22.2	7	0.29	0.15	0.51	0.1	0.2	17	
M24512IAK	24512 MARBELLA AVE	2012-01-19	09:17	Kitchen	18 b	2.4	0.42	1.1	1.1	2.1	1.2 b	22.2	7.3	0.34	0.19	0.18 f	0.14	0.24	17	
M24512IAB	24512 MARBELLA AVE	2012-01-19	09:18	Bedroom	18 b	2.1	0.42	1.1	1.2	2.1	1.2 b	22.1	7.5	0.33	0.18	0.19	0.14	0.23	18	
M24512IAG	24512 MARBELLA AVE	2012-01-19	09:18	Garage	16 b	2.2	0.43	1	1.2	2	1.6	22.2	6.1	0.28	0.16	0.2	0.15	0.21	16	
M24512IAB	24512 MARBELLA AVE	2012-01-19	09:19	Bedroom	21 b	2.2	0.4	1	1.2	2.3	1.1 b	22.1	7.5	0.32	0.17	0.17	0.13	0.22	19	
N24512OAB	24512 MARBELLA AVE	2012-01-19	09:21	Outdoor Air	17 b	2.1	0.29	1	1.1	2	1.1 b	22.1	6.7	0.28	0.18	0.2	0.11	0.22	17	
P24512OAF	24512 PANAMA AVE	2012-11-14	14:08	Outdoor Air	18	1.6 b	0.62	0.83	1.6	2.6	0.99 b	21.6	4.2	0.23	0.12	0.31	0.098	0.25	23	
P24512OAB	24512 PANAMA AVE	2012-11-14	14:09	Outdoor Air	26	1.6 b	0.6	0.8	1.6	2.6	1.8	21.6	4.1	0.23	0.11	0.44	0.094	0.24	140	
P24512IAK	24512 PANAMA AVE	2012-11-14	15:10	Kitchen	70	2.7 b	0.58	3	1.6	2.6	4.1 b	21.6	14	0.41	0.18	0.33	0.36	0.25	210	
P24512IAB	24512 PANAMA AVE	2012-11-14	15:11	Bedroom	69	2.5 b	0.61	3	1.7	2.6	3.9 b	21.6	14	0.41	0.1	0.2	0.32	0.34	0.26	100
N24513OAF	24513 NEPTUNE AVE	2012-08-01	13:03	Outdoor Air	5.2 f	0.51	0.41	0.17	0.96	1.8	0.22	21.6	1.1	0.13 f, b	0.041	0.09 f	0.067	0.065	6.8 f	
N24513OAB	24513 NEPTUNE AVE	2012-08-01	13:04	Outdoor Air	6.3 f	0.6	0.41	0.17 f	0.96	1.8	0.22	21.6	1	0.24 b	0.038 f	0.21	0.068	0.067	46	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kasi Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units															
					Frequency of Detection	Acetone UG/M3	Benzene UG/M3	Carbon Tetrachloride UG/M3	Ethylbenzene UG/M3	Freon 11 UG/M3	Freon 12 UG/M3	Methylene Chloride UG/M3	Oxygen/ Argon MOL %	Toluene UG/M3	Chloroform UG/M3	1,4-Dichloro- benzene UG/M3	Naphthalene UG/M3	1,2-Dichloro- ethane UG/M3	Tetrachloro- ethene UG/M3	Ethanol UG/M3
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.50%	99.81%	99.71%	99.62%
N24519AG	24519 NEPTUNE AVE	2012-06-01	14:01	Garage		17.1	0.37	0.39	0.30	1.1	1.9	0.7	21.7	2.3	0.37 B	0.055 I	0.15 I	1.6	0.58	14
N24519AB	24519 NEPTUNE AVE	2012-06-01	14:02	Bedroom		16	0.58	0.44	0.52	2	1.8	0.36	21.6	2.9	0.21 B	2.8	0.87	0.54	0.29	28
N24519AC	24519 RAVENNA AVE	2012-06-24	13:06	Outdoor Air		7.2 I, b	0.26 B	0.46	0.11	1.1	2.1	0.22	21.6	0.58 I, b	0.11 I	0.015 I	0.021 I	0.068	0.07	11
N24519AD	24519 RAVENNA AVE	2012-06-24	13:08	Outdoor Air		8.9 I, b	0.25 B	0.54	0.12 I	1.1	2.1	0.26	21.5	0.46 I, b	0.11	0.028 I	0.047 I	0.079	0.16	5.6 I
N24519AE	24519 RAVENNA AVE	2012-06-24	14:06	Garage		16	0.52 B	0.55	0.34	1.1	2.1	0.26	21.6	1.4 b	0.35	0.029 I	0.21	0.56	0.092	20
N24519AF	24519 RAVENNA AVE	2012-06-24	14:07	Kitchen		47	0.38 B	0.52	0.83	1.1	2	0.29	21.8	10	0.61	0.053	0.26	1.4	0.56	640
N24519AG	24519 RAVENNA AVE	2012-06-24	14:08	Bedroom		48	0.44 B	0.51	0.78	1.1	2.1	0.3	21.6	9.9	0.75	0.038	0.4	1.4	1.3	570
N24519AH	24516 MARBELLA AVE	2012-05-22	13:10	Outdoor Air		6.4 I	0.29 b	0.46	0.092 I	1.1	2	0.24	21.6	0.51 I	0.11 I	0.017 I	0.12 I	0.078	0.063	13
N24519AI	24516 MARBELLA AVE	2012-05-22	13:12	Outdoor Air		4.7 I	0.22 b	0.45	0.088 I	1.1	2.1	0.22	21.5	0.44 I	0.19	0.024 I	0.052 I	0.075	0.083	4.3 I
N24519AJ	24516 MARBELLA AVE	2012-05-22	14:12	Garage		47	0.37 b	0.57	1.3	1.4	2	0.26	21.6	2.8 I	0.16 I	0.2	0.33	0.73	0.15	42
N24519AK	24516 MARBELLA AVE	2012-05-22	14:22	Kitchen		32	0.4 b	0.52	0.51	1.2	2	0.28	21.6	4.1	0.22	0.08	0.32	0.92	0.1	93
N24519AL	24516 MARBELLA AVE	2012-05-22	14:19	Bedroom		29	0.38 b	0.52	0.76	1.3	2	0.28	21.6	3.3	0.23	0.098	0.42	0.59	0.34	92
N24519AM	24517 MARBELLA AVE	2012-03-23	14:14	Garage		43	0.81 b	0.5	0.93 b	1.2	2.3	0.47	21.6	3.7 b	0.6	0.061 b	0.73	0.5	0.1	67
N24519AN	24517 MARBELLA AVE	2012-03-23	14:15	Bedroom		25	0.85 b	0.42	0.6 b	1.2	2.4	0.34	21.8	4.2 b	0.24	0.08 b	0.27	5.8	0.078	110
N24519AO	24517 MARBELLA AVE	2012-03-23	14:15	Kitchen		39	0.65 b	0.42	0.59 b	1.2	2.3	0.32	21.6	3.3 b	0.21	0.066 b	0.25	5.2	0.071	130
N24519AP	24517 MARBELLA AVE	2012-03-23	14:22	Outdoor Air		3.8 I	0.46 b	0.39	0.18 b	1.2	2.4	0.21	21.6	1.2 b	0.087 I	0.032 I, b	0.11 I	0.056	0.045	6.2 I
N24519AQ	24517 MARBELLA AVE	2012-03-23	14:28	Outdoor Air		7.4 I	0.45 b	0.29	0.15 b	1.2	2.3	0.22	21.6	1.1 b	0.18	0.039 b	0.16	0.054	0.041	190
N24519AR	24518 RAVENNA AVE	2012-07-11	13:04	Outdoor Air		9.8 I	0.62	0.46	0.21 I	1.3	2.4	0.28	21.6	1.4	0.13 I, b	0.031 I	0.074 I	0.057 I	0.13	6.5 I
N24519AS	24518 RAVENNA AVE	2012-07-11	13:05	Outdoor Air		9.3	0.39	0.45	0.19	1.4	2.4	0.26	21.6	1.1	0.11 I, b	0.039 I	0.12 I	0.054	0.12	22
N24519AT	24518 RAVENNA AVE	2012-07-11	14:05	Garage		18	0.46	0.53	0.28	1.8	2.3	0.23	21.6	1.4	0.17 I, b	0.073	0.2	0.4	0.1	27
N24519AU	24518 RAVENNA AVE	2012-07-11	14:06	Kitchen		51	0.52	0.47	0.47	1.6	2.3	0.31	21.6	6.8	0.27 B	0.11	0.72	4.9	0.15	100
N24519AV	24518 RAVENNA AVE	2012-07-11	14:07	Bedroom		50	0.55	0.48	0.47	1.8	2.3	0.36	21.6	8.3	0.31 B	0.16	0.49	4.9	0.16	84
N24519AW	24519 NEPTUNE AVE	2012-06-28	13:03	Outdoor Air		9 b	0.38	0.42	0.23	1.4	2.6	0.29	21.6	1.3	0.16 I, b	0.049	0.11	0.07	0.089	8.3 I
N24519AX	24519 NEPTUNE AVE	2012-06-28	13:05	Outdoor Air		8.8 I, b	0.35	0.41	0.24	1.3	2.6	0.28	21.6	1.3	0.17 I, b	0.049	0.11 I	0.074	0.091	6.2 I
N24519AY	24519 NEPTUNE AVE	2012-06-28	14:05	Garage		250	1.1	0.4	1.6	1.4	2.5	0.33	21.6	11	0.28 b	0.14	0.3	0.25	0.15	290
N24519AZ	24519 NEPTUNE AVE	2012-06-28	14:07	Hallway		27	0.83	0.42	0.53	1.3	2.4	0.33	21.6	3.3	0.34 b	0.12	0.19 I	0.65	0.19	240
N24520AA	24519 NEPTUNE AVE	2012-06-28	14:08	Bedroom		26	0.82	0.43	0.51	1.2	2.5	0.3	21.6	3.2	0.33 b	0.12	0.17 I	0.64	0.27	240
N24520AB	24522 MARBELLA AVE	2012-04-19	08:20	Outdoor Air		12	0.46	0.44	0.18	1.2	2.1	0.3	21.6	1.2	0.11 I	0.041	0.078 I	0.008	0.071	5.2 I
N24520AC	24522 MARBELLA AVE	2012-04-19	08:22	Outdoor Air		8.7	0.42	0.43	0.18	1.2	2.1	0.29	21.6	1.1	0.16	0.034 I	0.12 I	0.067	0.11	11
N24520AD	24522 MARBELLA AVE	2012-04-19	09:24	Bedroom		51	0.83	0.45	0.86	1.4	2.7	1.6	21.7	5.9	0.45	0.092	0.51	0.6	0.25	630
N24520AE	24522 MARBELLA AVE	2012-04-19	09:24	Garage		78	0.66	0.41	0.38	1.3	2.7	0.36	21.6	1.8	0.13 I	0.053	0.18	0.81	0.081	28
N24520AF	24522 MARBELLA AVE	2012-04-19	09:24	Kitchen		51	0.75	0.44	0.86	1.4	2.8	1.7	21.6	4.9	0.45	0.083	0.37	3.6	0.1	520
N24520AG	24522 NEPTUNE AVE	2012-04-04	08:02	Outdoor Air		9	0.29	0.36	0.93	1.3	2.3	0.37	21.5	1.8 b	0.3	0.057	0.14	0.75	0.097	8 b
N24520AH	24522 NEPTUNE AVE	2012-04-04	08:03	Outdoor Air		7.5	0.67 b	0.39	0.3	1.2	2.1	0.39	21.6	2 b	0.15	0.045	0.098 I	0.058	0.077	8.8 b
N24520AI	24522 NEPTUNE AVE	2012-04-04	09:02	Garage		13	0.62	0.55	0.65	1.3	2.3	0.44	21.6	3.4 b	0.31	0.087	0.27	0.89	0.22	10 b
N24520AJ	24522 NEPTUNE AVE	2012-04-04	09:03	Kitchen		15	0.95	0.41	1.1	1.6	2.1	0.4	21.6	3.4 b	0.25	0.074	0.23	0.89	0.088	69
N24520AK	24522 NEPTUNE AVE	2012-04-04	09:04	Bedroom		18	1	0.47	1.1	1.6	2.2	0.41	21.6	4.8 b	0.33 I	0.075	0.21	0.83 I	0.11	83
N24520AL	24522 RAVENNA AVE	2012-08-22	13:21	Outdoor Air		5.7 I	0.38 B	0.52	0.22	1	2	0.35	21.8	1	0.12 I, b	0.052	0.12 I, b	0.061	0.27 M	15
N24520AM	24522 RAVENNA AVE	2012-08-22	13:24	Outdoor Air		5.3 I	0.34 B	0.52	0.19	1.1	1.9	0.34	21.8	0.75 I	0.12 I, b	0.04 I	0.18 I	0.063	0.28 M	6.9 I
N24520AN	24522 RAVENNA AVE	2012-08-22	14:24	Bedroom		25	0.42 D	0.52	0.56	1.1	2	0.38	21.6	1.9	0.23 b	0.33	0.32	0.4	0.21	72
N24520AO	24522 RAVENNA AVE	2012-08-22	14:24	Garage		17	0.39 B	0.54	0.26	1	2	0.37	21.6	1.1	0.14 I, b	0.008	0.17 I	0.061	0.56 M	9.9
N24520AP	24522 RAVENNA AVE	2012-08-22	14:25	Kitchen		31	0.75 D	0.53	0.72	1	2	0.38	21.6	4.8	0.23 b	1.5	0.2	3.5	0.11	150
N24520AQ	24523 MARBELLA AVE	2012-04-26	08:06	Outdoor Air		4.9 I	0.53 B	0.41	0.27	0.99	1.9	0.27	21.6	1.9	0.15 I, b	0.045	0.061 I	0.073	0.047	4.8 I
N24520AR	24523 MARBELLA AVE	2012-04-26	08:09	Outdoor Air		5.4 I	0.45 B	0.41	0.2	1	1.9	0.3	21.7	1.8	0.22 B	0.062 b	0.095 I	0.075	0.059 b	12
N24520AS	24523 MARBELLA AVE	2012-04-26	09:06	Garage		25	0.36 D	0.43	0.59	1.3	2	0.25	21.6	2.8	0.36 B	0.049 b	0.31	0.12	0.38	25
N24520AT	24523 MARBELLA AVE	2012-04-26	09:06	Kitchen		19	0.39 B	0.4	0.35	1	2	0.49	21.6	3	0.32 B	0.091	0.21	0.32	0.49	140
N24520AU	24523 MARBELLA AVE	2012-04-26	09:07	Bedroom		23	0.37 B	0.41	0.36	1.1	1.9	0.53	21.6	2.8	0.48	0.071	0.23	0.4	0.5	230
N24520AV	24523 NEPTUNE AVE	2012-10-03	08:02	Outdoor Air		7.1	0.53	0.48	0.31	1.3	2.3	0.33	21.7	1.8	0.17 B	0.048	0.21	0.067	0.56 M	16
N24520AW	24523 NEPTUNE AVE	2012-10-03	08:05	Outdoor Air		7.2 I	0.54	0.52	0.31	1.3	2.3	0.38	21.8	1.7	0.21 B	0.053	0.11	0.075	0.23 M	6.4 I
N24520AX	24529 NEPTUNE AVE	2012-10-03	09:04	Garage		14	0.63	0.5	0.98	1.4	2.2	0.38	21.7	3.9	0.19 B	1.9	0.62	1.7	0.11	130
N24520AY	24529 NEPTUNE AVE	2012-10-03	09:06	Kitchen		24	0.55	0.49	0.76	1.4	2.3	0.50	21.9	6.5	0.24 B	0.23	0.29	0.37	0.1	210
N24520AZ	24529 NEPTUNE AVE	2012-10-03	09:07	Bedroom		29	1	0.51	0.64	1.3	2.3	0.58	21.7	7	0.36 B	0.28	0.38	0.41	0.11	180

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units															
					Frequency of Detection	Acetone UG/M3 100.00%	Benzene UG/M3 100.00%	Carbon Tetrachloride UG/M3 100.00%	Ethylbenzene UG/M3 100.00%	Freon 11 UG/M3 100.00%	Freon 12 UG/M3 100.00%	Methylene Chloride UG/M3 100.00%	Oxygen/ Argon MOL% 99.91%	Toluene UG/M3 100.00%	Chloroform UG/M3 99.91%	1,4-Dichloro- benzene UG/M3 99.90%	Naphthalene UG/M3 99.90%	1,2-Dichloro- ethane UG/M3 99.81%	Tetrachloro- ethane UG/M3 99.71%	Ethanol UG/M3 99.62%
R24523-0A1	24523 RAVENNA AVE	2010-08-23	07:26	Outdoor Air		19	1.1	0.49	0.66	2.7	2.2	0.46 B	22	6	0.20	0.1	0.45	0.1	0.15	26
R24523-0A8	24523 RAVENNA AVE	2010-08-23	07:30	Outdoor Air		24	0.99	0.52	0.6	2.8	2.9	0.43 B	22	4	0.20	0.11	0.39	0.11	0.14	19
R24523-1A5	24523 RAVENNA AVE	2010-08-23	08:30	Garage		61	37	2	92	2.7	2.9	0.71 B	22	480 D	4.60	0.14 J	1.41	5.7	0.18 J	146
R24523-1A6	24523 RAVENNA AVE	2010-08-23	08:31	Kitchen		90	1.3	0.43	0.98	2.7	2.2	0.58 B	22.1	59	1.78	0.35	0.41	2.9	0.17	210
R24523-1A8	24523 RAVENNA AVE	2010-08-23	08:32	Bedroom		91	1.3	0.55	1.1	2.8	2.9	0.55 B	22	59	1.68	0.17	0.42	2.6	0.18	220
R24523-0A5	24523 RAVENNA AVE	2011-03-24	07:32	Outdoor Air		8.7 J	0.78	0.51	0.35 b	1.6	2.9	0.48 B	22.8	1.9	0.13 J, B	0.075 b	0.18 J, b	0.13	0.099 b	8.7 J
R24523-0A8	24523 RAVENNA AVE	2011-03-24	07:34	Outdoor Air		6.7 J	0.78	0.51	0.31 b	1.6	2.8	0.43 B	22.3	1.6	0.11 J, B	0.055 b	0.14 J, b	0.087	0.072 b	8.7
R24523-1A8	24523 RAVENNA AVE	2011-03-24	08:33	Bedroom		31	1.6	0.5	1.3 b	2.7	3.1	1.1 B	22.3	9.8	0.65 B	0.17 b	0.74 b	0.95	0.16 b	580
R24523-1A6	24523 RAVENNA AVE	2011-03-24	08:34	Kitchen		28	1.6	0.5	1.2 b	3	3	1 B	22.2	8.4	0.65 B	0.15 b	0.96 b	1.1	0.13 b	530
R24523-1A5	24523 RAVENNA AVE	2011-03-24	08:35	Garage		32	5.3	0.54	9.6 b	1.7	3.1	1.2 B	22.2	110	0.6 B	0.13 b	0.71 b	0.82	0.15 b	68
M24526-0A5	24526 MARBELLA AVE	2012-04-18	08:11	Outdoor Air		7.1 b	0.54	0.45	0.37	0.92	1.7	0.37 b	21.6	12 b	0.12 J, B	0.08 J	0.11 J	0.076	0.26	8.1
M24526-0A8	24526 MARBELLA AVE	2012-04-18	08:13	Outdoor Air		5.5 J, b	0.51	0.44	0.25	0.93	1.7	0.34 b	21.6	13	0.15 J, B	0.054	0.12 J	0.071	0.2	13
M24526-1A5	24526 MARBELLA AVE	2012-04-18	09:11	Garage		94	0.84	0.43	1.2	1.1	1.6	0.9	21.6	15	0.23 B	0.093	0.42	0.19	0.11	76
M24526-1A8	24526 MARBELLA AVE	2012-04-18	09:12	Bedroom		35	0.88	0.42	0.62	0.97	1.7	0.57 b	21.6	4.8	0.99 B	0.33	0.3	0.57	0.13	130
M24526-1A6	24526 MARBELLA AVE	2012-04-18	09:13	Kitchen		35	0.92	0.44	0.61	0.97	1.7	0.54 b	21.6	4.2	0.61 B	0.36	0.32	0.66	0.12	130
N24528-0A8	24528 NEPTUNE AVE	2012-03-07	08:24	Outdoor Air		4 J	0.66	0.43	0.19	1	2	0.62	21.5	1.5 b	0.15	0.021 J	0.054 J, b	0.082	0.12	5.5 J
N24528-0A5	24528 NEPTUNE AVE	2012-03-07	08:25	Outdoor Air		8.6	1.3	0.4	0.61	1.2	2.4	1.3	21.6	4.4 b	0.18	0.065	0.084 J, b	0.075	0.1	11
N24528-1A6	24528 NEPTUNE AVE	2012-03-07	09:42	Garage		28	2	0.43	0.85	1.2	2.3	1.6	21.7	6.8 b	0.25	0.073	0.12 J, b	0.091	0.14	18
N24528-1A8	24528 NEPTUNE AVE	2012-03-07	09:43	Bedroom		19	1.3	0.44	0.52	1.2	2.3	1.3	21.6	3.6 b	0.22	0.36	0.14 J, b	0.08	3.5	430
N24528-1A5	24528 NEPTUNE AVE	2012-03-07	09:44	Kitchen		15	1.3	0.41	0.53	1.2	2.1	1.4	21.6	3.3 b	0.21	0.37	0.097 J, b	0.071	1.5	250
N24529-0A8	24529 NEPTUNE AVE	2012-03-01	08:20	Outdoor Air		5.4 J	0.82	0.4	0.34 b	1.2	2.2	0.35	21.6	2	0.22	0.056 b	0.091 J	0.069	0.12 b	9.2
N24529-0A5	24529 NEPTUNE AVE	2012-03-01	08:21	Outdoor Air		7.5	1.1	0.42	0.5 b	1.2	2.2	0.36	21.5	4.8	0.16	0.055 b	0.095 J	0.071	0.13 b	12
N24529-1A6	24529 NEPTUNE AVE	2012-03-01	09:20	Garage		25	8.2	0.43	6.8 b	1.1	2.2	0.33	21.6	45	0.87	0.31 b	2.4	0.27	0.084 b	310
N24529-1A8	24529 NEPTUNE AVE	2012-03-01	09:22	Bedroom		60	6.8	0.43	4.6 b	1.3	2.1	0.31	21.6	21	0.49	0.21 b	1.2	0.56	0.092 b	860
N24529-1A5	24529 NEPTUNE AVE	2012-03-01	09:23	Kitchen		42	6.6	0.43	2.9 b	1.4	2.1	0.33	21.6	13	0.56	0.11 b	0.74	0.43	0.21 b	250
P24529-0A5	24529 PANAMA AVE	2012-05-16	08:12	Outdoor Air		4.6 J	0.58 B	0.52	0.36	1.3	2.1	0.4	21.6	1.9	0.15 J	0.043 J	0.26	0.1	0.3	8.2 J
P24529-0A8	24529 PANAMA AVE	2012-05-16	08:15	Outdoor Air		5.4 J	0.44 B	0.47	0.28	1.4	2.2	0.34	21.6	1.9	0.13 J	0.077	0.19	0.078	0.67	8.1 J
P24529-1A6	24529 PANAMA AVE	2012-05-16	08:12	Garage		9.4	0.74 B	0.53	1.1	1.4	2.2	0.36	21.6	2.1	0.33	0.048	0.88	0.068	0.32	31
P24529-1A8	24529 PANAMA AVE	2012-05-16	09:13	Bedroom		38	1.10	0.52	1.1	1.5	2	0.67	21.6	6.1	2.1	0.11	1.2	15	0.6	2000 D
P24529-1A5	24529 PANAMA AVE	2012-05-16	09:13	Kitchen		35	1.10	0.5	1.1	1.4	2.1	0.54	21.5	5.1	1.6	0.095	0.78	22	0.53	1300 D
R24529-0A8	24529 RAVENNA AVE	2011-08-17	12:22	Outdoor Air		11 b	0.58 B	0.37	0.29	1.5	2.2	0.4 b	22.3	2.9	0.15 J	0.11 b	0.11	0.062	0.089	14
R24529-0A5	24529 RAVENNA AVE	2011-08-17	12:23	Outdoor Air		12 b	0.53 B	0.4	0.31	1.3	2.2	0.41 b	22.3	2.1	0.15	0.088 b	0.11	0.057	0.074	28
R24529-1A6	24529 RAVENNA AVE	2011-08-17	13:40	Garage		80 b	1.4 B	0.39	2.2	2.4	2.4	4.1 b	22.3	12	1	0.38 b	0.93	4.2	0.091	89
R24529-1A8	24529 RAVENNA AVE	2011-08-17	13:41	Bedroom		32 b	0.88 B	0.42	0.53	2.1	2	0.5 b	22.3	71	0.27	12 b	0.42	1.8	0.22	190
R24529-1A5	24529 RAVENNA AVE	2011-08-17	13:41	Kitchen		27 b	0.98 B	0.39	0.52	3.1	2.1	0.79 b	22.3	5.9	0.25	5.6 b	0.29	0.99	0.17	120
M24532-0A8	24532 MARBELLA AVE	2012-04-04	13:35	Outdoor Air		9.7	0.6 b	0.41	0.24	1.2	2.2	0.33 b	21.6	1.9 b	0.16 J	0.095	0.13 J	0.067	0.077	12 b
M24532-1A8	24532 MARBELLA AVE	2012-04-04	14:37	Outdoor Air		7.9 J	0.5 b	0.37	0.2	1.1	2.1	0.31 b	21.6	1.4 b	0.18	0.039 J	0.13 J	0.07	0.062	20 b
M24532-1A6	24532 MARBELLA AVE	2012-04-04	14:35	Garage		14	1.1	0.44	0.43	1.1	2.1	0.38 b	21.6	3.9 b	0.22	0.035 J	0.13 J	0.11	0.072	22 b
M24532-1A5	24532 MARBELLA AVE	2012-04-04	14:36	Kitchen		39	0.87 b	0.41	0.6	1.2	2.1	0.37 b	21.6	4.7 b	0.39	0.053	0.5	0.2	0.1	180
M24532-1A8	24532 MARBELLA AVE	2012-04-04	14:37	Bedroom		37	0.89	0.41	0.64	1.2	2.1	0.38 b	21.6	5 b	0.37	0.058	0.54	0.21	0.15	150
P24532-0A5	24532 PANAMA AVE	2012-05-09	08:20	Outdoor Air		5.5 J, b	0.39 B	0.48	0.18	1.8	2.4	0.27	21.6	0.94	0.13 J, B	0.022 J	0.11 J	0.076	0.46 B	4.8 J
P24532-0A8	24532 PANAMA AVE	2012-05-09	08:21	Outdoor Air		4.1 b	0.37 B	0.48	0.17 J	1.7	2.3	0.28	21.6	0.84 J	0.17 J, B	0.032 J	0.088 J	0.08	0.099 B	5.3 J
P24532-1A6	24532 PANAMA AVE	2012-05-09	09:20	Garage		99	0.91 B	0.48	2.8	2.6	2.6	1.6	21.6	18	1.8 b	1.3	0.36	2.9	0.53 B	200
P24532-1A5	24532 PANAMA AVE	2012-05-09	09:20	Kitchen		27	0.82 B	0.5	0.91	2.6	2.4	0.48	21.6	4.6	0.9 B	0.1	0.36	2.9	0.53 B	200
P24532-1A8	24532 PANAMA AVE	2012-05-09	09:21	Bedroom		37	0.96 B	0.48	1.3	2.7	2.4	0.6	21.7	6.7	1.8	2.5	0.51	2.6	0.47 B	200
R24532-0A5	24532 RAVENNA AVE	2012-11-15	13:08	Outdoor Air		13	1.9 B	0.61	1.1	1.3	2.4	0.84 B	21.6	5.2	0.82	0.17	0.35	0.12	0.37	13
R24532-0A8	24532 RAVENNA AVE	2012-11-15	13:13	Outdoor Air		19	1.8 B	0.6	1	1.4	2.6	0.85 B	21.6	4.6	0.25	0.29	0.43	0.11	0.21	22
R24532-1A6	24532 RAVENNA AVE	2012-11-15	14:10	Garage		25	1.9 B	0.63	2.1	1.8	2.5	3.5 B	21.6	11	0.28	0.54	0.6	0.14	8.5	26
R24532-1A8	24532 RAVENNA AVE	2012-11-15	14:13	Kitchen		44	2	0.61	1.4	1.6	2.9	1.1 B	21.6	12	0.54	98 D	0.5	1.3	1.2	280
R24532-1A5	24532 RAVENNA AVE	2012-11-15	14:14	Bedroom		37	2	0.61	1.4	1.5	2.9	0.99 B	21.6	12	0.38	130 D	0.2	1.3	0.7	240
P24533-0A5	24533 PANAMA AVE	2012-09-19	08:16	Outdoor Air		30	0.81 B	0.44	0.46	1	2	2.4	21.5	2.4	0.24 B	0.1	0.21	0.673	0.13	11
P24533-0A8	24533 PANAMA AVE	2012-09-19	08:19	Outdoor Air		9.9 b	0.84 B	0.49	0.48	1.1	2	2.6	21.5	2.3	0.24 B	0.19	0.17	0.683	0.13	16

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/ Argon	Toluene	Chloroform	1,4-Dichloro- benzene	Naphthalene	1,2-Dichloro- ethane	Tetrachloro- ethane	Ethanol
						UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	MOL.% 100.00%	UG/M3 100.00%	UG/M3 99.91%	UG/M3 99.90%	UG/M3 99.99%	UG/M3 99.81%	UG/M3 99.71%	UG/M3 99.62%
M24608IAK	24608 MARBELLA AVE	2012-01-12	11:10	Kitchen	30 M	4.2 b	0.44	2.1	1.3	2	2.6	22	11	0.56	0.37	0.42	1.7	0.45	77	
N24608OAF	24608 NEPTUNE AVE	2012-05-17	14:08	Outdoor Air	5.1 J	0.53 B	0.54	0.26 b	1.1	1.9	0.29	21.7	1.3 b	0.161	0.086 b	0.16 J	0.083	0.077	6.7 J	
N24608OAB	24608 NEPTUNE AVE	2012-05-17	14:08	Outdoor Air	4.8 J	0.37 B	0.52	0.18 b	1.1	1.8	0.29	21.6	0.06 J, b	2.1	0.037 J, b	0.11 J	0.082	0.069	6.8 J	
N24608IAB	24608 NEPTUNE AVE	2012-05-17	14:19	Bedroom	21	0.45 B	0.56	0.95	1.5	1.9	0.33	21.6	2.4	1.8	0.079 J, b	0.29	0.41	0.14	160	
N24608IAG	24608 NEPTUNE AVE	2012-05-17	14:19	Garage	45	0.53 B	0.89	2.1	4.8	2	0.36	21.6	5.6	0.73	0.077 b	0.26	0.43	0.15	640	
N24608IAK	24608 NEPTUNE AVE	2012-05-17	14:19	Kitchen	25	0.45 B	0.57	0.92	1.6	2	0.32	21.6	2.4	1.8	0.082 b	0.27	0.35	0.12	470	
P24608OAB	24608 PANAMA AVE	2012-04-05	13:10	Outdoor Air	12 b	0.85	0.32	0.36	1	2.1	0.59	21.6	2.9	0.2	0.071	0.13 J	0.078	0.078	18	
P24608OAF	24608 PANAMA AVE	2012-04-05	13:13	Outdoor Air	9.9 J, b	0.83	0.39	0.36	1	2.1	0.6	21.7	2.5	0.17 J	0.07	0.093 J	0.079	0.084	13	
P24608IAG	24608 PANAMA AVE	2012-04-05	14:10	Garage	600	0.9	0.4	0.49	1	2	0.58	21.6	3.4	0.2	0.048	0.17	0.088	0.086	71	
P24608IAK	24608 PANAMA AVE	2012-04-05	14:11	Kitchen	23	0.54	0.38	0.64	1.1	2.1	0.59	21.6	5.8	0.51	0.063	0.46	0.13	0.08	310	
P24608IAB	24608 PANAMA AVE	2012-04-05	14:12	Bedroom	21	0.58	0.39	0.48	1	2	0.55	21.6	6.2	0.38	0.055	0.16	0.16	0.078	120	
P24608OAF	24608 RAVENNA AVE	2012-05-16	13:12	Outdoor Air	11	0.47 B	0.5	0.23	1.1	2	0.33	21.6	1	0.14 J	0.061	1.6	0.088	0.13	5.6 J	
P24608OAB	24608 RAVENNA AVE	2012-05-16	13:14	Outdoor Air	7.2 J	0.38 B	0.53	0.2	1.1	2	0.33	21.6	0.84 J	0.14 J	0.083	0.11	0.083	0.088	4.9 J	
R24608IAB	24608 RAVENNA AVE	2012-05-16	10:12	Bedroom	38	1.3 J, b	0.55	0.93 J	1.2	2	5.5	21.6	6.1	0.68 J	380 D	0.29 J	4.8	5.9	410	
R24608IAK	24608 RAVENNA AVE	2012-05-16	14:13	Kitchen	33	1.2 B	0.6	0.92	1.1 J	2	3.7	21.6	5.5	0.59 J	170 D	0.29 J	4.8	6.6	360	
R24608IAG	24608 RAVENNA AVE	2012-05-16	14:14	Garage	88	0.88 B	0.69	0.85	1.1	2.1	0.42	21.6	2.2	0.59	6.6	0.3	0.19	0.3	57	
N24609OAF	24609 NEPTUNE AVE	2010-12-09	13:13	Outdoor Air	22	1.5	0.49	1.6 b	1.7	2.2	0.95 b	22	4.7	0.26 b	0.11	0.34 b	0.11	0.2	14	
N24609OAB	24609 NEPTUNE AVE	2010-12-09	13:15	Outdoor Air	87	1.5	0.49	1.4 b	1.6	2.3	0.95 b	21.9	5.6	0.26 b	0.12	0.29 b	0.12	0.24	19	
N24609IAG	24609 NEPTUNE AVE	2010-12-09	14:16	Garage	41	1.6	0.5	2.6	1.6	2.3	0.94 b	22	6.2	0.35 b	0.36	0.49 b	0.15	0.1	53	
N24609IAB	24609 NEPTUNE AVE	2010-12-09	14:17	Bedroom	36	1.9	0.51	2.2 b	2.1	2.3	1.3 b	22	13	0.3 b	4.5	0.49 b	1.1	0.34	130	
N24609IAK	24609 NEPTUNE AVE	2010-12-09	14:17	Kitchen	23	2	0.52	2.1 b	2	2.3	1.2 b	21.9	16	0.67 b	3.4	0.55 b	1.6	0.31	160	
P24609OAB	24609 PANAMA AVE	2011-02-17	08:11	Outdoor Air	19 b	1.2	0.47	0.49 b	1.6	2.6	1.1 b	22.3	3.8	0.16 b	0.11 b	0.17 b	0.11	0.17 b	19	
P24609OAF	24609 PANAMA AVE	2011-02-17	08:13	Outdoor Air	9.7 b	1.2	0.46	0.49 b	1.5	2.6	1.1 b	22.3	3.9	0.16 b	0.097 b	0.18 b	0.11	0.18 b	20	
P24609IAK	24609 PANAMA AVE	2011-02-17	09:33	Kitchen	17 b	1.2	0.48	0.58 b	42	2.6	1.1 b	22.2	4.2	0.28 b	0.12 b	0.35 b	0.45	0.51 b	130	
P24609IAB	24609 PANAMA AVE	2011-02-17	09:34	Bedroom	25 b	1.2	0.46	0.69 b	24	2.6	1.2 b	22.8	5	0.38 b	0.14 b	0.38 b	0.54	0.46 b	160	
P24609IAG	24609 PANAMA AVE	2011-02-17	09:56	Garage	44 b	1.1	0.47	0.97 b	1.7	2.6	0.99 b	22.2	6.8	0.3 b	0.11 b	0.25 b	0.11	1.3 b	45	
R24609OAF	24609 RAVENNA AVE	2012-09-20	13:10	Outdoor Air	13	0.89 B	0.43	0.48	2	2.2	0.45	21.5	2.3	0.24 b	0.08	0.31	0.062	0.097 b	26	
R24609OAB	24609 RAVENNA AVE	2012-09-20	13:11	Outdoor Air	30	0.87 B	0.49	0.55	1.9	2.1	0.52	21.5	2.1	0.31 b	0.079	0.23	0.073	0.14 b	16	
R24609IAK	24609 RAVENNA AVE	2012-09-20	14:10	Kitchen	39	1 b	0.51	1.1	1.6	2	0.58	21.5	3.7	0.31 b	0.1	0.093 J	1.8	0.5	580	
R24609IAB	24609 RAVENNA AVE	2012-09-20	14:11	Bedroom	40	1 b	0.52	1.2	1.7	2	0.52	21.6	4	0.36 b	0.15	0.3	1.5	0.61	480	
R24609IAG	24609 RAVENNA AVE	2012-09-20	14:12	Garage	18	1.1 b	0.67	0.65	2.5	2.1	0.46	21.6	3.3	0.58 b	0.082	0.41	0.12	0.35 M, b	38	
M24612OAF	24612 MARBELLA AVE	2012-05-09	13:07	Outdoor Air	2.8 J, b	0.35 B	0.48	0.14 J	1.3	2.5	0.27	21.6	1	0.11 J, b	0.048	0.08 J	0.083	0.041	<7.7 U	
M24612OAB	24612 MARBELLA AVE	2012-05-09	13:09	Outdoor Air	6.4 J, b	0.35 B	0.47	0.12 J	1.3	2.4	0.26	21.7	0.73 J	0.12 J, b	0.03 J	0.11 J	0.078	0.099 J	12	
M24612IAB	24612 MARBELLA AVE	2012-05-09	14:09	Bedroom	20	0.5 B	0.47	0.32	1.5	2.4	0.32	21.6	2.3	0.17 b	0.14	0.41	0.22	0.31	15	
M24612IAK	24612 MARBELLA AVE	2012-05-09	14:09	Kitchen	21	0.52 B	0.42	0.3	1.4	2	0.32	21.6	2.4	0.17 b, b	0.14	0.36	0.13	0.74	42	
M24612IAG	24612 MARBELLA AVE	2012-05-09	14:10	Garage	10 b	0.34 B	0.39	0.17	1.3	2.4	0.27	21.6	1.1	0.12 J, b	0.029	0.15 J	0.082	0.054	8.7	
N24612OAF	24612 NEPTUNE AVE	2011-03-10	13:14	Outdoor Air	13 b	1.3	0.47	0.88 b	1.6	2.7	1.4 b	22.3	4.5	0.23 b	0.14	0.31 b	0.22	0.16	22	
N24612OAB	24612 NEPTUNE AVE	2011-03-10	13:16	Outdoor Air	15 b	1.3	0.49	0.87 b	1.5	2.7	1.5 b	22.9	4.9	0.24 b	0.14	0.65 b	0.34	0.18	21	
N24612IAG	24612 NEPTUNE AVE	2011-03-10	14:23	Garage	22 b	1.2	0.48	0.95 b	1.4	2.9	1.5 b	22.2	5.7	0.44 b	0.1	0.67 b	0.34	0.27	20	
N24612IAK	24612 NEPTUNE AVE	2011-03-10	14:25	Kitchen	31 b	1.6	0.46	1.2 b	1.5	2.6	1.3 b	22.2	9.5	0.4 b	0.14	0.53 b	1.5	0.24	150	
N24612IAB	24612 NEPTUNE AVE	2011-03-10	14:26	Bedroom	43 b	1.9	0.53	1.4 b	1.6	2.8	1.7 b	22.3	9.9	0.51 b	0.2	2 b	1.3	0.27	140	
P24612OAF	24612 RAVENNA AVE	2012-10-31	12:03	Outdoor Air	7 J	0.56	0.41	0.63	1.9	2.6	0.37	21.5	4.6	0.28	0.13	0.21	0.09	0.098	38	
P24612OAB	24612 RAVENNA AVE	2012-10-31	12:05	Outdoor Air	10	0.78	0.43	0.62	1.4	2.6	0.45	21.6	3.1	0.27	0.13	0.19 J	0.082	0.091	16	
P24612IAB	24612 RAVENNA AVE	2012-10-31	14:05	Bedroom	22	2.2	0.46	0.34	2.7	2.5	0.43	21.6	5.1	0.4	0.11	0.17 J	0.63	0.11	140	
P24612IAK	24612 RAVENNA AVE	2012-10-31	14:05	Garage	12	0.89	0.45	0.68	1.4	2.6	0.6	21.6	7.9	0.28	0.1	0.16 J	0.095	0.089	16	
R24612IAG	24612 RAVENNA AVE	2012-10-31	14:06	Kitchen	20	2	0.34	0.65	3.1	2.6	0.42	21.6	5.4	0.35	0.12	0.19 J	0.34	0.11	150	
M24613OAF	24613 MARBELLA AVE	2012-10-10	08:30	Outdoor Air	5.2 J	0.54	0.49	0.31	1.1	2.4	0.32	21.6	1.7	0.31 b	0.088	0.09 J, b	0.069	0.068 b	8 J	
M24613OAB	24613 MARBELLA AVE	2012-10-10	08:34	Outdoor Air	6.4 J	0.6	0.5	0.35	1.3	2.5	0.33	21.5	1.9	0.31 b	0.1	0.097 J, b	0.069	0.067 b	<8.4 U	
M24613IAB	24613 MARBELLA AVE	2012-10-10	09:45	Bedroom	24	1.7	0.48	1.3	1.4	2.5	0.42	21.5	6.1	0.59 b	0.16	0.42	0.68	0.09 b	180	
M24613IAG	24613 MARBELLA AVE	2012-10-10	09:46	Garage	15	1.5	0.48	0.91	1.7	2.5	0.38	21.5	6.5	0.31 b	0.14	0.22	0.12	0.082 b	31	
M24613IAK	24613 MARBELLA AVE	2012-10-10	09:46	Kitchen	17	1.3	0.5	1	1.4	2.5	0.30	21.5	5.1	0.45 b	0.13	0.26	0.42	0.079 b	170	
N24613OAF	24613 NEPTUNE AVE	2012-05-10	08:00	Outdoor Air	4.2 J	0.47 B	0.49	0.2	1.2	2.1	0.42	21.6	1.1	0.12 J, b	0.021 J	0.086 J	0.09	0.17	4.7 J	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection														
						Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/Argon	Toluene	Chloroform	1,4-Dichlorobenzene	Naphthalene	1,2-Dichloroethane	Tetrachloroethene	Ethanol
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.90%	99.81%	99.71%	99.62%
N246130AB	24613 NEPTUNE AVE	2012-05-10	08:02	Outdoor Air	5.2 J	0.31 B	0.49	0.12 J	1.3	2.2	0.24	21.7	0.52 J	0.12 J, B	0.023 J	0.095 J	0.073	0.046 J	3.2 J	
N246130AB	24613 NEPTUNE AVE	2012-05-10	09:00	Bedroom	14	0.39 B	0.48	0.29	2.6	4.1	0.34	21.7	1.6	0.28 B	0.074	0.5 J	0.21	0.19	120	
N246130AB	24613 NEPTUNE AVE	2012-05-10	09:00	Garage	11	0.44 B	0.5	0.37	1.3	2.3	0.46	21.6	1.3	0.13 J, B	0.026 J	0.18	0.087	0.073	9.3	
N246130AB	24613 NEPTUNE AVE	2012-05-10	09:01	Kitchen	16	0.42 B	0.47	0.38	4	5.4	0.39	21.7	2.4	0.35 B	0.06 J	0.18 J	0.17	0.18	110	
N246130AB	24613 PANAMA AVE	2011-02-09	08:19	Outdoor Air	12	1.3	0.45	0.54 B	1.2	2.3	0.8 B	22.3	3.9	0.15 J, B	0.1 B	0.25	0.12	0.17 B	15	
N246130AF	24613 PANAMA AVE	2011-02-09	08:20	Outdoor Air	13	2	0.49	1.1 B	1.2	2.8	1.2 B	22.2	7	0.29 B	0.16 B	0.23 B	0.14	0.33 B	28	
N246130AB	24613 PANAMA AVE	2011-02-09	09:24	Bedroom	45 M	2.5	0.47	1.2 B	1.3	2.3	1.7 B	22.1	9.8	0.57 B	0.35 B	0.33 B	0.22	0.42 B	570	
N246130AK	24613 PANAMA AVE	2011-02-09	09:24	Kitchen	36	2	0.5	1.2 B	1.3	2.5	1.3 B	22.2	7.6	0.44 B	0.25 B	0.28 B	0.15	0.34 B	410	
N246130AG	24613 PANAMA AVE	2011-02-09	09:27	Garage	18	1.5	0.5	0.91 B	1.3	2.6	3.6 B	22.2	17	0.28 B	0.15 B	0.2 B	0.13	0.23 B	35	
N246130AB	24613 PANAMA AVE	2012-09-12	13:07	Outdoor Air	10	0.33 B	0.48	0.12 J	1.1	2.3	0.29	21.5	0.9	0.14 J, B	0.077	0.062 J	0.046	0.083	7.1 J	
N246130AF	24613 PANAMA AVE	2012-09-12	13:10	Outdoor Air	19	0.7 B	0.51	0.16 J	1.1	2.7	0.3	21.5	1.2	0.16 J, B	0.086	0.11 J	0.055	0.15 M	20	
N246130AG	24613 PANAMA AVE	2012-09-12	14:08	Garage	12	0.49 B	0.49	0.2	1.1	2.2	0.28	21.5	2.1	0.18 J, B	0.084	0.079 J	0.049	0.19 M	13	
N246130AB	24613 PANAMA AVE	2012-09-12	14:09	Bedroom	25	0.39 B	0.5	0.23	1.1	2.2	0.56	21.5	9.1	0.32 B	0.076	0.18	0.23	0.47 M	140	
N246130AX	24613 PANAMA AVE	2012-09-12	14:09	Kitchen	21	0.33 B	0.49	0.22	1.1	2.2	0.32	21.5	1.4	0.27 B	0.074	0.18	0.17	0.42 M	120	
N246130AB	24613 RAVENNA AVE	2011-05-19	08:00	Outdoor Air	9.1 B	0.38	0.49 B	0.21	1.4	2.5	0.37 B	22.3	1.2	0.12 J, B	0.035 B	0.11 J, B	0.092	0.077	8.1	
N246130AF	24613 RAVENNA AVE	2011-05-19	08:00	Outdoor Air	7.9 J, B	0.47	0.47 B	0.25	1.2	2.1	0.43 B	22.3	1.4	0.12 J, B	0.033 B	0.14 J, B	0.099	0.06	9.8	
N246130AB	24613 RAVENNA AVE	2011-05-19	09:12	Bedroom	120 B	0.75	0.48 B	0.51	1.4	2.3	0.73 B	22.3	3.1	0.21 B	0.093 B	0.25 B	0.55	0.32	280	
N246130AB	24613 RAVENNA AVE	2011-05-19	09:12	Kitchen	18 B, M	0.75	0.48 B	0.49	1.3	2.2	0.77 B	22.3	2.9	0.21 B	0.097 B	0.21 B	0.53	0.33	280	
N246130AG	24613 RAVENNA AVE	2011-05-19	09:14	Garage	42 B, M	2.4	0.59	0.9	1.4	2.3	5.7 B	22.3	5.3	0.26 B	0.092 B	0.41 B	0.15	0.92	100	
N246160AB	24616 MARBELLA AVE	2011-03-17	13:05	Outdoor Air	16 B	1.2	0.54	0.58 B	1.4	2.6	1.8 B	22.2	3.7	0.3 B	0.11 B	0.21 B	0.12	0.23 B	13	
N246160AF	24616 MARBELLA AVE	2011-03-17	13:05	Outdoor Air	12 B	1.2	0.53	0.6 B	1.3	2.6	1.9 B	22.2	3.9	0.29 B	0.1 B	0.15 B	0.14	0.23 B	14	
N246160AG	24616 MARBELLA AVE	2011-03-17	14:06	Garage	10 B	1.1	0.51	0.55 B	1.3	2.5	1.9 B	22.2	3.6	0.3 B	0.096 B	0.15 B	0.13	0.21 B	13	
N246160AK	24616 MARBELLA AVE	2011-03-17	14:07	Kitchen	13 B	1.1	0.55	0.61 B	1.3	2.6	1.7 B	22.3	3.5	0.3 B	0.1 B	0.27 B	0.16	0.21 B	14	
N246160AB	24616 MARBELLA AVE	2011-03-17	14:08	Bedroom	16 B	0.97	0.54	0.56 B	1.3	2.6	1.5 B	22.2	3.1	0.29 B	0.2 B	0.35 B	0.14	0.18 B	12	
N246170AF	24617 MARBELLA AVE	2012-05-02	08:04	Outdoor Air	5.4 J	0.29	0.37	0.12 J	1.2	2.3	0.24	21.6	0.88 J	0.15 J, B	0.025 J	0.48	0.052	0.044 J	7.3 J	
N246170AB	24617 MARBELLA AVE	2012-05-02	08:06	Outdoor Air	8.4 J	0.3	0.39	0.11 J	1.1	2.1	0.29	21.6	0.91 J	0.15 J, B	0.024 J	0.079 J	0.052	0.23	8.4 J	
N246170AB	24617 MARBELLA AVE	2012-05-02	08:04	Garage	170	0.42	0.39	1.3	1.5	2.6	0.96	21.7	14	0.35 B	0.069	0.49	0.066 J	1.4	52	
N246170AB	24617 MARBELLA AVE	2012-05-02	09:05	Kitchen	91	0.46	0.39	0.67	1.5	2.4	0.33	21.6	15	0.65 B	0.47	0.66	0.22	7.1	370	
N246170AB	24617 MARBELLA AVE	2012-05-02	09:06	Bedroom	90	0.45	0.38	0.68	1.4	2.2	0.34	21.6	15	0.71 B	0.89	0.58	0.24	8.3	470	
N246180AF	24618 NEPTUNE AVE	2011-01-26	13:17	Outdoor Air	33	3.9	0.45	2.3	1.5	2.8	2.3 B	22.2	15	0.51 B	0.3	0.42	0.19	0.7	56	
N246180AF	24618 NEPTUNE AVE	2011-01-26	13:18	Outdoor Air	26	3.4	0.44	1.9	1.6	2.7	2.8	22.2	12	0.41 B	0.23	0.33	0.15	0.57	47	
N246180AB	24618 NEPTUNE AVE	2011-01-26	14:20	Bedroom	55	3.8	0.45	2.1	1.7	2.9	2.2 B	22.3	15	0.83 B	0.26	0.47	1.4	0.67	160	
N246180AK	24618 NEPTUNE AVE	2011-01-26	14:21	Kitchen	50	3.8	0.44	2.1	1.6	2.9	2.2 B	22.3	15	0.8 B	0.26	0.38	1.7	0.67	130	
N246180AG	24618 NEPTUNE AVE	2011-01-26	14:22	Garage	73	3.8	0.44	2.4	1.8	2.8	2.3 B	22.2	19	0.82 B	0.26	0.4	0.2	0.67	56	
N246180AF	24618 NEPTUNE AVE	2012-07-26	13:11	Outdoor Air	5.9 J	0.33	0.45	0.15 J	0.98	1.9	0.25	21.6	0.96	0.21 B	0.032 J, B	0.039 J	0.042	0.027 J	8.4 J	
N246180AB	24618 NEPTUNE AVE	2012-07-26	13:12	Outdoor Air	5.3	0.37	0.47	0.14 J	0.95	1.8	0.26	21.6	0.76 J	0.22 B	0.034 J, B	0.051 J	0.045	0.041 J	24	
N246180AB	24618 NEPTUNE AVE	2012-07-26	14:11	Bedroom	16	0.49	0.44	0.33	1	1.9	0.28	21.6	2.9	0.49	0.097	2	0.38	0.038 J	41	
N246180AK	24618 NEPTUNE AVE	2012-07-26	14:11	Kitchen	14	0.44	0.43	0.32	1	2	0.27	21.7	2.2	0.44 B	0.064 B	0.17 J	2	0.046 J	37	
N246180AG	24618 NEPTUNE AVE	2012-07-26	14:13	Garage	24	0.4	0.46	0.6	1.2	1.9	0.28	21.6	3.9	0.96	0.07	0.59	0.096	0.34	26	
N246180AF	24618 PANAMA AVE	2012-04-18	13:43	Outdoor Air	6.9 J, B	0.45	0.45	0.18	1.2	2.2	0.31 B	21.6	0.88 B	0.11 J, B	0.083	0.11 J	0.064	0.07	29	
N246180AF	24618 PANAMA AVE	2012-04-18	13:44	Outdoor Air	7.9 J, B	0.44	0.45	0.19	1.2	2.1	0.32 B	21.6	0.9 B	0.12 J, B	0.072	0.09 J	0.077	0.11	5.7 J	
N246180AK	24618 PANAMA AVE	2012-04-18	14:41	Kitchen	51	0.82	0.46	0.99	1.2	2.3	5.3	21.7	7.6	0.42 B	37 D	0.32	3.8	0.15	370	
N246180AB	24618 PANAMA AVE	2012-04-18	14:42	Bedroom	33	0.84	0.46	0.97	1.2	2.4	5.1	21.6	7.8	0.47 B	39 D	0.29	4.1	0.15	410	
N246180AG	24618 PANAMA AVE	2012-04-18	14:43	Garage	130	0.85 J	0.61 J	1.61	1.2	2.7	57	21.6	19	0.71 J, B	450	0.29 J	2.7	<0.75 U	70	
N246190AF	24619 NEPTUNE AVE	2012-07-12	08:51	Outdoor Air	7.2 J	0.63 B	0.46	0.36 J	1.3	2	0.37	21.5	1.7	0.16 J, B	0.036 J	0.11 J	0.061	0.17	12	
N246190AB	24619 NEPTUNE AVE	2012-07-12	08:53	Outdoor Air	11	0.67 B	0.46	0.34 J	1.7	2.4	0.41 J	21.6	2	0.24 J, B	0.044 J	0.2 J	0.05 J	0.26	10	
N246190AK	24619 NEPTUNE AVE	2012-07-12	09:08	Kitchen	33	1.8	0.77	0.74	1.8	1.8	0.4 J	21.6	7.9	0.86 B	0.23	0.22 J	1.4	0.47	130	
N246190AB	24619 NEPTUNE AVE	2012-07-12	09:09	Bedroom	55	1.8	0.46	0.81	2.4	2.4	0.4 J	21.6	14	1.2 B	0.23	0.4 J	1.5	0.86	160	
N246190AG	24619 NEPTUNE AVE	2012-07-12	09:12	Garage	49	1.3 B	0.55	2.1	1.8	2.4	0.35	21.8	7.7	0.27 B	0.05	0.95	3.3	0.45	60	
N246190AB	24619 PANAMA AVE	2011-02-10	13:10	Outdoor Air	29	2.6	0.49	1.5 B	1.5	2.7	1.3 B	22.2	9.6	0.36 B	0.23 B	0.38 B	0.16	0.46 B	37	
N246190AF	24619 PANAMA AVE	2011-02-10	13:11	Outdoor Air	26	3.1	0.49	1.5 B	1.4	2.5	1.3 B	22.2	9.1	0.35 B	0.25 B	0.44 B	0.15	0.46 B	87	
N246190AG	24619 PANAMA AVE	2011-02-10	14:13	Garage	26	2.7	0.5	1.5 B	1.6	2.5	1.2 B	22.2	9.8	0.39 B	0.23 B	0.35 B	0.16	1.2 B	97	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection														
					Acetone UG/M3 100.00%	Benzene UG/M3 100.00%	Carbon Tetrachloride UG/M3 100.00%	Ethylbenzene UG/M3 100.00%	Freon 11 UG/M3 100.00%	Freon 12 UG/M3 100.00%	Methylene Chloride UG/M3 100.00%	Oxygen/ Argon MOL % 100.00%	Toluene UG/M3 100.00%	Chloroform UG/M3 99.91%	1,4-Dichloro- benzene UG/M3 99.90%	Naphthalene UG/M3 99.90%	1,2-Dichloro- ethane UG/M3 99.81%	Tetrachloro- ethene UG/M3 99.71%	Ethanol UG/M3 99.62%
P24619AB	24619 PANAMA AVE	2011-02-10	14:14	Bedroom	35	2.6	0.5	1.6 b	2.1	2.5	1.2 b	22.2	9.7	0.49 b	0.24 b	0.38 b	0.17	6.1 b	260
P24619AB	24619 PANAMA AVE	2011-02-10	14:14	Kitchen	30	2.9	0.49	1.6 b	2.4	2.5	1.3 b	22.2	10	0.49 b	0.23 b	0.44 b	0.18	2.8 b	280
P24619AB	24619 PANAMA AVE	2011-10-07	13:14	Outdoor Air	51	3.2 b	0.42	1.7	1.2	2.2	1.3	22.9	10 b	0.56	0.2	0.59 j	0.16	0.18	27
P24619AB	24619 PANAMA AVE	2011-12-07	13:14	Outdoor Air	99	8.8 b	0.34	2.2	1.2	2.2	1.3	22.3	13 b	0.35	0.23	0.37	0.17	0.44	48
P24619AB	24619 PANAMA AVE	2011-12-07	14:14	Bedroom	28	2.4 b	0.41	1.6	1.5	2	0.67	22.2	8.2 b	0.34	0.1	0.21	0.28	2.3	370
P24619AB	24619 PANAMA AVE	2011-12-07	14:14	Garage	50	3.5 b	0.48	1.9	1.3	2.2	1.3	22.3	12 b	0.48	0.2	0.28	0.17	0.34	39
P24619AB	24619 PANAMA AVE	2011-12-07	14:14	Kitchen	49	2.8 b	0.43	1.6	2.3	2.1	1.1	22.3	9.7 b	0.54	0.15	0.3	0.38	3.8	200
M24622AB	24622 MARBELLA AVE	2012-11-15	08:10	Outdoor Air	13	1.7 b	0.62	0.95	1.4	2.6	0.73 b	21.6	4.1	0.23	0.22	0.27	0.11	0.23	19
M24622AB	24622 MARBELLA AVE	2012-11-15	08:12	Outdoor Air	13	1.6 b	0.61	0.87	1.2	2.2	0.66 b	21.6	3.9	0.22	0.15	0.17	0.1	0.24	16
M24622AB	24622 MARBELLA AVE	2012-11-15	09:10	Bedroom	79	3.6 b	0.67	3.3	1.4	2.3	0.99 b	21.6	14	1.1	0.17	0.42	14	0.3	410
M24622AB	24622 MARBELLA AVE	2012-11-15	09:10	Garage	170	9.2 b	1.1	6.3	1.3	2.3	1.2 b	21.6	20	2.5	0.15	0.58	6.5	0.3	170
M24622AB	24622 MARBELLA AVE	2012-11-15	09:11	Kitchen	76	3.6 b	0.67	3.3	1.4	2.3	0.98 b	21.5	13	1.1	0.17	0.49	13	0.31	410
N24622AB	24622 NEPTUNE AVE	2012-03-29	09:41	Outdoor Air	6.4 j	0.5	0.4	0.2	1.1	2	0.26	21.5	1.3	0.12 j	0.038	0.12 j	0.061	0.052	7.5
N24622AB	24622 NEPTUNE AVE	2012-03-29	09:41	Outdoor Air	5.2 j	0.53	0.4	0.19	1.1	2.1	0.27	21.5	1.2	0.11 j	0.029 j	0.075 j	0.062	0.12	8.4
N24622AB	24622 NEPTUNE AVE	2012-03-29	10:12	Bedroom	42	0.63	0.41	0.93	1.1	2.1	0.68	21.6	11	0.41	0.048	0.21	4.9	0.18	150
N24622AB	24622 NEPTUNE AVE	2012-03-29	10:16	Kitchen	38	0.67	0.42	0.94	1	1.9	0.74	21.6	10	0.45	0.05	0.23	3.5	0.4	130
M24622AB	24622 NEPTUNE AVE	2012-03-29	10:17	Garage	43	0.61	0.43	0.99	1	1.9	1.4	21.6	14	0.8	0.04	0.15 j	0.15	0.071	52
M24623AB	24623 MARBELLA AVE	2011-01-27	13:14	Outdoor Air	25	2.0	0.41	1.76	1.4	2.3	2.8	22.2	9.9	0.37 b	0.29 b	0.44 b	0.2	0.89 b	33
M24623AB	24623 MARBELLA AVE	2011-01-27	13:15	Outdoor Air	28	2.9	0.39	1.8 b	1.5	2.4	2.8	22.2	9.8	0.37 b	0.28 b	0.53 b	0.21	0.39 b	16
M24623AB	24623 MARBELLA AVE	2011-01-27	14:15	Garage	30	3.3	0.4	2.3 b	1.6	2.5	7.0	22.3	13	0.41 b	0.66 b	1.9 b	0.22	0.44 b	84
M24623AB	24623 MARBELLA AVE	2011-01-27	14:16	Bedroom	38	3	0.42	1.9 b	1.4	2.5	1.9 b	22.3	13	1.6 b	0.23 b	0.47 b	1.3	2.5 b	200
M24623AB	24623 MARBELLA AVE	2011-01-27	14:17	Kitchen	44	3.1	0.44	2 b	1.5	2.5	2.8	22.3	12	2.8	0.23 b	0.45 b	1.8	2.2 b	210
N24623AB	24623 NEPTUNE AVE	2011-03-30	08:12	Outdoor Air	16	1.4	0.34	1	1.9	2.7	0.78 b	22.2	4.8	0.24 b	0.33	0.48	0.11	0.25 b	19
N24623AB	24623 NEPTUNE AVE	2011-03-30	08:13	Outdoor Air	16	1.8	0.45	1.3	1.9	2.8	0.94 b	22.2	6.5	0.25 b	0.17	0.31	0.12	0.25 b	27
M24623AB	24623 NEPTUNE AVE	2011-03-30	09:24	Bedroom	23	1.5	0.49	1.3	4.2	2.9	1.4 b	22.3	6	0.25 b	9	1	4.5	0.2 b	120
M24623AB	24623 NEPTUNE AVE	2011-03-30	09:25	Kitchen	25	1.4	0.45	1.1	5.1	2.9	1.4 b	22.3	6.1	0.25 b	8.5	0.41	3.4	0.17 b	130
M24623AB	24623 NEPTUNE AVE	2011-03-30	09:27	Garage	19	1.2	0.51	1.9	2.1	2.5	7.9 b	22.2	4.5	0.23 b	16	0.33	0.11	0.19 b	21
M24627AB	24627 MARBELLA AVE	2012-05-10	13:05	Outdoor Air	6.2 j	0.3 b	0.85	0.21	1.3	2.4	0.24	21.6	1.2	0.11 b	0.028 j	0.061 j	0.076	0.053 b	5.8 j
M24627AB	24627 MARBELLA AVE	2012-05-10	13:08	Outdoor Air	2.7 j	0.31 b	0.48	0.11 j	1.3	2.4	0.23	21.6	0.61 j	0.099 j	0.029 j	0.051 b	0.072	0.15 b	3.1 j
M24627AB	24627 MARBELLA AVE	2012-05-10	14:06	Garage	48	0.89 b	0.41	0.57	1.4	2.3	0.26	21.6	3.6	0.96 b	2.3	0.23	3	0.13 b	61
M24627AB	24627 MARBELLA AVE	2012-05-10	14:07	Kitchen	160	0.56 b	0.46	0.46	1.2	2.2	0.28	21.6	2.1	0.4 b	0.92	0.21	1.5	0.063 b	56
M24627AB	24627 MARBELLA AVE	2012-05-10	14:08	Bedroom	170	0.58 b	0.42	0.45	1.2	2.3	0.25	21.6	2.2	0.39 b	0.88	0.24	1.5	0.068 b	59
M24628AB	24628 MARBELLA AVE	2011-06-22	08:04	Outdoor Air	7.8 j, 8.6 M	0.4 b	0.38	0.3 b	2.3	2.1	0.35 b	22.3	1.5	0.14 j, 8	0.035 j, 8	0.15 j, 8	0.053 b	0.062	6.6 j
M24628AB	24628 MARBELLA AVE	2011-06-22	08:05	Outdoor Air	8.1 j, 8	0.39 b	0.38	0.34 b	2.1	1.9	0.36 b	22.3	1.4	0.15 j, 8	0.062 b	0.32 b	0.055 b	0.057	8.2 j
M24628AB	24628 MARBELLA AVE	2011-06-22	09:07	Bedroom	12 b	0.49 b	0.39	0.43 b	2.5	2.1	0.3 b	22.3	1.8	0.23 b	0.05 b	0.21 b	0.073 b	0.025	18
M24628AB	24628 MARBELLA AVE	2011-06-22	09:07	Garage	16 b	0.5 b	0.37	0.38 b	2.7	2	0.34 b	22.3	1.8	0.14 j, 8	0.094 j, 8	0.13 j, 8	0.055 b	0.056	6.7 j
M24628AB	24628 MARBELLA AVE	2011-06-22	09:08	Kitchen	13 b	0.46 b	0.37	0.33 b	2.8	2.1	0.3 b	22.3	1.6	0.21 b	0.045 b	0.19 b	0.069 b	0.052	15
M24628AB	24628 MARBELLA AVE	2011-10-26	11:12	Outdoor Air	20 b	1.3 b	0.38	0.66 b	1.1	2.1	0.63	22.3	5.9 b	0.26 b	0.19	0.12 j	0.13	0.16	20
M24628AB	24628 MARBELLA AVE	2011-10-26	11:13	Outdoor Air	29 b	1.3 b	0.38	0.66 b	1.1	2.2	0.6	22.3	6.1 b	0.26 b	0.18	0.11 j	0.12	0.16	17
M24628AB	24628 MARBELLA AVE	2011-10-26	12:13	Bedroom	41 b	0.73 b	0.39	0.33 b	1.1	2.1	0.87	22.2	2.9 b	0.21 b	0.073	0.083 j	0.098	0.077	10
M24628AB	24628 MARBELLA AVE	2011-10-26	12:13	Garage	37 b	1.9 b	0.37	0.7 b	1.1	2.2	0.61	22.4	6.3 b	0.26 b	0.16	0.11 j	0.13	0.17	15
M24628AB	24628 MARBELLA AVE	2011-10-26	12:13	Kitchen	36 b	0.84 b	0.38	0.38 b	1.2	2.2	0.42	22.3	3.7 b	0.25 b	0.096	0.12 j	0.11	0.1	14
N24629AB	24629 NEPTUNE AVE	2011-02-02	13:13	Outdoor Air	17 b	2.1	0.38	1.3	1.4	2.5	0.8 b	21.7	6.1	0.36 b	0.95	0.26 b	0.16	0.14 b	26
N24629AB	24629 NEPTUNE AVE	2011-02-02	13:14	Outdoor Air	16 b	2.5	0.43	1.3	1.3	2.3	0.83 b	22.1	6.5	0.32 b	0.21	0.41 b	0.14	0.15	25
N24629AB	24629 NEPTUNE AVE	2011-02-02	14:18	Bedroom	26 b	3.2	0.45	2.6	1.5	2.8	0.99 b	22.2	12	0.67 b	3.6	1.3 b	0.16	6.31 b	900
N24629AB	24629 NEPTUNE AVE	2011-02-02	14:19	Kitchen	24 b	3.4	0.47	2.3	1.5	2.8	0.93 b	22.2	12	0.68 b	3.5	4.4 b	0.16	6.3 b	570
N24629AB	24629 NEPTUNE AVE	2011-02-02	14:20	Garage	21 b	2.8	0.51	4.3	1.5	3.2	2.4 b	22.2	18	0.33 b	0.28	2.1 b	0.24	0.38 b	110
P24702AB	24702 PANAMA AVE	2011-02-23	13:00	Outdoor Air	10	1.2	0.48	0.86 b	1.3	2.4	0.75 b	22.2	4.9	0.22 b	0.31	0.92 b	0.12	0.18 b	20
P24702AB	24702 PANAMA AVE	2011-02-23	13:01	Outdoor Air	5.6	1.2	0.48	0.62 b	1.3	2.5	0.72 b	22.3	4.7	0.24 b	0.11	0.15 b	0.12	0.15 b	16
P24702AB	24702 PANAMA AVE	2011-02-23	14:09	Kitchen	28	1.2	0.51	0.97 b	1.3	2.4	0.83 b	22.3	11	0.37 b	0.18	0.57 b	1.3	0.48 b	520
P24702AB	24702 PANAMA AVE	2011-02-23	14:10	Bedroom	27	1.1	0.51	0.93 b	1.3	2.4	0.84 b	22.2	8.8	0.4 b	0.10	0.34 b	1.4	0.58 b	520 b
P24702AB	24702 PANAMA AVE	2011-02-23	14:13	Garage	10	1.2	0.58	0.8 b	1.3	2.1	0.72 b	22.2	5.2	0.34 b	0.1	0.19 b	0.15	0.52 b	49

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kasi Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/ Argon	Toluene	Chloroform	1,4-Dichloro- benzene	Naphthalene	1,2-Dichloro- ethane	Tetrachloro- ethene	Ethanol
						UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	UG/M3 100.00%	MOL % 100.00%	UG/M3 100.00%	UG/M3 99.91%	UG/M3 99.90%	UG/M3 99.90%	UG/M3 99.81%	UG/M3 99.71%	UG/M3 99.62%
M247010AB	24703 MARBELLA AVE	2012-04-19	12:07	Outdoor Air		8.8	0.54	0.44	0.23	0.93	1.6	0.45	21.6	1.8	0.12 J	0.074	0.12 J	0.067	0.11	4.9 J
M247030AF	24703 MARBELLA AVE	2012-04-19	13:09	Outdoor Air		8.1	0.57	0.42	0.29	0.92	1.7	0.4	21.6	1.4	0.11 J	0.061	0.11 J	0.066	0.26	8.7
M247031AB	24703 MARBELLA AVE	2012-04-19	14:07	Bedroom		47	0.77	0.46	1	0.94	1.6	0.49	21.7	4.9	0.88	0.18	0.67	7.5	0.33	270
M247031AG	24703 MARBELLA AVE	2012-04-19	14:08	Garage		33	0.76	0.46	0.78	0.92	1.6	0.45	21.7	7.5	0.86	0.067	0.75	0.21	1	19
M247031AK	24703 MARBELLA AVE	2012-04-19	14:08	Kitchen		44	0.83	0.45	1	0.92	1.6	0.48	21.6	5	0.46	0.18	0.49	7.9	0.33	260
M247070AF	24707 MARBELLA AVE	2012-09-06	08:40	Outdoor Air		10	0.64 B	0.5	0.33	1.3	2.2	0.45 B	21.6	2.1	0.18 J	0.069	0.15 J	0.077	0.54 M	14
M247070AB	24707 MARBELLA AVE	2012-09-06	08:42	Outdoor Air		16	0.6 B	0.5	0.29	1.3	2.3	0.66 B	21.6	2	0.17 J	0.065	0.35	0.07	0.074	7.7 J
M247070AB	24707 MARBELLA AVE	2012-09-06	09:40	Garage		26	0.84 B	0.58	0.77	1.2	2.2	0.54 B	21.5	4.5	0.5	0.074	0.77	0.079	0.1	94
M247070AB	24707 MARBELLA AVE	2012-09-06	09:41	Bedroom		52	0.86 B	0.54	1.2	1.2	2.2	0.86	21.5	6.6	0.47 B	0.16	0.56	0.22	0.21 J	250
M247070AB	24707 MARBELLA AVE	2012-09-06	09:42	Kitchen		24	0.86 B	0.54	0.59	1.2	2.2	0.82 B	21.5	5.2	0.36	0.067	0.3	0.17	0.21 M	260
P247080AB	24708 PANAMA AVE	2012-08-15	08:21	Outdoor Air		7.9	0.47	0.47	0.24	1	2	0.35	21.5	1.3	0.13 J	0.081	0.19	0.035	0.17	9.9
P247080AF	24708 PANAMA AVE	2012-08-15	08:24	Outdoor Air		6.4 J	0.55	0.42	0.24	0.97	2	0.33	21.5	1.4	0.13 J	0.087	0.12 J	0.053	0.25	6.5 J
P247081AB	24708 PANAMA AVE	2012-08-15	09:25	Bedroom		21	0.78	0.58	1.1	1.1	1.9	0.48	21.6	11	0.81	0.37	0.89	12	1.2	340
P247081AK	24708 PANAMA AVE	2012-08-15	09:25	Kitchen		18	0.79	0.49	1	1.3	1.9	0.41	21.6	7.1	0.39	0.31	1.3	8.5	0.74	670
P247081AG	24708 PANAMA AVE	2012-08-15	09:27	Garage		9 J	0.58	0.54	0.7	0.97	1.9	0.34	21.6	8	0.16 J	0.11	0.6	0.11	0.42	35
N247090AF	24709 NEPTUNE AVE	2012-08-09	08:26	Outdoor Air		10	0.42 B	0.43	0.23	1.1	2.1	0.28	21.6	1.4	0.16 J B	0.046	0.073 J	0.059	0.1	11
N247090AB	24709 NEPTUNE AVE	2012-08-09	08:28	Outdoor Air		7.5 J	0.44 B	0.44	0.24	1.1	2.2	0.3	21.6	1.3	0.17 J B	0.035 J	0.032 J	0.057	0.16	5.7 J
N247091AG	24709 NEPTUNE AVE	2012-08-09	09:26	Garage		49	0.53 B	0.43	0.41	1.1	2.1	0.39	21.6	3	0.16 J B	0.091	0.35	0.057	0.084	44
N247091AB	24709 NEPTUNE AVE	2012-08-09	09:27	Bedroom		68	0.75 B	0.45	1.3	1.1	2.1	0.65	21.6	7	0.07 B	8.5	0.97	0.73	0.5 J	49
N247091AK	24709 NEPTUNE AVE	2012-08-09	09:27	Kitchen		40	0.75 B	0.44	1.3	1.1	2	0.91	21.6	5.6	0.49 B	4.6	0.83	1	0.35	52
P247090AF	24709 PANAMA AVE	2012-03-07	13:58	Outdoor Air		9.2	1.4	0.41	0.72	1	2.1	1.6	21.6	4.6	0.22	0.13	0.15 B	0.089	0.15	16
P247090AB	24709 PANAMA AVE	2012-03-07	14:00	Outdoor Air		12	1.3	0.43	0.68	1	2	1.5	21.6	3.5 B	0.21	0.15	0.088 J B	0.084	0.16	10
P247091AB	24709 PANAMA AVE	2012-03-07	14:55	Bedroom		20	1.1	0.43	0.83	1.2	2.3	1.4	21.6	4.3 B	0.29	0.18 B	0.64	0.35 J	1100 D	
P247091AK	24709 PANAMA AVE	2012-03-07	14:50	Kitchen		13	1.1	0.44	0.85	0.98	1.9	1.4	21.6	3.4 B	0.28	0.16	0.14 J B	0.61	0.26	590
P247091AG	24709 PANAMA AVE	2012-03-07	14:57	Garage		12	1.1	0.33	0.57	0.90	2	1.4	21.6	3.1 B	0.23	1.9	0.13 J B	1.2	0.11	150
M247100AF	24710 MARBELLA AVE	2012-05-02	13:30	Outdoor Air		3.8 J	0.29	0.4	0.085 J	1.1	2.3	0.29	21.6	0.71 J	0.21	0.024 J	0.076 J	0.06	0.38	4.7 J
M247100AB	24710 MARBELLA AVE	2012-05-02	13:34	Outdoor Air		5.6 J	0.24	0.41	0.065 J	1.1	2.1	0.28	21.6	0.56 J	0.21	0.021 J	0.02 J	0.06	0.36 J	2.9 J
M247101AG	24710 MARBELLA AVE	2012-05-02	14:35	Garage		39	1.9	0.32	1.5	0.9 J	1.7	42 B	21	18	0.3	0.031 J	0.14 J	0.16	0.12	59
M247101AK	24710 MARBELLA AVE	2012-05-02	14:38	Kitchen		23	0.4	0.39	0.69	1.3	2.6	2.6	21.6	7	0.34	0.12	0.33	0.23	0.08	440
M247101AB	24710 MARBELLA AVE	2012-05-02	14:40	Bedroom		22	0.41	0.41	0.49	1.3	2.6	3.1	21.6	9	0.4	0.19	0.23	0.14	0.1	230
P247120AB	24712 PANAMA AVE	2011-02-24	13:18	Outdoor Air		8.8 B	0.76	0.46	0.36 B	1.5	2.7	0.28 B	22.3	2.2	0.32 B	0.11	0.71 B	0.078	0.11 B	7.9
P247120AF	24712 PANAMA AVE	2011-02-24	15:19	Outdoor Air		6.9 B	0.88	0.46	0.33 B	1.4	2.7	0.3 B	22.3	2.3	0.15 B	0.072	0.18 B	0.085	0.087 B	8.2
P247121AB	24712 PANAMA AVE	2011-02-24	14:23	Bedroom		15 B	0.91	0.46	0.36 B	1.8	3.2	0.35 B	22.2	5	0.33 B	0.13	0.89 B	0.2	0.66 B	410
P247121AG	24712 PANAMA AVE	2011-02-24	14:23	Garage		11 B	0.22	0.48	0.46 B	1.6	4.4	0.32 B	22.3	3.3	0.34 B	0.095	0.35 B	0.081	1.2 B	66
P247121AB	24712 PANAMA AVE	2011-02-24	14:24	Kitchen		15 B	0.88	0.48	0.51 B	1.9	3.1	0.36 B	22.3	5.7	0.32 B	0.12	0.75 B	0.22	0.23 B	380
P247121AB	24712 PANAMA AVE	2011-02-24	14:24	Kitchen		15 B	0.88	0.48	0.51 B	1.9	3.1	0.36 B	22.3	5.7	0.32 B	0.12	0.75 B	0.22	0.23 B	380
R247120AB	24712 RAVENNA AVE	2011-06-09	09:13	Outdoor Air		13 B	0.28	0.39 B	0.15 J B	1.3	2.3	0.31 B	22.3	0.86 J	0.14 J B	0.081 J	0.12 J B	0.049 J	0.11	7.3 J
R247120AF	24712 RAVENNA AVE	2011-06-09	08:14	Outdoor Air		8.1 B	0.29	0.39 B	0.17 B	1.5	2.7	0.33 B	22.3	1.3	0.14 J B	0.028 J	0.082 J B	0.051	0.064	5.4 J
R247121AK	24712 RAVENNA AVE	2011-06-09	10:30	Kitchen		27 B	1.1	0.39 B	1.3 B	2.2	2.6	0.55 B	22.3	8.6	0.21 B	0.034 J	0.24 B	0.089	0.23	190
R247121AB	24712 RAVENNA AVE	2011-06-09	10:31	Bedroom		42 B	1.6	0.39 B	2.2 B	1.8	2.7	0.75 B	22.3	16	0.26 B	0.051	0.38 B	0.12	0.48	310
R247121AG	24712 RAVENNA AVE	2011-06-09	10:34	Garage		27 B	6.5	0.39 B	10 B	1.3	2.5	2.4 B	22.2	69	0.29 B	0.031 J	0.5 B	0.11	0.063	88
N24715AB	24715 NEPTUNE AVE	2011-02-17	00:00	Bedroom		38 B	1.4	0.47	1.5 B	2	2.3	0.8 B	22.2	12	0.52 B	6.5 B	0.91 B	0.13	0.16 B	330
N24715AG	24715 NEPTUNE AVE	2011-02-17	00:00	Garage		14 B	1.2	0.47	1.5 B	1.6	2.3	1.1 B	22.3	10	0.29 B	0.11 B	1.1 B	0.088	0.16 B	56
N24715AK	24715 NEPTUNE AVE	2011-02-17	00:00	Kitchen		80 B	1.5	0.48	1.5 B	2.4	2.3	0.89 B	22.3	13	0.48 B	-10 B	0.64 B	0.17	0.15 B	280
N247150AB	24715 NEPTUNE AVE	2011-02-17	00:00	Outdoor Air		7.9 B	1	0.35	0.49 B	1.5	2.4	0.84 B	22.3	3.8	0.17 B	0.095 B	0.21 B	0.068	0.17 B	20
N247150AF	24715 NEPTUNE AVE	2011-02-17	00:00	Outdoor Air		8.6 B	1.2	0.47	0.47 B	1.5	2.5	0.91 B	22.3	3.9	0.16 B	0.092 B	0.17 B	0.094	0.16 B	19
M247160AF	24716 MARBELLA AVE	2012-05-23	08:11	Outdoor Air		6.1 J	0.28 B	0.47	0.14 J	1.2	2.1	0.24	21.5	0.78 J	0.099 J	0.021 J	0.089 J	0.067	0.037 J	7.1 J
M247160AB	24716 MARBELLA AVE	2012-05-23	08:13	Outdoor Air		6.4 J	0.29 B	0.47	0.09 J	1.2	2.1	0.23	21.6	0.43 J	0.19	0.018 J	0.063 J	0.069	0.038 J	4.1 J
M247161AK	24716 MARBELLA AVE	2012-05-23	09:14	Kitchen		39	0.92 B	0.46	0.94	1.3	2.1	0.7	21.6	4.8	0.59	0.073	0.56	2.8	0.23	490
M247161AB	24716 MARBELLA AVE	2012-05-23	09:15	Bedroom		31	0.88 B	0.46	0.85	1.2	2.1	0.61	21.6	4.3	0.52	0.22	0.53	2.2	0.63	390
M247161AG	24716 MARBELLA AVE	2012-05-23	09:16	Garage		14	0.30 B	0.49	0.85	1.2	2	0.34	21.6	2.3	0.28	0.044	1.5	0.11	0.44	910 D
R247160AB	24716 RAVENNA AVE	2012-02-29	09:37	Outdoor Air		3.7 J	0.56	0.42	0.21	1	2.1	0.24	21.6	1	0.28	0.087 J	0.07 J	0.057	0.064 B	4.8 J
P247160AF	24716 RAVENNA AVE	2012-02-29	09:38	Outdoor Air		4.2 J	0.58	0.41	0.33	1.1	2.1	0.24	21.6	1.7	0.26	0.084 J	0.094 J	0.062	0.082 B	8.5

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units														Frequency of Detection
					Acetone UG/M3 100.00%	Benzene UG/M3 100.00%	Carbon Tetrachloride UG/M3 100.00%	Ethylbenzene UG/M3 100.00%	Freon 11 UG/M3 100.00%	Freon 12 UG/M3 100.00%	Methylene Chloride UG/M3 100.00%	Oxygen/ Argon MOL % 100.00%	Toluene UG/M3 100.00%	Chloroform UG/M3 99.91%	1,4-Dichloro- benzene UG/M3 99.90%	Naphthalene UG/M3 99.90%	1,2-Dichloro- ethane UG/M3 99.81%	Tetrachloro- ethane UG/M3 99.71%	Ethanol UG/M3 99.62%
B24716AG	24716 RAVENNA AVE	2012-02-29	10:37	Garage	29	3.7	0.43	2.2	1.3	2.2	0.26	21.6	18	0.37	0.047	0.54	0.14	0.068 B	59
B24716AK	24716 RAVENNA AVE	2012-02-29	10:38	Kitchen	26	1.9	0.32	1.3	1.4	2.1	0.3	21.6	9	0.42	0.084	0.59	0.66	0.076 B	250
B24716AB	24716 RAVENNA AVE	2012-02-29	10:39	Bedroom	85	1.5	0.45	1.2	1.4	2.2	0.32	21.7	7.9	0.42	0.088	0.67	0.55	0.099 B	280
M24717DAF	24717 MARBELLA AVE	2012-07-25	08:10	Outdoor Air	5.7 J	0.74	0.52	0.37	1.1	1.9	0.53	21.6	1.4	0.3 B	0.15 b	0.27	0.018	0.095	13
M24717DAB	24717 MARBELLA AVE	2012-07-25	08:13	Outdoor Air	3.1 J	0.32 b	0.56	0.18 J	1.1	1.9	0.44	21.7	0.66 J	0.31 B	0.086	0.084 J	0.067	0.26	3.7 J
M24717AB	24717 MARBELLA AVE	2012-07-25	09:14	Bedroom	18	0.77 J	0.46	0.47 J	1.3	2.1	0.7	21.7	2.7	0.51 B	330 D	0.31 J	0.29 J	0.57	98
M24717AK	24717 MARBELLA AVE	2012-07-25	09:14	Garage	9.5	1.1	0.46	0.69 J	1.4	2.3	190	21.6	4.6	0.39 J, B	14 b	0.15 J	<0.23 U	0.075 J	29
M24717AB	24717 MARBELLA AVE	2012-07-25	09:14	Kitchen	19	0.67 J	0.45	0.57 J	1.2	2	58	21.6	2.8	0.46 J, B	260 D	0.25 J	0.27 J	0.47	81
M24718DAB	24718 NEPTUNE AVE	2012-02-23	08:25	Outdoor Air	8 b	1.1 b	0.46	0.53	1.3	2.1	0.79	21.6	2.8	0.14 J	0.095	0.2	0.072	0.31 b	15
M24718DAF	24718 NEPTUNE AVE	2012-02-23	09:01	Outdoor Air	8.8 b	1.2 b	0.43	0.55	1.3	2.1	0.52	21.6	3.1	0.14 J	0.1	0.14 J	0.07	0.13 b	11
M24718AB	24718 NEPTUNE AVE	2012-02-23	09:18	Bedroom	140 b	1.8 b	0.45	1.1	1.3	2.2	1.5	21.6	9.9	0.32	0.13	0.25	0.59	14 b	940 D
M24718AX	24718 NEPTUNE AVE	2012-02-23	09:18	Kitchen	120 b	1.9 b	0.42	0.67	1.3	2.1	1.3	21.6	8.9	0.3	0.13	0.24	0.45	11 b	830 D
M24718AB	24718 NEPTUNE AVE	2012-02-23	09:18	Garage	25 b	1.1 b	0.37	0.62	1.2	1.9	1.7	21.6	4.3	0.15 J	0.11	0.21	0.12	0.89 b	71
P24718DAF	24718 PANAMA AVE	2012-10-17	08:13	Outdoor Air	30	1.8	0.38	1	1.5	2.7	0.88	21.5	8.3	0.42	0.19	0.2	0.11	0.19	35
P24718DAB	24718 PANAMA AVE	2012-10-17	08:15	Outdoor Air	35	1.5	0.47	0.87	1.5	2.8	0.86	21.6	8.1	0.54	0.2	0.3	0.1	0.17	57
P24718DAB	24718 PANAMA AVE	2012-10-17	09:13	Garage	55	1.8	0.6	2.3	1.1	2.6	1.4	21.5	12	0.62	0.29	0.97	2.4	1.8	120
P24718DAB	24718 PANAMA AVE	2012-10-17	09:14	Bedroom	66	1.9	0.48	1.3	1.6	2.7	0.9	21.5	15	0.96	0.16	0.81 b	4.7	2	1600 D
P24718DAB	24718 PANAMA AVE	2012-10-17	09:14	Kitchen	65	2	0.49	1.4	1.7	2.8	0.92	21.6	10	0.87	0.16	0.29	4.7	1.4	1500 D
N24719DAF	24719 NEPTUNE AVE	2012-07-18	13:12	Outdoor Air	6.7 J	0.54 B	0.35	0.31	1.6	2.3	0.27	21.6	1.8	0.15 J, b	0.046	0.11 J, b	0.058	0.055	7.5 J
N24719DAB	24719 NEPTUNE AVE	2012-07-18	13:15	Outdoor Air	7.1	0.47 B	0.44	0.27	1.6	2.4	0.3	21.6	1.7	0.21 b	0.048	0.17 J	0.058	0.052	14
N24719DAB	24719 NEPTUNE AVE	2012-07-18	14:13	Garage	24	0.82 B	0.53	1.5	1.6	2.4	2	21.6	5.1	0.23 b	0.063	0.27	0.26	0.083	40
N24719DAB	24719 NEPTUNE AVE	2012-07-18	14:14	Bedroom	32	0.79 B	0.46	0.91	2.1	2.3	0.63	21.6	5.8	0.29 b	0.088	0.34	2.3	0.11	390
N24719DAB	24719 NEPTUNE AVE	2012-07-18	14:14	Kitchen	25	0.79 B	0.46	0.7	3	2.4	0.45	21.6	4	0.28 b	0.084	0.32	1.4	0.36 M	250
P24719DAF	24719 PANAMA AVE	2012-09-27	08:08	Outdoor Air	8.6 J, b	0.68	0.54	0.35	0.91 J	1.8	0.4	21.5	1.4 b	0.23 B	0.078	0.13 J	0.081	0.15	7.5 J
P24719DAF	24719 PANAMA AVE	2012-09-27	08:08	Outdoor Air	8.7 J, b	0.82	0.52	0.34	0.97 J	2	0.42	21.6	1.6 b	0.23 J, b	0.074	0.12 J	0.077	0.09	14
P24719DAB	24719 PANAMA AVE	2012-09-27	09:12	Bedroom	41	1.2	0.57	1.9	0.99	1.9	0.85	21.5	6.1	0.38 B	0.17	0.41	0.74	0.95 M, J	200
P24719DAB	24719 PANAMA AVE	2012-09-27	09:13	Garage	56	1.2	0.53	1.8	0.96 J	1.9	0.46	21.5	4.2	0.44 B	0.2	0.6	0.37	0.16	42
P24719DAB	24719 PANAMA AVE	2012-09-27	09:13	Kitchen	27	1	0.54	1.4	1	1.9	0.64	21.6	5.9	0.33 B	0.14	0.3	0.82	0.5 M	140
R24719DAF	24719 RAVENNA AVE	2012-11-28	08:14	Outdoor Air	6.7 J, b	0.74 b	0.5	0.38	1.3	2.4	0.36 B	22	2 b	0.096 J	0.069	0.094 J	0.065	0.13 b	8.1 J
R24719DAB	24719 RAVENNA AVE	2012-11-28	08:15	Outdoor Air	8.3 b	0.7 B	0.5	0.35	1.5	2.9	0.36 B	22	2.1 b	0.1 J	0.07	0.099 J	0.066	0.079 b	17
R24719DAB	24719 RAVENNA AVE	2012-11-28	08:15	Kitchen	76	1.7 B	0.51	1	1.4	2.2	0.56 B	22	12	0.93	0.83	0.4	2.2	0.35	490
R24719DAB	24719 RAVENNA AVE	2012-11-28	08:17	Remodeled Garage	75	1.3 B	0.44	1.1	1.6	2.7	0.54 B	22	8.8	1.5	0.74	0.41	2.8	0.37	440
R24719DAB	24719 RAVENNA AVE	2012-11-28	09:20	Bedroom	74	1.7 B	0.5	1.1	1.5	2.3	0.61 B	22	12	0.95	0.89	0.45	2.2	0.24	480
M24722DAF	24722 MARBELLA AVE	2012-06-06	08:15	Outdoor Air	5.5 J	0.42 B	0.43	0.18 J	1.1	2.1	0.35	21.6	0.91 J	0.16 J	1.2	0.084 J	0.085	0.033 J	9.7
M24722DAB	24722 MARBELLA AVE	2012-06-06	08:30	Outdoor Air	7.5 J	0.43 B	0.49	0.18 J	1.2	2.2	0.34	21.6	0.99	0.15 J	0.19	0.14 J	0.078	0.035 J	20
M24722DAB	24722 MARBELLA AVE	2012-06-06	08:16	Garage	64	0.44 B	0.47	0.11	2.2	0.72	21.6	3.9	0.24	0.18	0.2	0.51	0.05	48	
M24722DAB	24722 MARBELLA AVE	2012-06-06	08:17	Bedroom	36	0.63 B	0.64	0.44	1.1	2.2	0.57	21.6	4.7	0.47	0.21	0.3	0.43	0.32 b	190
M24722DAB	24722 MARBELLA AVE	2012-06-06	08:17	Kitchen	36	0.59 B	0.57	0.38	1.1	2.1	0.48	21.6	5.3	0.47	0.25	0.33	0.43	0.1	270
M24722DAB	24722 NEPTUNE AVE	2012-04-12	13:06	Outdoor Air	4.7 J, b	0.89	0.42	0.18	1.1	2.2	0.22	21.7	0.74 J	0.097 J	0.044	0.12 J	0.068	0.035 J	12
M24722DAB	24722 NEPTUNE AVE	2012-04-12	13:10	Outdoor Air	3.4 J, b	0.4	0.45	0.15 J	1.1	2.2	0.22	21.7	0.89 J	0.095 J	0.023 J	0.24	0.068	0.035 J	13
M24722DAB	24722 NEPTUNE AVE	2012-04-12	14:10	Bedroom	22	0.78	0.46	0.32	1.1	2.1	0.28	21.7	2	0.34 B	0.22	0.35	1	4.7	770 D
M24722DAB	24722 NEPTUNE AVE	2012-04-12	14:10	Garage	6.5 J, b	0.58	0.48	0.27	1.6	2.1	0.23	21.7	1.3	0.14 J	0.048	0.11 J	0.093	0.13	11
M24722DAB	24722 NEPTUNE AVE	2012-04-12	14:10	Kitchen	21	0.75	0.3	0.3	1.1	2.1	0.27	21.7	2	0.11	0.11	0.34	1	4	660 D
P24722DAF	24722 PANAMA AVE	2012-04-15	08:08	Outdoor Air	8.4	0.71	0.42	0.37	1.1	2.1	0.48	21.6	2.4	0.13 J, B	0.039	0.038 J	0.064	0.27	10
P24722DAB	24722 PANAMA AVE	2012-04-15	08:09	Outdoor Air	8.6	0.64	0.43	0.33	1.1	2.2	0.49	21.6	1.9	0.14 J, B	0.062	0.12 J	0.066	0.2	9.3
P24722DAB	24722 PANAMA AVE	2012-04-15	09:12	Garage	31	0.73	0.57	0.62	1.9	2.2	0.46	21.6	4.4	0.23 B	0.039	0.16 J	0.17	0.24	76
P24722DAB	24722 PANAMA AVE	2012-04-15	09:14	Bedroom	28	0.74	0.45	0.51	1.1	2.2	0.50	21.6	3.8	0.23 B	0.075	0.34	0.43	0.35 J	130
P24722DAB	24722 PANAMA AVE	2012-04-15	09:15	Kitchen	26	0.78	0.44	0.49	1.2	2.4	0.63	21.6	3.9	0.25 D	0.074	0.31	0.53	0.13	140
R24722DAF	24722 RAVENNA AVE	2012-11-08	13:05	Outdoor Air	3.6 J	0.50 B	0.59	0.2	1.2	2.4	0.33 B	21.6	1.1	0.25	0.036 J	0.2	0.073	0.039 J	5.3 J
R24722DAB	24722 RAVENNA AVE	2012-11-08	13:08	Outdoor Air	3.1 J	0.46 B	0.6	0.14 J	1.2	2.4	0.33 B	21.6	0.66 J	0.25	0.042 J	0.11 J	0.074	0.039 J	3.5 J
R24722DAB	24722 RAVENNA AVE	2012-11-08	14:05	Garage	49	1.8 B	0.63	3.4	1.3	2.3	2.9	21.6	17	0.35	0.07	1.1	0.09	0.051	85
R24722DAB	24722 RAVENNA AVE	2012-11-08	14:06	Kitchen	36	0.75 B	0.64	1.1	1.2	2.3	0.56 B	21.6	15	0.39	0.23	0.43	0.49	0.16	120

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kest Property
Cannon, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte														
					Units	Frequency of Detection													
						Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/Argon	Toluene	Chloroform	1,4-Dichlorobenzene	Naphthalene	1,2-Dichloroethane	Tetrachloroethene
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.90%	99.81%	99.71%
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
R24723AB	24723 RAVENNA AVE	2012-11-08	14:07	Bedroom		48	0.79 D	0.61	1.6	1.8	2.4	0.6 B	21.6	15	0.68	0.25	0.62	0.53	0.16
M24723DA	24723 MARBELLA AVE	2012-06-20	13:15	Outdoor Air		7.1 J	0.38 B	0.43	0.17 J	1.1	2.2	0.39	21.5	0.81 J	0.17 J B	0.37	0.2	0.05	0.19
M24723DA	24723 MARBELLA AVE	2012-06-20	13:15	Outdoor Air		8.8	0.34 B	0.42	0.25	1.2	2.2	0.31	21.5	1.1	0.28	0.12	0.03 J	0.081	0.038
M24723AG	24723 MARBELLA AVE	2012-06-20	14:17	Garage		48	1.3 B	0.46	0.3	1.8	2.2	0.35	21.6	0.8	0.55 B	0.18	1.3	0.277	1.89
M24723AB	24723 MARBELLA AVE	2012-06-20	14:18	Bedroom		35	0.57 B	0.43	1.3	1.2	2.3	0.4	21.5	2.8	0.29 B	0.28	0.26	0.43	0.18
M24723AB	24723 MARBELLA AVE	2012-06-20	14:18	Kitchen		28	0.81 B	0.43	1.0	1.1	2.2	0.38	21.6	2.2	0.28 B	0.22	0.32	1	0.31
R24723DA	24723 RAVENNA AVE	2012-11-07	08:06	Outdoor Air		8.3 J	0.67 B	0.55	0.55	1.4	2.4	0.58 B	21.7	1.5	0.19 J	0.11	0.15 J	0.14	0.098
R24723DA	24723 RAVENNA AVE	2012-11-07	08:06	Outdoor Air		9.2 J	0.67 B	0.54	0.28	1.4	2.4	0.44 B	21.8	1.3	0.17 J	0.066 J	0.2 J	0.08	0.12
R24723AG	24723 RAVENNA AVE	2012-11-07	09:08	Garage		31	0.72 B	0.58	0.56	1.3	2.4	0.53 B	21.7	3.3	0.3	0.13	0.28	0.15	0.1
R24723AK	24723 RAVENNA AVE	2012-11-07	09:10	Kitchen		46	1.5 B	0.56	1.3	1.8	2.4	0.81 B	21.6	7.1	0.47	0.22	0.41	0.21	0.15
R24723AB	24723 RAVENNA AVE	2012-11-07	09:11	Bedroom		35	1.1 B	0.38	0.53	1.4	2.4	0.57 B	21.7	5	0.38	0.28	0.3	0.22	0.15
R24723DA	24723 RAVENNA AVE	2012-06-21	13:10	Outdoor Air		4.2 J	0.43 B	0.43	0.27	1.1	2	0.5	21.6	1	0.23 B	0.036 J	0.07 J	0.062	0.12
R24723DA	24723 RAVENNA AVE	2012-06-21	13:12	Outdoor Air		4.1 J	0.31 B	0.42	0.14 J	1	2	0.3	21.6	0.62 J	0.23 B	0.087	0.057 J	0.058	0.12
R24723AG	24723 NEPTUNE AVE	2012-06-21	14:10	Garage		380	8.5 B	1.6	7.3	2.3	3.1	1.7	21.6	76	4.7	0.55	0.6	0.46	0.77
R24723AG	24723 NEPTUNE AVE	2012-06-21	14:12	Bedroom		32	0.72 B	0.45	0.86	1.1	2.1	0.68	21.6	3.6	0.68 B	0.71	0.23	11	1.6
R24723AG	24723 NEPTUNE AVE	2012-06-21	14:12	Kitchen		32	0.75 B	0.45	0.86	1.1	2	0.7	21.6	3.3	0.66 B	0.65	0.28	8	1
M24726DA	24726 MARBELLA AVE	2012-12-13	13:11	Outdoor Air		8.3 J	1.4 B	0.49	0.69	1.1	2.3	0.61 B	22	4	0.39	0.21	0.19 J	0.089	0.2
M24726DA	24726 MARBELLA AVE	2012-12-13	13:13	Outdoor Air		7.8 J	1.3 B	0.53	0.63	1.1	2.3	0.62 B	22	3.4	0.4	0.19	0.16 J	0.1	0.2
M24726DA	24726 MARBELLA AVE	2012-12-13	14:19	Kitchen		30	1.4 B	0.51	0.79	1.2	2.3	0.61 B	22	7	0.51	0.26	0.24	0.56	0.18
M24726DA	24726 MARBELLA AVE	2012-12-13	14:20	Bedroom		37	1.3 B	0.5	0.87	1.1	2.1	0.55 B	22	11	0.51	0.67	0.41	0.38	0.18
M24726AG	24726 MARBELLA AVE	2012-12-13	14:20	Garage		11	1.6 B	0.52	0.72	1.6	2.4	0.62 B	22.1	3.9	0.45	7.8	0.18 J	0.19	0.23
R24726DA	24726 RAVENNA AVE	2012-12-19	13:08	Outdoor Air		19	2.4 B	0.47	1.3	1.4	2.8	0.78 B	21.9	8	0.22	0.15	0.2	0.087	0.22
R24726DA	24726 RAVENNA AVE	2012-12-19	13:11	Outdoor Air		17	1.7 B	0.47	0.94	1.4	2.7	0.74 B	22	6.1	0.2	0.19	0.25	0.081	0.21
R24726AG	24726 RAVENNA AVE	2012-12-19	14:09	Remodeled Garage		32	3.9 B	0.48	1.9	3.2	2.7	0.69 B	21.9	19	0.23	0.15	0.26	0.4	0.22
R24726AG	24726 RAVENNA AVE	2012-12-19	14:10	Kitchen		28	1.8 B	0.47	0.91	1.5	2.7	0.68 B	22	7.5	0.36	0.39	0.14 J	0.61	0.28
R24726AG	24726 RAVENNA AVE	2012-12-19	14:11	Bedroom		29	1.8 B	0.47	0.84	1.5	2.6	0.65 B	22	8.3	0.39	0.39	0.14 J	0.48	0.48
R24726DA	24726 PANAMA AVE	2012-11-01	08:20	Outdoor Air		10	0.88	0.43	0.46	1.3	2.5	0.46	21.6	3.5	0.17 J	0.41	0.111	0.072	0.07
R24726DA	24726 PANAMA AVE	2012-11-01	08:27	Outdoor Air		17	0.65	0.43	0.43	1.2	2.5	0.44	21.6	4.3	0.16	0.3	0.093 J	0.071	0.065
R24726AG	24726 PANAMA AVE	2012-11-01	09:20	Garage		17	0.79	0.45	0.5	1.3	2.5	0.5	21.6	7.5	0.19	0.24	0.12 J	0.075	0.074
R24726AG	24726 PANAMA AVE	2012-11-01	09:20	Kitchen		35	0.79	0.44	0.75	1.3	2.5	0.47	21.6	5.1	0.37	0.21	0.14 J	0.17	0.3
R24726AG	24726 PANAMA AVE	2012-11-01	09:21	Bedroom		41	0.8	0.44	0.95	1.3	2.5	0.47	21.6	5.9	0.49	0.16	0.2	0.22	0.78
R24726AG	24726 NEPTUNE AVE	2012-10-18	10:07	Bedroom		23	0.67	0.55	0.81	2.6	2.9	0.54	21.5	8.5	0.29	0.11	0.28	6.7	0.086
R24726AG	24726 NEPTUNE AVE	2012-10-18	13:05	Outdoor Air		8.3 J	0.66	0.46	0.32	1.3	2.5	0.33	21.6	2.4	0.14 J	0.076	0.11 J	0.059	0.058
R24726AG	24726 NEPTUNE AVE	2012-10-18	13:07	Outdoor Air		7.9 J	0.56	0.4	0.27	1.3	2.5	0.34	21.6	2.2	0.16 J	0.071	0.095 J	0.07	0.057
R24726AG	24726 NEPTUNE AVE	2012-10-18	14:05	Garage		13	0.8	0.77	0.46	1.7	3.3	0.53	21.5	4.3	0.18	0.053	0.18	0.09	0.056
R24726AG	24726 NEPTUNE AVE	2012-10-18	14:06	Kitchen		24	0.74	0.54	0.51	4	3.1	0	21.6	8.9	0.3	0.12	0.25	9.6	0.093
R24726AG	24726 RAVENNA AVE	2012-08-23	13:04	Outdoor Air		9.9	0.34 B	0.54	0.17 J	0.98	2	0.91	21.6	0.83 J	0.21	0.073	0.093 J	0.059	0.19 M
R24726AG	24726 RAVENNA AVE	2012-08-23	13:05	Outdoor Air		7.3 J	0.38 B	0.55	0.18 J	1	2.1	0.93 J	21.6	0.8 J	0.23 J	0.038 J	0.077 J	0.051 J	0.27 M
R24726AG	24726 RAVENNA AVE	2012-08-23	14:05	Bedroom		30	0.81 B	0.5	1.2	1	2	4.6	21.6	5.1	0.57	0.18	0.29 J	4.5	0.15
R24726AG	24726 RAVENNA AVE	2012-08-23	14:05	Kitchen		30	0.74 B	0.5	1.2	1	2.1	4.2	21.6	4.1	0.48	0.13	0.35	4.9	0.12
R24726AG	24726 RAVENNA AVE	2012-08-23	14:06	Garage		35	2.5 B	0.52	3.1	1	2.1	49	21.6	9.7	0.28 J	0.093 J	0.14 J	0.34	0.1
R24726AG	24732 NEPTUNE AVE	2011-03-09	00:03	Outdoor Air		17	1.7	0.48 B	1.2 B	3	2.9	1.1 B	22.2	7.2	0.27 B	0.18 B	0.33 B	0.13 B	0.39 B
R24726AG	24732 NEPTUNE AVE	2011-03-09	06:04	Outdoor Air		17	1.7	0.48 B	1.2 B	3	2.8	1.1 B	22.2	7.2	0.28 B	0.18 B	0.33 B	0.13 B	0.39 B
R24726AG	24732 NEPTUNE AVE	2011-03-09	09:18	Kitchen		33	1.6	0.48 B	1.3 B	2.7	3	1.1 B	22.2	7	0.35 B	0.19 B	0.26 B	0.14 B	0.35 B
R24726AG	24732 NEPTUNE AVE	2011-03-09	09:19	Bedroom		37	1.7	0.5 B	1.4 B	2.9	3.2	1.2 B	22.3	7.9	0.38 B	0.19 B	0.37 B	0.15 B	0.43 B
R24726AG	24732 NEPTUNE AVE	2011-03-09	09:22	Garage		34	2.3	0.46 B	1.3 B	2.8	2.9	1.9 B	22.3	12	0.31 B	0.19 B	0.34 B	0.19 B	0.63 B
R24726AG	24732 PANAMA AVE	2012-06-13	13:05	Outdoor Air		12	0.35	0.51	0.16 J	1.2	2.4	0.35	21.6	0.89 J	0.14 J	0.094 J	0.15 J	0.061	0.088
R24726AG	24732 PANAMA AVE	2012-06-13	13:07	Outdoor Air		6.7 J	0.29	0.51	0.11 J	1.2	2.4	0.31	21.6	0.5 J	0.15 J	0.058	0.18	0.068	0.018
R24726AG	24732 PANAMA AVE	2012-06-13	14:08	Bedroom		30	0.78	0.49	0.54	1.2	2.3	0.36	21.6	2.7	0.59	0.049	0.31	0.71	0.29
R24726AG	24732 PANAMA AVE	2012-06-13	14:08	Garage		21	0.69	0.52	0.64	1.1	2.6	3.6	21.6	4.7	0.18	0.63 J	0.2	0.14	0.36
R24726AG	24732 PANAMA AVE	2012-06-13	14:08	Kitchen		38	0.58	0.5	0.41	1.2	2.4	0.34	21.6	2.2	0.45	0.045	0.19	1.1	0.098
R24726AG	24732 RAVENNA AVE	2012-06-21	08:12	Outdoor Air		6.2 J	0.35 B	0.43	0.18	1.3	2.4	0.3	21.6	1.1	0.21	0.058	0.066 J	0.057	0.22

Table D-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units															
					Frequency of Detection	Acetone UG/M3 100.00%	Benzene UG/M3 100.00%	Carbon Tetrachloride UG/M3 100.00%	Ethylbenzene UG/M3 100.00%	Freon 11 UG/M3 100.00%	Freon 12 UG/M3 100.00%	Methylene Chloride UG/M3 100.00%	Oxygen/ Argon MOL % 100.00%	Toluene UG/M3 100.00%	Chloroform UG/M3 99.91%	1,4-Dichloro- benzene UG/M3 99.90%	Naphthalene UG/M3 99.50%	1,2-Dichloro- ethane UG/M3 99.81%	Tetrachloro- ethene UG/M3 99.71%	Ethanol UG/M3 99.82%
R247320AB	24732 RAVENNA AVE	2012-06-21	08:14	Outdoor Air		6.7 J	0.3 B	0.42	0.16 J	1.3	2.6	0.29	21.6	1	0.2	0.034 J	0.06 J	0.056	0.13	5.7 J
R247321AB	24732 RAVENNA AVE	2012-06-21	09:12	Garage		12	0.58 B	0.45	0.35	1.3	2.4	0.3	21.6	1.7	0.23	0.044 J	0.13 J	0.064	0.26	130
R247321AB	24732 RAVENNA AVE	2012-06-21	09:13	Bedroom		22	0.41 B	0.43	0.36	2.4	1.5	0.29	21.6	1.5	0.31	0.27	0.17 J	0.094	0.17	120
R247321AB	24732 RAVENNA AVE	2012-06-21	09:14	Kitchen		27	0.35 B	0.42	0.32	3.6	2.6	0.29	21.6	1.5	0.31	0.19	0.15 J	0.094	0.099	130
M247330AF	24733 MARBELLA AVE	2012-06-07	13:00	Outdoor Air		7.4 J	0.18	0.43	0.18	1.3	2.2	0.24	21.6	0.94	0.18	0.023 J	0.099 J	0.065	0.054	10
M247330AB	24733 MARBELLA AVE	2012-06-07	13:07	Outdoor Air		7.2 J	0.38 B	0.51	0.25	1.2	2.2	0.25	21.6	0.88 J	0.099 J	0.047 J	0.086 J	0.071	0.23	4.4 J
M247331AG	24733 MARBELLA AVE	2012-06-07	14:07	Garage		18	0.55 B	0.52	0.5	1.2	2.2	0.26	21.6	2.1	0.18 J	0.037 J	0.5	0.073	0.041 J	24
M247331AG	24733 MARBELLA AVE	2012-06-07	14:08	Kitchen		20	0.57 B	0.47	0.46	1.2	2.3	0.3	21.6	2.9	0.22	0.072	0.31	1.4	0.4	150
M247331AB	24733 MARBELLA AVE	2012-06-07	14:09	Bedroom		22	0.68 B	0.52	0.6	1.2	2.2	0.35	21.6	4.3	0.29	0.092	0.37	1.1	0.56	130
R247330AB	24733 RAVENNA AVE	2012-07-26	08:17	Outdoor Air		7.9 J	0.25	0.28	0.11	0.98	1.9	0.46	21.6	0.69 J	0.25 B	0.023 J, b	0.14 J	0.04 J	0.027 J	5.2 J
R247330AF	24733 RAVENNA AVE	2012-07-26	08:17	Outdoor Air		4.9 J	0.29	0.48	0.14 J	1	1.9	0.28	21.6	0.84 J	0.24 B	0.021 J, b	0.043 J	0.043 J	0.037 J	13
R247331AB	24733 RAVENNA AVE	2012-07-26	09:17	Bedroom		17	0.35	0.47	0.39	1	1.3	2.4	21.6	4	0.38 B	5.5	0.58	0.12	0.13	55
R247331AG	24733 RAVENNA AVE	2012-07-26	09:19	Garage		300	0.59	0.46	13	1.3	3.5	14	21.6	18	2.4	0.34	0.15 J	0.11	0.46	11
R247331AG	24733 RAVENNA AVE	2012-07-26	09:19	Kitchen		14	0.33	0.43	0.3	1	1.9	3.6	21.6	2.7	0.34 B	14	0.55	0.15	0.065	43
R247350AF	24735 NEPTUNE AVE	2012-11-14	08:10	Outdoor Air		11	1.9 B	0.6	1	1.5	2.4	0.99 B	21.7	4.2	0.26	0.13	0.27	0.1	0.24	13
R247350AB	24735 NEPTUNE AVE	2012-11-14	08:13	Outdoor Air		11	1.7 B	0.6	0.87	1.4	2.4	1.3 B	21.7	3.8	0.25	0.13	0.45	0.1	0.33	17
R247351AG	24735 NEPTUNE AVE	2012-11-14	09:09	Garage		42	2.5 D	0.62	3.5	1.5	3.4	6.7 B	21.7	24	0.48	0.18	0.48	0.15	0.32	58
R247351AG	24735 NEPTUNE AVE	2012-11-14	09:10	Kitchen		26	4.4 B	0.6	1.7	1.5	2.3	1.2 B	21.6	19	0.57	0.17	0.28	0.37	0.58	230
R247351AB	24735 NEPTUNE AVE	2012-11-14	09:11	Bedroom		28	5.2 B	0.62	1.8	1.6	2.4	1.3 B	21.6	22	0.56	0.17	0.75 B	0.32	0.43	260
M247370AF	24737 MARBELLA AVE	2012-12-06	13:09	Outdoor Air		20	2.1 B	0.58	1.2	1.3	2.6	1.3 B	22	5.7	0.48	0.27	0.21	0.12	0.34	16
M247370AB	24737 MARBELLA AVE	2012-12-06	13:17	Outdoor Air		21	2.3 B	0.59	1.4	1.4	2.6	1.4 D	22	6.1	0.52	0.29	0.28	0.13	0.37	19
M247371AG	24737 MARBELLA AVE	2012-12-06	14:09	Garage		32	2.6 B	0.64	1.8	1.3	2.3	1.3 B	22	7	0.52	0.22	0.24	0.17	0.59	190
M247371AG	24737 MARBELLA AVE	2012-12-06	14:10	Kitchen		60	3.2 B	0.63	1.8	1.3	2.3	1.6 D	21.9	35	0.75	0.24	0.31	2.8	3.4	630
M247371AB	24737 MARBELLA AVE	2012-12-06	14:12	Bedroom		60	3.3 D	0.62	1.8	1.3	2.3	1.5 B	21.9	15	0.76	0.26	0.42	3	3.5	670
M247380AF	24738 NEPTUNE AVE	2012-02-22	08:01	Outdoor Air		20	2.3 B	0.45	1.2 b	1.2	2.2	1	21.6	6.8 B	0.32	0.23	0.2	0.12	0.31 b	24
M247380AB	24738 NEPTUNE AVE	2012-02-22	08:03	Outdoor Air		15	2.1 b	0.45	1.3 b	1.2	2.1	1.1	21.6	5.9 B	0.28	0.17	0.25	0.11	0.29 b	21
R247381AG	24738 NEPTUNE AVE	2012-02-22	09:02	Kitchen		53	2.6 B	0.4	1.7 b	1.2	2	1.8	21.6	9.4 B	0.5	0.35	0.34	0.21	0.74 b	160
R247381AB	24738 NEPTUNE AVE	2012-02-22	09:03	Bedroom		60	2.7 b	0.45	1.6 b	1.3	2.1	1.3	21.6	9.9 B	0.79	0.28	0.37	0.46	0.39 b	160
M247381AG	24738 NEPTUNE AVE	2012-02-22	09:04	Garage		32	3.2 b	0.49	3 b	1.6	2	1.1	21.6	14 b	0.41	0.17	0.26	0.12	0.26 b	170
P247380AF	24738 PANAMA AVE	2012-09-06	13:04	Outdoor Air		8.5 J	0.64 B	0.47	0.33	1.1	2	0.33	21.5	2.1	0.15 J, B	0.068	0.17 J	0.067	0.11	12
P247380AB	24738 PANAMA AVE	2012-09-06	13:07	Outdoor Air		8.5 J	0.59 D	0.44	0.29	1.1	2.1	0.36	21.5	1.9	0.16 J, B	0.072	0.2 J	0.093	0.088	16
P247381AG	24738 PANAMA AVE	2012-09-06	14:07	Garage		230	81 B	0.85	4.4	1.1	1.8	1.1	21.5	19	0.61 B	0.14	0.49 J	0.67	14	140
P247381AB	24738 PANAMA AVE	2012-09-06	14:07	Kitchen		38	5.1 B	0.38	1.5	1.1 J	2	0.52	21.6	5.3	0.3 B	0.17	0.57	4.4	0.8	94
P247381AB	24738 PANAMA AVE	2012-09-06	14:08	Bedroom		41	4.2 B	0.52	1.8	1	2	0.55	21.5	5.1	0.31 B	0.17	0.71	4.1	0.76	83
M247390AF	24739 NEPTUNE AVE	2012-09-20	08:15	Outdoor Air		9.5	0.84 B	0.47	0.45	1.9	2.2	0.46	21.5	2	0.24 B	0.14	0.31	0.064	0.15 b	21
M247390AB	24739 NEPTUNE AVE	2012-09-20	08:17	Outdoor Air		9	0.7 B	0.49	0.41	2	2.2	0.45	21.5	1.9	0.25 B	0.092	0.17	0.066	0.44 M	15
M247391AB	24739 NEPTUNE AVE	2012-09-20	09:24	Bedroom		35	1.1 B	0.49	1.6	1.8	2.2	0.57	21.6	5.5	0.54 B	0.12	0.53 J	4.3	0.8	160
M247391AG	24739 NEPTUNE AVE	2012-09-20	09:24	Kitchen		31	1.1 B	0.52	1.6	1.8	2.2	0.57	21.5	5.3	0.54 B	0.12	0.28	3.3	0.8	150
M247391AG	24739 NEPTUNE AVE	2012-09-20	09:25	Garage		43	1.3 B	0.5	4.1	1.9	2.1	0.47	21.6	5.6	0.65 B	0.097	0.43	1	0.37 b	67
P247390AF	24739 PANAMA AVE	2012-10-25	08:10	Outdoor Air		17	1.3	0.36	0.64	1.2	2.4	0.79	21.6	4.7	0.33	0.15	0.15 J	0.093	0.16	35
P247390AB	24739 PANAMA AVE	2012-10-25	08:12	Outdoor Air		16	1.3	0.41	0.67	1.3	2.5	0.82	21.6	4.8	0.38	0.19	0.26	0.097	0.17	26
P247391AG	24739 PANAMA AVE	2012-10-25	09:13	Garage		42	4	0.97	2.8	1.3	2.4	0.75	21.6	21	0.63	1.6	0.27	0.11	0.43	33
P247391AB	24739 PANAMA AVE	2012-10-25	09:19	Bedroom		36	1.1	0.5	0.62	1.8	2.6	0.56	21.6	4.6	0.67	36	0.3	0.14	0.12	82
P247391AG	24739 PANAMA AVE	2012-10-25	09:14	Kitchen		32	1.1	0.49	0.58	1.9	2.5	0.57	21.6	4	0.6	34	0.24	0.15	0.12	88
R247391AB	24739 RAVENNA AVE	2011-03-02	08:10	Outdoor Air		18	0.83	0.48	0.37 b	1.4	2.6	0.57 B	22.3	2.9 b	0.068	0.068	0.53 b	0.08	0.2 b	12 b
R247390AF	24739 RAVENNA AVE	2011-03-02	08:11	Outdoor Air		13	0.97	0.48	0.4 b	1.2	2.2	0.66 B	22.2	3.2 b	0.17 B	0.084	0.069 J	0.08	0.18 b	10 b
R247391AB	24739 RAVENNA AVE	2011-03-02	09:33	Bedroom		19	1.2	0.49	0.61 b	1.6	3.2	1.6 B	22.2	5.5 b	0.27 B	0.1	0.29 b	3	0.21 b	36 b
R247391AG	24739 RAVENNA AVE	2011-03-02	09:34	Kitchen		16	1.3	0.48	0.62 b	1.4	2.7	1.6 B	22.2	4.6 b	0.25 B	0.11	0.48 b	3.2	0.21 b	43 b
R247391AG	24739 RAVENNA AVE	2011-03-02	09:35	Garage		23	1.2	0.55	0.61 b	1.3	2.4	5.7 B	22.1	5.4 b	0.31 B	0.11	0.44 b	0.29	0.23 b	27 b
M247410AB	24741 MARBELLA AVE	2012-06-14	08:10	Outdoor Air		7.4 J	0.37	0.5	0.13 J	1.3	2.1	0.27 b	21.6	0.69 J	0.34 B	0.019 J	0.069 J	0.062	0.063	14
M247410AF	24741 MARBELLA AVE	2012-06-14	08:11	Outdoor Air		8 J	0.38	0.49	0.17 J	1.3	2.1	0.27 b	21.6	1.1	0.14 J, B	0.021 J	0.081 J	0.065	0.11	20
M247411AG	24741 MARBELLA AVE	2012-06-14	09:10	Garage		48	0.62	0.42	1.5	2.5	2.1	0.29 b	21.6	4.8	1.9	0.037 J	1.2	7.7	0.24	4100 D

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kart Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte															
					Unit	Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/Argon	Toluene	Chloroform	1,4-Dichlorobenzene	Naphthalene	1,2-Dichloroethane	Tetrachloroethene	Ethanol
Frequency of Detection					100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.90%	99.91%	99.71%	99.62%
M24741AB	24741 MARBELLA AVE	2012-06-14	09:11	Bedroom	30	0.48	0.5	0.5	1.3	2.1	0.32 b	21.6	3.3	0.45 b	0.038 J	0.2	3	0.6 J	400	
M24741AB	24741 MARBELLA AVE	2012-06-14	09:11	Kitchen	34	0.6	0.48	0.55	1.4	2.1	0.34 b	21.6	4.3	0.46 b	0.037 J	0.22	3.2	0.22	540	
M24741AB	24741 MARBELLA AVE	2012-06-14	09:12	Bedroom	18	0.37	0.47	0.19	1.1	2.1	0.29 b	21.6	1.3	0.72 b	0.025 J	0.51	0.078	0.26	39	
M24740AF	24744 MARBELLA AVE	2012-03-14	13:11	Outdoor Air	5.1 J, b	0.46	0.46	0.19 J	1.7	2.5	0.31	21.6	1.1	0.17	0.021	0.068 J	0.069	0.042	8.2	
M24740AF	24744 MARBELLA AVE	2012-03-14	13:12	Outdoor Air	2.9 J, b	0.47	0.45	0.19 J	1.1	2.2	0.3	21.6	0.82	0.17	0.028 J	0.064 J	0.063	0.15	3.1 J	
M24741AB	24744 MARBELLA AVE	2012-03-14	14:19	Garage	40 b	0.76	0.45	0.35	1.5	2.1	12	21.6	2.9	0.25	0.18	0.24	0.07	0.076	41	
M24741AB	24744 MARBELLA AVE	2012-03-14	14:20	Bedroom	180 b	0.77	0.45	1.4	1.3	2.3	6.7	21.6	6.1	0.42	2.5	0.41	0.3	0.46	570	
M24741AB	24744 MARBELLA AVE	2012-03-14	14:21	Kitchen	150 b	0.73	0.43	1.3	1.2	2.2	5.6	21.6	5.8	0.4	1.5	0.39	0.3	0.34	440	
R24748OAF	24748 RAVENNA AVE	2012-09-13	08:19	Outdoor Air	15	1.3 b	0.52	0.89	1.3	2.5	0.9	21.5	4.9	0.44 b	0.16	0.36	0.12	0.66 M	29	
R24748OAF	24748 RAVENNA AVE	2012-09-13	08:19	Outdoor Air	17	1.4 b	0.5	0.83	1.4	2.3	0.76	21.5	5.6	0.42 b	0.17	0.19	0.12	0.15	21	
R24748IAG	24748 RAVENNA AVE	2012-09-13	09:19	Garage	57	1.2 b	0.98	0.88	3.5	2.3	0.69	21.5	5.4	1.9 b	0.088 J	0.17 J	0.1	0.2	26	
R24748IAG	24748 RAVENNA AVE	2012-09-13	09:19	Kitchen	27	1.1 b	0.59	0.85	1.5	2.3	0.62	21.5	4.3	0.5 b	0.12	0.24	0.63	0.15	33	
R24748IAB	24748 RAVENNA AVE	2012-09-13	09:20	Bedroom	26	1.1 b	0.53	0.88	1.4	2.3	0.65	21.6	4.4	0.54 b	0.17	0.31	0.71	0.21	32	
R24749OAB	24749 RAVENNA AVE	2010-12-16	08:18	Outdoor Air	11	1.2	0.88	1.8 J	1.3	2.4	0.5 b	22	8.5	0.16 b	0.084 b	0.34 b	0.1	0.27	16	
R24749OAF	24749 RAVENNA AVE	2010-12-16	08:20	Outdoor Air	14	1.5	0.51	1.1 b	1.7	2.4	0.48 b	22	4.5	0.15 b	0.074 b	0.2 b	0.687	0.29	14	
R24749IAB	24749 RAVENNA AVE	2010-12-16	10:00	Garage	28	1.9	0.48	5 b	1.6	2.3	0.61 b	22	38	0.18 b	0.15 b	1 b	0.11	0.26	260	
R24749IAB	24749 RAVENNA AVE	2010-12-16	10:01	Kitchen	22	1.4	0.48	7 b	1.2	2.1	0.66 b	22	6.2	0.22 b	0.1 b	0.35 b	0.29	0.23	93	
R24749IAB	24749 RAVENNA AVE	2010-12-16	10:03	Bedroom	29	1.5	0.51	3.5 b	1.3	2.4	0.69 b	22	9.7	0.32 b	0.13 b	0.45 b	0.3	0.23	180	
R24752OAF	24752 RAVENNA AVE	2012-07-19	13:10	Outdoor Air	7.3 J	0.49	0.44	0.4	1.3	2.1	0.31	21.6	2.3	0.19 b	0.029 J	0.089 J	0.055	0.18 M	11	
R24752OAB	24752 RAVENNA AVE	2012-07-19	13:12	Outdoor Air	7.7 J	0.38	0.43	0.27	1.3	2.1	0.31	21.6	1.3	0.35 b	0.04 J	0.14 J	0.066	0.11	9.5	
R24752IAG	24752 RAVENNA AVE	2012-07-19	14:14	Garage	20	1.1	0.45	1.6	1.3	2	0.34	21.6	9.6	0.13 b	0.041	0.53	0.2	0.3	87	
R24752IAB	24752 RAVENNA AVE	2012-07-19	14:15	Bedroom	18	1.1	0.46	1.2	1.3	2	0.32	21.6	7.4	0.31 b	0.025	0.33	0.35	0.31	77	
R24752IAB	24752 RAVENNA AVE	2012-07-19	14:15	Kitchen	30	1.1	0.45	1.4	1.7	2.2	0.36	21.5	9.2	0.35 b	0.002	0.49	0.45	0.15	190	
N24809OAF	24809 NEPTUNE AVE	2012-07-19	08:11	Outdoor Air	7.4 J	0.45	0.43	0.3	1.5	2.6	0.3	21.6	1.8	0.11 b	0.039 J	0.19	0.049	0.065	6.7 J	
N24809OAB	24809 NEPTUNE AVE	2012-07-19	08:12	Outdoor Air	10	0.38	0.45	0.26	1.4	2.4	0.29	21.6	1.4	0.11 b	0.036 J	0.14 J	0.052	0.07	16	
N24809IAG	24809 NEPTUNE AVE	2012-07-19	09:12	Garage	43	1.1	0.48	1.6	4.3	2.7	0.31	21.6	8.9	0.61 b	0.057	1.3	0.12	0.095	86	
N24809IAB	24809 NEPTUNE AVE	2012-07-19	09:12	Kitchen	50	0.63	0.37	1.4	2.4	2.6	0.35	21.6	9.6	0.55 b	0.1	0.64	0.39	0.19	170	
N24809IAB	24809 NEPTUNE AVE	2012-07-19	09:13	Bedroom	30	0.97	0.47	1.4	2.6	2.9	0.37	21.6	14	0.63 b	0.12	0.6	0.44	0.21	170	
P24809IAB	24809 PANAMA AVE	2012-03-23	09:30	Kitchen	31	1.1 b	0.42	0.74 b	2	2.7	2.4	21.6	8.3 b	0.19	0.2 b	0.17	0.88	0.4	290	
P24809IAB	24809 PANAMA AVE	2012-03-23	09:31	Bedroom	35	1.2 b	0.41	0.75 b	1.9	2.3	2.4	21.6	8.9 b	0.32	0.18 b	0.14 J	0.67	0.37	360	
P24809IAB	24809 PANAMA AVE	2012-03-23	09:32	Garage	78	1.7 b	0.42	1.2 b	1.4	2.8	11	21.6	35 b	0.15 J	0.12 b	0.24	0.14	2	94	
P24809OAB	24809 PANAMA AVE	2012-03-23	09:35	Outdoor Air	6.7 J	0.56 b	0.38	0.22 b	1.1	2	0.25	21.6	1.3 b	0.12 J	0.076 J	0.053	0.056	19		
P24809OAF	24809 PANAMA AVE	2012-03-23	09:38	Outdoor Air	6.9 J	0.64 b	0.4	0.27 b	1.1	2	0.25	21.6	1.5 b	0.098 J	0.17 b	0.11 J	0.056	0.053	59	
P24812OAF	24812 PANAMA AVE	2012-12-05	13:05	Outdoor Air	15	1.7 b	0.56	0.94	1.3	2.3	0.69 b	21.9	3.9	0.23	0.14	0.24	0.097	0.18	14	
P24812OAB	24812 PANAMA AVE	2012-12-05	13:14	Outdoor Air	12	1.5 b	0.56	0.81	1.3	2.4	0.68 b	22	3.5	0.31	0.14	0.22	0.1	0.19	19	
P24812IAG	24812 PANAMA AVE	2012-12-05	14:14	Garage	31	2.5 b	0.89	1.7	1.3	2.3	0.7 b	22	8.1	0.44	0.14	0.11	0.81	0.19	12	
P24812IAB	24812 PANAMA AVE	2012-12-05	14:16	Kitchen	44 M	1.6 b	0.6	1.5	1.2	2.3	0.73 b	22	6.1	0.57	0.19	0.23	2.4	0.22	100	
P24812IAB	24812 PANAMA AVE	2012-12-05	14:25	Bedroom	49 M	1.7 b	0.57	1.5	1.4	2.5	0.77 b	21.1	7.9	0.6	0.25	0.48	2.2	0.23	80	
P24813OAF	24813 PANAMA AVE	2012-08-22	08:13	Outdoor Air	8.4 J	0.35	0.56	0.18 J	1.2	2.3	0.33	21.6	0.73 J	0.21 b	0.064	0.111 b	0.046 J	0.086	8.9 J	
P24813OAB	24813 PANAMA AVE	2012-08-22	08:15	Outdoor Air	12	0.31	0.56	0.15 J	1.2	2.4	0.34	21.6	0.77 J	0.2 b	0.048	0.121 b	0.049	0.14 M	5.5 J	
P24813IAB	24813 PANAMA AVE	2012-08-22	09:22	Kitchen	19	0.42	0.57	0.35	1.3	2.4	0.50	21.5	1.2	0.51 b	7.3	0.31	0.32	0.15 M	99	
P24813IAB	24813 PANAMA AVE	2012-08-22	09:23	Bedroom	26	0.42	0.58	0.4	1.2	2.4	0.74	21.6	1.5	0.8 b	13	0.34	0.34	0.073	92	
P24813IAB	24813 PANAMA AVE	2012-08-22	09:24	Garage	16	0.65	0.65	0.38	1.1	2.2	1.8	21.6	3	0.24 b	0.97	0.161 b	0.38	0.24 M	16	
N24815OAF	24815 NEPTUNE AVE	2012-03-28	08:00	Outdoor Air	4.6 J	0.61	0.4	0.21	1.1	2.3	0.26	21.5	1.8	0.15	0.025 J	0.078 J	0.057	0.066	10	
N24815OAB	24815 NEPTUNE AVE	2012-03-28	08:01	Outdoor Air	5.9 J	0.55	0.39	0.17	1.1	2.4	0.28	21.6	1.2	0.16	0.046 J	<0.046 J	0.06	0.065	10	
N24815IAG	24815 NEPTUNE AVE	2012-03-28	09:00	Garage	31	0.71	0.44	0.52	1.4	2.3	5.1	21.6	4.6	0.24	0.089	0.24	0.22	0.14	92	
N24815IAB	24815 NEPTUNE AVE	2012-03-28	09:00	Kitchen	18	0.91	0.41	0.48	1.3	2.4	1.4	21.6	3.4	0.26	0.88	0.2	1.8	0.24	120	
N24815IAB	24815 NEPTUNE AVE	2012-03-28	09:01	Bedroom	22	0.96	0.42	0.51	1.4	2.4	1.8	21.6	3.7	0.37	1	0.2	1.1	0.38	140	
P14818OAF	24818 PANAMA AVE	2012-06-07	08:08	Outdoor Air	5.1 J	0.33 b	0.47	0.14 J	1.3	2.2	0.25	21.6	0.69 J	0.11 J	0.02 J	0.072 J	0.069	0.039 J	6.1 J	
P14818OAB	24818 PANAMA AVE	2012-06-07	08:11	Outdoor Air	5.4 J	0.31 b	0.48	0.14 J	1.4	2.1	0.26	21.6	0.71 J	0.12 J	0.02 J	0.074 J	0.069	0.36	5.7 J	
P14818IAG	24818 PANAMA AVE	2012-06-07	09:08	Garage	84	0.68 b	0.49	1.3	1.3	2.5	0.33	21.5	15	0.5	0.045	1	0.39	0.14	240	
P14818IAB	24818 PANAMA AVE	2012-06-07	09:08	Kitchen	29	0.81 b	0.5	0.67	1.3	2.2	0.31	21.6	3.7	0.59	0.045	0.43	0.51	0.31	250	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kait Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units														Frequency of Detection
					Frequency of Detection														
					Acetone UG/M3	Benzene UG/M3	Carbon Tetrachloride UG/M3	Ethylbenzene UG/M3	Freon 11 UG/M3	Freon 12 UG/M3	Methylene Chloride UG/M3	Oxygen/ Argon MOL%	Toluene UG/M3	Chloroform UG/M3	1,4-Dichloro- benzene UG/M3	Naphthalene UG/M3	1,2-Dichloro- ethane UG/M3	Tetrachloro- ethane UG/M3	Ethanol UG/M3
P24819IA	24819 PANAMA AVE	2012-06-07	09:09	Bedroom	34	0.62 b	0.51	0.79	1.3	2.1	0.35	21.6	4.3	1	0.055	0.46	0.52	0.087	260
P24819OAB	24819 PANAMA AVE	2011-04-20	09:30	Outdoor Air	6.51 b	0.3	0.44	0.19 b	1.1	2.1	0.35 b	22.4	0.68	0.18 b	0.028 f	0.17 b	0.082	0.072 b	3.1 f
P24819OAF	24819 PANAMA AVE	2011-04-20	09:30	Outdoor Air	6.5 b	0.35	0.45	0.16 b	1.2	2.2	0.32 b	22.3	1	0.18 b	0.027	0.15 b	0.081	0.078 b	5.8 f
P24819IAG	24819 PANAMA AVE	2011-04-20	10:30	Garage	53 b	2.1	0.64	2.5 b	4.5	2.3	0.26 b	22.3	39	0.28 b	0.096	1.2 b	4.1	0.13 b	8.6
P24819IAK	24819 PANAMA AVE	2011-04-20	10:31	Kitchen	33 b	0.48	0.47	1.6 b	2.5	2.2	0.36 b	22.3	23	0.85 b	0.083	0.38 b	4.7	0.15 b	120
P24819IAB	24819 PANAMA AVE	2011-04-20	10:32	Bedroom	31 b	0.53	0.47	1.5 b	2	2.2	0.36 b	22.3	17	0.89 b	0.1	0.41 b	3.7	0.19 b	110
P24828OAF	24828 PANAMA AVE	2012-09-12	08:25	Outdoor Air	7.9 f	0.36 b	0.49	0.16 f	1.2	2.5	0.98	21.6	1.1	0.18 f b	0.033 f	0.091 f	0.045 f	0.1 M	9.6 f
P24828OAB	24828 PANAMA AVE	2012-09-12	08:26	Outdoor Air	7.1 f	0.33 b	0.32	0.12 f	1.1	2.2	1	21.6	0.66 f	0.2 f b	<0.051 U	0.11 f	0.042 f	0.16 M	5.6 f
P24828IAG	24828 PANAMA AVE	2012-09-12	09:26	Garage	30	1.9 b	0.51	0.29	1.2	2.2	0.8	21.6	11	4.2 b	0.43	0.15 f	2.7	0.091	69
P24828IAK	24828 PANAMA AVE	2012-09-12	09:27	Kitchen	21	0.43 b	0.51	0.27	1.2	2.3	1.1	21.5	2.1	0.63 b	0.05	0.15 f	0.07	0.19	27
P24828IAB	24828 PANAMA AVE	2012-09-12	09:28	Bedroom	24	0.54 b	0.51	0.34	1.2	2.2	1.2	21.6	3.2	0.8 b	0.14	0.43 f	0.098	0.69	32
P24832OAB	24832 PANAMA AVE	2012-09-27	13:09	Outdoor Air	30 b	0.55 b	0.49	0.31	0.99 f	1.9	0.36	21.5	1.3 b	0.23	0.062	0.14 f	0.052	0.19	17
P24832OAF	24832 PANAMA AVE	2012-09-27	13:10	Outdoor Air	10 b	0.58 b	0.51	0.37	0.92 f	1.9	0.37	21.6	1.3 b	0.22	0.088	0.16 f	0.064	0.1	14
P24832IAB	24832 PANAMA AVE	2012-09-27	14:12	Bedroom	36	1.2 b	0.53	1.5	1.5	2.2	0.46	21.5	3.3	0.36	0.55	0.48	0.3	0.36	99
P24832IAG	24832 PANAMA AVE	2012-09-27	14:13	Garage	14 b	0.87 b	0.66	0.67	4.6	3.1	0.36	21.5	2.3	0.27	0.17	0.29	0.071	0.32	34
P24832IAK	24832 PANAMA AVE	2012-09-27	14:15	Kitchen	30	1.1 b	0.47	1.2	1.4	2.2	0.46	21.5	3.1	0.35	0.5	0.31	0.36	0.32	86
P24833OAF	24833 PANAMA AVE	2012-11-28	13:05	Outdoor Air	190	0.78 b	0.43	0.37	0.86 f	1.9	0.44 b	22	1.6 b	0.087 f	0.046	0.19	0.061	0.069 b	21
P24833OAB	24833 PANAMA AVE	2012-11-28	13:07	Outdoor Air	6.8 f b	0.68 b	0.48	0.37	1.1	2	0.36 b	22	2 b	0.075 f	0.055	0.37	0.062	0.1 b	10
P24833IAG	24833 PANAMA AVE	2012-11-28	14:07	Garage	8.8 f b	1.3 b	0.51	1.4	1.2	2.2	0.39 b	22	4.3	0.086 f	0.067	0.61	0.087	0.065 b	21
P24833IAB	24833 PANAMA AVE	2012-11-28	14:08	Bedroom	17	0.57 b	0.41	0.75	0.84	1.6	0.35 b	22	3.5	0.24	0.21	0.24	0.61	0.12 b	150
P24833IAK	24833 PANAMA AVE	2012-11-28	14:08	Kitchen	18	0.88 b	0.52	1	1.1	2	1.6 b	22	3.6	0.35	0.32	0.3	0.67	0.19 b	210
N24904OAB	24904 NEPTUNE AVE	2012-09-13	14:05	Outdoor Air	14	1.8 b	0.54	1.1	1.3	2.3	1	21.5	5.8	0.51 b	0.24	0.39	0.14	0.41 M	25
N24904OAF	24904 NEPTUNE AVE	2012-09-13	14:05	Outdoor Air	13	1.4 b	0.49	0.83	1.3	2.4	0.82	21.5	5.4	0.42 b	0.22	0.3	0.12	0.13	30
N24904IAK	24904 NEPTUNE AVE	2012-09-13	15:05	Kitchen	33	1.4 b	0.52	0.9	1.4	2.2	0.77	21.6	6	0.5 b	0.9	1.1	2	0.71	250
N24904IAB	24904 NEPTUNE AVE	2012-09-13	15:06	Bedroom	30	1.0 b	0.54	0.77	1.3	2.2	0.73	21.5	5.3	0.5 b	0.8	1.7	1.1	340	
N24904IAG	24904 NEPTUNE AVE	2012-09-13	15:07	Garage	22	1.8 b	0.53	1.3	0.2	2.3	0.95	21.6	7.2	0.55 b	2.5	0.46	0.49	0.35	64
N24912IAG	24912 NEPTUNE AVE	2012-03-15	14:32	Garage	18	0.54	0.46	0.46	1.5	2.1	0.5	21.5	2.2	0.15	0.049	0.15	0.11	0.81	270
N24912IAB	24912 NEPTUNE AVE	2012-03-15	14:35	Bedroom	37	0.58	0.45	0.52	1.5	2.1	0.56	21.6	3.5	0.26	0.09	0.15	0.1	0.64	350
N24912IAK	24912 NEPTUNE AVE	2012-03-15	14:38	Kitchen	33	0.57	0.44	0.55	1.2	2.2	0.74	21.5	3	0.25	0.079	0.15	0.1	0.64	350
N24912OAB	24912 NEPTUNE AVE	2012-03-15	14:41	Outdoor Air	31.1 f	0.49	0.44	0.17	1.1	2.2	0.27	21.5	1	0.11	0.027 f	0.067 f	0.057	0.15	4.2 f
N24912OAF	24912 NEPTUNE AVE	2012-03-15	14:43	Outdoor Air	4.6 f	0.64	0.43	0.33	1.1	2.1	0.25	21.6	1.4	0.26	0.027 f	0.084 f	0.057	0.23	4.1 f
24430SOAF	305 244TH ST	2012-10-17	13:12	Outdoor Air	22	1.6	0.48	0.77	1.4	2.5	0.81	21.6	6.9	0.34	0.13	0.21 f	0.12	0.15	27
24430SOAB	305 244TH ST	2012-10-17	13:13	Outdoor Air	20	1.3	0.49	0.62	1.4	2.6	0.75	21.6	5.5	0.33	0.11	0.19 f	0.11	0.13	21
24430SIAB	305 244TH ST	2012-10-17	14:12	Kitchen	35	2	0.49	1.2	1.4	2.5	0.88	21.6	15	0.64	0.13	0.32	2.2	0.18	210
24430SIAB	305 244TH ST	2012-10-17	14:13	Bedroom	56	2	0.5	1.4	1.3	3.5	0.93	21.5	19	0.4	0.13	0.4	2.6	0.22	150
24430SIAG	305 244TH ST	2012-10-17	14:14	Garage	62	1.7	0.5	1.1	1.3	3.5	0.93	21.5	19	0.4	0.13	0.4	2.6	0.22	150
244317OAB	317 244TH ST	2011-03-23	14:07	Outdoor Air	9.2	1.5	0.48	0.87 b	1.1	3.2	1.1 b	22.3	4.3	1.16 b	0.11 b	0.31 b	0.14	0.14 b	10
244317OAF	317 244TH ST	2011-03-23	14:08	Outdoor Air	9.2	1.6	0.49	0.92 b	1.4	3.7	1.2 b	22.2	5.8	1.17 b	0.12 b	0.36 b	0.14	0.14 b	11
244317IAB	317 244TH ST	2011-03-23	15:09	Bedroom	30	1.3	0.55	0.82 b	1.9	2.6	0.8 b	22.2	4.6	0.83 b	0.081 b	0.31 b	0.24	0.21 b	330
244317IAK	317 244TH ST	2011-03-23	15:09	Kitchen	34	1.5	0.52	0.85 b	2.2	2.7	0.92 b	22.2	5.1	0.81 b	0.097 b	0.27 b	0.24	0.16 b	330
244317IAG	317 244TH ST	2011-03-23	15:10	Garage	34	1.7	0.57	1 b	1.5	2.8	1.3 b	22.3	5.6	0.39 b	0.088 b	0.33 b	0.14	0.22 b	59
244331OAF	331 244TH ST	2012-08-29	13:28	Outdoor Air	7.6 f	0.58	0.52	0.38	3.3	2.3	0.3 b	21.6	1.6 b	0.17 f b	0.063	0.17 f	0.096	0.2	8.2 f
244331OAB	331 244TH ST	2012-08-29	13:31	Outdoor Air	5.7 f	0.49	0.51	0.36	3.2	2.1	0.27 f b	21.6	1.4 b	0.15 f b	0.043 f	0.16 f b	0.057	0.2 M	5.3 f
244331IAB	331 244TH ST	2012-08-29	14:30	Garage	12	0.95	0.44	1	3.5	2.1	0.77 f b	21.5	2.5 b	0.21 b	0.071 f	0.29 f	0.48	0.23	68
244331IAB	331 244TH ST	2012-08-29	14:31	Bedroom	18	1.9	0.49	0.62	2.8	2	0.27 f b	21.5	2.3 b	0.23 f b	0.073 f	0.29 f	0.48	0.23	68
244331OAF	331 244TH ST	2012-08-29	14:32	Kitchen	27	1.8	0.51	0.87	3.2	2.1	0.27 f b	21.5	2.7 b	0.27 b	0.084	0.31	0.67	0.4	89
244337OAF	337 244TH ST	2010-11-11	08:32	Outdoor Air	11	0.88	0.33 b	0.7 b	1.3	2.4	0.35 V b	21.9	5 b	0.14 b	0.088 b	0.17 b	0.077 b	0.13 b	15
244337OAB	337 244TH ST	2010-11-11	13:03	Outdoor Air	16	1.3	0.34 b	1 b	1.4	2.5	1.1 V b	21.9	8.6 b	0.18 b	0.15 b	0.34 b	0.095 b	0.24 b	23
244337IAG	337 244TH ST	2010-11-11	14:04	Garage	32	5.9	0.35 b	5.8 b	1.5	2.5	3.4 V b	21.9	51 b	1.1 b	0.54 b	0.37 b	0.22 b	0.21 b	180
244337IAK	337 244TH ST	2010-11-11	14:05	Kitchen	30	1.8	0.35 b	1.5 b	2.2	2.6	1.4 V b	21.9	17 b	0.35 b	0.3 b	0.27 b	0.39 b	0.22 b	950 D
244337IAB	337 244TH ST	2010-11-11	14:06	Bedroom	36	1.9	0.32 b	1.6 b	2	2.6	1.4 V b	22	17 b	0.37 b	0.3 b	0.26 b	0.34 b	0.23 b	1100 D
244341OAF	341 244TH ST	2012-09-01	08:01	Outdoor Air	7.3 f	0.37	0.44	0.22	1.1	2.3	0.32	21.6	1.1	0.13 f b	0.035 f	0.091 f	0.04 f	0.19	5.3 f

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units														Frequency of Detection
					Acetone UG/M3	Benzene UG/M3	Carbon Tetrachloride UG/M3	Ethylbenzene UG/M3	Freon 11 UG/M3	Freon 12 UG/M3	Methylene Chloride UG/M3	Oxygen/ Argon MOL%	Toluene UG/M3	Chloroform UG/M3	1,4-Dichloro- benzene UG/M3	Naphthalene UG/M3	1,2-Dichloro- ethane UG/M3	Tetrachloro- ethane UG/M3	Ethanol UG/M3
					100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.90%	99.81%	99.71%	99.62%
244341OAB	341 244TH ST	2012-08-01	08:00	Outdoor Air	8.7	0.34	0.42	0.18	1.1	2.3	0.4	21.6	1.1	0.11 B	0.03 J	0.28	0.037 J	0.13	10
244341IAG	341 244TH ST	2012-08-01	09:01	Garage	19	0.36	0.46	0.32	1.1	2.2	0.4	21.6	1.7	0.67 B	0.06	0.18 J	0.045 J	0.17	26
244341IAB	341 244TH ST	2012-08-01	09:02	Kitchen	22	0.4	0.44	0.37	1.8	2.3	0.39	21.6	3.3	0.68 B	0.098	0.25	0.21	0.09	110
244341IAB	341 244TH ST	2012-08-01	09:03	Bedroom	23	0.41	0.42	0.4	1.6	2.3	0.55	21.6	3.3	0.73 B	0.11	0.17 J	0.31	0.058	110
244341IAB	341 244TH ST	2012-08-01	09:05	Bedroom	25	0.4	0.43	0.48	1.6	2.4	0.35	21.6	3.4	0.73 B	0.11	0.33 B	0.32	0.085	130
249345OAF	345 249TH ST	2012-11-01	13:03	Outdoor Air	8 J	0.82	0.44	0.39	1.2	2.4	0.46	21.6	2.5	0.23	0.095	0.087 J	0.072	0.083	9.3
249345OAB	345 249TH ST	2012-11-01	13:09	Outdoor Air	9.2	0.9	0.44	0.33	1.2	2.4	0.46	21.6	2.3	0.21	0.075	0.052 J	0.071	0.085	14
249345IAG	345 249TH ST	2012-11-01	14:06	Garage	18	1.3	0.46	0.97	1.2	2.3	0.5	21.7	6.8	0.23	0.14	0.78	0.27	0.1	39
249345IAB	345 249TH ST	2012-11-01	14:09	Kitchen	24	1.1	0.44	0.78	1.2	2.4	0.51	21.7	4.9	0.38	0.11	0.18 J	1.5	0.59	140
249345IAB	345 249TH ST	2012-11-01	14:11	Bedroom	22	0.59	0.44	0.64	1.2	2.3	0.49	21.6	5.7	0.41	0.1	0.17 J	1	0.37	110
244347OAF	347 244TH ST	2012-12-20	13:06	Outdoor Air	14	1.78	0.5	0.88	1.2	2.4	0.71 B	22	5.2	0.15 J	0.12	0.17	0.096	0.25	18
244347OAB	347 244TH ST	2012-12-20	13:09	Outdoor Air	14	1.6 B	0.5	0.86	1.3	2.6	0.73 B	22	5.2	0.15 J	0.12	0.28	0.075	0.25	20
244347IAG	347 244TH ST	2012-12-20	14:09	Garage	29	1.9 B	0.48	2.4	1.3	2.4	0.68 B	22	11	0.21	0.12	0.44	0.11	0.25	46
244347IAB	347 244TH ST	2012-12-20	14:10	Bedroom	24	1.9 B	0.5	1.9	1.5	2.4	0.66 B	22	10	0.29	0.1	0.27	0.13	0.23	57
244347IAB	347 244TH ST	2012-12-20	14:11	Kitchen	27	1.8 B	0.5	1.8	1.9	2.4	0.67 B	22	10	0.31	0.096	0.21	0.12	0.23	88
248-848-OAB	348 248TH ST	2010-08-25	08:21	Outdoor Air	9.3 b	0.31	0.56 B	0.32 b	1.1	2	0.35 B	22	1.4	0.15 B	0.056 b	0.4 b	0.073 b	0.26 B	9.4
248-848-OAF	348 248TH ST	2010-08-25	08:29	Outdoor Air	7.4 b	0.64	0.34 B	0.31 b	1	1.9	0.29 B	22.1	1.4	0.14 B	0.05 b	0.27 b	0.076 b	0.17 B	11
248-848-IAB	348 248TH ST	2010-08-25	09:29	Bedroom	29 b	0.6	0.58 B	1.3 b	1.1	2.1	0.46 B	22	7.9	0.64 B	0.16 b	0.5 b	2.5 b	0.3 B	110
248-848-IAB	348 248TH ST	2010-08-25	09:30	Kitchen	29 b	0.95	0.57 B	0.87 b	1.1	2	0.59 B	22	7.8	0.58 B	0.12 b	0.57 b	3.1 b	0.3 B	110
248-848-IAB	348 248TH ST	2010-08-25	09:31	Garage	41 b	9.7	0.69 B	1.8 b	4.9	2	0.68 B	22.1	81	1.5 B	0.12 b	3.6 b	0.62 b	0.29 b	150
248348-OAF	348 248TH ST	2011-01-12	08:25	Outdoor Air	8.4	1.8	0.43	0.89 b	0.7	1.2	0.84 B	22.3	3.1	0.31 B	0.18 b	0.27 b	0.13	0.29 b	12
248348-OAB	348 248TH ST	2011-01-12	08:28	Outdoor Air	15	1.7	0.47	0.92 b	1.3	2.3	0.87 B	22.3	6.3	0.35 B	0.2 b	0.26 b	0.12	0.31 b	23
248348-IAB	348 248TH ST	2011-01-12	09:33	Bedroom	39	1.9	0.47	1.3 b	1.3	2.3	0.87 B	22.3	10	0.9 B	0.17 b	0.52 b	0.48	0.36 b	320
248348-IAB	348 248TH ST	2011-01-12	09:33	Kitchen	27	1.8	0.49	1.2 b	1.4	2.5	0.98 B	22.3	9.7	0.8 B	0.18 b	0.43 b	0.37	0.34 b	350
248348-IAB	348 248TH ST	2011-01-12	09:34	Garage	40	10	0.47	1.4 b	3.6	2.2	1.2 B	22.3	98	0.37 B	0.16 b	3.1 b	0.38	0.32 b	250
249345OAF	345 249TH ST	2012-08-16	08:43	Outdoor Air	7.6 J	0.7	0.5	0.36	1.4	2	0.49	21.6	1.7	0.23	0.093	0.22	0.063	0.2	15
249345OAB	345 249TH ST	2012-08-16	08:44	Outdoor Air	8.7	0.72	0.5	0.38	1.5	2.2	0.52	21.6	1.9	0.24	0.13	0.15 J	0.11	0.18	18
249345IAB	345 249TH ST	2012-08-16	09:47	Bedroom	76	3.9	0.56	4.3	1.4	1.9	1.1	21.6	21	0.49 B	0.25	0.31 b	6.9	2.4	790
249345IAB	345 249TH ST	2012-08-16	09:47	Kitchen	49	1.8	0.54	2.7	1.6	2.3	0.74	21.6	11	0.45 B	0.1	0.35 B	8.5	0.91	659
249345IAB	345 249TH ST	2012-08-16	09:48	Garage	22	16	0.59	14	1.7	1.9	3	21.6	91	0.35 J	110	0.64 J	10	3.6	330
244351OAB	351 244TH ST	2010-10-22	08:01	Outdoor Air	36 b	0.29	0.38 b	0.16 b	1.4	2.5	0.18 B	22	1.2 b	0.1 J	0.05 b	0.47 B	0.037 b	6.12 b	7
244351OAF	351 244TH ST	2010-10-22	08:02	Outdoor Air	11 b	0.44	0.35 b	0.39 b	1.4	2.5	0.23 B	21.9	3.2 b	0.26 B	0.048 b	0.15 B	0.048 b	0.28 b	12
244351IAB	351 244TH ST	2010-10-22	09:03	Kitchen	26 b	1.1	0.38 b	1.6 b	1.3	2.5	0.26 B	22	8.7 b	0.27 B	0.072 b	0.42 B	0.11 b	0.15 b	150
244351IAB	351 244TH ST	2010-10-22	09:04	Bedroom	26 b	0.85	0.39 b	1.7 b	1.2	2.6	0.29 B	22	8.5 b	0.25 B	0.082 b	0.45 B	0.082 b	0.15 b	150
244351IAB	351 244TH ST	2010-10-22	09:05	Garage	15 b	6.1	0.25 b	7.9	1.4	2.5	0.19 B	22	49 b	0.14 B	0.029 J	1.2 b	0.11 b	0.087 b	110
249352OAB	352 249TH ST	2011-02-09	13:11	Outdoor Air	12	2	0.47	1 b	1.3	2.5	0.95 B	22.3	6.8	0.31 B	0.19 b	0.23 b	0.14	0.31 b	26
249352OAF	352 249TH ST	2011-02-09	13:12	Outdoor Air	15	1.6	0.49	0.81 b	1.6	3	0.86 B	22.2	6.9	0.27 B	0.093 b	0.062 J	0.12	0.23 b	20
249352IAB	352 249TH ST	2011-02-09	14:26	Kitchen	91	1.9	0.47	1.1 b	1.3	2.4	0.8 B	22.1	8.4	0.62 B	0.24 b	0.37 b	0.52	30.0 b	710 D
249352IAB	352 249TH ST	2011-02-09	14:27	Bedroom	100	2	0.48	1.2 b	1.3	2.4	0.89 B	22.2	9	0.65 B	0.23 b	0.43 b	0.55	45.0 b	850 D
249352IAB	352 249TH ST	2011-02-09	14:28	Garage	57	2.1	0.5	1.2 b	1.8	2.9	1 B	22.1	11	0.36 B	0.16 b	0.18 b	0.16	2.1 b	35
249353OAB	353 249TH ST	2011-02-03	10:10	Outdoor Air	13 b	2	0.41	0.97	1.6	2.9	0.87 B	22.1	7	0.29 B	0.15 b	0.41 b	0.12	0.22 b	23
249353OAF	353 249TH ST	2011-02-03	10:20	Outdoor Air	12 b	1.9	0.44	0.88	1.6	2.8	0.8 B	22.1	6.5	0.28 B	0.13 b	0.26	0.11	0.19 b	19
249353IAB	353 249TH ST	2011-02-03	11:20	Bedroom	30 b	2.8	0.43	1.7	1.6	2.8	0.79 B	22	12	0.5 B	0.7 b	3.6 b	0.75	0.17 b	110
249353IAB	353 249TH ST	2011-02-03	11:20	Kitchen	21 b	3	0.44	1.6	1.3	2.5	0.86 B	21.8	9.8	0.47 B	0.19 b	3.7 b	0.7	0.3 b	110
249353IAB	353 249TH ST	2011-02-03	11:21	Garage	18 b	2.2	0.44	1.2	1.3	2.4	0.86 B	22.1	10	0.38 B	0.15 b	0.46	0.13	0.21 b	25
248354OAB	354 248TH ST	2012-06-13	08:03	Outdoor Air	6.5 J	0.29	0.47	0.18	1.2	2.3	0.26	21.6	0.74 J	0.19 B	0.052	0.055 J	0.058	0.044	7.1 J
248354OAF	354 248TH ST	2012-06-13	08:04	Outdoor Air	6.3 J	0.29	0.47	0.11 J	1.1	2.3	0.28	21.6	0.5 J	0.18 B	0.038 J	0.047 J	0.062	0.044	4.9 J
248354IAB	354 248TH ST	2012-06-13	09:16	Bedroom	52	3.2	0.57	2.3	1.1	2.4	0.43 J	21.6	12	0.51 B	95	0.4 J	0.52	0.26 J	340
248354IAB	354 248TH ST	2012-06-13	09:17	Kitchen	44	2.5	0.53	1.7	1.2	2.2	0.36 J	21.6	11	0.45 J	94	0.38 J	0.51	0.13 J	330
248354IAB	354 248TH ST	2012-06-13	09:18	Garage	59	12	0.66	6.3	1.3	2.4	0.32	21.6	30	0.61 B	30	2.5	0.23	0.28	100
244357OAF	357 244TH ST	2012-11-29	08:18	Outdoor Air	8.4 J	0.58 B	0.16	0.42	1.5	2.7	0.20 B	21.7	2	0.06 J	0.045 J	0.14 J	0.054	0.13 b	22
244357OAB	357 244TH ST	2012-11-29	08:20	Outdoor Air	5.7 J	0.55 B	0.11	0.46	1.5	2.6	0.22 B	21.9	1.9	0.06 J	0.053	0.1 J	0.08	0.16 b	5.1 J

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/ Argon	Toluene	Chloroform	1,4-Dichloro- benzene	Naphthalene	1,2-Dichloro- ethane	Tetrachloro- ethylene	Ethanol			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL%	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
244357IAG	357 244TH ST	2012-11-29	09:32	Garage	24	1.1 B	0.49	0.2	3.2	2.5	2.7	8.4 B	22	18	0.084 J	0.38	0.95	0.13	1.3	93			
244357IAK	357 244TH ST	2012-11-29	09:34	Kitchen	38	0.85 B	0.52	1.6	1.7	2.8	1.5 B	22	12	0.16 J	0.2	0.48	0.74	0.3 b	140				
244357IAB	357 244TH ST	2012-11-29	09:35	Bedroom	51	0.91 B	0.51	1.7	1.8	3	1.5 B	22	10	0.19	0.29	0.64	0.54	0.56	190				
249357OAB	357 249TH ST	2012-08-02	13:05	Outdoor Air	4.1 J	0.3	0.44	0.18	0.87	1.8	0.23	21.6	0.87 J	0.13 J	0.14	0.021 J	0.64 J	0.667	5.8 J				
249357OAF	357 249TH ST	2012-08-02	13:06	Outdoor Air	5.7	0.35	0.44	0.18	0.85	1.8	0.19 b	21.6	0.85 J	0.14 J	0.047	0.061 J	0.042 J	0.046	14				
249357IAB	357 249TH ST	2012-08-02	14:05	Bedroom	89	0.64	0.43	1.1	0.86 J	1.8	0.43	21.6	8.4	0.45 B	0.1	0.71	14	0.2	170				
249357IAK	357 249TH ST	2012-08-02	14:05	Kitchen	69	0.51	0.39	0.85	0.97	1.8	0.35	21.6	6.4	0.39 B	0.1	0.64	5.7	0.091	170				
249357IAG	357 249TH ST	2012-08-02	14:06	Garage	350	0.63	0.52	4.4	0.94 J	1.8	180 D	21.6	20	0.44 B	0.1	2	0.32	0.072	84				
249358OAF	358 249TH ST	2012-08-08	08:14	Outdoor Air	20 b	2.4	0.48	1.1	1.2	2.3	0.89	21.5	6.2	0.22	0.11	0.29	0.088	0.32	23				
249358OAB	358 249TH ST	2012-08-08	08:16	Outdoor Air	15 b	1.6	0.17	0.73	1.8	2.6	0.77	21.6	4.9	0.43	0.14	0.14 J	0.089	0.31	22				
249358IAK	358 249TH ST	2012-08-08	09:16	Kitchen	37 b	2.5	0.44	0.95	2.4	3.3	1.2	21.6	5.5	0.49	0.15	0.25	0.28	0.24	300				
249358IAB	358 249TH ST	2012-08-08	09:17	Bedroom	39 b	2.2	0.46	0.9	2.5	3.3	1.2	21.6	5.7	0.49	0.14	0.29	0.22	0.25	350				
249358IAG	358 249TH ST	2012-08-08	09:18	Garage	18 b	1.6	0.46	0.72	2.1	2.7	0.77	21.6	4.9	0.4	0.11	0.12 J	0.15	0.26	59				
249358OAF2	358 249TH ST	2012-08-08	14:13	Outdoor Air	15 b	2	0.49	0.96	1.9	2.7	0.8	21.6	6	0.46	0.18	0.17	0.095	0.38	26				
248860OAF	360 248TH ST	2012-07-05	13:05	Outdoor Air	6.2 J	0.24 b	0.43	0.11 J	1.2	2.5	0.21	21.5	0.64 J	0.17 B	0.044	0.038 J	0.044	0.062	6.3 J				
248860OAB	360 248TH ST	2012-07-05	13:07	Outdoor Air	7.5 J	0.24 b	0.43	0.096 J	1.2	2.5	0.23	21.6	0.53 J	0.17 J	0.087	0.045 J	0.043 J	0.067	2.9 J				
248860IAB	360 248TH ST	2012-07-05	14:08	Bedroom	32	0.49 B	0.44	0.6	1.3	2.5	19	21.5	5.3	0.39 B	0.067 J	0.39	6.9	0.22 M	180				
248860IAK	360 248TH ST	2012-07-05	14:08	Kitchen	29	0.51 B	0.42	0.57	1.2	2.5	16	21.6	4.6	0.36 J	0.054 J	0.33 J	4.7	0.07 J	180				
248860IAG	360 248TH ST	2012-07-05	14:09	Garage	38	0.38 B	0.44	0.67	1.3	2.5	8.1	21.6	3.2	0.22 J	0.043 J	0.29 J	4.5	0.22 M	36				
244361OAB	361 244TH ST	2010-11-11	13:06	Outdoor Air	41	3	0.35 b	2.6	1.6	2.8	1.5 B	22	13 b	0.69 B	0.28 b	0.43 B	0.13	0.45 b	49				
244361OAF	361 244TH ST	2010-11-11	13:08	Outdoor Air	27	3.1	0.47 b	2.9	1.6	2.8	1.5 B	22	12 b	0.46 B	0.3 B	0.24 b	0.12	0.48 b	49				
244361IAK	361 244TH ST	2010-11-11	14:07	Kitchen	43	2.5	0.49 b	1.6 b	1.3	2.5	1.4 B	22	11 b	0.55 B	0.35 B	0.39 b	0.27	0.34 b	370				
244361IAB	361 244TH ST	2010-11-11	14:09	Bedroom	59	2.6	0.49 b	1.7 b	1.3	2.5	1.5 B	22	11 b	0.57 B	0.37 B	0.42 B	0.23	0.36 b	340				
244361IAG	361 244TH ST	2010-11-11	14:11	Garage	30	3.1	0.58 b	2 b	1.6	2.8	1.5 B	22	14 b	0.5 B	0.24 B	0.67 B	0.13	0.46 B	76				
249367OAF	367 249TH ST	2012-10-24	13:35	Outdoor Air	8.1 J	0.65	0.43	0.29	1.1	2.2	0.39	21.6	1.8	0.18 J	0.074	0.074 J	0.068	0.056	16				
249367OAB	367 249TH ST	2012-10-24	13:36	Outdoor Air	7.6 J	0.67	0.45	0.3	1.1	2	0.5	21.6	1.8	0.2	0.069	0.071 J	0.067	0.061	15				
249367IAG	367 249TH ST	2012-10-24	14:33	Garage	40	0.76	0.39	0.53	1.1	2.1	0.82	21.6	2.9	0.22	0.083	0.12 J	0.13	0.14	41				
249367IAK	367 249TH ST	2012-10-24	14:34	Kitchen	51	0.65	0.45	1.7	1.2	2	0.45	21.5	5.1	0.31	0.28	0.17	0.34	0.078	120				
249367IAB	367 249TH ST	2012-10-24	14:37	Bedroom	74	0.85	0.45	1.6	1.2	2	0.45	21.6	7.2	0.3	0.26	0.25	0.5	0.094	150				
249368OAF	368 249TH ST	2012-08-08	13:24	Outdoor Air	6.5 J	0.47 B	0.35	0.24	1.1	2	0.28	21.6	1.5	0.17 J	0.093	0.08 J	0.051	0.084	6.7 J				
249368OAB	368 249TH ST	2012-08-08	13:25	Outdoor Air	6.9 J	0.41 B	0.43	0.22	1.1	2.1	0.31	21.6	1.6	0.17 J	0.083	0.11 J	0.052	0.075	12 b				
249368IAB	368 249TH ST	2012-08-08	14:24	Bedroom	28	0.59 B	0.46	2	1.1	2	0.38	21.6	5	0.54 B	0.47	0.42	0.11	0.59 J	98				
249368IAK	368 249TH ST	2012-08-08	14:25	Kitchen	22	0.53 B	0.45	2.1	1	2.1	0.39	21.7	5.4	0.4 B	0.26	0.28	0.11	0.078	120				
249368IAG	368 249TH ST	2012-08-08	14:26	Garage	21	0.82 B	0.51	0.77	1.1	2	0.61	21.6	6.4	0.24 B	0.09	0.55	0.081	0.1	34				
249373OAF	373 249TH ST	2012-04-11	08:14	Outdoor Air	8.7 J	0.64	0.48	0.29	1	1.9	0.56	21.6	1.5	0.19	0.042	0.17	0.071	0.13	6.1 J				
249373OAB	373 249TH ST	2012-04-11	08:15	Outdoor Air	5.2 J	0.6	0.42	0.22	1	1.9	0.53	21.6	1.3	0.2	0.051	0.091 J	0.073	0.047	5.1 J				
249373IAB	373 249TH ST	2012-04-11	09:23	Bedroom	17	0.52	0.46	1.3	1	2	0.48	21.6	3.9	0.31	0.05	0.35 J	0.41	0.08 J	180				
249373IAK	373 249TH ST	2012-04-11	09:23	Garage	14	2.2	0.43	8	1	2	0.52	21.6	13	0.32	0.037 J	1.8	0.14	0.058	300				
249373IAG	373 249TH ST	2012-04-11	09:23	Kitchen	11	1	0.45	2	1	2	0.49	21.6	4.6	0.32	0.055	0.63	0.38	0.058	200				
248374OAF	374 248TH ST	2012-10-04	13:02	Outdoor Air	9.2 J	0.84	0.35	0.4	1.1	2.2	0.49	21.6	2.2	0.41	0.12	0.13 J	0.096	0.17 M	11				
248374OAB	374 248TH ST	2012-10-04	13:05	Outdoor Air	11	0.86	0.52	0.42	1.1	2.2	0.46	21.5	2.5	0.41	0.11	0.11 J	0.096	0.063 b	11				
248374IAG	374 248TH ST	2012-10-04	14:02	Garage	18	1.2	0.5	0.97	1.2	2.3	0.47	21.6	5.4	1.5 B	3.7	0.13 J	0.16	0.097 b	74				
248374IAK	374 248TH ST	2012-10-04	14:02	Kitchen	28	0.97	0.55	0.97	1.2	2.3	0.45	21.5	3.2	0.57	3.6	0.17 J	9.3	0.078 b	130				
248374IAB	374 248TH ST	2012-10-04	14:09	Bedroom	33	0.93	0.49	0.63	1.2	2.3	0.47	21.6	3.8	0.59 B	3.9	0.17 J	9.2	0.077 J	100				
249377OAF	377 244TH ST	2012-06-27	13:01	Outdoor Air	31	0.44 b	0.44	0.3	1.3	2.5	0.32	21.5	1.5	0.12 J	0.054	0.11 b	0.057	0.18	6.6 J				
249377OAB	377 244TH ST	2012-06-27	13:02	Outdoor Air	14	0.41 B	0.44	0.25	1.3	2.5	0.3	21.6	1.2	0.13 J	0.061	0.14 J	0.258	0.76	8.2 J				
249377IAB	377 244TH ST	2012-06-27	14:01	Bedroom	68	0.55 B	0.44	0.64	1.3	2.8	0.44	21.5	7.3	1.4 B	0.061	0.32	2.1	6.6	310				
249377IAK	377 244TH ST	2012-06-27	14:02	Kitchen	50	0.51 B	0.44	0.54	1.3	2.5	0.43	21.5	5	0.68 B	0.066	0.33	1.3	4.1	310				
249377IAG	377 244TH ST	2012-06-27	14:03	Garage	59	1.8	0.46	1.7	3.6	7.5	4.3	21.5	11	0.58 B	0.06 J	0.2 J	2.5	9.4	760				
249377OAF	377 249TH ST	2012-08-23	08:23	Outdoor Air	5.6 J	0.39 B	0.54	0.21	1	1.9	0.38	21.5	0.7 J	0.24	0.054	0.088 J	0.041 J	0.32 M	4.6 J				
249377OAB	377 249TH ST	2012-08-23	08:24	Outdoor Air	5 J	0.4 B	0.52	0.21	1.1	2	0.32	21.5	0.92 J	0.26	0.072	0.097 J	0.041 J	0.43 M	12				
249377IAG	377 249TH ST	2012-08-23	09:24	Garage	16	0.5 B	1.6	0.48	1.4	2	0.35	21.5	1.8	0.48	0.19	0.26 J	0.046 J	0.41	25				

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Acetone	Benzene	Carbon Tetrachloride	Ethylbenzene	Freon 11	Freon 12	Methylene Chloride	Oxygen/ Argon	Toluene	Chloroform	1,4-Dichloro- benzene	Naphthalene	1,2-Dichloro- ethane	Tetrachloro- ethene	Ethanol			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	MOL %	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	99.91%	99.90%	99.90%	99.91%	99.71%	99.62%			
249377AB	377 249TH ST	2012-08-23	09:25	Bedroom	24	0.83 B	0.55	0.45	2.9	8	0.39	21.6	9.9	0.51	0.25	0.3	0.72	0.5	0.65				
249377AB	377 249TH ST	2012-08-23	09:25	Kitchen	25	0.69 B	0.54	0.44	4	3.8	0.37	21.6	11	0.44	0.15	0.4	0.52	0.37	0.81				
249378OAB	378 249TH ST	2011-05-11	13:11	Outdoor Air	11 b	0.79	0.55	0.46 b	1.5	2.6	0.48 B	22.3	2	0.24 B	0.088 b	0.35 b	0.11	0.098	3.4				
249378OAF	378 249TH ST	2011-05-11	13:14	Outdoor Air	16 b	0.81	0.55	0.47 b	1.5	2.8	0.48 B	22.3	2.3	0.25 B	0.14 b	0.49 b	0.11	0.09	18				
249378AB	378 249TH ST	2011-05-11	14:27	Kitchen	39 b	1.5	0.55	2.2 b	1.5	1.8	0.51 B	22.4	18	0.44 B	0.064 b	0.57 b	0.77	0.41	1200 D				
249378AB	378 249TH ST	2011-05-11	14:28	Bedroom	45 b	1.5	0.57	2.6	1.4	2.8	0.51 B	22.3	13	0.53 B	0.078 b	0.97 b	0.6	0.21 J	2600 D				
249378AG	378 249TH ST	2011-05-11	14:28	Garage	55 b	1.2	0.56	2.6 b	1.5	2.8	0.53 B	22.3	12	0.52 B	0.06 b	0.91 b	0.13	0.15	250				
249378OAF	378 249TH ST	2012-02-23	13:03	Outdoor Air	13 b	1.1 b	0.44	0.58	1.2	2.1	0.35	21.6	2.8	0.13 J	0.1	0.16 J	0.087	0.1 b	9.4				
249378OAB	378 249TH ST	2012-02-23	13:05	Outdoor Air	8.3 b	1.2 b	0.44	0.52	1.4	2.4	0.4	21.6	3.5	0.13 J	0.11	0.17	0.087	0.099 b	14				
249378AB	378 249TH ST	2012-02-23	14:04	Kitchen	26 b	1.8 b	0.43	2.7	1.3	2.1	4.2	21.6	9.6	0.27	0.13	0.4	0.52	0.21 b	420				
249378AB	378 249TH ST	2012-02-23	14:05	Bedroom	85 b	1.9 b	0.45	2.7	1.4	2.3	3.8	21.6	12	0.3	0.13	0.39	0.49	0.33 b	560				
249378AG	378 249TH ST	2012-02-23	14:06	Garage	47 b	1.7 b	0.42	2.7	1.4	2.4	0.61	21.6	11	0.32	0.11	0.61	0.079	0.17 b	120				
249383OAF	383 249TH ST	2012-06-06	13:02	Outdoor Air	4.8 J	0.58 b	0.5	0.28	1.1	2.2	0.32	21.6	1.8	0.17 J	0.036 J	0.094 J	0.078	0.056 J	8.4 J				
249383OAB	383 249TH ST	2012-06-06	13:04	Outdoor Air	6.2 J	0.43 b	0.52	0.16 J	1.1	2.2	0.3	21.6	0.86 J	0.36	0.044	0.12 J	0.093	0.032 J	14				
249383AG	383 249TH ST	2012-06-06	14:03	Garage	18	1.5 b	0.41	2.4	2.8	2.3	1.5	21.6	11	0.24	0.042 J	2.1	0.15	0.045 J	51				
249383AB	383 249TH ST	2012-06-06	14:03	Kitchen	19	0.8 B	0.51	0.78	1.3	2.2	0.44	21.6	6.2	0.39	0.044	0.41	0.31	0.25	100				
249383AB	383 249TH ST	2012-06-06	14:04	Bedroom	21	0.87 B	0.51	0.97	1.3	2.1	0.49	21.6	5.9	0.42	0.047	0.68	0.44	0.47	75				
249402OAF	402 249TH ST	2012-03-21	08:11	Outdoor Air	16	1.4 b	0.35	0.68 b	1.1	1.8	0.6	21.6	4.3	0.2	0.12	0.16	0.08	0.19	37				
249402OAB	402 249TH ST	2012-03-21	08:12	Outdoor Air	10	1.4 b	0.41	0.62 b	0.96	1.8	0.61	21.5	4.3	0.18	0.11	0.11 J	0.081	0.25	17				
249402AB	402 249TH ST	2012-03-21	08:11	Bedroom	34	1.5 b	0.33	1.4 b	1.2	2.8	0.69	21.6	7.9	0.7	0.12	1.3	1.7	1.2	800 D				
249402AB	402 249TH ST	2012-03-21	09:11	Garage	31	1.5 b	0.54	1.3 b	1.2	2.7	0.71	21.6	7.6	0.68	0.12	1.6	1.5	0.71	600				
249402AB	402 249TH ST	2012-03-21	09:12	Kitchen	40	1.5 b	0.55	1.6 b	1.1	2.3	0.76	21.6	10	0.61	0.12	0.89	2.3	0.72	1200 D				
249412OAF	412 249TH ST	2012-09-26	13:10	Outdoor Air	6.9 J	1.8	0.5	0.7	1.1	2.2	0.28	21.5	3	0.25	0.081	0.14 J	0.058	0.061	8.7				
249412OAB	412 249TH ST	2012-09-26	13:11	Outdoor Air	9.6	0.73 B	0.38	0.46	1.2	2.3	0.36	21.5	2.4	0.29	0.081	0.16 J	0.06	0.082	23				
249412AB	412 249TH ST	2012-09-26	14:10	Bedroom	36	1.3 B	0.47	1.6	3	4.1	0.73	21.6	9.4	0.36	0.089	0.48	0.64	1	190				
249412AB	412 249TH ST	2012-09-26	14:10	Kitchen	36	1.3 B	0.5	1.5	3.4	4.3	0.77	21.5	11	0.33	0.075	0.66	0.78	1.2	150				
249412AB	412 249TH ST	2012-09-26	14:11	Garage	93	2.3 B	0.46	5.8	2.5	14	3.7	21.6	40	0.26	0.066	1.6	0.097	8.4	42				

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection															
						Freon 113	2-Butanol (Methyl Ethyl Ketone)	Chloro-methane	Hexane	p/m-Xylene	Isopro-panol	Heptane	1,2,4-Trimethyl-benzene	o-Xylene	Styrene	Cyclo-hexane	Pentanone	4-Methyl-2-	Trimethyl-benzene	4-Ethyltoluene	Bromodichlo-romethane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						98.36%	98.26%	97.58%	95.15%	93.51%	90.89%	88.37%	87.51%	86.70%	86.67%	59.60%	46.97%	41.74%	39.71%	35.06%	
M24401OAF	24401 MARBELLA AVE	2012-03-28	12:02	Outdoor Air		0.69 J	0.6 J	0.44 J	<0.73 U	<1.5 U	1.4 J	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<1.5 U	<0.73 U	<0.73 U	<0.73 U	<0.037 U	
M24402OAF	24402 NEPTUNE AVE	2012-10-03	13:05	Outdoor Air		0.58 J	1.4 J	0.38 J	0.55 J	0.98 J	0.73 J	0.3 J	0.43 J	0.35 J	<0.77 U	<1.5 U	0.9 J	<0.77 U	<0.77 U	0.097	
M24402OAB	24402 NEPTUNE AVE	2012-10-03	13:08	Outdoor Air		0.58 J	1.6 J	0.45 J	0.44 J	0.68 J	0.96 J	0.24 J	0.25 J	0.25 J	<0.73 U	<1.5 U	<0.73 U	<0.73 U	<0.73 U	0.071	
N24402IAG	24402 NEPTUNE AVE	2012-10-03	14:05	Garage		0.55 J	1.3 J	0.68 J	0.55 J	0.92 J	3.5 J	0.49 J	0.4 J	0.34 J	<0.83 U	<1.7 U	0.9 J	<0.83 U	<0.83 U	<0.049 U	
N24402IAK	24402 NEPTUNE AVE	2012-10-03	14:07	Kitchen		0.55 J	3.3 J	0.68 J	0.69	1.5 J	3.9 J	0.42 J	0.68 J	0.57 J	0.65 J	<1.5 U	0.24 J	<0.75 U	<0.75 U	0.085	
N24402IAB	24402 NEPTUNE AVE	2012-10-03	14:08	Bedroom		0.53 J	5 J	0.77 J	0.97	1.7	16	0.46 J	0.82	0.7 J	0.93	<1.6 U	1	<0.81 U	<0.81 U	0.11	
P24403OAF	24403 PANAMA AVE	2012-12-20	08:15	Outdoor Air		0.47 J	1.1 J	0.69 J	1.3	2.5	2.2 J	0.82	0.85	0.92	0.39 J	0.67 J	0.81 J	0.27 J	0.27 J	<0.041 U	
P24403OAB	24403 PANAMA AVE	2012-12-20	08:17	Outdoor Air		0.55 J	1.3 J	0.77 J	1.6	3	1.8 J	0.96	1.1	1.1	0.46 J	0.78 J	<0.82 U	0.33 J	0.27 J	<0.041 U	
P24403IAK	24403 PANAMA AVE	2012-12-20	09:15	Kitchen		0.49 J	1.3 J	0.76 J	1.4	2.8	8.8	0.96	1.1	1.1	0.38	1.2 J	<0.87 U	0.33 J	0.26 J	<0.043 U	
P24403IAB	24403 PANAMA AVE	2012-12-20	09:16	Bedroom		0.5 J	1.7 J	0.75 J	1.4	2.9	8.6	1	1.2	1.1	0.87 J	1.3 J	<0.84 U	0.35 J	<0.84 U	0.61	
P24403IAG	24403 PANAMA AVE	2012-12-20	09:17	Garage		0.51 J	1.4 J	0.69 J	1.6	2.8	1.8 J	0.98	0.9	0.99	0.46 J	0.78 J	<0.77 U	0.28 J	0.23 J	<0.038 U	
R24402OAB	24402 RAVENNA AVE	2010-12-08	09:15	Outdoor Air		0.56 J	2.2 J	<0.78 U	5	10	5.5	2.9 b	3.5	3.8	1.7	2.8	0.33 J	1.1	1.1	<0.041	
R24402OAF	24402 RAVENNA AVE	2010-12-08	09:16	Outdoor Air		0.56 J	2.1 J	<0.65 U	5	8.5	4	2.8 b	3.1	3.1	1.1	2.7	<0.65 U	0.98	0.95	<0.034	
R24402IAK	24402 RAVENNA AVE	2010-12-08	10:17	Kitchen		0.58 J	2.4 J	0.9 J	4.5	7.3	6.4	2.9 b	2.8	2.5	1.2	2.7	0.88 J	0.91	0.86	<0.038	
R24402IAB	24402 RAVENNA AVE	2010-12-08	10:18	Bedroom		0.55 J	2.3 J	0.77 J	4.2	6.7	5.9	2.3 b	2.6	2.5	1.2	2.8	0.6 J	0.86	0.81	<0.031	
R24402IAG	24402 RAVENNA AVE	2010-12-08	10:19	Garage		0.59 J	2.3 J	0.82 J	5.1	8.5	8.3	2.9 b	2.8	3.1	1.2	2.7	0.3 J	0.6	0.58	<0.035	
R24402OAF	24402 RAVENNA AVE	2012-05-24	08:10	Outdoor Air		0.49 J	0.76 J	0.73 J	<0.94 U	<1.9 U	<1.9 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<1.9 U	<0.94 U	<0.94 U	<0.94 U	<0.047 U	
R24402OAB	24402 RAVENNA AVE	2012-05-24	08:12	Outdoor Air		0.52 J	0.85 J	0.67 J	<0.78 U	<1.6 U	1.4 J	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<1.6 U	<0.78 U	<0.78 U	<0.78 U	<0.039 U	
R24402IAG	24402 RAVENNA AVE	2012-05-24	09:14	Garage		0.49 J	2 J	0.71 J	<0.96 U	<1.9 U	2.9	0.33 J	<0.96 U	<0.96 U	<1.9 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.048 U	
R24402IAK	24402 RAVENNA AVE	2012-05-24	09:15	Kitchen		0.52 J	2.4 J	0.82 J	<0.92 U	0.63 J	7.9	0.47 J	0.41 J	0.49 J	0.45 J	<1.8 U	0.31 J	<0.92 U	<0.92 U	0.11	
R24402IAB	24402 RAVENNA AVE	2012-05-24	09:16	Bedroom		0.51 J	2.2 J	0.85 J	<0.94 U	0.63 J	11	0.42 J	0.49 J	0.3 J	0.49 J	<1.9 U	0.38 J	<0.94 U	<0.94 U	0.12	
N24403OAF	24403 NEPTUNE AVE	2012-11-08	08:09	Outdoor Air		0.59 J	0.33 J	0.53 J	0.88 J	0.57 J	4.1 J	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<1.7 U	<0.83 U	<0.83 U	<0.83 U	<0.041 U	
N24403OAB	24403 NEPTUNE AVE	2012-11-08	08:11	Outdoor Air		0.53 J	0.42 J	0.61 J	0.46 J	0.52 J	<7.7 U	0.26 J	<0.77 U	<0.77 U	<0.77 U	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.038 U	
N24403IAG	24403 NEPTUNE AVE	2012-11-08	09:09	Garage		0.6 J	2.7 J	0.58 J	1.1	3.5	15	0.51 J	1.5	1.3	0.65 J	0.93 J	0.72 J	0.41 J	0.41 J	<0.045 U	
N24403IAB	24403 NEPTUNE AVE	2012-11-08	09:10	Bedroom		0.63 J	1.4 J	0.65 J	0.9 J	2.6	5.8 J	0.59 J	1.1	1	0.66 J	0.65 J	0.39 J	0.28 J	0.25 J	0.31	
N24403IAK	24403 NEPTUNE AVE	2012-11-08	09:11	Kitchen		0.55 J	2 J	0.56 J	0.64 J	1.9 J	9.7 J	0.48 J	0.73 J	0.81 J	0.5 J	<2 U	0.59 J	<1 U	<1 U	0.22	
M24405OAF	24405 MARBELLA AVE	2012-03-21	13:07	Outdoor Air		0.53 J	1.4 J b	0.38 J	2.1	2.2	1.4 J b	1.2	0.79	0.77	<0.73 U	1.2 J	<0.73 U	<0.73 U	<0.73 U	<0.035 U	
M24405OAB	24405 MARBELLA AVE	2012-03-21	13:10	Outdoor Air		0.54 J	1.3 J b	0.36 J	2.1	2	1.7 J b	1.1	0.74 J	0.71 J	<0.77 U	1.2 J	0.66 J	<0.77 U	<0.77 U	<0.038 U	
M24405IAG	24405 MARBELLA AVE	2012-03-21	14:07	Garage		0.52 J	1.4 J b	0.42 J	2.6	2.8	2.5 b	1.4	0.88	0.93	0.33 J	1.4 J	0.71 J	0.27 J	0.27 J	<0.036 U	
M24405IAK	24405 MARBELLA AVE	2012-03-21	14:07	Kitchen		0.57 J	3.5 J b	0.5 J	2.2	2.3	48 b	1.3	0.83	0.82	0.45 J	1.3 J	0.75 J	<0.82 U	<0.82 U	0.28	
M24405IAB	24405 MARBELLA AVE	2012-03-21	14:09	Bedroom		0.52 J	3.4 J b	0.48 J	2.3	2.4	51 b	1.4	0.83	0.84	0.47 J	1.4 J	0.8 J	0.25 J	0.25 J	0.32	
M24406OAF	24406 MARBELLA AVE	2012-03-08	13:05	Outdoor Air		0.63 J	2.1 J b	0.71 J	3.8	3.8	2.3	1.2	1.3	1.3	0.51 J	1.1 J	<0.73 U	0.41 J	0.38 J	<0.037 U	
M24406OAB	24406 MARBELLA AVE	2012-03-08	13:09	Outdoor Air		0.53 J	2.1 J b	0.65 J	1.6	3.4	4.5	1	1.2	1.2	0.48 J	0.94 J	<0.81 U	0.35 J	0.35 J	<0.041 U	
M24406IAG	24406 MARBELLA AVE	2012-03-08	14:05	Kitchen		0.5 J	1.7 J b	0.61 J	1.7	3.2	19	1.6	0.67 J	1	0.92	0.9 J	<0.75 U	<0.75 U	<0.75 U	0.28	
M24406IAB	24406 MARBELLA AVE	2012-03-08	14:07	Bedroom		0.51 J	2.1 J b	0.62 J	1.6	3.4	25	1.6	0.74 J	1.1	0.88	0.87 J	<0.74 U	<0.74 U	<0.74 U	0.33	
N24406OAB	24406 NEPTUNE AVE	2010-11-12	09:18	Outdoor Air		0.57 J	1.2 J	0.39 J	2.8	6.9	4.6	1.8	3	2.3	0.83	1.6	<0.61 U	1	0.72	<0.032	
N24406OAF	24406 NEPTUNE AVE	2010-11-12	09:18	Outdoor Air		0.57 J	1.6 J	0.38 J	2.9	7.3	5.6	1.9	1.9	2.5	0.82	1.6	0.77 J	0.66	0.67	<0.033	
N24406IAB	24406 NEPTUNE AVE	2010-11-12	10:20	Garage		0.86	5 J	0.39 J	3.1	16	12	2.1	7.8	5.7	1.1	1.8	0.55 J	2.1	1.9	<0.038	
N24406IAK	24406 NEPTUNE AVE	2010-11-12	10:20	Kitchen		0.74	3.5 J	0.4 J	3	11	19	2	5.1	4	7	1.8	0.54 J	1.4	1.3	<0.036	
N24406IAB	24406 NEPTUNE AVE	2010-11-12	10:21	Bedroom		0.7 J	4.1 J	0.4 J	5.3	13	19	3.6	4.3	4.6	1.3	2.9	0.99	1.2	1.1	<0.038	
N24406OAB	24406 NEPTUNE AVE	2012-01-25	08:48	Outdoor Air		0.55 J	2.3 J	0.66 J	4.1	7.5	4.9 b	2	2.7	2.7	0.94	2.3	0.24 J	0.8	0.8	<0.04 U	
N24406OAF	24406 NEPTUNE AVE	2012-01-25	08:49	Outdoor Air		0.53 J	2.7 J	0.63 J	4.5	8	4.3 b	2.3	2.8	2.8	1	2.3	0.28 J	0.83	0.82	<0.04 U	
N24406IAB	24406 NEPTUNE AVE	2012-01-25	09:50	Bedroom		0.6 J	3.8 J	0.77 J	4.2	7.9	13 b	2.2	2.9	2.8	1.2	2.5	0.5 J	0.8 J	0.8 J	1.8	
N24406IAK	24406 NEPTUNE AVE	2012-01-25	09:51	Kitchen		0.59 J	4.3 J	0.69	3.8	7.6	15 M b	2	2.8	2.6	1.2	2.3	0.48 J	0.76	0.75 J	1.1 b	
N24406IAG	24406 NEPTUNE AVE	2012-01-25	09:52	Garage		1.1	8.4 J	0.9	5.2	15	7.5 b	2.2	6.3	4.3	1.3	2.5	1.1	1.7	1.6	<0.042 U	
P24406OAF	24406 PANAMA AVE	2012-06-15	13:04	Outdoor Air		0.54 J	0.94 J	0.43 J	0.46 J	0.8 J	5.2 J b	<0.59 U	0.32 J	0.53 J	<0.59 U	<2 U	<0.99 U	<0.99 U	<0.99 U	<0.049 U	
P24406OAB	24406 PANAMA AVE	2012-06-15	13:05	Outdoor Air		0.47 J	0.43 J	0.43 J	0.6 J	1.4 J	0.92 J	0.57 J	0.42 J	0.46 J	<0.52 U	<1.8 U	<0.82 U	<0.82 U	<0.82 U	<0.046 U	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	2-Analites																													
						Freon 113		2-Butanone (Methyl Ethyl Ketone)		Chloro-methane		Hexane		p/m-Xylene		Isopropanol		Heptane		1,2,4-Trimethylbenzene		o-Xylene		Styrene		Cyclohexane		4-Methyl-2-Pentanol		1,3,5-Trimethylbenzene		4-Ethyltoluene		Bromodichloromethane	
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
R24419A	24419 RAVENNA AVE	2012-06-14	14:15	Bedroom		0.47J	2.7J	0.68J	0.35J	1.3J	54	0.29J	0.41J	0.54J	0.62J	<1.8 U	<0.92 U	<0.92 U	<0.92 U	0.49															
R24419A	24419 RAVENNA AVE	2012-06-14	14:16	Garage		0.45J	8.4J	0.7J	0.85J	1.7J	7.9M	1.5	0.4J	0.57J	2	0.6J	<0.9 U	<0.9 U	<0.9 U	<0.9 U															
R24419A	24419 RAVENNA AVE	2012-06-14	14:16	Kitchen		0.49J	2J	0.74J	0.38J	1.1J	48	0.37J	0.48J	0.55J	0.52J	<2 U	<0.98 U	<0.98 U	<0.98 U	0.42															
P24420A	24420 PANAMA AVE	2012-12-06	08:06	Outdoor Air		0.49J	1.6J	0.67J	1.9	2.6	2.8J	1	0.81J	0.99	<0.88 U	0.96J	0.47J	<0.88 U	<0.88 U	<0.88 U															
P24420A	24420 PANAMA AVE	2012-12-06	08:08	Outdoor Air		0.52J	1.6J	0.72J	2	2.7	2.9J	1.1	0.86J	1	0.27J	0.98J	<0.87 U	<0.87 U	<0.87 U	<0.87 U															
P24420A	24420 PANAMA AVE	2012-12-06	09:13	Garage		0.59J	2.3J	0.78J	2.8	4.1	32	1.5	1.3	1.5	0.46J	1.3J	0.49J	0.38J	0.34J	<0.047 U															
P24420A	24420 PANAMA AVE	2012-12-06	09:14	Kitchen		0.52J	2.9J	0.79J	2	3	8.3J	1.1	1.4	1.2	0.67J	1J	0.59J	0.42J	0.44J	<0.042 U															
P24420A	24420 PANAMA AVE	2012-12-06	09:15	Bedroom		0.5J	2.7J	0.82J	1.9	2.7	13	1.1	1.9	1.2	0.56J	0.98J	0.79J	0.42J	0.47J	0.4															
M24422A	24422 MARBELLA AVE	2012-07-11	08:10	Outdoor Air		0.58J	1J	0.55J	0.94J	0.73J	<10 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<0.052 U															
M24422A	24422 MARBELLA AVE	2012-07-11	08:11	Outdoor Air		0.57J	1.4J	0.54J	0.57J	0.68J	1.5J	0.25J	<0.92 U	<0.92 U	<0.92 U	<1.8 U	<0.92 U	<0.92 U	<0.92 U	<0.046 U															
M24422A	24422 MARBELLA AVE	2012-07-11	08:14	Bedroom		0.64J	2.2J	0.64J	0.9J	1.2	48	0.72J	0.35J	0.5J	0.69J	0.5J	0.51	<0.96 U	<0.96 U	0.097															
M24422A	24422 MARBELLA AVE	2012-07-11	09:15	Garage		1.2	3.6J	0.58J	2.3	2.4	68	2.4	0.52J	0.72J	2.8	0.73J	0.45J	<1.1 U	<1.1 U	0.11															
M24422A	24422 MARBELLA AVE	2012-07-11	09:15	Kitchen		0.63J	3.1J	0.65J	0.85	1.2J	40	0.81J	0.4J	0.5J	0.87J	0.5J	0.51J	<0.95 U	<0.95 U	0.095															
N24422A	24422 NEPTUNE AVE	2011-01-19	13:19	Outdoor Air		0.53J	1.3J	0.36J	1.8	2.4	1.6	0.77	0.69	0.83	0.27J	0.72J	<0.66	<0.66	<0.66	<0.035															
N24422A	24422 NEPTUNE AVE	2011-01-19	13:20	Outdoor Air		0.52J	1.6J	0.39J	1.2	2.2	1.4M	0.72	0.65	0.77	0.25J	0.64J	<0.6	<0.6	0.23J	<0.034															
N24422A	24422 NEPTUNE AVE	2011-01-19	14:40	Bedroom		0.61J	4.1J	0.45J	4.5	6.9	54	2.6	2.6	2.6	1.4	2.4	0.68	0.69	0.78	2.9															
N24422A	24422 NEPTUNE AVE	2011-01-19	14:40	Kitchen		0.61J	3.2J	0.47J	4.5	6.3	13	2.6	2.3	2.3	1.2	2.4	0.48J	0.61J	0.7	2.5															
N24422A	24422 NEPTUNE AVE	2011-01-19	14:41	Nearby		0.61J	2.8J	0.39J	1.8	9.8	6.2	8.4	2.5	3.4	0.48J	7	0.29J	0.7	0.81	<0.036															
P24422A	24422 RAVENNA AVE	2012-12-19	08:09	Outdoor Air		0.56J	1.3J	0.61J	1.4	3.1	2J	0.87	0.81J	1.5	<0.89 U	0.71J	<0.82 U	0.27J	<0.82 U	<0.041 U															
P24422A	24422 RAVENNA AVE	2012-12-19	08:11	Outdoor Air		0.59J	1.2J	0.42J	1.3	3	2.7J	0.85J	1.1	1J	0.36J	0.68J	<0.89 U	0.34J	0.32J	<0.045 U															
R24422A	24422 RAVENNA AVE	2012-12-19	09:11	Garage		0.56J	1.3J	0.4J	1.7	3	2.7J	0.98	1	1	0.33J	0.84J	<0.85 U	0.35J	0.3J	<0.043 U															
R24422A	24422 RAVENNA AVE	2012-12-19	09:12	Kitchen		0.57J	1.2J	0.42J	1.4	2.4	2.7J	1	0.71J	0.86J	0.35J	0.83J	<0.93 U	<0.93 U	<0.93 U	<0.047 U															
R24422A	24422 RAVENNA AVE	2012-12-19	09:13	Bedroom		0.65J	1.3J	0.46J	1.4	2.3	16	0.99	0.67J	0.82	0.36J	0.51J	0.34J	<0.79 U	<0.79 U	<0.039 U															
M24423A	24423 MARBELLA AVE	2012-06-20	08:05	Outdoor Air		0.62J	1.6J	0.7J	0.33J	<1.9 U	2.1 b	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<1.9 U	<0.93 U	<0.93 U	<0.93 U	<0.047 U															
M24423A	24423 MARBELLA AVE	2012-06-20	09:08	Outdoor Air		0.59J	1.4J	0.65J	0.35J	0.65J	220	<0.84 U	0.3J	0.29J	<0.84 U	<1.7 U	0.45J	<0.84 U	<0.84 U	<0.042 U															
M24423A	24423 MARBELLA AVE	2012-06-20	09:09	Bedroom		0.62J	2.6J	0.72J	0.35J	1.2J	5.4	0.29J	0.43J	0.65J	0.5J	<1.6 U	1.5	<0.81 U	<0.81 U	<0.041 U															
M24423A	24423 MARBELLA AVE	2012-06-20	09:09	Kitchen		0.6J	8.5J	0.78J	0.95J	1.2J	19	<1.1 U	0.5J	0.57J	0.37J	<2.3 U	0.44J	<1.1 U	<1.1 U	<0.057 U															
N24423A	24423 MARBELLA AVE	2012-06-20	09:07	Garage		0.55J	4.3J	0.61J	0.86	1.1J	4.3 b	0.36J	0.25J	0.34J	0.21J	<1.7 U	<0.83 U	<0.83 U	<0.83 U	<0.042 U															
N24423A	24423 NEPTUNE AVE	2012-10-11	13:09	Outdoor Air		0.55J	2.2J	0.64J	1.7	2.5	4.3J	0.9	0.75J	0.92	0.38J	0.79J	<0.84 U	<0.84 U	0.28J	<0.042 U															
N24423A	24423 NEPTUNE AVE	2012-10-11	13:13	Outdoor Air		0.51J	1.8J	0.39J	1.4	2.1	2.1J	0.78J	0.69J	0.78J	0.34J	0.66J	<0.79 U	<0.79 U	<0.79 U	<0.039 U															
N24423A	24423 NEPTUNE AVE	2012-10-11	14:12	Garage		0.53J	3.2J	0.75J	1.6	2.2	8.8J	1.7	0.58J	0.77J	1	0.87J	<0.97 U	<0.97 U	<0.97 U	<0.048 U															
N24423A	24423 NEPTUNE AVE	2012-10-11	14:14	Kitchen		0.54J	4.1J	0.78J	1.6	2.4	24	1.1	0.73J	0.9J	1.8	0.86J	0.45J	<0.94 U	<0.94 U	0.27															
N24423A	24423 NEPTUNE AVE	2012-10-11	14:15	Bedroom		0.52J	5.4J	0.81J	1.5	2.5	35	1.1	0.67J	0.99	2.3	0.91J	1.5	<0.87 U	<0.87 U	0.73															
R24423A	24423 RAVENNA AVE	2012-10-25	13:03	Outdoor Air		0.7J	1.7J	0.46J	2.7	2.2	12	0.67J	0.8J	0.85J	<0.94 U	0.58J	<0.94 U	<0.94 U	<0.94 U	<0.047 U															
R24423A	24423 RAVENNA AVE	2012-10-25	13:04	Outdoor Air		0.59J	2J	0.44J	1.6	2.8	3.8J	0.91J	1J	1.1J	<1.2 U	0.76J	<1.2 U	<1.2 U	<1.2 U	<0.052 U															
R24423A	24423 RAVENNA AVE	2012-10-25	14:04	Bedroom		0.58J	2.1J	0.45J	1.3	2.5	8J	0.9J	0.89J	1J	0.4J	0.85J	<1.1 U	<1.1 U	<1.1 U	<0.055 U															
R24423A	24423 RAVENNA AVE	2012-10-25	14:04	Garage		0.6J	3.1J	0.52J	2.8	8.3	21	3.9	1.1J	1.2J	<1.4 U	0.99J	0.5J	<1.4 U	<1.4 U	<0.058 U															
R24423A	24423 RAVENNA AVE	2012-10-25	14:05	Kitchen		0.6J	1.9J	0.48J	1.4	2.4	5.6J	0.92J	0.85J	0.89J	0.35J	0.7J	<0.93 U	<0.93 U	<0.93 U	<0.047 U															
M24426A	24426 MARBELLA AVE	2012-02-23	13:03	Outdoor Air		0.49J	2.5J	0.6J	3.1	3.2	2.4	1.7	1.1	1.1	0.36J	1.7	<0.83 U	0.33J	0.33J	<0.042 U															
M24426A	24426 MARBELLA AVE	2012-02-23	13:04	Outdoor Air		0.49J	2.1J	0.61J	3.3	3.3	2.6	1.8	1.1	1.1	0.36J	1.7	<0.76 U	0.35J	0.39J	<0.038 U															
M24426A	24426 MARBELLA AVE	2012-02-23	14:03	Bedroom		0.72J	4.1J	0.71J	4.2	3.9	13	2.8	1.3	1.3	3.3	2.3	0.53J	0.41J	0.41J	1															
M24426A	24426 MARBELLA AVE	2012-02-23	14:04	Kitchen		0.67J	3.4J	0.69J	3.3	3.7	10	2.2	1.3	1.3	2.4	2.2	0.44J	0.4J	0.39J	0.93															
M24426A	24426 MARBELLA AVE	2012-02-23	14:05	Garage		0.61J	5.1J	0.69J	8.2	3.2	4.9	2.2	1.4	1.1	1.2	2.6	0.22J	0.33J	0.33J	<0.034 U															
N24426A	24426 NEPTUNE AVE	2010-10-29	12:51	Outdoor Air		0.6J	2.3J	0.37J	9.7	2.2	4	2.3	2.3	2.4	0.71	2.4	0.29J	0.78	0.78	<0.036															
N24426A	24426 NEPTUNE AVE	2010-10-29	12:55	Outdoor Air		0.61J	2.6J	0.39J	9.7	7.3	4.3	2.2	3.4	2.5	0.73	2.5	0.32J	0.82	0.8	<0.04															
N24426A	24426 NEPTUNE AVE	2010-10-29	13:59	Kitchen		0.59J	2.8J	0.41J	7.6	12	15	3.5	3.7	4	1.5	3.5	0.85	1.1	1.2	<0.037															
N24426A	24426 NEPTUNE AVE	2010-10-29	14:00	Bedroom		0.57J	3.1J	0.43J	10	15	15	4.6	4.7	4.8	1.6	4.4	0.84	1.4	1.4	<0.034															
N24426A	24426 NEPTUNE AVE	2010-10-29	14:02	Garage		0.38J	3.5J	0.43J	19	22	13	7.9	5.4	6.9	1.3	6.4	0.77	1.7	1.8	<0.036															
P24426A	24426 PANAMA AVE	2012-12-05	08:05	Outdoor Air		0.54	1.2J	0.68J	1.9	2.3	2.1J	1	0.84J	0.86	0.52J	0.85J	<0.85 U	0.26J	<0.85 U	<0.042 U															
P24426A	24426 PANAMA AVE	2012-12-05	08:10	Outdoor Air		0.54	1.4J	0.68J	1.8	2.1	1.8J	0.92	0.73J	0.77J	0.51J	0.78J	<0.89 U	<0.89 U	<0.89 U	<0.045 U															
P24426A	24426 PANAMA AVE	2012-12-05	09:05	Garage		0.53	1.3J	0.67J	1.9	2.5	3J	0.96	1.6	1	0.73J	0.9J	0.57J	0.37J	0.3J	<0.042 U															
P24426A	24426 PANAMA AVE	2012-12-05	09:07	Bedroom		0.54	2.9J	0.85	2.6	3.5	18	1.7	1.7	1.3	2.2	1.2J	0.57J	0.41J	0.35J	<0.047 U															

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection														
						Freon 113	2-Butanone (Methyl Ethyl Ketone)	Chloro-methane	Hexane	p/m-Xylene	Isopro-panol	Heptane	1,2,4-Trimethyl-benzene	o-Xylene	Styrene	Cyclo-hexane	4-Methyl-2-Pentanone	1,3,5-Trimethyl-benzene	4-Ethyltoluene	Bromodichlo-methane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
P14425IAK	24425 PANAMA AVE	2012-12-09	09:10	Kitchen	0.55	2.4	0.76	2.4	3.4	16	1.6	1.4	1.3	1.2	1.1	0.84	0.38	0.32	<0.044 U	
M24427OA8	24427 MARBELLA AVE	2012-04-05	08:22	Outdoor Air	0.5	1.1, b	0.51	0.92	1.2	1.2	0.45	0.51	0.44	<0.79 U	<1.6 U	1.1	<0.79 U	<0.79 U	<0.039 U	
M24427OA7	24427 MARBELLA AVE	2012-04-05	08:23	Outdoor Air	0.51	2.1, b	0.48	0.97	1.4	1.1	0.48	0.65	0.52	<0.76 U	<1.5 U	<0.76 U	<0.76 U	<0.76 U	<0.038 U	
M24427IA7	24427 MARBELLA AVE	2012-04-05	08:22	Garage	0.51	3.8, b	0.51	1.8	2.1	7.4	0.49	1.7	0.79	<0.71 U	<1.6 U	0.7	0.43	<0.71 U	<0.04 U	
M24427IA8	24427 MARBELLA AVE	2012-04-05	08:23	Bedroom	0.5	2.7, b	0.53	0.86	1.5	4.8	0.41	0.59	0.54	0.31	<1.4 U	0.91	<0.71 U	<0.71 U	0.18	
M24427IAK	24427 MARBELLA AVE	2012-04-05	08:24	Kitchen	0.5	1.7, b	0.49	0.89	1.8	8.8	0.46	0.52	0.61	0.84	<1.7 U	0.81	<0.85 U	<0.85 U	0.17	
M24429OA8	24429 NEPTUNE AVE	2011-01-13	13:23	Outdoor Air	<0.75	<7.5	<0.75	4.8	8	7.4	4.3	2.3	2.7	<0.75	3.5	<0.75	0.78	0.83	<0.41	
M24429OA9	24429 NEPTUNE AVE	2011-01-13	13:24	Outdoor Air	<0.67	<6.7	<0.67	8.5	6.5	6.8	2.3	2.1	2.2	0.7	2.1	<0.67	0.76	0.73	<0.036	
M24429IAK	24429 NEPTUNE AVE	2011-01-13	14:02	Kitchen	<0.68	<6.8	<0.68	5.9	14	22	3.9	4.5	4.4	1.2	2.9	<0.68	1.4	1.9	<0.038	
M24429IA8	24429 NEPTUNE AVE	2011-01-13	14:03	Bedroom	<0.54	<5.4	<0.54	5.3	83	26	3.4	4.2	4.2	1.2	2.5	<0.54	1.3	1.3	<0.031	
M24429IA9	24429 NEPTUNE AVE	2011-01-13	14:33	Garage	<0.58	5.8	<0.58	22	77	140	11	23	23	1.6	5	1.8	6.7	7.7	<0.036	
P24430OA8	24430 PANAMA AVE	2012-11-29	13:30	Outdoor Air	0.83	0.51	0.85	0.86	1.2	51	0.42	0.48	0.45	<0.77 U	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.038 U	
P24430OA9	24430 PANAMA AVE	2012-11-29	13:30	Outdoor Air	0.58	1.4	0.67	0.71	0.9	0.84	0.39	0.38	0.34	<0.79 U	<1.8 U	<0.79 U	<0.79 U	<0.79 U	<0.04 U	
P24430IAK	24430 PANAMA AVE	2012-11-29	14:12	Kitchen	0.66	2.1	0.97	1.2	2.4	12	0.62	1.3	0.94	0.71	<1.8 U	0.67	0.31	<0.91 U	0.18	
P24430IA8	24430 PANAMA AVE	2012-11-29	14:13	Bedroom	0.67	2.1	0.98	1.1	2.4	32	0.62	1.4	0.92	0.9	<1.7 U	0.75	0.34	0.28	0.21	
P24430IA9	24430 PANAMA AVE	2012-11-29	14:13	Garage	0.69	1.9	0.93	1.1	2.9	4.7	0.53	1.3	1	0.49	<1.9 U	2.6	0.32	0.32	<0.048 U	
M24432OA8	24432 MARBELLA AVE	2012-03-15	08:07	Outdoor Air	0.53	0.58	0.42	0.48	0.69	1.1	0.31	<0.78 U	0.24	<0.78 U	<1.6 U	<0.78 U	<0.78 U	<0.78 U	<0.039 U	
M24432OA9	24432 MARBELLA AVE	2012-03-15	08:09	Outdoor Air	0.51	0.62	0.48	0.41	0.51	4	<0.9 U	<0.8 U	<0.8 U	<0.8 U	<1.6 U	<0.8 U	<0.8 U	<0.8 U	<0.04 U	
M24432IAK	24432 MARBELLA AVE	2012-03-15	09:21	Kitchen	0.51	1.3	0.48	0.42	0.69	5	0.3	<0.81 U	0.23	0.63	<1.6 U	<0.81 U	<0.81 U	<0.81 U	0.74	
M24432IA8	24432 MARBELLA AVE	2012-03-15	09:22	Bedroom	0.53	1.7	0.61	0.47	0.63	4.5	0.31	0.25	0.23	0.59	<1.4 U	<0.72 U	<0.72 U	<0.72 U	1.9	
M24432IA9	24432 MARBELLA AVE	2012-03-15	09:24	Garage	0.54	1.2	0.41	0.51	0.58	1.1	0.26	<0.79 U	<0.79 U	<0.79 U	<1.6 U	<0.79 U	<0.79 U	<0.79 U	<0.04 U	
M24433OA8	24433 MARBELLA AVE	2012-03-01	13:03	Outdoor Air	0.58	1.3	0.58	1.8	1.3	1.1	0.85	0.95	0.48	<0.71 U	0.83	<0.71 U	<0.71 U	<0.71 U	<0.036 U	
M24433OA9	24433 MARBELLA AVE	2012-03-01	13:13	Outdoor Air	0.56	1.3	0.57	1.8	1.3	0.99	0.88	0.54	0.47	<0.73 U	0.83	<0.73 U	<0.73 U	<0.73 U	<0.037 U	
M24433IAK	24433 MARBELLA AVE	2012-03-01	14:13	Garage	0.83	16	0.55	1.8	1.6	3.3	0.68	0.84	0.57	0.47	0.89	<0.67 U	0.26	0.29	<0.033 U	
M24433IA8	24433 MARBELLA AVE	2012-03-01	14:14	Bedroom	0.62	4.6	0.63	1.4	1.8	14	0.69	0.8	0.84	0.83	0.71	<0.77 U	<0.77 U	<0.77 U	0.23	
M24433IA9	24433 MARBELLA AVE	2012-03-01	14:14	Kitchen	0.56	3.6	0.51	1.5	1.3	6.4	0.78	0.54	0.48	0.39	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U	
P24436OA8	24436 PANAMA AVE	2012-06-27	08:04	Outdoor Air	0.57	0.64, b	0.53	0.46	0.27	3.2	<0.9 U	0.31	<0.9 U	<0.9 U	<1.7 U	1.1	<0.85 U	<0.85 U	<0.047 U	
P24436OA9	24436 PANAMA AVE	2012-06-27	08:06	Outdoor Air	0.47	0.73, b	0.44	0.44	0.91	1.6	0.31	0.31	0.33	<0.85 U	<1.7 U	1.1	<0.85 U	<0.85 U	<0.047 U	
P24436IAK	24436 PANAMA AVE	2012-06-27	09:08	Garage	0.57	1.8, b	0.53	0.62	0.97	6.6	0.43	0.74	0.38	0.27	<1.7 U	0.28	<0.85 U	<0.85 U	<0.042 U	
P24436IA8	24436 PANAMA AVE	2012-06-27	09:09	Kitchen	0.58	2.2, b	0.65	0.79	2.6	5.3	0.61	0.97	1	0.47	<1.7 U	0.49	<0.85 U	<0.85 U	0.13	
P24436IA9	24436 PANAMA AVE	2012-06-27	09:10	Bedroom	0.54	3.3	0.64	0.85	3.6	7.1	0.67	1.7	1.5	0.73	0.5	0.76	0.45	0.41	0.19	
M24502OA8	24502 MARBELLA AVE	2012-05-03	13:06	Outdoor Air	0.49	1.1	0.63	1.2	1.1	0.86	0.93	0.43	0.37	<0.5 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U	
M24502OA9	24502 MARBELLA AVE	2012-05-03	13:09	Outdoor Air	0.46	1.2	0.53	0.69	1.1	1.3	0.77	0.36	0.39	<0.89 U	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.043 U	
M24502IAK	24502 MARBELLA AVE	2012-05-03	14:08	Garage	0.58	2.4	0.61	0.89	1.3	18	0.45	0.47	<0.91 U	0.49	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.045 U	
M24502IA8	24502 MARBELLA AVE	2012-05-03	14:10	Bedroom	0.49	1.8	0.61	0.65	0.92	11	0.31	0.29	0.33	0.39	<1.9 U	<0.86 U	<0.86 U	<0.86 U	0.32	
M24502IA9	24502 MARBELLA AVE	2012-05-03	14:10	Kitchen	0.49	2.5	0.69	0.76	0.95	14	0.34	0.38	0.36	0.54	<1.7 U	0.84	<0.84 U	<0.84 U	0.34	
R14502OA8	24502 RAVENNA AVE	2010-10-06	08:28	Outdoor Air	0.49	0.93, b	0.33	0.55	0.8	1.5	0.33	0.42	0.29	0.41	<1.1	<0.56	<0.56	<0.56	<0.028	
R14502OA9	24502 RAVENNA AVE	2010-10-06	08:29	Outdoor Air	0.52	0.64, b	0.31	0.92	1.6	1.2	0.51	0.99	0.55	0.35	0.91	<0.63	<0.63	<0.63	<0.031	
R14502IAK	24502 RAVENNA AVE	2010-10-06	09:49	Bedroom	0.51	1.9, b	0.37	0.83	1.8	5.9	1.5	1.1	0.42	1.1	<1.1	0.74	0.36	<0.56	0.29	
R14502IA8	24502 RAVENNA AVE	2010-10-06	09:50	Kitchen	0.52	1.9, b	0.35	0.77	1.1	<1.2	1.5	0.54	0.41	0.82	<1.2	0.66	<0.59	<0.59	0.23	
R14502IA9	24502 RAVENNA AVE	2010-10-06	09:53	Garage	0.49	0.91, b	0.31	0.86	1.5	3.3	0.59	0.74	0.55	0.72	<1.5	0.82	<0.75	<0.75	<0.037	
R24502OA8	24502 RAVENNA AVE	2012-07-25	13:06	Outdoor Air	0.55	1.5	0.51	0.49	0.71	0.63	0.29	<0.87 U	<0.87 U	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.043 U	
R24502OA9	24502 RAVENNA AVE	2012-07-25	13:07	Outdoor Air	0.54	<9.8 U	0.51	0.38	<1.9 U	1.4	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<1.7 U	1.7	<0.87 U	<0.87 U	<0.043 U	
R24502IAK	24502 RAVENNA AVE	2012-07-25	14:07	Garage	0.55	0.98	0.54	0.55	0.72	2.1	0.37	<0.87 U	<0.87 U	<0.87 U	<1.7 U	1.7	<0.87 U	<0.87 U	<0.043 U	
R24502IA8	24502 RAVENNA AVE	2012-07-25	14:09	Kitchen	0.56	3.3	0.58	0.57	0.85	5.8	1.2	0.41	0.36	0.35	<1.9 U	0.52	<0.94 U	<0.94 U	0.091	
R24502IA9	24502 RAVENNA AVE	2012-07-25	14:10	Bedroom	0.52	1.3	0.54	0.51	0.79	2.5	1.1	0.33	0.32	0.49	<1.7 U	<0.85 U	<0.85 U	<0.85 U	0.11	
M24503OA8	24503 MARBELLA AVE	2012-03-29	13:00	Outdoor Air	0.57	0.92	0.47	0.62	0.73	0.98	0.29	0.27	0.26	<0.7 U	<1.4 U	<0.7 U	<0.7 U	<0.7 U	<0.035 U	
M24503OA9	24503 MARBELLA AVE	2012-03-29	13:03	Outdoor Air	0.63	1.2	0.48	0.65	0.86	0.74	0.33	0.31	0.31	<0.77 U	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.036 U	
M24503IAK	24503 MARBELLA AVE	2012-03-29	14:03	Garage	0.49	4.7	0.53	0.96	4.6	68	0.54	0.53	1.5	0.33	1.1	0.24	<0.71 U	<0.71 U	<0.036 U	
M24503IA8	24503 MARBELLA AVE	2012-03-29	14:04	Garage	0.51	4.3	0.48	0.7	1.5	39	0.9	0.64	0.59	0.63	<1.3 U	0.32	<0.66 U	<0.66 U	0.18	
M24503IA9	24503 MARBELLA AVE	2012-03-29	14:05	Kitchen	0.61	2.7	0.49	0.73	1.4	10	0.55	0.59	0.49	0.63	<1.7 U	<0.83 U	<0.83 U	<0.83 U	0.18	
M24503IA8	24503 MARBELLA AVE	2012-03-29	14:06	Bedroom	0.51	2.7	0.51	0.73	1.5	19	0.56	0.71	0.55	0.72	0.57	<0.8 U	<0.8 U	<0.8 U	0.23	

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kasi Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Freon 113	2-Butanone (Methyl Ethyl Ketone)	Chloro- methane	Hexane	p/m-Xylene	Isopro- panol	Heptane	1,2,4- Trimethyl- benzene	o-Xylene	Styrene	Cyclo- hexane	4-Methyl-2- Pentanone	1,3,5- Trimethyl- benzene	4-Ethyltoluene	Bromodichlo- romethane				
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						98.56%	98.26%	97.58%	95.15%	99.51%	90.89%	88.37%	87.61%	86.70%	86.67%	59.60%	46.97%	41.74%	39.71%	35.06%				
N24513IAG	24513 NEPTUNE AVE	2012-06-01	14:01	Garage		<1.4 U	1.3 J	0.52 J	0.33 J	0.89 J	5.9 J	0.54 J	<1.4 U	<1.4 U	0.42 J	<2.7 U	<1.4 U	<1.4 U	<1.4 U	<0.068 U				
N24513IAB	24513 NEPTUNE AVE	2012-06-01	14:02	Bedroom		0.45 J	1.7 J	0.5 J	0.88 J	0.99 J	21	0.43 J	0.35 J	0.45 J	0.77 J	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.045 U				
N24513IAC	24513 NEPTUNE AVE	2012-06-01	14:03	Outdoor Air		0.49 J	1 J	0.65 J	<0.88 U	<1.8 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U				
N24513IOAF	24513 RAVENNA AVE	2012-05-24	13:08	Outdoor Air		0.48 J	<7.9 U	0.63 J	<0.79 U	<1.6 U	1.2 J	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<1.8 U	<0.79 U	<0.79 U	<0.79 U	<0.039 U				
N24513IAG	24513 RAVENNA AVE	2012-05-24	14:06	Garage		0.47 J	2.3 J	0.76 J	0.31 J	0.96 J	11	<0.88 U	0.63 J	0.5 J	<0.88 U	<1.8 U	<0.88 U	<0.88 U	0.31 J	<0.044 U				
N24513IAK	24513 RAVENNA AVE	2012-05-24	14:07	Kitchen		0.51 J	2.3 J	1	0.41 J	1.3 J	7.1	0.27 J	0.56 J	0.59 J	0.75 J	<1.8 U	0.6 J	<0.88 U	<0.89 U	0.18				
N24513IAB	24513 RAVENNA AVE	2012-05-24	14:08	Bedroom		0.47 J	2.3 J	1	<0.98 U	1.3 J	9.1	<0.98 U	0.64 J	0.67 J	0.85 J	<2 U	0.52 J	<0.88 U	<0.88 U	0.29				
N24513IOFAD	24516 MARBELLA AVE	2012-02-23	13:10	Outdoor Air		0.47 J	0.86 J	0.48 J	<0.97 U	<1.9 U	0.89 J	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<1.9 U	0.79 J	<0.97 U	<0.97 U	<0.048 U				
N24513IOFAB	24516 MARBELLA AVE	2012-02-23	13:12	Outdoor Air		0.47 J	0.79 J	0.51 J	<0.87 U	<1.7 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	0.043 J				
N24513IOFAB	24516 MARBELLA AVE	2012-02-23	13:12	Garage		0.44 J	3.1 J	0.5 J	5.1	3.7	17	0.36 J	0.45 J	0.55 J	0.41 J	<2 U	<0.99 U	<0.99 U	<0.99 U	<0.049 U				
N24513IOFAB	24516 MARBELLA AVE	2012-02-23	14:12	Kitchen		0.45 J	2.1 J	0.53 J	1.2	1.3 J	52	0.38 J	0.57 J	0.46 J	0.38 J	<1.9 U	<0.96 U	<0.96 U	<0.96 U	0.1				
N24513I6AB	24516 MARBELLA AVE	2012-02-23	14:19	Bedroom		0.46 J	1.9 J	0.52 J	2	2	65	0.38 J	0.62 J	0.53 J	0.55 J	<1.9 U	<0.99 U	<0.99 U	<0.99 U	0.12				
N24513I7AG	24517 RAVENNA AVE	2012-03-23	14:14	Garage		0.52 J	34	0.9	0.88	2.2	89	0.97	0.55 J	0.87	0.95	0.71 J	0.4 J	<0.77 U	<0.77 U	0.14				
N24513I7AB	24517 MARBELLA AVE	2012-03-23	14:15	Bedroom		0.5 J	5.4 J	1	0.89	1.6	6.1	0.68 J	0.56 J	0.63 J	1.7	1 J	<0.72 U	<0.72 U	<0.72 U	0.23				
N24513I7AC	24517 MARBELLA AVE	2012-03-23	14:15	Kitchen		0.52 J	4.4 J	0.87	0.74 J	1.4 J	5.3	0.52 J	0.49 J	0.58 J	1.4	0.9 J	0.65 J	<0.75 U	<0.75 U	0.19				
N24513I7OAF	24517 MARBELLA AVE	2012-03-23	14:22	Outdoor Air		0.52 J	0.68 J	0.82	0.53 J	0.68 J	0.66 J	0.3 J	0.26 J	0.25 J	<0.76 U	<1.5 U	<0.76 U	<0.76 U	<0.76 U	<0.038 U				
N24513I7OAB	24517 MARBELLA AVE	2012-03-23	14:28	Outdoor Air		0.5 J	0.74 J	0.84	0.47 J	0.57 J	1.9	<0.75 U	<0.75 U	0.27 J	<0.75 U	<1.5 U	<0.75 U	<0.75 U	<0.75 U	<0.038 U				
N24513I8OAF	24518 RAVENNA AVE	2012-07-11	13:04	Outdoor Air		0.53 J	1.2 J	0.62 J	0.54 J	0.79 J	1.3 J	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<2.6 U	<1.3 U	<1.3 U	<1.3 U	<0.066 U				
N24513I8OAB	24518 RAVENNA AVE	2012-07-11	13:05	Outdoor Air		0.56 J	0.95 J	0.52 J	0.43 J	0.71 J	2.5 J	0.26 J	<0.9 U	<0.9 U	<0.9 U	<1.8 U	0.89 J	<0.9 U	<0.9 U	<0.045 U				
N24513I8IAG	24518 RAVENNA AVE	2012-07-11	14:05	Garage		0.54 J	2.3 J	0.55 J	0.85 J	0.83 J	21	0.8 J	0.41 J	0.32 J	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	0.045				
N24513I8IAB	24518 RAVENNA AVE	2012-07-11	14:06	Kitchen		0.54 J	2.9 J	0.58 J	0.65 J	1.3 J	13	1.9	0.68 J	0.54 J	0.89 J	<1.8 U	0.52 J	<0.91 U	<0.91 U	0.15				
N24513I8IAB	24518 RAVENNA AVE	2012-07-11	14:07	Bedroom		0.53 J	3.1 J	0.47 J	0.67 J	1.2 J	12	1.4	0.58 J	0.48 J	0.69 J	<1.9 U	0.37 J	<0.96 U	<0.96 U	0.2				
N24513I9OAF	24519 NEPTUNE AVE	2012-06-28	13:03	Outdoor Air		0.58 J	1.1 J	0.49 J	0.52 J	0.74 J	<8.4 U	0.3 J	0.29 J	0.28 J	<0.84 U	<1.7 U	<0.84 U	<0.84 U	<0.84 U	<0.042 U				
N24513I9IAB	24519 NEPTUNE AVE	2012-06-28	13:05	Outdoor Air		0.61 J	<9.1 U	0.59 J	0.54 J	0.74 J	1.1 J	0.31 J	0.3 J	<0.91 U	<0.91 U	<1.8 U	<0.91 U	<0.91 U	<0.91 U	<0.046 U				
N24513I9IAB	24519 NEPTUNE AVE	2012-06-28	14:05	Garage		0.56 J	5.1 J	0.7 J	1.4	3.6	<8.8 U	1.6	1	1.3	2.7	0.89 J	0.41 J	0.27 J	0.3 J	0.15				
N24513I9IAB	24519 NEPTUNE AVE	2012-06-28	14:07	Kitchen		0.54 J	2.1 J	0.59 J	0.63 J	1.3 J	7.3 J	0.59 J	0.39 J	0.48 J	1.4	<1.9 U	<0.95 U	<0.95 U	<0.95 U	0.2				
N24513I9IAB	24519 NEPTUNE AVE	2012-06-28	14:08	Bedroom		0.55 J	2.1 J	0.61 J	0.61 J	1.2 J	4.3 J	0.52 J	0.4 J	0.47 J	0.85 J	<1.7 U	0.32 J	<0.86 U	<0.86 U	0.19				
N24522I2OAF	24522 MARBELLA AVE	2012-04-19	08:30	Outdoor Air		0.52 J	1.2 J	0.54 J	0.45 J	0.65 J	<1.9 U	0.23 J	<0.76 U	<0.76 U	<1.5 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.038 U				
N24522I2OAB	24522 MARBELLA AVE	2012-04-19	08:32	Outdoor Air		0.49 J	0.98 J	0.56 J	0.44 J	0.59 J	0.78 J	0.24 J	<0.77 U	<0.77 U	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	0.06				
N24522I2IAB	24522 MARBELLA AVE	2012-04-19	09:24	Bedroom		0.5 J	3.2 J	0.73 J	0.87 J	1.7	5.3 M	1.4	0.52 J	0.67 J	0.52	0.53 J	0.36 J	<0.85 U	<0.85 U	0.3				
N24522I2IAG	24522 MARBELLA AVE	2012-04-19	09:24	Garage		0.5 J	1.9 J	0.63 J	0.55 J	1 J	1.1 J	0.33 J	0.31 J	0.38 J	0.58 J	<1.6 U	<0.78 U	<0.78 U	<0.78 U	0.072				
N24522I2IAB	24522 MARBELLA AVE	2012-04-19	09:24	Kitchen		0.47 J	2.9 J	0.63 J	0.73 J	1.7	8.2 M	1.3	0.48 J	0.63 J	0.53	0.5 J	0.32 J	<0.83 U	<0.83 U	0.3				
N24522I2IAB	24522 NEPTUNE AVE	2012-04-04	08:02	Outdoor Air		0.51 J	1.5 J	0.47 J	0.79	1.1 J	0.75 J	0.43 J	0.38 J	0.36 J	0.25 J	<1.4 U	<0.69 U	<0.69 U	<0.69 U	0.13				
N24522I2IAB	24522 NEPTUNE AVE	2012-04-04	08:03	Outdoor Air		0.51 J	1.1 J	0.51 J	0.82	1.2 J	0.93 J	0.44 J	0.41 J	0.41 J	<0.74 U	<1.5 U	<0.74 U	<0.74 U	<0.74 U	<0.037 U				
N24522I2IAG	24522 NEPTUNE AVE	2012-04-04	09:02	Garage		0.49 J	1.6 J	0.55 J	0.94	2.4	30	0.55 J	1.2	0.89	<0.8 U	1 J	<0.8 U	0.29 J	0.3 J	<0.04 U				
N24522I2IAB	24522 NEPTUNE AVE	2012-04-04	09:03	Kitchen		0.51 J	2 J	0.52 J	0.99	3.8	12	0.56 J	0.79	1.2	0.63 J	0.56 J	0.24 J	<0.77 U	<0.77 U	<0.039 U				
N24522I2IAB	24522 NEPTUNE AVE	2012-04-04	09:04	Bedroom		0.5 J	2.5 J	0.54 J	1	3.5	15	0.61 J	0.99	1.3	0.87	0.62 J	0.24 J	<0.77 U	<0.77 U	0.14				
N24522I2OAF	24522 RAVENNA AVE	2012-08-22	13:21	Outdoor Air		0.49 J	0.43 J	0.41 J	0.31 J	0.63 J	4.6 J	<0.85 U	0.76 J	<0.85 U	<0.85 U	<1.7 U	<0.85 U	<0.85 U	<0.85 U	<0.042 U				
N24522I2OAB	24522 RAVENNA AVE	2012-08-22	13:24	Outdoor Air		0.47 J	0.46 J	0.43 J	<0.9 U	<1.8 U	9 J	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U				
N24522I2IAB	24522 RAVENNA AVE	2012-08-22	14:24	Bedroom		0.47 J	1.3 J	0.5 J	<1 U	1.1 J	29	<1 U	0.43 J	0.5 J	0.7 J	<2.1 U	0.51 J	<1 U	<1 U	0.12				
N24522I2OAF	24522 RAVENNA AVE	2012-08-22	14:24	Garage		0.47 J	0.56 J	0.44 J	0.35 J	0.58 J	9.2	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U				
N24522I2IAB	24522 RAVENNA AVE	2012-08-22	14:25	Kitchen		0.49 J	2 J	0.55 J	0.39 J	1.2 J	16	0.29 J	0.41 J	0.56 J	0.89 J	<2 U	<0.99 U	<0.99 U	<0.99 U	0.1				
N24522I2OAF	24523 MARBELLA AVE	2012-04-26	08:06	Outdoor Air		0.48 J	1 J	0.4 J	0.68 J	1.1 J	0.66 J	0.3 J	0.37 J	0.39 J	<0.8 U	<1.6 U	<0.8 U	<0.8 U	<0.8 U	<0.04 U				
N24523I3OAB	24523 MARBELLA AVE	2012-04-26	08:09	Outdoor Air		0.49 J	0.81 J	0.43 J	0.65 J	0.82 J	9.7	0.27 J	0.28 J	<0.9 U	<0.9 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U				
N24523I3IAB	24523 MARBELLA AVE	2012-04-26	09:06	Garage		0.64 J	2.1 J	0.44 J	0.77	1.8	26	0.85	0.84 J	0.53 J	<0.75 U	<1.5 U	<0.75 U	<0.75 U	<0.75 U	<0.038 U				
N24523I3IAB	24523 MARBELLA AVE	2012-04-26	09:06	Kitchen		0.51 J	1.6 J	0.52 J	2.8	0.9 J	43	0.43 J	0.84 J	0.33 J	0.35 J	<1.7 U	<0.83 U	<0.83 U	<0.83 U	0.12				
N24523I3IAB	24523 MARBELLA AVE	2012-04-26	09:07	Bedroom		0.5 J	2.2 J	0.5 J	2.6	0.94 J	76	0.56 J	0.38 J	0.35 J	0.54 J	<1.7 U	0.9	<0.85 U	<0.85 U	0.18				
N24523I3OAF	24523 NEPTUNE AVE	2012-10-03	08:02	Outdoor Air		0.56 J	0.71 J	0.82 J	0.74	0.96 J	0.89 J	0.41 J	0.37 J	0.37 J	<0.77 U	<1.5 U	<0.73 U	<0.73 U	<0.73 U	<0.042 U				
N24523I3IAB	24523 NEPTUNE AVE	2012-10-03	08:05	Outdoor Air</																				

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kart Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Freon 113	2-Butanone (Methyl Ethyl Ketone)	Chloro- methane	Hexane	p/m-Xylene	Isopro- panol	Heptane	1,2,4- Trimethyl- benzene	o-Xylene	Styrene	Cyclo- hexane	4-Methyl-2- Pentanone	1,3,5- Trimethyl- benzene	4-Ethyltoluene	Bromodichloro- methane			
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						98.36%	98.26%	97.58%	95.15%	93.51%	90.89%	88.37%	87.61%	86.70%	66.67%	59.60%	46.97%	41.74%	39.71%	35.90%			
R24523-0AF	24523 RAVENNA AVE	2010-08-23	07:26	Outdoor Air	0.47 J	2.2 J	0.28 J	1.4	1.8	3.1 M	0.85	3.5	0.75	<0.66	0.69 J	0.28 J	1.2	1.5	<0.033				
R24523-0AB	24523 RAVENNA AVE	2010-08-23	07:30	Outdoor Air	0.48 J	2.2 J	0.29 J	1.3	1.7	2 M	0.84	3.5	0.69 J	<0.74	0.69 J	<0.74	1	1.1	<0.037				
R24523-1AG	24523 RAVENNA AVE	2010-08-23	08:30	Garage	0.51 J	12	0.48 J	1.30	280	37 M	110	96	120	1.0	61	1.6	28	29	<0.35				
R24523-1AK	24523 RAVENNA AVE	2010-08-23	08:31	Kitchen	0.5 J	2.7 J	0.34 J	1.9	2.6	7.7 M	1.9	5.4	1	0.62 J	1.1	0.34 J	1.6	1.7	<0.095				
R24523-1AB	24523 RAVENNA AVE	2010-08-23	08:32	Bedroom	0.55 J	2.7 J	0.39 J	1.9	2.6	8.4 M	2	3.7	1	0.71 J	0.98 J	0.37 J	1.1	1.2	<0.057				
R24523-0AF	24523 RAVENNA AVE	2011-08-24	07:32	Outdoor Air	0.53 J	1.6 J	0.54 J	0.88 J	1.2 J	<2.3	0.42 J	0.44 J	0.42 J	<1.1	<2.3	<1.1	<1.1	<1.1	<0.057				
R24523-0AB	24523 RAVENNA AVE	2011-08-24	07:34	Outdoor Air	0.57 J	0.67 J	0.53 J	0.99	0.99 J	1 J	0.62 J	0.37 J	0.35 J	0.22 J	<1.5	<0.74	<0.74	<0.74	<0.037				
R24523-1AB	24523 RAVENNA AVE	2011-08-24	08:33	Bedroom	0.57 J	2.4 J	0.64 J	1.9	3.2	<1.4	1.4	1.2	1.2	0.71 J	1.1 J	0.26 J	0.41 J	0.39 J	0.83				
R24523-1AK	24523 RAVENNA AVE	2011-08-24	08:34	Kitchen	0.58 J	2.2 J	0.62 J	1.8	3	<1.6	1.3	1.1	1.1	0.74 J	1 J	0.23 J	0.37 J	0.36 J	0.72				
R24523-1AG	24523 RAVENNA AVE	2011-08-24	08:35	Garage	0.55 J	3.5 J	0.56 J	14	30	9.9 M	8.7	9.9	11	1	5.4	0.78	2.4	2.7	<0.035				
M24526-0AF	24526 MARBELLA AVE	2012-04-18	08:11	Outdoor Air	0.48 J	0.55 J	0.49 J	0.49 J	0.72 J	8.0	0.25 J	0.29 J	0.27 J	<0.8 U	<1.8 U	<0.8 U	<0.8 U	<0.8 U	<0.04 U				
M24526-0AB	24526 MARBELLA AVE	2012-04-18	08:13	Outdoor Air	0.48 J	0.56 J	0.48 J	0.52 J	0.77 J	1.5 J	0.28 J	0.32 J	0.28 J	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.04 U				
M24526-1AG	24526 MARBELLA AVE	2012-04-18	08:13	Garage	0.5 J	27	1.1	1.5	4.5	16	18	14	17	6.5	0.63 J	1.7	0.59 J	0.44 J	<0.039 U				
M24526-1AB	24526 MARBELLA AVE	2012-04-18	08:12	Bedroom	0.48 J	5.1 J	0.79 J	0.84	1.9	12	2.9	0.81 J	0.69 J	1.5	0.49 J	0.35 J	<0.75 U	<0.75 U	0.77				
M24526-1AK	24526 MARBELLA AVE	2012-04-18	08:13	Kitchen	0.5 J	4.9 J	0.77 J	0.81	1.8	7.9	3	0.75 J	0.65 J	1.5	<1.6 U	0.35 J	<0.8 U	<0.8 U	0.44				
N24528-0AF	24528 NEPTUNE AVE	2012-03-07	08:24	Outdoor Air	0.49 J	0.44 J	0.49 J	0.5 J	0.71 J	0.74 J	0.81 J	<0.65 U	0.24 J	<0.65 U	<1.3 U	<0.65 U	<0.65 U	<0.65 U	<0.033 U				
N24528-0AB	24528 NEPTUNE AVE	2012-03-07	08:25	Outdoor Air	0.61 J	1.8 J	0.56 J	1.2	2.8	1.5	0.82	0.91	0.94	0.29 J	0.75 J	<0.72 U	0.29 J	0.3 J	<0.085 U				
N24528-1AG	24528 NEPTUNE AVE	2012-03-07	09:42	Garage	0.59 J	2.5 J	0.57 J	1.4	8.5	4.8	1.8	1.1	1.2	0.41 J	0.93 J	<1 U	<1 U	<1 U	<0.052 U				
N24528-1AB	24528 NEPTUNE AVE	2012-03-07	09:43	Bedroom	0.61 J	1.6 J	0.59 J	1	2	5.7	0.7 J	0.77 J	0.73 J	0.56 J	0.69 J	<0.78 U	<0.78 U	<0.78 U	0.17				
N24528-1AK	24528 NEPTUNE AVE	2012-03-07	09:44	Kitchen	0.51 J	2.1 J	0.53 J	0.87	1.8	4.3	0.93 J	0.59 J	0.63 J	0.74 J	0.65 J	<0.79 U	<0.79 U	<0.79 U	0.16				
N24528-0AB	24528 NEPTUNE AVE	2012-03-01	08:20	Outdoor Air	0.53 J	0.96 J	0.62 J	1.5	1.1 J	0.9 J	0.78	0.44 J	0.38 J	<0.73 U	0.67 J	<0.73 U	<0.73 U	<0.73 U	<0.038 U				
N24528-0AF	24528 NEPTUNE AVE	2012-03-01	08:21	Outdoor Air	0.54 J	0.87 J	0.51 J	2.8	1.9 J	1.4 J	0.84	0.52 J	0.48 J	<0.69 U	0.78 J	<0.69 U	<0.69 U	<0.69 U	<0.085 U				
N24528-1AB	24528 NEPTUNE AVE	2012-03-01	09:20	Garage	0.49 J	16	0.57 J	31	36	<1.5 U	16	22	13	0.27 J	17	0.67 J	5.6	4.8	<0.088 U				
N24528-1AB	24528 NEPTUNE AVE	2012-03-01	09:22	Bedroom	0.52 J	6.7 J	0.6 J	8.8	19	8.8	4.8	11	7.1	0.49 J	5	0.36 J	2.9	2.5	<0.086 U				
N24528-1AK	24528 NEPTUNE AVE	2012-03-01	09:23	Kitchen	0.52 J	4.1 J	0.58 J	5.1	11	6.1	2.9	6.7	4.9	0.53 J	2.9	0.24 J	1.7	1.5	<0.037 U				
P24529-0AF	24529 PANAMA AVE	2012-05-16	08:12	Outdoor Air	0.51 J	0.05 J	0.39 J	1.1	0.94 J	1.5 J	0.77 J	0.3 J	0.34 J	<0.80 U	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.04 U				
P24529-0AB	24529 PANAMA AVE	2012-05-16	08:15	Outdoor Air	0.55 J	0.61 J	0.43 J	0.46 J	0.82 J	1.1 J	<0.88 U	<0.88 U	0.31 J	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.04 U				
P24529-1AG	24529 PANAMA AVE	2012-05-16	09:12	Garage	0.55 J	0.9 J	0.67 J	0.54 J	2.9	2.8	1	0.45 J	0.95	<0.89 U	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.04 U				
P24529-1AB	24529 PANAMA AVE	2012-05-16	09:13	Bedroom	0.58 J	3.1 J	0.62 J	1.3	2.7	8.3	0.93	1.9	1.2	2.5	0.73 J	0.39 J	0.66 J	0.36 J	1.4				
P24529-1AK	24529 PANAMA AVE	2012-05-16	09:13	Kitchen	0.55 J	3 J	0.6 J	0.9	2.8	8.5	0.8	2.3	1.5	2.7	0.54 J	0.39 J	0.73 J	0.4 J	0.36				
R24529-0AF	24529 RAVENNA AVE	2011-08-17	12:22	Outdoor Air	0.47 J	1.5 J	0.49 J	0.86	1 J	1.4 J	0.93 J	0.4 J	0.37 J	< 77 U	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.089 U				
R24529-0AB	24529 RAVENNA AVE	2011-08-17	12:23	Outdoor Air	0.47 J	1.8 J	0.42 J	0.65 J	1.1 J	1.6	0.34 J	0.43 J	0.4 J	<0.73 U	<1.5 U	<0.73 U	<0.73 U	<0.73 U	<0.037 U				
R24529-1AG	24529 RAVENNA AVE	2011-08-17	13:40	Garage	0.48 J	4.8 J	0.58 J	4	9.4	46	4.9	8.8	3.7	0.8	1.8	0.43 J	2.2	2.5	<0.038 U				
R24529-1AB	24529 RAVENNA AVE	2011-08-17	13:41	Bedroom	0.71 J	3.2 J	0.5 J	0.97	1.7	13	1.6	0.89	0.62 J	0.9	0.61 J	0.32 J	<0.84 U	<0.84 U	0.34				
R24529-1AK	24529 RAVENNA AVE	2011-08-17	13:41	Kitchen	0.66 J	2.9 J	0.5 J	0.88	<1.7 U	8.6	1.4	0.91	0.65 J	0.89 J	0.58 J	0.26 J	<0.84 U	<0.84 U	0.21				
M24532-0AF	24532 MARBELLA AVE	2012-04-04	13:25	Outdoor Air	0.53 J	1.2 J	0.5 J	0.61 J	1 J	1.2 J	0.35 J	0.35 J	0.37 J	<0.85 U	<1.7 U	1.2	<0.85 U	<0.85 U	<0.043 U				
M24532-0AB	24532 MARBELLA AVE	2012-04-04	13:27	Outdoor Air	0.5 J	0.84 J	0.46 J	0.51 J	0.85 J	0.9 J	0.31 J	0.32 J	0.31 J	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.04 U				
M24532-1AG	24532 MARBELLA AVE	2012-04-04	14:35	Garage	0.47 J	1.4 J	0.49 J	1.6	1.6	21	0.93	0.53 J	0.56 J	<0.75 U	0.91 J	<0.75 U	<0.75 U	<0.75 U	<0.038 U				
M24532-1AB	24532 MARBELLA AVE	2012-04-04	14:36	Kitchen	0.48 J	2 J	0.52 J	1.1	1.9	22	1.9	1.2	0.74 J	0.58 J	0.84 J	0.25 J	0.83 J	<0.87 U	0.27				
M24532-1AB	24532 MARBELLA AVE	2012-04-04	14:37	Bedroom	0.5 J	2.4 J	0.5 J	1.2	2	33 M	2.2	1.2	0.77 J	0.56 J	0.89 J	0.27 J	0.34 J	<0.84 U	0.3				
P24532-0AF	24532 PANAMA AVE	2012-05-09	08:20	Outdoor Air	0.36 J	0.73 J	0.4 J	<0.87 U	0.57 J	<1.7 U	<0.87 U	0.28 J	<0.87 U	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.043 U				
P24532-0AB	24532 PANAMA AVE	2012-05-09	08:21	Outdoor Air	0.59 J	<8.6 U	0.42 J	<0.86 U	0.56 J	<1.7 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<1.7 U	<0.86 U	<0.86 U	<0.86 U	<0.043 U				
P24532-1AG	24532 PANAMA AVE	2012-05-09	09:20	Garage	0.58 J	15	0.54 J	14	10	40	4.1	3	2.9	2.1	0.59 J	0.83 J	0.88 J	0.82 J	0.19				
P24532-1AB	24532 PANAMA AVE	2012-05-09	09:20	Kitchen	0.51 J	3.1 J	0.57 J	0.63 J	2.7	29	0.93 J	1.3	0.93 J	0.53 J	<1.8 U	0.95 J	0.41 J	0.41 J	0.31				
P24532-1AB	24532 PANAMA AVE	2012-05-09	09:21	Bedroom	0.56 J	9 J	0.59 J	0.7 J	4.2	48	1.2	1.8	1.4	0.72 J	<1.9 U	1.4	0.58 J	0.56 J	0.39				
R24532-0AF	24532 RAVENNA AVE	2012-11-15	13:06	Outdoor Air	0.35 J	1.6 J	0.7 J	2	3.1	1.9 J	0.86	1.1	1.1	0.26 J	0.83 J	0.31 J	0.34 J	0.34 J	<0.043 U				
R24532-0AB	24532 RAVENNA AVE	2012-11-15	13:13	Outdoor Air	0.54 J	9 J	0.68 J	1.9	3	2.5 J	0.95 J	1.4	1.1	0.37 J	0.82 J	0.74 J	0.34 J	0.34 J	<0.049 U				
R24532-1AG	24532 RAVENNA AVE	2012-11-15	14:10	Garage	0.55 J	2.8 J	0.79 J	2.2	6.1	14	2.7	1.5	2.1	0.59 J	1.2 J	0.87 J	0.5 J	0.49 J	<0.053 U				
R24532-1AK	24532 RAVENNA AVE	2012-11-15	14:13	Kitchen	0.57 J	3.1 J	0.82 J	1.8	3.6	13	1.1	1.3	1.4	1.8	0.89 J	0.46 J	0.41 J	0.41 J	<0.046 U				
R24532-1AB	24532 RAVENNA AVE	2012-11-15	14:14	Bedroom	0.58 J	2.7 J	0.8 J	1.7	3.5	11	1.1	1.1	1.3	1.4	0.91 J	0.33 J	0.36 J	0.37 J	<0.043 U				
P24533-0AF	24533 PANAMA AVE	2012-09-19	08:18	Outdoor Air	0.44 J	1.1 J	0.51 J	1.2	1.4 J	1 J	0.61 J	0.32 J	0.49 J	<0.95 U	0.55 J	<0.95 U	<0.95 U	<0.95 U	<0.047 U				
P24533-0AB	24533 PANAMA AVE	2012-09-19	08:19	Outdoor Air	0.45 J	1.8 J	0.52 J	1.2	1.3 J	1.1 J	0.62 J	0.49 J	0.47 J	<0.86 U	0.54 J	<0.86 U	<0.86 U	<0.86 U	<0.043 U				

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection														1,2,4-Trimethylbenzene	o-Xylene	Styrene	Cyclohexane	4-Methyl-2-Pentanol	1,3,5-Trimethylbenzene	4-Ethyltoluene	Bromodichloromethane
						From 113	2-Butanone (Methyl Ethyl Ketone)	Chloromethane	Hexane	p/m-Xylene	Isopropanol	Heptane															
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	
						98.36%	98.26%	97.59%	95.15%	93.51%	90.89%	88.37%	87.91%	86.70%	86.67%	59.60%	46.97%	41.74%	39.71%	35.66%							
P24533IAK	24533 PANAMA AVE	2012-09-19	09:55	Kitchen	0.43 J	8.2 J	0.78 J	2.4	3.4	6 J	1.4	1 J	1.2	1.1	0.88	1.1	0.84 J	<1 U	<1 U	<0.052 U							
P24533IAB	24533 PANAMA AVE	2012-09-19	09:56	Bedroom	0.43 J	2.7 J	0.68 J	2.3	3.1	8.3 J	1.3	0.98	1.1	0.88	1.1	0.88	1.1 J	0.37 J	0.29 J	0.25 J	0.47						
P24533IAG	24533 PANAMA AVE	2012-09-19	09:58	Garage	0.43 J	2.6 J	0.71 J	1.2	4.4	<97 U	0.85 J	3.3	1.5	0.89 J	<1.9 U	2.1	0.81 J	0.58 J	<0.048 U								
P24533IAF	24533 RAVENNA AVE	2012-09-26	08:08	Outdoor Air	0.56 J	0.7 J	0.6 J	0.66 J	1 J	3.8 J	0.39 J	0.36 J	0.38 J	<0.97 U	<1.9 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.05 U							
P24533OAB	24533 RAVENNA AVE	2012-09-26	08:10	Outdoor Air	0.54 J	1.3 J	0.59 J	0.66 J	1.1 J	0.85 J	0.35 J	0.38 J	0.39 J	<1 U	<2 U	<1 U	<1 U	<1 U	<1 U	<0.051 U							
P24533IAB	24533 RAVENNA AVE	2013-09-26	09:10	Bedroom	0.55 J	2.5 J	0.75 J	1.1	2.2	44	0.69 J	1.1	0.9 J	0.68 J	0.53 J	0.99 J	<0.95 U	<0.95 U	<0.95 U	0.22							
P24533IAG	24533 RAVENNA AVE	2012-09-26	09:10	Garage	0.57 J	1.6 J	0.65 J	1.1	2	26	0.64 J	0.69 J	0.71 J	0.51 J	0.85 J	<0.86 U	<0.86 U	<0.86 U	<0.043 U								
P24533IAK	24533 RAVENNA AVE	2012-09-26	09:10	Kitchen	0.56 J	1.8 J	0.73 J	1.3	2	34	0.54 J	0.98	0.8 J	0.69 J	0.55 J	0.28 J	<0.86 U	<0.86 U	<0.86 U	0.17							
M24602OAF	24602 MARBELLA AVE	2012-05-31	08:02	Outdoor Air	0.53 J	1.2 J, b	0.42 J	0.37 J	0.56 J	<1.9 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<1.9 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.046 U							
M24602OAB	24602 MARBELLA AVE	2012-05-31	08:04	Outdoor Air	0.53 J	1.7 J, b	0.4 J	0.35 J	0.56 J	0.81 J	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<1.9 U	<0.91 U	<0.91 U	<0.91 U	<0.045 U								
M24602IAG	24602 MARBELLA AVE	2012-05-31	09:17	Garage	0.6 J	2.9 J	0.88 J	0.92 J	2	29	0.61 J	0.42 J	0.83 J	1.9	0.6 J	<0.95 U	<0.95 U	<0.95 U	0.14								
M24602IAK	24602 MARBELLA AVE	2012-05-31	09:18	Kitchen	0.49 J	2.6 J	0.47 J	0.57 J	1.5 J	28	0.53 J	0.43 J	0.68 J	1.3	<1.9 U	0.75 J	<0.92 U	<0.92 U	<0.92 U	0.31							
M24602IAB	24602 MARBELLA AVE	2012-05-31	09:19	Bedroom	0.5 J	2.7 J	0.44 J	0.51 J	1.5 J	32	0.76 J	0.49 J	0.64 J	1.1	<1.9 U	0.99	<0.93 U	<0.93 U	<0.93 U	0.34							
M24602OAB	24602 NEPTUNE AVE	2011-03-03	13:36	Outdoor Air	0.53 J	1.3 J	0.52 J	1	1.2	1.4	0.51 J	0.39 J	0.42 J	<0.98	0.5 J	<0.98	<0.98	<0.98	<0.031								
M24602OAF	24602 NEPTUNE AVE	2011-03-03	13:39	Outdoor Air	0.46 J	0.85 J	0.46 J	0.88	1.2	1.1 J	0.58 J	0.39 J	0.45 J	<0.6	0.48 J	<0.6	<0.6	<0.6	<0.032								
M24602IAB	24602 NEPTUNE AVE	2011-03-03	14:39	Bedroom	0.6 J	1.4 J	0.49 J	1.5	1.1 J	5.5	0.09	0.45 J	0.4 J	0.71	0.67 J	0.16 J	<0.6	<0.6	<0.6	0.62							
M24602IAK	24602 NEPTUNE AVE	2011-03-03	14:39	Kitchen	0.63 J	2 J	0.59 J	1.9	1.3 J	5.9	0.61	0.48 J	0.5 J	0.92	0.9 J	0.2 J	<0.75	<0.75	<0.75	0.5							
M24602IAB	24602 NEPTUNE AVE	2011-03-03	14:40	Garage	0.56 J	1.9 J	0.5 J	0.91	2	2.4	7.8	0.41 J	0.59 J	0.94 J	0.7 J	<0.7	<0.7	<0.7	<0.017								
M24602OAF	24602 NEPTUNE AVE	2012-06-28	08:11	Outdoor Air	0.52 J	0.76 J, b	0.52 J	0.59 J	0.79 J	0.91 J	0.37 J	0.28 J	0.79 J	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	0.053							
M24602OAB	24602 NEPTUNE AVE	2012-06-28	08:13	Outdoor Air	0.6 J	1.5 J, b	0.56 J	0.62 J	0.74 J	<8.5 U	0.35 J	0.3 J	0.3 J	<0.85 U	<1.7 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	0.046							
M24602IAB	24602 NEPTUNE AVE	2012-06-28	09:11	Bedroom	0.56 J	3.2 J	0.58 J	1.7	1.1 J	8.1 J	0.73 J	0.42 J	0.48 J	0.86 J	0.73 J	0.8 J	<0.86 U	<0.86 U	<0.86 U	0.37							
M24602IAK	24602 NEPTUNE AVE	2012-06-28	09:12	Kitchen	0.59 J	3.2 J	0.57 J	1.5	1.2 J	7.5 J	0.73 J	0.48 J	0.44 J	0.71 J	0.6 J	<1 U	<1 U	<1 U	0.33								
M24602IAB	24602 NEPTUNE AVE	2012-06-28	09:13	Garage	0.55 J	2.2 J, b	0.51 J	0.86	1.2 J	3.9 J	1.4	0.88 J	0.54 J	<0.86 U	<1.7 U	0.31 J	<0.86 U	<0.86 U	<0.046 U								
M24602OAF	24602 RAVENNA AVE	2012-10-04	08:06	Outdoor Air	0.56 J	0.86 J	0.75 J	0.87	1.2 J	2.3 J	0.48 J	0.42 J	0.45 J	<0.85 U	<1.7 U	<0.85 U	<0.85 U	<0.85 U	<0.042 U								
M24602OAB	24602 RAVENNA AVE	2012-10-04	08:09	Outdoor Air	0.57 J	0.88 J	0.77 J	0.92	1.2 J	1 J	0.46 J	0.4 J	0.42 J	<0.88 U	<1.9 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U								
M24602IAG	24602 RAVENNA AVE	2012-10-04	09:05	Garage	0.54 J	1.7 J	0.82 J	1.5	1.3 J	110	1.8	0.44 J	0.51 J	0.32 J	0.95 J	<0.92 U	<0.92 U	<0.92 U	<0.046 U								
M24602IAK	24602 RAVENNA AVE	2012-10-04	09:06	Kitchen	0.56 J	2.2 J	0.95	1.5	1.7 J	40	1	0.47 J	0.71 J	1	0.75 J	0.31 J	<0.91 U	<0.91 U	<0.91 U	0.32							
M24602IAB	24602 RAVENNA AVE	2012-10-04	09:07	Bedroom	0.58 J	8.1 J	1.1	1.7	1.7 J	47	1.1	0.97	0.08 J	0.92 J	0.86 J	0.37 J	<0.95 U	<0.95 U	<0.95 U	0.35							
M24603-DAF	24603 MARBELLA AVE	2010-01-14	09:05	Outdoor Air	0.54 J	2.4 J, b	0.56 J	4.2	6.8	3.6	2.8	2.1	2.2	0.59 J	2.2	<0.66	0.67	0.65 J	<0.033								
M24603-OAB	24603 MARBELLA AVE	2010-01-14	09:10	Outdoor Air	0.5 J	2.7 J, b	0.53 J	4.1	6	8.8	2.1	2.1	2.1	0.69 J	2.1	<0.66	0.68	0.63 J	<0.033								
M24603-GA	24603 MARBELLA AVE	2010-01-14	09:16	Garage	0.49 J	3 J, b	0.45 J	7.3	12	5.5	3.8	9.1	4.5	10	4.5	1.5	2.8	2.7	<0.039								
M24603-IAB	24603 MARBELLA AVE	2010-01-14	10:02	Bedroom	0.54 J	3.5 J, b	0.48 J	4.2	7.2	6.6	2.2	3.4	2.8	1.9	2.6	0.67	1	0.97	<0.36								
M24603-IAB	24603 MARBELLA AVE	2010-01-14	10:04	Kitchen	0.58 J	4.6 J, b	0.49 J	4.4	7.1	17	2.3	3.2	2.7	1.5	2.6	0.66	0.98	0.91	<0.33								
M24603OAF	24603 MARBELLA AVE	2010-10-14	11:52	Outdoor Air	0.55 J	1.5 J, b	0.3 J	0.45 J	0.76 J	<1.3	0.28 J	0.36 J	0.38 J	<0.65	<1.3	<0.65	<0.65	<0.65	<0.052								
M24603OAB	24603 MARBELLA AVE	2010-10-14	11:53	Outdoor Air	0.56 J	1.6 J, b	0.38 J	0.67 J	0.71 J	1.1 J	0.77 J	0.39 J	<0.66	<0.66	<1.3	<0.66	<0.66	<0.66	<0.053								
M24603IAB	24603 MARBELLA AVE	2010-10-14	12:35	Bedroom	0.53 J	3.3 J, b	0.32 J	0.95	2.3	4.8	0.54 J	1.5	1.1	1.9	0.71 J	0.59 J	0.38 J	0.4 J	0.21								
M24603IAG	24603 MARBELLA AVE	2010-10-14	12:33	Garage	0.59 J	2.6 J, b	0.31 J	1.9	3.3	3.5	1.1	4.9	1.3	9.6	1.1 J	1.5	1.5	1.4	<0.036								
M24603IAK	24603 MARBELLA AVE	2010-10-14	12:34	Kitchen	0.61	2.8 J, b	0.31 J	0.8	<1.2	3.6	0.53 J	1.1	0.8	1.3	0.59 J	0.44 J	0.26 J	0.29 J	0.16								
P24603OAF	24603 PANAMA AVE	2012-10-18	08:17	Outdoor Air	0.55 J	1.7 J	0.86 J	1.4	1.4 J	9 J	0.59 J	0.49 J	0.5 J	<1.2 U	<2.5 U	<1.2 U	<1.2 U	<1.2 U	<0.062 U								
P24603OAB	24603 PANAMA AVE	2012-10-18	08:19	Outdoor Air	0.56 J	1.4 J	0.75 J	0.61 J	0.94 J	130	0.29 J	<0.92 U	0.33 J	<0.92 U	<1.8 U	<0.92 U	<0.92 U	<0.92 U	<0.046 U								
P24603IAG	24603 PANAMA AVE	2012-10-18	09:17	Garage	0.56 J	2 J	1	0.9 J	2	71	0.54 J	0.6 J	0.75 J	0.69 J	<1.8 U	0.7 J	<0.92 U	<0.92 U	<0.046 U								
P24603IAB	24603 PANAMA AVE	2012-10-18	09:18	Bedroom	0.58 J	4.3 J	1.2	0.84 J	2.8	40	1.6	0.98	1.1	1.8	<1.5 U	0.74 J	0.3 J	0.21 J	0.17								
P24603IAK	24603 PANAMA AVE	2012-10-18	09:19	Kitchen	0.53 J	3.9 J	1.2	0.69 J	2.7	70	0.94	0.77 J	1.1	1.6	<1.9 U	0.71	<0.93 U	<0.93 U	0.13								
P24603OAF	24603 RAVENNA AVE	2012-05-31	14:11	Outdoor Air	0.54 J	1.1 J, b	0.49 J	0.32 J	1 J	1.5 J	<0.87 U	0.39 J	0.45 J	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.044 U								
P24603OAB	24603 RAVENNA AVE	2012-05-31	14:16	Outdoor Air	0.49 J	0.77 J, b	0.5 J	<0.85 U	<1.7 U	<1.7 U	<0.86 U	<0.86 U	<0.86 U	<1.7 U	<0.86 U	<1.7 U	<0.86 U	<0.86 U	<0.043 U								
P24603IAG	24603 RAVENNA AVE	2012-05-31	15:11	Garage	0.49 J	5.9 J	0.59 J	1.1	6.1	5.2	1.2	1.8	2.2	0.64 J	0.52 J	0.84 J	0.51 J	0.47 J	<0.046 U								
P24603IAK	24603 RAVENNA AVE	2012-05-31	15:11	Kitchen	2.5	1.9 J, b	0.6 J	0.49 J	1																		
P24603IAB	24603 RAVENNA AVE	2012-05-31	15:12	Bedroom	0.53 J	2.6 J	0.54 J	0.87 J	1.9 J	6.5	0.34 J	0.58 J	0.74 J	1	<2 U	<0.90 U	<0.90 U	<0.90 U	<0.051 U								
M24605OAB	24605 MARBELLA AVE	2016-01-12	10:10	Outdoor Air	0.6 J	2.8 J																					

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units														Frequency of Detection
					Freon 113 UG/M3	2-Butanone (Methyl Ethyl Ketone) UG/M3	Chloro- methane UG/M3	Hexane UG/M3	p/m-Xylene UG/M3	Isopro- panol UG/M3	Heptane UG/M3	1,2,4- Trimethyl- benzene UG/M3	o-Xylene UG/M3	Styrene UG/M3	Cyclo- hexane UG/M3	4-Methyl-2- Pentanone UG/M3	1,3,5- Trimethyl- benzene UG/M3	4-Ethyltoluene UG/M3	Bromodichlo- romethane UG/M3
					98.36%	98.26%	97.58%	95.15%	98.51%	90.89%	86.37%	87.61%	86.70%	86.87%	90.60%	46.97%	41.74%	39.71%	35.95%
M24609AK	24609 MARBELLA AVE	2012-01-12	11:10	Kitchen	0.42 J	3.7 J	0.66 J	2.9	5.8	19 b	2	1.7	2	1.4	2.1	0.25 J	0.54 J	0.6 J	<0.04 U
M24608DAF	24608 NEPTUNE AVE	2012-05-17	14:06	Outdoor Air	0.51 J	0.97 J	0.48 J	0.45 J	0.73 J	0.83 J, b	0.36 J	0.31 J	<0.93 U	<0.93 U	<1.0 U	<0.99 U	<0.99 U	<0.93 U	<0.046 U
M24608DAB	24608 NEPTUNE AVE	2012-05-17	14:08	Outdoor Air	0.49 J	0.75 J	0.35 J	0.32 J	<1.7 U	0.94 J, b	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<1.7 U	<0.97 U	<0.97 U	<0.87 U	0.078
M24608IAB	24608 NEPTUNE AVE	2012-05-17	14:19	Bedroom	0.5 J	2 J	0.47 J	0.42 J	1.6 J	3 b	0.31 J	0.99	0.57 J	0.45 J	<1.7 U	0.31 J	0.28 J	<0.86 U	0.48
M24608IAG	24608 NEPTUNE AVE	2012-05-17	14:19	Garage	0.47 J	3.2 J	0.46 J	1.1	6	13	0.72 J	0.57 J	1.2	2.6	<1.6 U	0.93	<0.93 U	<0.93 U	0.29
M24608IAK	24608 NEPTUNE AVE	2012-05-17	14:19	Kitchen	0.48 J	1.9 J	0.5 J	0.45 J	1.6 J	20	0.3 J	0.83 J	0.57 J	0.37 J	<1.8 U	0.31 J	<0.9 U	<0.8 U	0.41
P24608DAB	24608 PANAMA AVE	2012-04-05	13:10	Outdoor Air	0.5 J	0.98 J, b	0.54 J	1.1	1.6	2.5	0.53 J	0.52 J	0.53 J	<0.73 U	0.56 J	<0.73 U	<0.73 U	<0.73 U	0.14
P24608DAF	24608 PANAMA AVE	2012-04-05	13:13	Outdoor Air	0.47 J	1.5 J, b	0.54 J	0.99	1.4 J	1.5 J	0.53 J	0.45 J	0.46 J	<0.99 U	<2 U	<0.99 U	<0.99 U	<0.99 U	<0.05 U
P24608IAG	24608 PANAMA AVE	2012-04-05	14:20	Garage	0.5 J	1.5 J, b	0.57 J	1.4	1.9	6.4	3.4	0.61 J	0.85 J	<0.82 U	1.1 J	0.26 J	<0.82 U	<0.82 U	<0.041 U
P24608IAK	24608 PANAMA AVE	2012-04-05	14:11	Kitchen	0.5 J	9.3 J, b	0.52 J	1	2	17	0.66 J	0.67 J	0.73 J	0.41 J	1 J	3.7	<0.84 U	<0.84 U	0.17
P24608IAB	24608 PANAMA AVE	2012-04-05	14:12	Bedroom	0.52 J	1.4 J, b	0.56 J	0.98	1.8	3.4	0.54 J	0.53 J	0.56 J	1.2	0.76 J	0.42 J	<0.75 U	<0.78 U	0.19
R24608DAF	24608 RAVENNA AVE	2012-05-16	13:12	Outdoor Air	0.5 J	0.82 J	0.54 J	0.32 J	0.39 J	0.61 J	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.044 U
R24608DAB	24608 RAVENNA AVE	2012-05-16	13:14	Outdoor Air	0.44 J	0.91 J	0.55 J	<0.0 U	<1.8 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U
R24608IAB	24608 RAVENNA AVE	2012-05-16	14:12	Bedroom	0.47 J	2.7 J	0.65 J	0.69 J	2	50	0.66 J	1.2	0.93 J	0.77 J	0.52 J	<0.96 U	0.35 J	<0.86 U	0.31 J
R24608IAK	24608 RAVENNA AVE	2012-05-16	14:13	Kitchen	<1.3 U	3.6 J	0.73 J	0.68 J	1.7 J	47	0.65 J	1 J	0.83 J	0.64 J	<2.7 U	<1.3 U	<1.3 U	<1.3 U	0.3
R24608IAG	24608 RAVENNA AVE	2012-05-16	14:14	Garage	0.46 J	1.4 J	0.64 J	1	2.2	14	0.75 J	1.8	1.1	<1 U	0.99 J	<1 U	0.55 J	<0.97 J	<0.095 U
M24609DAF	24609 NEPTUNE AVE	2010-12-09	13:13	Outdoor Air	0.55 J	2.5 J	<0.73	2.3	4.5	<1.5	1.1	1	1.5	0.51 J	0.83 J	<0.73	0.33 J	0.33 J	<0.038
M24609DAB	24609 NEPTUNE AVE	2010-12-09	13:15	Outdoor Air	0.55 J	1.4 J	<0.68	2.5	3.5	1.6	1.3	1	1.4	0.52 J	1 J	<0.66	0.33 J	0.33 J	<0.036
M24609IAG	24609 NEPTUNE AVE	2010-12-09	14:16	Garage	0.5 J	5.9 J	<0.71	2.4	3.4	7.6	1.5	2	1.9	1.2	0.99 J	0.46 J	0.52 J	0.55 J	<0.037
M24609IAB	24609 NEPTUNE AVE	2010-12-09	14:17	Bedroom	0.55 J	4.3 J	<0.6	2.6	6.2	15	7.3	2.4	2.3	1.4	1.3 J	0.35 J	0.67	0.69	<0.031
M24609IAK	24609 NEPTUNE AVE	2010-12-09	14:17	Kitchen	0.55 J	4.5 J	<0.63	2.8	6	15	13	2.5	2.2	1.3	1.3	0.33 J	0.67	0.67	<0.033
P24609DAF	24609 PANAMA AVE	2011-02-17	08:11	Outdoor Air	0.54 J	2.5 J	0.68 J	1.7	1.5	2.3	0.77	0.51 J	0.54 J	0.27 J	0.7 J	<0.58	<0.68	<0.68	<0.035
P24609DAF	24609 PANAMA AVE	2011-02-17	08:13	Outdoor Air	0.53 J	2.4 J	0.65 J	1.8	1.6	2	0.76	0.53 J	0.55 J	<0.69	0.71 J	<0.69	<0.69	<0.69	<0.036
P24609IAK	24609 PANAMA AVE	2011-02-17	09:33	Kitchen	0.54 J	2.2 J	0.5 J	1.7	1.8	5.1	0.81	0.71	0.65 J	0.4 J	0.83 J	<0.68	<0.65	<0.65	0.42
P24609IAB	24609 PANAMA AVE	2011-02-17	09:34	Bedroom	0.55 J	3.6 J	0.45 J	1.8	2.1	3.9	0.88	0.99	0.79	0.35 J	0.84 J	<0.68	0.27 J	0.28 J	0.39
P24609IAG	24609 PANAMA AVE	2011-02-17	09:56	Garage	0.54 J	2.2 J	0.47 J	2	3.3	3.9	1.3	1.3	1.1	<0.65	0.83 J	<0.65	0.31 J	0.36 J	<0.034
P24609DAF	24609 RAVENNA AVE	2012-09-20	13:10	Outdoor Air	0.45 J	1.5 J	0.55 J	1.2	1.5 J	2.7 J, M, b	0.63 J	0.62 J	<0.96 U	<1.9 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.048 U
R24609DAB	24609 RAVENNA AVE	2012-09-20	13:11	Outdoor Air	0.43 J	1.6 J	0.47 J	1.1	1.4 J	<8.7 U	0.41 J	0.63 J	0.52 J	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.043 U
R24609IAK	24609 RAVENNA AVE	2012-09-20	14:10	Kitchen	0.43 J	4.6 J	0.84 J	1.2	2.2	4.8 J, b	0.76 J	0.71 J	0.89 J	1.9	0.65 J	0.67 J	<0.9 U	<0.9 U	0.63
R24609IAB	24609 RAVENNA AVE	2012-09-20	14:11	Bedroom	0.43 J	3.8 J	0.85 J	1.2	2.3	12	0.71 J	1	0.97 J	1.6	0.63 J	0.63 J	<1 U	<1 U	0.65
R24609IAG	24609 RAVENNA AVE	2012-09-20	14:12	Garage	0.42 J	1.8 J	0.66 J	1.3	1.6 J	8.4 J	0.65 J	0.67 J	0.61 J	<0.94 U	0.52 J	0.42 J	<0.94 U	<0.94 U	<0.047 U
M24612DAF	24612 MARBELLA AVE	2012-05-09	13:07	Outdoor Air	0.55 J	0.38 J, b	0.53 J	<0.77 U	0.53 J	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<1.5 U	<0.77 U	<0.77 U	<0.77 U	<0.039 U
M24612DAB	24612 MARBELLA AVE	2012-05-09	13:09	Outdoor Air	0.61 J	0.99 J, b	0.35 J	<0.8 U	<1.6 U	<1.6 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<1.6 U	<0.8 U	<0.8 U	<0.8 U	<0.05 U
M24612IAB	24612 MARBELLA AVE	2012-05-09	14:09	Bedroom	0.55 J	2.4 J, b	0.45 J	0.48 J	0.92 J	3	0.86	0.63 J	0.36 J	1.1	0.87 J	<0.75 U	<0.75 U	<0.75 U	<0.037 U
M24612IAK	24612 MARBELLA AVE	2012-05-09	14:09	Kitchen	0.5 J	3.5 J	0.42 J	0.44 J	0.87 J	4.2	0.65 J	0.58 J	0.57 J	1.2	0.9 J	2.3	<0.87 U	<0.87 U	<0.044 U
M24612IAG	24612 MARBELLA AVE	2012-05-09	14:10	Garage	0.62 J	1.2 J, b	0.39 J	0.36 J	0.55 J	1.1 J	0.69 J	0.31 J	<0.77 U	<0.77 U	1.4 J	<0.77 U	<0.77 U	<0.77 U	<0.042 U
M24612DAB	24612 NEPTUNE AVE	2011-03-10	13:14	Outdoor Air	0.6 J	1.5 J	0.67 J	1.3	2.3	2	0.97	0.95	1	0.6 J	0.97 J	<0.77	0.35 J	0.35 J	<0.035
M24612DAF	24612 NEPTUNE AVE	2011-03-10	13:16	Outdoor Air	0.59 J	1.7 J	0.7 J	2	2.9	2.1	1	0.95	1	0.85 J	1 J	<0.81	0.33 J	0.33 J	<0.04
M24612IAG	24612 NEPTUNE AVE	2011-03-10	14:23	Garage	0.52 J	3.4 J	0.62 J	2.8	3.2	3	1.6	1.3	1.1	0.42 J	0.95 J	0.28 J	0.45 J	0.43 J	<0.035
M24612IAK	24612 NEPTUNE AVE	2011-03-10	14:25	Kitchen	0.54 J	2 J	0.69 J	2.1	3.8	6 M	1.4	1.3	1.3	0.81	1.3 J	0.3 J	0.41 J	0.43 J	0.32
M24612IAB	24612 NEPTUNE AVE	2011-03-10	14:26	Bedroom	0.55 J	1 J	0.75 J	2.4	3.9	12	1.8	1.8	1.4	0.68 J	1.3 J	1.4	0.48 J	0.48 J	0.35
R24612DAF	24612 RAVENNA AVE	2012-10-31	13:03	Outdoor Air	0.61	1.2 J	0.4 J	1.5	3	2.7 J	0.92	1.1	1.1	<0.83 U	0.94 J	<0.83 U	0.36 J	0.29 J	<0.041 U
R24612DAB	24612 RAVENNA AVE	2012-10-31	13:05	Outdoor Air	0.61 J	1.2 J	0.39 J	1.2	1.9	1.4 J	0.75 J	0.74 J	0.72 J	<0.89 U	0.99 J	<0.89 U	<0.89 U	<0.89 U	<0.044 U
R24612IAB	24612 RAVENNA AVE	2012-10-31	14:05	Bedroom	0.59 J	3.2 J	0.44 J	1.8	2.5	2.2 J	1.6	0.86 J	0.97 J	3	1 J	0.61 J	<1 U	<1 U	0.45
R24612IAG	24612 RAVENNA AVE	2012-10-31	14:05	Garage	0.65 J	1.2 J	0.39 J	1.4	3	2.9 J	0.93	1	1.1	<0.9 U	0.84 J	<0.9 U	0.29 J	0.3 J	<0.045 U
M24612IAK	24612 RAVENNA AVE	2012-10-31	14:06	Kitchen	0.65 J	3 J	0.49 J	2.1	2.7	2.2 J	1.7	0.92 J	1	1.7	1.2 J	<0.96 U	0.3 J	<0.96 U	0.35
M24613DAB	24613 MARBELLA AVE	2012-10-10	08:30	Outdoor Air	0.52 J	0.41 J	0.80	0.65 J	0.97 J	1.1 J	0.28 J	0.29 J	0.37 J	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U
M24613DAF	24613 MARBELLA AVE	2012-10-10	08:34	Outdoor Air	0.6 J	0.52 J	0.95	0.72 J	1.2 J	3.1 J	0.32 J	0.36 J	0.44 J	<0.84 U	<1.7 U	<0.84 U	<0.84 U	<0.84 U	<0.042 U
M24613IAB	24613 MARBELLA AVE	2012-10-10	09:45	Bedroom	0.59 J	3.1 J	1	1.7	3.2	31	0.81 J	1.4	1.3	1.5	0.83 J	0.51 J	0.34 J	0.33 J	0.41
M24613IAG	24613 MARBELLA AVE	2012-10-10	09:46	Garage	0.57 J	3 J	0.91	3.9	3.7	2.3 J	1.4	1.2	1.2	0.29 J	1.4 J	<0.91 U	0.34 J	0.31 J	<0.046 U
M24613IAK	24613 MARBELLA AVE	2012-10-10	09:46	Kitchen	0.58 J	2 J	0.95	1.5	2.7	21	0.69 J	1.1	1.1	0.52 J	0.71 J	0.47 J	0.28 J	<0.93 U	0.24
M24613DAF	24613 NEPTUNE AVE	2012-05-10	08:00	Outdoor Air	0.48 J	<9.4 U	0.75 J	<0.94 U	<1.9 U	1.1 J	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<1.9 U	<0.94 U	<0.94 U	<0.94 U	<0.047 U

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Freon 113	2-Butanone (Methyl Ethyl Ketone)	Chloro-methane	Hexane	p/m-Xylene	Isopro-panol	Heptane	1,2,4-Trimethyl-benzene	o-Xylene	Styrene	Cyclo-hexane	4-Methyl-2-Pentanone	1,3,5-Trimethyl-benzene	4-Ethyltoluene	Bromodichlo-romethane
						98.36%	98.26%	97.58%	95.15%	93.51%	90.89%	88.37%	87.61%	86.70%	86.67%	59.60%	45.97%	41.74%	39.71%	35.66%
N24613OAB	24613 NEPTUNE AVE	2012-05-10	08:02	Outdoor Air		0.49 J	0.78 J	0.76 J	<0.95 U	<1.9 U	0.73 J	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<1.9 U	<0.95 U	<0.95 U	<0.95 U	<0.048 U
N24613IAB	24613 NEPTUNE AVE	2012-05-10	09:00	Bedroom		0.56 J	2.4 J	0.8 J	0.61 J	0.9 J	2.4	0.3 J	0.66 J	0.39 J	0.3 J	<1.8 U	0.7 J	<0.92 U	<0.92 U	0.11
N24613BAG	24613 NEPTUNE AVE	2012-05-10	09:00	Garage		0.52 J	1.7 J	0.73 J	0.61 J	1.2 J	0.93 J	0.21 J	1.1	0.48 J	<0.81 U	<1.8 U	0.26 J	0.29 J	0.29 J	<0.04 U
N24613BAK	24613 NEPTUNE AVE	2012-05-10	09:01	Kitchen		0.61 J	2.6 J	0.76 J	0.81 J	0.88 J	4.7	<1.2 U	0.57 J	<1.2 U	0.47 J	<2.5 U	<1.2 U	<1.2 U	<1.2 U	0.093
N24613OAB	24613 PANAMA AVE	2011-02-09	08:10	Outdoor Air		0.51 J	2.7 J	0.45 J	2	1.5 J	1.7 J	0.89	0.51 J	0.59 J	<0.79	0.82 J	<0.79	<0.79	<0.79	<0.047
N24613OAF	24613 PANAMA AVE	2011-02-09	08:20	Outdoor Air		0.51 J	1.9 J	0.47 J	3.4	3.4	2.3	1.8	1	1.1	0.48 J	2.2	<0.68	0.31 J	0.32 J	<0.037
N24613IAB	24613 PANAMA AVE	2011-02-09	09:24	Bedroom		0.54 J	2.8 J	0.56 J	3.4	4.4	210	2.3	1.5	1.5	0.73	1.8	0.27 J	0.45 J	0.48 J	1
N24613IAK	24613 PANAMA AVE	2011-02-09	09:24	Kitchen		0.56 J	2.9 J	0.55 J	3.4	3.6	97	2.2	1.2	1.3	0.58 J	2.1	0.25 J	0.36 J	0.36 J	0.76
N24613IAG	24613 PANAMA AVE	2011-02-09	09:27	Garage		0.55 J	2.9 J	0.56 J	3.4	2.8	9.2	3.7	0.84	0.94	0.38 J	1.9	<0.59	0.28 J	0.29 J	<0.031
N24613OAB	24613 PANAMA AVE	2012-09-12	13:07	Outdoor Air		0.55 J	0.94 J	0.77 J	0.32 J	<1.7 U	0.65 J	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<1.7 U	<0.86 U	<0.86 U	<0.86 U	<0.043 U
N24613OAF	24613 PANAMA AVE	2012-09-12	13:10	Outdoor Air		0.51 J	1.1 J	0.59 J	0.4 J	0.57 J	0.85 J	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<1.9 U	<0.85 U	<0.95 U	<0.95 U	<0.048 U
N24613IAG	24613 PANAMA AVE	2012-09-12	14:08	Garage		0.57 J	2.8 J	0.77 J	0.54 J	0.68 J	7.2 J	0.51 J	0.3 J	<0.97 U	<0.97 U	<1.9 U	<0.97 U	<0.97 U	<0.97 U	<0.048 U
N24613IAB	24613 PANAMA AVE	2012-09-12	14:09	Bedroom		0.52 J	1.4 J	0.58 J	0.32 J	0.58 J	73	0.69 J	0.35 J	<0.82 U	0.51 J	<1.6 U	<0.82 U	<0.82 U	<0.82 U	0.2
N24613IAK	24613 PANAMA AVE	2012-09-12	14:09	Kitchen		0.51 J	1.4 J	0.85 J	0.36 J	0.58 J	37	0.65 J	0.33 J	<0.86 U	0.36 J	<1.7 U	<0.86 U	<0.86 U	<0.86 U	0.13
N24613OAB	24613 BAVENNA AVE	2011-03-19	08:00	Outdoor Air		0.52 J	1.3 J	0.66 J	0.5 J	0.64 J	0.78 J	0.22 J	0.26 J	0.23 J	<0.67 U	<1.3 U	<0.67 U	<0.67 U	<0.67 U	<0.034 U
N24613OAF	24613 BAVENNA AVE	2011-03-19	08:00	Outdoor Air		0.45 J	1.1 J	0.59 J	0.5 J	0.7 J	0.84 J	0.23 J	0.25 J	0.26 J	<0.82 U	<1.6 U	<0.82 U	<0.82 U	<0.82 U	<0.041 U
N24613IAB	24613 BAVENNA AVE	2011-03-19	09:12	Bedroom		0.49 J	1.4 J	0.73 J	0.89 J	1.2 J	4.3	0.54 J	0.65 J	0.52 J	0.83 J	0.49 J	<0.75 U	<0.75 U	<0.75 U	0.19
N24613IAK	24613 BAVENNA AVE	2011-03-19	09:12	Kitchen		0.44 J	1.3 J	0.66 J	0.5 J	1.2 J	3.4	0.52 J	0.51 J	0.45 J	0.23 J	0.47 J	<0.73 U	<0.73 U	<0.73 U	0.19
N24613IAG	24613 BAVENNA AVE	2011-03-19	09:14	Garage		0.44 J	1.6 J	0.63 J	1.8	2.5	7.7	0.63	1.4	0.92	0.77 J	0.69 J	<0.78 U	0.3 J	0.35 J	<0.039 U
N24616OAB	24616 MARBELLA AVE	2011-03-17	13:05	Outdoor Air		0.58 J	1.8 J	0.55 J	1.2	1.8	1.6	0.57	0.88 J	0.63 J	0.79 J	0.67	<0.66	0.19 J	0.2 J	<0.036
N24616OAF	24616 MARBELLA AVE	2011-03-17	13:05	Outdoor Air		0.57 J	1.6 J	0.57 J	1.3	1.8	1.5	0.64 J	0.57 J	0.63 J	0.78 J	0.69 J	<0.65	0.19 J	0.2	<0.035
N24616IAG	24616 MARBELLA AVE	2011-03-17	14:06	Garage		0.55 J	1.8 J	0.64	1.2	1.6	5.7	0.66	0.47 J	0.54 J	0.21 J	0.52 J	<0.59	<0.59	<0.59	<0.032
N24616IAK	24616 MARBELLA AVE	2011-03-17	14:07	Kitchen		0.61 J	1.4 J	0.59 J	1.2	1.6	2.5	0.74	0.5 J	0.58 J	0.56 J	0.61 J	<0.59	<0.59	<0.59	<0.031
N24616IAB	24616 MARBELLA AVE	2011-03-17	14:08	Bedroom		0.55 J	1.8 J	0.58 J	1	1.4	2.3	0.58 J	0.5 J	0.52 J	0.56 J	0.52 J	<0.64	<0.64	<0.64	<0.034
N24617OAF	24617 MARBELLA AVE	2012-03-02	08:04	Outdoor Air		0.45 J	0.94 J	0.63 J	<1 U	<2 U	<2 U	<1 U	<1 U	<1 U	<1 U	<2 U	<1 U	<1 U	<1 U	<0.05 U
N24617OAB	24617 MARBELLA AVE	2012-03-02	08:08	Outdoor Air		0.46 J	1.7 J	0.58 J	<1 U	<2.1 U	<2.1 U	<1 U	<1 U	<1 U	<1 U	<2.1 U	<1 U	<1 U	<1 U	<0.051 U
N24617IAG	24617 MARBELLA AVE	2012-03-02	09:04	Garage		0.57 J	4.8 J	0.75 J	1 J	3.1	3.1	0.99 J	0.83 J	0.77 J	0.45 J	1.1 J	0.63 J	<1.3 U	<1.3 U	<0.066 U
N24617IAK	24617 MARBELLA AVE	2012-03-02	09:05	Kitchen		0.5 J	2.5 J	0.69 J	0.61 J	1.8 J	8.7	0.49	0.39 J	0.35 J	1.1	0.66 J	0.39 J	<0.81 U	<0.81 U	0.26
N24617IAB	24617 MARBELLA AVE	2012-03-02	09:06	Bedroom		0.52 J	2.8 J	0.7 J	0.39 J	1.7 J	10	0.56 J	0.57 J	0.69 J	1.6	0.62 J	0.4 J	<0.87 U	<0.87 U	0.23
N24618OAB	24618 NEPTUNE AVE	2011-01-26	13:17	Outdoor Air		0.56 J	2.8 J	0.47 J	4.5	9	4.9	2.9	2.6	3.1	1.2	2.6	0.44 J	0.85	0.9	<0.034
N24618OAF	24618 NEPTUNE AVE	2011-01-26	13:18	Outdoor Air		0.54 J	2.1 J	0.47 J	3.7	7.5	4	2.3	2.1	2.6	0.92	2.1	0.37 J	0.69	0.71	<0.034
N24618IAB	24618 NEPTUNE AVE	2011-01-26	14:20	Bedroom		0.58 J	3.1 J	0.49 J	4.2	7.8	9.5	2.7	2.2	2.8	1.2	2.4	0.38 J	0.77	0.8	<0.03
N24618IAK	24618 NEPTUNE AVE	2011-01-26	14:21	Kitchen		0.56 J	3 J	0.51 J	4.3	8.2	9.1	2.8	2.3	2.9	1.2	2.5	0.42 J	0.78	0.83	<0.033
N24618IAG	24618 NEPTUNE AVE	2011-01-26	14:22	Garage		0.57 J	4 J	0.48 J	5.5	9.4	11	3.5	2.6	3.2	1.2	2.7	0.47 J	0.85	0.9	<0.032
N24618OAF	24618 NEPTUNE AVE	2012-07-26	13:11	Outdoor Air		0.48 J	1.1 J	0.49 J	0.51 J	0.48 J	<8.3 U	0.24 J	<0.83 U	<0.83 U	<0.83 U	<1.7 U	<0.83 U	<0.83 U	<0.83 U	<0.041 U
N24618OAB	24618 NEPTUNE AVE	2012-07-26	13:12	Outdoor Air		0.45 J	0.85 J	0.49 J	0.51 J	<1.7 U	97	0.24 J	<0.86 U	<0.86 U	<0.86 U	<1.7 U	<0.83 U	<0.86 U	<0.86 U	<0.043 U
N24618IAB	24618 NEPTUNE AVE	2012-07-26	14:11	Bedroom		0.45 J	1.6 J	0.53 J	0.63 J	1.2 J	3.2 J	0.25 J	0.44 J	0.43 J	<0.89 U	<1.7 U	<0.83 U	<0.83 U	<0.83 U	0.16
N24618IAK	24618 NEPTUNE AVE	2012-07-26	14:13	Kitchen		0.45 J	1.2 J	0.56 J	0.73 J	1 J	3.7 J	0.33 J	0.36 J	0.4 J	<0.94 U	<1.8 U	<0.94 U	<0.94 U	<0.94 U	0.12
N24618OAF	24618 NEPTUNE AVE	2012-07-26	14:13	Garage		0.45 J	3.1 J	0.51 J	1.5	2.9	5.3 J	0.36 J	0.99	1	<0.89 U	<1.8 U	<0.99 U	0.33 J	<0.89 U	<0.044 U
N24618OAB	24618 PANAMA AVE	2012-04-18	13:43	Outdoor Air		0.48 J	0.97 J	0.5 J	0.4 J	0.51 J	0.8 J	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<1.6 U	0.81	<0.78 U	<0.78 U	<0.039 U
N24618OAF	24618 PANAMA AVE	2012-04-18	13:44	Outdoor Air		0.49 J	1.4 J	0.54 J	0.39 J	0.55 J	0.8 J	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.04 U
N24618IAK	24618 PANAMA AVE	2012-04-18	14:41	Kitchen		0.53 J	7.5 J	0.67 J	0.89	1.9	30	1.4	0.75 J	0.75 J	1.2	0.58 J	0.65 J	<0.87 U	<0.87 U	0.38
N24618IAB	24618 PANAMA AVE	2012-04-18	14:42	Bedroom		0.59 J	29	0.66 J	0.86	1.9	36	1.3	0.74	0.75 J	1.2	0.52 J	0.94 J	0.73 J	<0.67 U	0.45
N24618BAG	24618 PANAMA AVE	2012-04-18	14:43	Garage		0.52 J	29	0.75	1.8	4.1	130	1.9	2.5	1.2	0.47 J	1.2 J	1.3	0.94	0.79	<0.71 U
N24619OAF	24619 NEPTUNE AVE	2012-07-12	08:54	Outdoor Air		0.45 J	0.53 J	0.3 J	0.69 J	1.1 J	1.8 J	0.38 J	0.38 J	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.044 U
N24619OAB	24619 NEPTUNE AVE	2012-07-12	08:53	Outdoor Air		0.55 J	1.1 J	0.38 J	0.91	1.3 J	1.7 J	0.49 J	0.5 J	0.47 J	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U
N24619IAK	24619 NEPTUNE AVE	2012-07-12	09:08	Kitchen		0.44 J	2 J	0.5 J	1.6	1.4 J	14 M	1.2	0.63 J	0.57 J	0.59 J	<1.8 U	0.32 J	<0.9 J	<0.9 U	0.41
N24619IAB	24619 NEPTUNE AVE	2012-07-12	09:09	Bedroom		0.54 J	3.4 J	0.67 J	1.7	2	26 M	2.8	0.88 J	0.86 J	1	0.62 J	0.58 J	<0.94 U	<0.94 U	0.57
N24619IAG	24619 NEPTUNE AVE	2012-07-12	09:12	Garage		0.53 J	3.9 J	0.41 J	4	7.9	25 M	1.6	4.7	3	0.61 J	1.3 J	0.4 J	1.1	1.2	<0.045 U
N24619OAB	24619 PANAMA AVE	2011-02-10	13:10	Outdoor Air		0.61 J	3.8 J	0.56 J	9.5	5	3.8	1.9	1.7	1.8	0.57 J	2	0.3 J	0.5 J	0.53 J	<0.035
N24619OAF	24619 PANAMA AVE	2011-02-10	13:11	Outdoor Air		0.57 J	3.5 J	0.48 J	3.4	4.9	3.6	1.9	1.6	1.7	0.61 J	2	0.31 J	0.59 J	0.59 J	<0.033
N24619BAG	24619 PANAMA AVE	2011-02-10	14:13	Garage		0.54 J	3.6 J	0.49 J	3.4	5	7.6	1.9	1.6	1.7	0.66 J	1.9	0.32 J	0.53 J	0.52 J	<0.036

Table B-4
Indoor, Garage, and Outdoor Air Results
Former K&T Property
Carson, California

		Analyte Units		Frequency of Detection																
		Freon 113	2-Butanone (Methyl Ethyl Ketone)	Chloro-methane	Hexane	p/m-Xylene	Isopropanol	Heptane	1,2,4-Trimethylbenzene	o-Xylene	Styrene	Cyclohexane	4-Methyl-2-Pentanone	1,3,5-Trimethylbenzene	4-Ethyltoluene	Bromodichloromethane				
		UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3				
Sample ID	Address	Sample Date	Sample Time	Location	08/15/96	08/26/96	07/54/96	05/15/96	05/31/96	00/89/96	88/37/96	07/61/96	88/70/96	06/67/96	59/60/96	48/97/96	39/71/96	55/80/96		
P24619IAB	24619 PANAMA AVE	2011-02-10	14:14	Bedroom	0.58 J	3.7 J	0.62 J	3.4	6.8	30	2	1.5	1.7	0.68	2	0.49 J	0.45 J	0.48 J	0.7	
P24619IAK	24619 PANAMA AVE	2011-02-10	14:14	Kitchen	0.55 J	3.1 J	0.5 J	8.4	4.9	22	2	1.6	1.7	0.77	2	0.82 J	0.5 J	0.51 J	0.71	
P24619OAB	24619 PANAMA AVE	2011-12-07	13:14	Outdoor Air	0.49 J	1.8 J	0.47 J	4.7	6.2	9.9 b	2.8	1.7	2.2	0.57 J	2.7	<0.76 U	0.38 J	0.45 J	<0.038 U	
P24619OAF	24619 PANAMA AVE	2011-12-07	13:14	Outdoor Air	0.51 J	1.9 J	0.46 J	5.5	8.4	17.5	3.5	3	3	0.89 J	3.1	0.48 J	0.36	0.89	<0.039 U	
P24619IAB	24619 PANAMA AVE	2011-12-07	14:14	Bedroom	0.48 J	1.4 J	0.45 J	1.3	5.6	6.6 b	1.1	2	2.1	0.55 J	0.7 J	0.81 J	0.57 J	0.66	0.51	
P24619IAG	24619 PANAMA AVE	2011-12-07	14:14	Garage	0.47 J	2.2 J	0.47 J	4.9	7.1	18 b	3	2.3	2.5	0.82 J	2.7	0.35 J	0.7 J	0.74 J	<0.04 U	
P24619IAK	24619 PANAMA AVE	2011-12-07	14:14	Kitchen	0.5 J	1.6 J	0.48 J	4	5.3	7.9 b	2.4	1.5	1.9	0.52 J	2.3	0.38 J	0.5 J	0.5 J	0.68	
M24622OAF	24622 MARBELLA AVE	2012-11-15	08:10	Outdoor Air	0.56 J	1.4 J	0.65 J	1.8	2.7	1.3 J	0.88 J	0.91	0.99	0.82 J	0.77 J	<0.91 U	0.29 J	0.3 J	<0.045 U	
M24622OAB	24622 MARBELLA AVE	2012-11-15	08:12	Outdoor Air	0.52 J	2.8 J	0.5 J	1.7	2.5	1.1 J	0.85	0.88	0.92	0.38 J	0.71 J	<0.78 U	0.3 J	0.27 J	<0.039 U	
M24622IAB	24622 MARBELLA AVE	2012-11-15	09:10	Bedroom	0.53 J	9 J	1.1	2.5	6.8	21	1.8	2.1	3.1	2.6	1.4 J	0.59 J	0.65 J	0.61 J	1	
M24622IAG	24622 MARBELLA AVE	2012-11-15	09:10	Garage	0.53 J	25	0.72 J	4.3	18	6.2 J	4.6	3.2	5.5	5.9	2.8	1.5	0.87 J	0.91 J	<0.047 U	
M24622IAK	24622 MARBELLA AVE	2012-11-15	09:11	Kitchen	0.54 J	8.7 J	1.1	2.6	9.1	18	1.9	3.3	2.7	1.4 J	0.6 J	0.62 J	0.62 J	0.99		
M24622IAB	24622 NEPTUNE AVE	2012-03-29	09:41	Outdoor Air	0.5 J	0.9 J	0.45 J	0.69 J	0.77 J	<1.4 U	0.31 J	0.34 J	0.29 J	<0.72 U	<1.4 U	<0.72 U	<0.72 U	<0.038 U		
M24622OAB	24622 NEPTUNE AVE	2012-03-29	09:41	Outdoor Air	0.49 J	0.77 J	0.41 J	0.71 J	0.64 J	0.76 J	0.77 J	<0.76 U	0.22 J	<0.76 U	<1.5 U	<0.76 U	<0.76 U	<0.76 U	<0.038 U	
M24622IAB	24622 NEPTUNE AVE	2012-03-29	10:12	Bedroom	0.55 J	3.8 J	0.55 J	1	3.3	7.4	1.4	1.5	1.6	1.5	<1.5 U	1.2	0.54 J	0.46 J	0.14	
M24622IAK	24622 NEPTUNE AVE	2012-03-29	10:16	Kitchen	0.49 J	3.7 J	0.52 J	1	2.9	8	1.5	1.4	1.4	0.91	<1.6 U	1.4	0.45 J	0.45 J	0.14	
M24622IAG	24622 NEPTUNE AVE	2012-03-29	10:17	Garage	0.49 J	6.6 J	0.49 J	1.3	3.4	6.5	2.7	2.2	1.3	0.37 J	<1.5 U	3.3	0.74 J	0.72 J	<0.038 U	
M24623OAB	24623 MARBELLA AVE	2011-01-27	13:14	Outdoor Air	0.52 J	3.8 J	0.52 J	3.2	5.3	3.7	1.9	1.7	1.8	0.72	1.9	0.77 J	0.56 J	0.57 J	<0.036	
M24623OAF	24623 MARBELLA AVE	2011-01-27	13:15	Outdoor Air	0.5 J	2.1 J	0.51 J	3.2	5.4	3.9	1.8	1.7	1.9	0.69 J	1.8	<0.71	0.56 J	0.58 J	<0.038	
M24623IAB	24623 MARBELLA AVE	2011-01-27	14:15	Garage	0.53 J	2.5 J	0.54 J	3.9	7.4	47	2.3	3.8	2.6	0.86	2.1	0.54 J	1.2	1.1	<0.035	
M24623IAK	24623 MARBELLA AVE	2011-01-27	14:16	Bedroom	0.52 J	2.4 J	0.37 J	3.6	6.2	39	2.1	2	2.2	1.2	2.4	0.46 J	0.5 J	0.61 J	0.99 M	
M24623IAG	24623 MARBELLA AVE	2011-01-27	14:17	Kitchen	0.53 J	5.8 J	0.39 J	3.7	6.2	35	2.2	2	2.2	1.1	2.5	1.4	0.61 J	0.63 J	1 M	
M24623OAB	24623 NEPTUNE AVE	2011-03-30	08:12	Outdoor Air	0.56 J	1.9 J	0.74	1.9	2.8	2.5	1.1	0.88	1	0.33 J	1.1 J	0.25 J	0.29 J	0.29 J	<0.035	
M24623OAF	24623 NEPTUNE AVE	2011-03-30	08:13	Outdoor Air	0.54 J	1.4 J	0.7 J	2.6	3.4	2.5	1.4	1.1	1.2	0.36 J	1.3 J	0.25 J	0.38 J	0.36 J	<0.035	
M24623IAB	24623 NEPTUNE AVE	2011-03-30	09:24	Bedroom	0.53 J	2.8 J	0.9	1.7	2.8	16	1.3	1.1	1	0.62 J	1.1 J	0.35 J	0.33 J	0.32 J	0.39	
M24623IAK	24623 NEPTUNE AVE	2011-03-30	09:24	Kitchen	0.51 J	2.6 J	0.85 J	1.8	2.9	13	1.3	0.95	1	0.68 J	1 J	0.37 J	0.28 J	0.3 J	0.36	
M24623IAG	24623 NEPTUNE AVE	2011-03-30	09:27	Garage	0.49 J	1.5 J	0.59 J	1.5	4.2	2.3	1	1.1	1.4	0.5 J	0.79 J	0.32 J	0.38 J	0.31 J	<0.035	
M24627OAF	24627 MARBELLA AVE	2012-05-10	13:05	Outdoor Air	0.55 J	2.1 J	0.57 J	0.29 J	0.78 J	<1.8 U	<0.91 U	0.31 J	<0.91 U	<0.91 U	<1.8 U	<0.91 U	<0.91 U	<0.91 U	<0.045 U	
M24627OAB	24627 MARBELLA AVE	2012-05-10	13:08	Outdoor Air	0.6 J	<9.1 U	0.43 J	<0.91 U	<1.8 U	1.1 J	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<1.8 U	<0.91 U	<0.91 U	<0.91 U	<0.046 U	
M24627IAB	24627 MARBELLA AVE	2012-05-10	14:06	Garage	0.53 J	1.9 J	0.47 J	0.58 J	1.4 J	70	0.3 J	1	0.55 J	0.73 J	<1.8 U	0.34 J	0.35 J	0.31 J	0.094	
M24627IAG	24627 MARBELLA AVE	2012-05-10	14:07	Kitchen	0.53 J	1.3 J	0.45 J	0.4 J	0.96 J	16	<0.98 U	0.45 J	0.43 J	1.3	<2 U	<0.98 U	<0.98 U	<0.98 U	0.13	
M24627IAK	24627 MARBELLA AVE	2012-05-10	14:08	Bedroom	0.5 J	1.6 J	0.42 J	0.34 J	0.94 J	14	<0.91 U	0.44 J	0.43 J	1.3	<1.8 U	0.31 J	<0.91 U	<0.91 U	0.13	
M24628OAF	24628 MARBELLA AVE	2011-06-22	08:01	Outdoor Air	0.51 J	0.62 J	0.43 J	0.58 J	1.1 J	<1.8 U	0.34 J	0.42 J	0.39 J	<0.85 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.04 U	
M24628OAB	24628 MARBELLA AVE	2011-06-22	08:05	Outdoor Air	0.48 J	0.59 J	0.41 J	0.48 J	1.3 J	<1.7 U	0.3 J	0.47 J	0.34 J	<0.85 U	<1.7 U	<0.85 U	<0.85 U	<0.85 U	<0.042 U	
M24628IAB	24628 MARBELLA AVE	2011-06-22	09:07	Bedroom	0.5 J	1.3 J	0.46 J	0.51 J	1 J	<1.4 U	0.35 J	0.83	0.39 J	1	<1.4 U	<0.75 U	<0.72 U	<0.72 U	0.044 b	
M24628IAG	24628 MARBELLA AVE	2011-06-22	09:07	Garage	0.47 J	2.1 J	0.41 J	0.53 J	1.7 J	<1.5 U	0.34 J	0.4 J	0.42 J	<0.73 U	<1.5 U	<0.73 U	<0.73 U	<0.73 U	<0.037 U	
M24628IAK	24628 MARBELLA AVE	2011-06-22	09:08	Kitchen	0.52 J	1.1 J	0.44 J	0.55 J	1 J	0.57 J	0.37 J	0.54 J	0.37 J	0.53 J	<1.4 U	<0.68 U	<0.68 U	<0.68 U	0.075 b	
M24628IAB	24628 MARBELLA AVE	2011-10-28	11:12	Outdoor Air	0.49 J	1.3 J	0.66 J	2.7	2.5	2.4 b	1.1	0.9	0.9	0.32 J	1.1 J	<0.79 U	0.28 J	0.27 J	<0.04 U	
M24628OAF	24628 MARBELLA AVE	2011-10-28	11:13	Outdoor Air	0.51 J	1.6 J	0.76 J	2.7	2.8	2.6 b	1.2	0.97	0.99	0.34 J	1.2 J	<0.78 U	0.31 J	0.29 J	<0.039 U	
M24628IAG	24628 MARBELLA AVE	2011-10-28	12:13	Bedroom	0.49 J	1.3 J	0.68 J	1.5	1.1	1.6 b	0.69 J	0.44 J	0.46 J	0.74 J	0.69 J	<0.74 U	<0.74 U	<0.74 U	<0.037 U	
M24628IAK	24628 MARBELLA AVE	2011-10-28	12:13	Garage	0.51 J	1.7 J	0.68 J	2.5	2.9	2.4 b	1.1	0.92	1	0.33 J	1.1 J	<0.87 U	<0.87 U	<0.87 U	<0.043 U	
M24628IAB	24628 MARBELLA AVE	2011-10-28	12:13	Kitchen	0.52 J	1.8 J	0.71 J	1.8	1.5	3.1 b	0.83	0.52 J	0.33 J	0.5 J	0.8 J	<0.72 U	<0.72 U	<0.72 U	<0.036 U	
M24629OAB	24629 NEPTUNE AVE	2011-02-02	13:13	Outdoor Air	0.66 J	1.7 J	0.35 J	2.7	3.8	3.7	1.7	1.3	1.3	0.5 J	1.6	<0.78 U	0.7 J	0.41 J	<0.038	
M24629OAF	24629 NEPTUNE AVE	2011-02-02	13:14	Outdoor Air	0.52 J	1.5 J	0.32 J	2.5	4	2.8	1.5	1.3	1.4	0.47 J	1.5	<0.75 U	0.42 J	0.4 J	<0.042	
M24629IAB	24629 NEPTUNE AVE	2011-02-02	14:18	Bedroom	0.53 J	4.2 J	b	<0.91	5	8.8	8.2	2.8	5.1	3.2	0.73 J	3.7	<0.91	1.3	1.3	1.7 M
M24629IAK	24629 NEPTUNE AVE	2011-02-02	14:19	Kitchen	0.51 J	4.1 b	0.34 J	5.3	9.4	10	2.9	6.6	3.7	0.77	4	0.29 J	1.6	1.6	1.7 M	
M24629IAG	24629 NEPTUNE AVE	2011-02-02	14:20	Garage	0.55 J	2.4 J	b	0.32 J	2.9	16	3.8	1.9	11	5.8	0.53 J	1.8	0.45 J	2.5	<0.037	
P24702OAB	24702 PANAMA AVE	2011-02-23	13:00	Outdoor Air	0.51 J	1.4 J	0.5 J	1.4	8.4	2.9	0.84	1.8	1.2	0.44 J	0.92 J	0.2 J	0.57 J	0.49 J	<0.035	
P24702OAF	24702 PANAMA AVE	2011-02-23	13:01	Outdoor Air	0.56 J	1.5 J	0.51 J	1.4	2.7	1.2 J	0.82	0.97	0.97	0.36 J	0.91 J	<0.68	0.81 J	0.29 J	<0.037	
P24702IAK	24702 PANAMA AVE	2011-02-23	14:09	Kitchen	0.54 J	2.2 J	0.52 J	1.4	3.1	19	0.9	1	1.1	0.69 J	0.92 J	0.51 J	0.34 J	0.33 J	0.44	
P24702IAB	24702 PANAMA AVE	2011-02-23	14:10	Bedroom	0.54 J	2.3 J	0.54 J	1.2	3	27	0.81	1.1	1.1	0.71	0.88 J	0.42 J	0.34 J	0.34 J	0.57	
P24702IAG	24702 PANAMA AVE	2011-02-23	14:18	Garage	0.45 J	1.8 J	0.46 J	3.3	2.8	6.4	0.78	0.82	0.53	0.38 J	0.85 J	<0.64	0.25 J	0.25 J	<0.034	

Table B-4
Indoor, Garage, and Outdoor Air Results
Fenner, East Property
Cerritos, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Unit Frequency of Detection	Freon 113	2-Butenone (Methyl Ethyl Ketone)	Chloro- methane	Hexane	p/m-Xylene	Isopro- panol	Heptane	1,2,4- Trimethyl- benzene	o-Xylene	Styrene	Cyclo- hexane	4-Methyl-2- Pentanone	1,3,5- Trimethyl- benzene	4-Ethyltoluene	Bromodichlo- romethane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						88.36%	98.26%	97.58%	95.13%	93.51%	90.89%	88.37%	87.61%	86.70%	86.67%	59.69%	45.97%	41.74%	39.71%	35.06%
M247030AB	24703 MARBELLA AVE	2012-04-19	13:07	Outdoor Air		0.47	0.86	0.43	0.46	0.72	0.67	0.26	0.28	0.26	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U
M247030AF	24703 MARBELLA AVE	2012-04-19	13:09	Outdoor Air		0.49	0.64	0.45	0.45	0.76	1.8	0.27	0.29	0.28	<0.78 U	<1.6 U	<0.78 U	<0.78 U	<0.78 U	<0.89 U
M247030AB	24703 MARBELLA AVE	2012-04-19	14:07	Bedroom		0.48	0.3	0.32	0.66	2.2	8.1	0.68	2.9	1	1.1	0.46	0.47	0.73	0.48	0.39
M247030AB	24703 MARBELLA AVE	2012-04-19	14:08	Garage		0.5	4.2	0.46	0.78	2.5	7.9	0.77	0.99	0.87	0.3	0.47	0.52	0.3	0.28	<0.046 U
M247030AB	24703 MARBELLA AVE	2012-04-19	14:08	Kitchen		0.47	3	0.51	0.61	2.2	7.2	0.65	2.9	1	1	0.51	0.46	0.79	0.48	0.28
M247070AF	24707 MARBELLA AVE	2012-09-06	08:40	Outdoor Air		0.51	0.85	0.42	0.99	1.1	7.4	0.34	0.38	0.36	<1 U	<2.1 U	<1 U	<1 U	<1 U	<0.051 U
M247070AB	24707 MARBELLA AVE	2012-09-06	08:42	Outdoor Air		0.61	1.4	0.48	0.84	0.95	<10 U	0.39	0.39	0.37	<1 U	<2 U	<1 U	<1 U	<1 U	<0.051 U
M247070AB	24707 MARBELLA AVE	2012-09-06	09:40	Garage		0.47	5	0.35	1.7	2.7	20	0.62	1.2	0.95	0.67	<2 U	0.61	<1 U	<1 U	<0.051 U
M247070AB	24707 MARBELLA AVE	2012-09-06	09:41	Bedroom		0.54	4	0.56	1.4	3.3	27	0.8	1.3	1.2	1.1	0.72	0.57	0.36	0.32	<0.092 U
M247070AB	24707 MARBELLA AVE	2012-09-06	09:42	Kitchen		0.45	2.5	0.41	1.3	2.6	18	0.44	0.86	1.1	0.75	0.62	0.57	<1 U	<1 U	<0.05 U
P247090AB	24709 PANAMA AVE	2012-08-15	08:21	Outdoor Air		0.47	1.4	0.47	0.51	0.68	0.66	0.3	0.36	0.75	<0.75 U	<1.5 U	<0.75 U	<0.75 U	<0.75 U	<0.038 U
P247090AF	24709 PANAMA AVE	2012-08-15	08:24	Outdoor Air		0.47	1.7	0.69	0.74	0.78	<9.5 U	0.31	0.31	<0.96 U	<0.96 U	<1.9 U	<0.96 U	<0.96 U	<0.96 U	<0.048 U
P247090AB	24709 PANAMA AVE	2012-08-15	09:25	Bedroom		0.46	1.9	0.8	0.94	3.3	28	1.7	1.9	1.3	1	0.87	<0.93 U	0.56	0.43	0.7
P247090AB	24709 PANAMA AVE	2012-08-15	09:25	Kitchen		0.43	2.2	0.78	0.9	3.1	13	1.6	1.8	1.2	0.59	0.58	<0.96 U	0.55	0.38	<0.048 U
P247090AB	24709 PANAMA AVE	2012-08-15	09:27	Garage		0.43	0.72	0.67	1.1	2.6	9.8	1.2	1.6	1.1	<0.95 U	0.63	1	0.48	0.36	<0.048 U
M247090AB	24709 NEPTUNE AVE	2012-08-09	08:26	Outdoor Air		0.52	1	0.4	0.69	0.7	0.77	0.34	<0.83 U	0.27	<0.83 U	<1.7 U	<0.83 U	<0.83 U	<0.83 U	<0.041 U
M247090AB	24709 NEPTUNE AVE	2012-08-09	08:28	Outdoor Air		0.48	1.2	0.39	0.61	0.69	0.69	0.35	<0.88 U	<0.88 U	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U
M247090AB	24709 NEPTUNE AVE	2012-08-09	09:26	Garage		0.47	1.8	0.41	0.82	1.3	11	0.51	0.59	0.53	<1 U	<2 U	<1 U	<1 U	<1 U	<0.05 U
M247090AB	24709 NEPTUNE AVE	2012-08-09	09:27	Bedroom		0.51	3.5	0.48	0.98	2.7	8.6	0.61	0.94	1.1	0.83	<2 U	1.8	<0.99 U	<0.99 U	0.55
M247090AB	24709 NEPTUNE AVE	2012-08-09	09:27	Kitchen		0.51	2.5	0.43	0.87	2.5	6.2	0.53	1.1	1.1	0.84	<1.8 U	0.73	0.37	0.29	0.27
P247090AF	24709 PANAMA AVE	2012-03-07	13:58	Outdoor Air		0.52	1.3	0.54	1.2	2.5	2.2	0.78	0.9	0.89	0.38	0.78	<0.71 U	0.3	0.29	<0.036 U
P247090AB	24709 PANAMA AVE	2012-03-07	14:00	Outdoor Air		0.53	1.4	0.51	1.1	2.3	1.9	0.71	0.74	0.75	0.36	0.68	<0.81 U	<0.81 U	<0.81 U	<0.04 U
P247090AB	24709 PANAMA AVE	2012-03-07	14:55	Bedroom		0.57	2.3	0.62	1.1	3.9	8.8	0.63	4	2.1	0.78	0.87	0.21	1.6	1.2	0.38
P247090AB	24709 PANAMA AVE	2012-03-07	14:56	Kitchen		0.46	1.3	0.55	0.82	3.3	19	0.65	3.4	1.8	0.53	0.68	<0.69 U	1.3	1.1	0.27
P247090AB	24709 PANAMA AVE	2012-03-07	14:57	Garage		0.51	1.8	0.53	1.1	1.7	4.3	0.74	0.75	0.68	0.38	0.67	0.36	0.26	<0.74 U	0.24
M2471000AF	24710 MARBELLA AVE	2012-05-02	13:30	Outdoor Air		0.53	<8.9 U	0.54	<0.89 U	<1.5 U	1.7	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<1.6 U	<0.89 U	<0.89 U	<0.89 U	0.027
M2471000AB	24710 MARBELLA AVE	2012-05-02	13:34	Outdoor Air		0.52	1	0.49	<0.87 U	<1.7 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	0.031
M2471000AB	24710 MARBELLA AVE	2012-05-02	14:25	Garage		<1 U	8.6	0.45	5.4	6.6	38	6.1	3.2	2.7	3.9	5.3	<1 U	1.1	<1 U	<0.05 U
M2471000AB	24710 MARBELLA AVE	2012-05-02	14:28	Kitchen		0.52	2.3	0.57	0.61	1.2	7.5	1.9	0.54	0.47	1.1	<2 U	<1 U	<1 U	<1 U	0.18
M2471000AB	24710 MARBELLA AVE	2012-05-02	14:40	Bedroom		0.55	1.9	0.52	0.57	1.1	8	4.9	0.52	0.44	1.5	0.53	<0.95 U	<0.95 U	<0.95 U	0.26
P247120AB	24712 PANAMA AVE	2011-02-24	13:18	Outdoor Air		0.56	0.93	0.5	1.1	1.3	0.84	0.62	0.58	0.46	<0.68	0.66	<0.68	0.7	<0.68	<0.035
P247120AB	24712 PANAMA AVE	2011-02-24	13:19	Outdoor Air		0.56	0.69	0.5	1.3	1.3	1.1	0.71	0.49	0.45	<0.68	0.72	<0.68	<0.68	<0.68	<0.034
P247120AB	24712 PANAMA AVE	2011-02-24	14:23	Bedroom		0.55	1.2	0.5	1.3	1.7	8.8	0.76	0.83	0.61	0.42	0.73	<0.64	0.23	0.23	0.37
P247120AB	24712 PANAMA AVE	2011-02-24	14:28	Garage		0.55	1.1	0.46	1.1	1.8	4.2	0.87	0.68	0.61	0.62	0.62	0.22	0.23	0.23	<0.034
P247120AB	24712 PANAMA AVE	2011-02-24	14:28	Kitchen		0.57	1.2	0.47	1.2	1.5	7.6	0.78	0.61	0.54	0.39	0.69	<0.66	0.21	<0.65	0.38
P247120AB	24712 PANAMA AVE	2011-06-09	08:13	Outdoor Air		0.48	1.51	0.58	0.26	<2 U	0.96	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<0.051 U
R247120AB	24712 RAVENNA AVE	2011-06-09	08:14	Outdoor Air		0.6	0.86	0.54	0.45	0.58	<1.6 U	0.28	0.21	0.21	<0.79 U	<1.6 U	<0.79 U	<0.79 U	<0.79 U	<0.039 U
R247120AB	24712 RAVENNA AVE	2011-06-09	10:30	Kitchen		0.58	2.61	0.72	1.5	4.7	180	1.4	1.4	1.6	0.34	0.67	0.27	0.31	0.46	0.2
R247120AB	24712 RAVENNA AVE	2011-06-09	10:31	Bedroom		0.59	4.21	0.72	2.6	8.2	230	3.9	2.3	2.8	0.85	1.3	0.31	0.51	0.75	0.36
R247120AB	24712 RAVENNA AVE	2011-06-09	10:34	Garage		0.59	9.1	0.64	1.2	42	15	7.9	11	14	0.25	3.8	0.3	2.2	3.7	<0.034 U
M247150AB	24715 NEPTUNE AVE	2011-02-17	00:00	Bedroom		0.52	2.7	0.34	1.9	5.1	69	1	1.6	1.8	0.79	1.2	0.36	0.48	0.38	1.4
M247150AB	24715 NEPTUNE AVE	2011-02-17	00:00	Garage		0.51	3.1	<0.91	1.8	4.4	5.9	0.84	4.2	1.7	<0.91	0.74	<0.91	1.4	1.2	<0.054
M247150AB	24715 NEPTUNE AVE	2011-02-17	00:00	Kitchen		0.53	2.7	0.32	2.8	4.2	33	1.2	1.1	1.5	0.78	1.4	0.29	0.35	0.31	1
M247150AB	24715 NEPTUNE AVE	2011-02-17	00:00	Outdoor Air		0.52	2	0.32	1.7	1.8	2.3	0.78	0.52	0.62	<0.68	0.71	<0.68	<0.68	<0.68	<0.036
M247150AB	24715 NEPTUNE AVE	2011-02-17	00:00	Outdoor Air		0.52	2.1	0.32	1.7	1.8	2.6	0.78	0.58	0.58	<0.68	0.71	<0.68	<0.68	<0.68	<0.036
M247160AF	24716 MARBELLA AVE	2012-05-23	08:11	Outdoor Air		0.47	0.86	0.51	<0.88 U	<1.8 U	2	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U
M247160AB	24716 MARBELLA AVE	2012-05-23	08:13	Outdoor Air		0.47	0.86	0.49	<0.88 U	<1.8 U	0.74	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U
M247160AB	24716 MARBELLA AVE	2012-05-23	09:14	Kitchen		0.45	4.5	0.64	0.61	2.8	15	0.55	1.3	1.1	1.1	0.53	1.7	0.35	0.33	0.21
M247160AB	24716 MARBELLA AVE	2012-05-23	09:15	Bedroom		0.46	3.3	0.61	0.5	2.4	18	0.46	1.2	0.92	0.81	0.5	1.5	0.3	0.3	0.19
M247160AB	24716 MARBELLA AVE	2012-05-23	09:16	Garage		0.43	3.7	0.61	0.85	2.7	9.7	0.77	1.8	1.1	<0.83 U	<1.7 U	9.9	0.46	0.39	0.068
P247160AB	24716 RAVENNA AVE	2012-02-29	09:37	Outdoor Air		0.48	0.84	0.41	0.35	0.67	0.76	<0.75 U	0.25	0.24	<0.75 U	<1.5 U	<0.75 U	<0.75 U	<0.75 U	<0.037 U
P247160AB	24716 RAVENNA AVE	2012-02-29	09:38	Outdoor Air		0.47	0.83	0.42	0.39	1.1	<1.6 U	0.37	0.41	0.41	<0.79 U	<1.6 U	<0.79 U	<0.79 U	<0.79 U	<0.039 U

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units Frequency of Detection	Freon 113	2-Butanone (Methyl Ethyl Ketone)	Chloro- methane	Hexane	p/m-Xylene	Isopro- panol	Heptane	1,2,4- Trimethyl- benzene	o-Xylene	Styrene	Cyclo- hexane	4-Methyl-2- Pentanone	1,8,5- Trimethyl- benzene	4-Ethyltoluene	Bromodichlo- romethane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						88.36%	98.26%	97.58%	95.15%	93.51%	90.89%	88.87%	87.61%	86.70%	86.67%	59.60%	46.97%	41.74%	39.71%	35.06%
M24718AG	24718 RAVENNA AVE	2012-02-29	10:37	Garage		0.45 J	1.9 J	0.4 J	8.5	7.5	2.7	5.7	8	2.5	0.24 J	8.1	0.41 J	0.82	0.71 J	<0.97 U
M24718AK	24718 RAVENNA AVE	2012-02-29	10:38	Kitchen		0.47 J	2.1 J	0.45 J	8.1	4.4	5.8	2.2	2.4	1.6	0.26 J	3	0.28 J	0.64 J	0.52 J	0.59
M24718AB	24718 RAVENNA AVE	2012-02-29	10:39	Bedroom		0.49 J	2.7 J	0.49 J	2.6	4.1	4.5	1.8	2.3	1.5	0.25 J	2.3	0.26 J	0.51 J	0.59	
M24718OAF	24717 MARBELLA AVE	2012-07-25	08:10	Outdoor Air		0.49 J	0.94 J	0.51 J	0.68 J	1.1	2.7 J	0.36 J	0.42 J	0.39 J	<0.62 U	<1.8 U	<0.92 U	<0.92 U	<0.92 U	<0.046 U
M24718OAB	24717 MARBELLA AVE	2012-07-25	08:13	Outdoor Air		0.47 J	0.46 J	0.54 J	0.39 J	<2 U	0.75 J	<0.58 U	<0.58 U	<0.58 U	<2 U	<0.58 U	<0.58 U	<0.58 U	<0.58 U	<0.049 U
M24718IAB	24717 MARBELLA AVE	2012-07-25	09:14	Bedroom		0.48 J	1.7 J	0.67 J	0.7 J	1.2 J	1.9	0.56 J	0.43 J	0.45 J	0.97 J	<2 U	<0.99 U	<0.99 U	<0.99 U	0.14 J
M24718IAG	24717 MARBELLA AVE	2012-07-25	09:14	Garage		0.47 J	1.3 J	0.52 J	1.1	2.4	7.3 J	0.64 J	0.86 J	0.82 J	0.79 J	<1.9 U	0.35 J	0.28 J	<0.93 U	<0.23 U
M24718IAB	24717 MARBELLA AVE	2012-07-25	09:14	Kitchen		0.48 J	2.2 J	0.65 J	0.67 J	1.3 J	5.9	0.55 J	0.45 J	0.48 J	1.5	<1.8 U	<0.88 U	<0.88 U	<0.88 U	0.11 J
M24718OAB	24718 NEPTUNE AVE	2012-02-23	08:25	Outdoor Air		0.49 J	0.99 J, b	0.63 J	1.4	1.5 J	2.1	0.7 J	0.54 J	0.58 J	<0.79 U	0.73 J	<0.79 U	<0.79 U	<0.79 U	<0.04 U
M24718OAF	24718 NEPTUNE AVE	2012-02-23	09:01	Outdoor Air		0.48 J	1.1 J, b	0.57 J	1.6	1.8	1.7	0.86	0.61 J	0.64 J	<0.78 U	0.85 J	<0.78 U	<0.78 U	<0.78 U	<0.039 U
M24718AB	24718 NEPTUNE AVE	2012-02-23	09:18	Bedroom		0.47 J	3.1 J, b	0.51 J	2.5	3	730 D	1.4	1	1.1	0.68 J	1.5 J	0.24 J	0.25 J	0.3 J	0.53
M24718AK	24718 NEPTUNE AVE	2012-02-23	09:18	Kitchen		0.44 J	2.7 J, b	0.6 J	2.3	2.7	620 D	1.3	0.98	0.98	0.7 J	1.4 J	<0.81 U	0.28 J	0.28 J	0.43
M24718IAG	24718 NEPTUNE AVE	2012-02-23	09:19	Garage		0.47 J	1.8 J, b	0.59 J	1.6	1.8	39	0.8	0.67 J	0.66 J	<0.77 U	0.83 J	<0.77 U	<0.77 U	<0.77 U	<0.039 U
M24718OAF	24718 PANAMA AVE	2012-10-17	08:13	Outdoor Air		0.59 J	3.8 J	0.93	4.1	4.4	4.5 J, b	2	1.4	1.5	0.34 J	1.8	0.28 J	0.39 J	0.59 J	<0.042 U
M24718OAB	24718 PANAMA AVE	2012-10-17	08:15	Outdoor Air		0.58 J	4.8 J	0.96	3.7	3.8	13	1.7	1.3	1.4	0.82 J	1.6 J	0.47 J	0.34 J	0.37 J	<0.049 U
M24718IAG	24718 PANAMA AVE	2012-10-17	09:13	Garage		0.62 J	16	1.2	3.2	10	11	2	6.7	3.9	2.2	1.5	1.3	1.9	1.4	<0.047 U
M24718IAB	24718 PANAMA AVE	2012-10-17	09:14	Bedroom		0.59 J	6.8 J	1.2	3.4	4.4	34	2.4	2.2	1.8	2.1	2	0.84 J	0.65 J	0.81 J	0.81
M24718IAK	24718 PANAMA AVE	2012-10-17	09:14	Kitchen		0.61 J	5.9 J	1.2	3.4	4.5	16	2.2	2.3	1.7	1.9	1.8 J	0.72 J	0.58 J	0.88 J	0.74
M24718OAF	24719 NEPTUNE AVE	2012-07-18	13:12	Outdoor Air		0.57 J	0.59 J	0.46 J	0.69 J	1.1 J	<8.6 U	0.41 J	0.43 J	0.39 J	<0.85 U	<1.7 U	<0.86 U	<0.86 U	<0.86 U	<0.045 U
M24718OAB	24719 NEPTUNE AVE	2012-07-18	13:15	Outdoor Air		0.54 J	0.91 J	0.44 J	0.66 J	0.94 J	1.1 J	0.72 J	0.42 J	0.39 J	<0.89 U	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.044 U
M24718IAG	24719 NEPTUNE AVE	2012-07-18	14:13	Garage		0.54 J	1.3 J	0.56 J	2.8	4.9	4.5 J	3	0.76 J	1.4	0.52 J	1.3	<0.91 U	<0.91 U	<0.91 U	<0.046 U
M24718IAB	24719 NEPTUNE AVE	2012-07-18	14:14	Bedroom		0.56 J	2.2 J	0.5 J	1	2.3	14	1.1	0.66 J	0.81	0.8 J	0.57 J	0.37 J	<0.81 U	<0.81 U	<0.041 U
M24718IAK	24719 NEPTUNE AVE	2012-07-18	14:14	Kitchen		0.58 J	1.6 J	0.52 J	0.86 J	1.7 J	10	0.83 J	0.53 J	0.66 J	0.51 J	0.64 J	<0.98 U	<0.98 U	<0.98 U	<0.049 U
M24718OAF	24719 PANAMA AVE	2012-09-27	08:08	Outdoor Air		0.42 J	1.2 J, b	0.43 J	0.53 J	0.79 J	<9.4 U	0.27 J	<0.94 U	<0.94 U	<0.94 U	<1.8 U	<0.94 U	<0.94 U	<0.94 U	<0.047 U
M24718OAB	24719 PANAMA AVE	2012-09-27	08:08	Outdoor Air		<1.2 U	0.86 J, b	0.51 J	0.84 J	0.84 J	<12 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<2.4 U	0.55 J	<1.2 U	<1.2 U	<0.06 U
M24718IAB	24719 PANAMA AVE	2012-09-27	09:12	Bedroom		0.41 J	2.1	0.61 J	0.94	4.1	9.9	2.6	0.75 J	1.6	0.53 J	0.49 J	0.55 J	0.8 J	0.8 J	0.21
M24718IAG	24719 PANAMA AVE	2012-09-27	09:13	Garage		0.44 J	2.8 J, b	0.58 J	0.91 J	4	<10 U	0.8 J	2.5	1.3	0.57 J	<2 U	<1 U	0.66 J	0.49 J	<0.05 U
M24718IAK	24719 PANAMA AVE	2012-09-27	09:13	Kitchen		0.43 J	16	0.59 J	0.78 J	3	8.9 J	2.1	0.77 J	1.2	0.51 J	<1.9 U	0.41	<0.96 U	<0.96 U	<0.048 U
M24719OAF	24719 RAVENNA AVE	2012-11-28	08:14	Outdoor Air		0.51 J	0.76 J, b	0.54 J	0.8 J	1.2 J	2.3 J	0.4 J	0.43 J	0.44 J	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.041 U
M24719OAB	24719 RAVENNA AVE	2012-11-28	08:15	Outdoor Air		0.57 J	1.1 J, b	0.44 J	0.98	1.4 J	1.2 J	0.52 J	0.57 J	0.51 J	0.3 J	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.041 U
M24719IAK	24719 RAVENNA AVE	2012-11-28	09:15	Kitchen		0.53 J	2.8 J, b	0.42 J	1.8	3	840 D	2.2	0.92 J	1.1	1.2	1.6 J	0.4 J	<0.94 U	<0.94 U	0.5
M24719IAG	24719 RAVENNA AVE	2012-11-28	09:17	Remodeled Garage		0.53 J	2.6 J, b	0.45 J	1.8	3	280	0.91 J	1.2	1.1	1.5	0.93 J	0.34 J	0.39 J	0.39 J	0.37
M24719IAB	24719 RAVENNA AVE	2012-11-28	09:20	Bedroom		0.54 J	2.9 J, b	0.45 J	1.7	3.1	380 D	2	0.88 J	1.1	1.1	1.4 J	0.79 J	<0.97 U	<0.97 U	0.51
M24722OAF	24722 MARBELLA AVE	2012-06-06	08:16	Outdoor Air		0.48 J	0.7 J	0.59 J	0.3 J	<1.9 U	0.7 J	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<1.8 U	<0.94 U	<0.94 U	<0.94 U	<0.047 U
M24722OAB	24722 MARBELLA AVE	2012-06-06	08:18	Outdoor Air		0.52 J	0.9 J	0.59 J	0.44 J	0.99 J	0.94 J	<0.93 U	<0.93 U	<0.93 U	<1.9 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.047 U
M24722IAG	24722 MARBELLA AVE	2012-06-06	09:16	Garage		0.54 J	1.7 J	0.64 J	0.55 J	1 J	12	1.1	0.37 J	0.36 J	0.44 J	<2 U	<0.94 U	<0.94 U	<0.94 U	<0.049 U
M24722IAB	24722 MARBELLA AVE	2012-06-06	09:17	Bedroom		0.5 J	2.2 J	0.61 J	0.62 J	0.9 J	10	0.56 J	0.37 J	0.35 J	0.52 J	<1.7 U	<0.87 U	<0.87 U	<0.87 U	0.35
M24722IAK	24722 MARBELLA AVE	2012-06-06	09:17	Kitchen		0.49 J	2.0 J	0.63 J	0.64 J	0.85 J	8.1	0.52 J	0.37 J	0.31 J	0.46 J	<1.8 U	<0.91 U	<0.91 U	<0.91 U	0.31
M24722OAB	24722 NEPTUNE AVE	2012-04-12	13:06	Outdoor Air		0.53 J	0.4 J	0.54 J	<0.81 U	<1.6 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.04 U
M24722OAF	24722 NEPTUNE AVE	2012-04-12	13:10	Outdoor Air		0.49 J	0.39 J	0.5 J	<0.79 U	<1.6 U	<1.6 U	<0.79 U	<0.79 U	<0.79 U	<1.6 U	0.64 J	<0.79 U	<0.79 U	<0.79 U	<0.04 U
M24722IAB	24722 NEPTUNE AVE	2012-04-12	14:10	Bedroom		0.48 J	1.8 J	0.58 J	1.2	0.75 J	18	1.1	0.29 J	0.28 J	<0.81 U	0.87 J	0.85	<0.81 U	<0.81 U	0.92
M24722IAG	24722 NEPTUNE AVE	2012-04-12	14:10	Garage		0.47 J	1.4 J	0.55 J	0.38 J	0.67 J	1.5 J	0.51 J	0.37 J	0.24 J	<0.82 U	<1.6 U	<0.82 U	<0.82 U	<0.82 U	<0.041 U
M24722IAK	24722 NEPTUNE AVE	2012-04-12	14:10	Kitchen		0.51 J	2.3 J	0.59 J	1.3	0.72 J	12	1	0.29 J	0.28 J	<0.82 U	0.82 J	0.73 J	<0.81 U	<0.81 U	0.28
M24722OAF	24722 PANAMA AVE	2012-04-25	08:08	Outdoor Air		0.49 J	0.78 J	0.44 J	0.82	1.2 J	2.9	0.69 J	0.37 J	0.41 J	<0.8 U	0.83 J	<0.8 U	<0.8 U	<0.8 U	<0.04 U
M24722OAB	24722 PANAMA AVE	2012-04-25	08:09	Outdoor Air		0.49 J	0.79 J	0.46 J	0.74 J	1.1 J	1.1 J	0.61 J	0.32 J	0.4 J	<0.81 U	<1.6 U	<0.81 U	<0.81 U	<0.81 U	<0.04 U
M24722IAG	24722 PANAMA AVE	2012-04-25	09:12	Garage		0.54 J	5 J	0.5 J	1	1.7 J	5.4	0.75 J	0.51 J	0.65 J	<0.95 U	0.92 J	<0.95 U	<0.95 U	<0.95 U	<0.048 U
M24722IAB	24722 PANAMA AVE	2012-04-25	09:14	Bedroom		0.53 J	2.3 J	0.51 J	0.95	1.6 J	3.7	1.6	0.34 J	0.5 J	0.39	0.5 J	1.3	<0.79 U	<0.79 U	0.2
M24722IAK	24722 PANAMA AVE	2012-04-25	09:15	Kitchen		0.54 J	2.2 J	0.53 J	0.99	1.6	8.7	1.9	0.31 J	0.6 J	0.39	0.51 J	<0.81 U	<0.81 U	<0.81 U	0.21
M24722OAF	24722 RAVENNA AVE	2012-11-08	13:05	Outdoor Air		0.62 J	0.53 J	0.7 J	0.35 J	0.59 J	<8.9 U	<0.89 U	<0.89 U	<0.89 U	<1.8 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.044 U
M24722OAB	24722 RAVENNA AVE	2012-11-08	13:06	Outdoor Air		0.6 J	<8.8 U	0.68 J	0.3 J	<1.6 U	<8.8 U	<0.88 U	<0.88 U	<0.88 U	<1.8 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.044 U
M24722IAG	24722 RAVENNA AVE	2012-11-08	14:05	Garage		0.56 J	5.1 J	0.64 J	1.7	14	6.8 J	4	8.5	5	0.81 J	1 J	1.6	3.8	1.9	<0.05 U
M24722IAK	24722 RAVENNA AVE	2012-11-08	14:06	Kitchen		0.58 J	2.7 J	0.74 J	0.7 J	3.3	7.7 J	0.93	1.7	1.3	0.72 J	0.81 J	0.99	0.53 J	0.37 J	0.65

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyst Units Frequency of Detection	2-Butanone (Methyl Ethyl Ketone)		Chloro- methane	Hexane	p/m-Xylene	Isopro- panol	Heptane	1,2,4- Trimethyl- benzene	o-Xylene	Styrene	Cyclo- hexane	4-Methyl-2- Pentanol	1,3,5- Trimethyl- benzene	4-Ethyltoluene	Bromodichloro- methane				
						Freon 113 UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						98.36%	98.26%	97.58%	95.15%	92.51%	90.89%	88.87%	87.61%	86.70%	66.67%	59.60%	46.97%	41.74%	39.71%	85.96%				
249377IAB	377 249TH ST	2012-08-28	09:25	Bedroom	0.47 J	2.7 J	0.66 J	0.56 J	1 J	7.4 J	0.37 J	0.32 J	0.44 J	0.57 J	<1.9 U	0.75 J	<0.93 U	<0.93 U	<0.93 U	0.25				
249377IAB	377 249TH ST	2012-08-28	09:25	Kitchen	0.59 J	2.3 J	0.62 J	0.7 J	1.3 J	8.4 J	0.44 J	0.47 J	0.66 J	3.6	<1.7 U	0.43 J	<0.88 U	<0.88 U	<0.88 U	0.2				
249378OAB	378 249TH ST	2011-05-11	13:11	Outdoor Air	0.5 J	1.7 J, b	0.67 J	1.1	1.2 J	1.4 J, b	0.56 J	0.46 J	0.46 J	<0.78	0.55 J	<0.78	<0.78	<0.78	<0.78	<0.095				
249379OAF	378 249TH ST	2011-05-11	13:14	Outdoor Air	0.59 J	2.3 J, b	0.77	1.1	1.4 J	8.4 b	0.69 J	0.55 J	0.52 J	<0.76	0.64 J	0.52 J	<0.76	<0.76	<0.76	<0.038				
249378IAK	378 249TH ST	2011-05-11	14:27	Kitchen	0.58 J	6.8 J, b	0.96	1.6	6.3	12 M, b	1.1	3.1	2.6	0.71 J	1.5 J	1.2	0.78 J	0.81 J	0.81 J	0.49				
249378IAB	378 249TH ST	2011-05-11	14:28	Bedroom	0.57 J	6.8 J, b	0.83	1.1	6	12 M, b	0.9	3	2.5	0.6 J	0.58 J	1.1	0.71	0.77	0.77	0.63				
249378IAG	378 249TH ST	2011-05-11	14:28	Garage	0.61 J	33 b	0.93	1.5	9.1	17 b	1.3	5.5	3.8	0.39 J	0.81 J	6	1.3	1.3	1.3	<0.039				
249378OAF	378 249TH ST	2012-02-23	13:03	Outdoor Air	0.52 J	1.4 J, b	0.55 J	1.7	1.8	0.96 J	1	0.64 J	0.63 J	<0.82 U	0.95 J	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.041 U				
249378OAB	378 249TH ST	2012-02-23	13:05	Outdoor Air	0.58 J	1.3 J, b	0.62 J	2	2.1	1.1 J	1.2	0.71 J	0.73 J	<0.74 U	1.2 J	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.037 U				
249378IAK	378 249TH ST	2012-02-23	14:04	Kitchen	0.49 J	3.8 J, b	0.59 J	1.8	7.6	3.8	1.2	4.2	3	0.55 J	0.95 J	0.61 J	1	0.93	0.39	0.39				
249378IAB	378 249TH ST	2012-02-23	14:05	Bedroom	0.54 J	5.7 J, b	0.64 J	2.2	9.5	4.5	1.6	5.2	3.8	0.67 J	1.3 J	0.76	1.3	1.2	1.2	0.47				
249378IAG	378 249TH ST	2012-02-23	14:06	Garage	0.57 J	15 b	0.66 J	3.1	12	2.8	2.3	3.3	4.9	0.62 J	1.6	2.4	2	1.7	1.7	<0.037 U				
249383OAF	383 249TH ST	2012-06-06	13:02	Outdoor Air	0.52 J	0.79 J	0.64 J	0.6 J	0.79 J	<1.8 U	0.27 J	0.3 J	0.32 J	<0.5 U	<1.8 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.045 U				
249383OAB	383 249TH ST	2012-06-06	13:04	Outdoor Air	0.53 J	0.56 J	0.56 J	0.31 J	0.53 J	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<1.7 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	0.002				
249383IAG	383 249TH ST	2012-06-06	14:03	Garage	0.51 J	1.4 J	0.65 J	1.5	12	18	1.2	7.6	4.1	0.34 J	0.59 J	<1 U	1.7	1.7	1.7	<0.05 U				
249383IAK	383 249TH ST	2012-06-06	14:03	Kitchen	0.53 J	1.3 J	0.59 J	0.61 J	3	9.2	0.41 J	1.5	1.1	0.5 J	<1.7 U	<0.83 U	0.34 J	0.37 J	0.37 J	0.22				
249383IAB	383 249TH ST	2012-06-06	14:04	Bedroom	0.52 J	1.5 J	0.74 J	0.63 J	3.6	16	0.43 J	1.8	1.2	0.49 J	<1.9 U	<0.94 U	0.4 J	0.47 J	0.47 J	0.26				
249402OAF	402 249TH ST	2012-09-21	08:11	Outdoor Air	0.47 J	1.6 J	0.54 J	3.3	2.3	2 b	1.8	0.71 J	0.78	<0.74 U	1.9	0.93	<0.74 U	<0.74 U	<0.74 U	<0.037 U				
249402OAB	402 249TH ST	2012-09-21	08:12	Outdoor Air	0.48 J	1.3 J	0.57 J	3.5	2.3	1.5 b	1.8	0.69 J	0.77	<0.71 U	2	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.036 U				
249402IAB	402 249TH ST	2012-09-21	09:11	Bedroom	0.46 J	5.8 J	0.64 J	2.5	4.8	18 b	1.5	2.1	1.7	0.94	1.6 J	0.54 J	0.47 J	0.5 J	0.59	0.59				
249402IAC	402 249TH ST	2012-09-21	09:13	Garage	0.48 J	6 J	0.66 J	2.8	4.7	17 b	1.6	2.1	1.7	0.92	1.6 J	0.49 J	0.47 J	0.47 J	0.47 J	0.54				
249402IAB	402 249TH ST	2012-09-21	09:12	Kitchen	0.46 J	4.9 J	0.59 J	2.3	5.2	18 b	1.5	1.9	1.9	1.1	1.3 J	0.6 J	0.46 J	0.46 J	0.46 J	0.58				
249412OAF	412 249TH ST	2012-09-26	13:10	Outdoor Air	0.56 J	1 J	0.53 J	1.3	1.9	0.98 J	0.43 J	0.7 J	0.68 J	<0.78 U	<1.6 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.039 U				
249412OAB	412 249TH ST	2012-09-26	13:11	Outdoor Air	0.54 J	1.3 J	0.58 J	1.1	1.4 J	0.84 J	0.36 J	0.52 J	0.51 J	<0.5 U	<1.8 U	0.76 J	<0.9 U	<0.9 U	<0.9 U	<0.045 U				
249412IAB	412 249TH ST	2012-09-26	14:10	Bedroom	0.57 J	3.4 J	0.69 J	2.1	5.1	4.7 J	1.4	2.2	1.8	0.74 J	1 J	0.45 J	0.61 J	0.56 J	0.56 J	0.24				
249412IAK	412 249TH ST	2012-09-26	14:10	Kitchen	0.57 J	3 J	0.69 J	2.3	5	5 J	1.4	2.1	1.7	0.7 J	1 J	0.46 J	0.6 J	0.58 J	0.58 J	<0.046 U				
249412IAG	412 249TH ST	2012-09-26	14:11	Garage	0.55 J	9	0.62 J	7	20	9.8	5.6	8.5	8.6	1.3	3.2	1.2	2.4	2.1	2.1	<0.043 U				

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection															
					Analyte Units	Tetrahydrofuran	2-Hexanone	Carbon Disulfide	Propylbenzene	Vinyl Chloride	1,1,1-Trichloroethane	Bromomethane	Trichloroethene	Cumene (Isopropylbenzene)	Methyl-tert-Butyl Ether	1,1,2-Trichloroethane	1,1,2,2-Tetrachloroethane	1,2-Dichlorobenzene	cis-1,2-Dichloroethane	Chloroethane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						31.26%	24.63%	23.59%	22.21%	20.00%	10.42%	8.07%	7.16%	3.02%	3.02%	2.67%	2.22%	0.97%	0.49%	0.29%
P24406IAG	24406 PANAMA AVE	2012-08-15	14:05	Garage		0.85 U	<0.9 U	<9 U	1.1		81	<0.9 U	<0.9 U	0.68 U	<0.9 U	<0.36 U	<0.09 U	<0.9 U	<0.9 U	<0.9 U
P24406IAK	24406 PANAMA AVE	2012-08-15	14:05	Kitchen		<0.85 U	<0.85 U	<0.85 U	0.78 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
P24406IAB	24406 PANAMA AVE	2012-08-15	14:05	Bedroom		<0.9 U	<0.9 U	<9.3 U	<0.9 U		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
N24409OAB	24409 NEPTUNE AVE	2012-05-02	08:15	Outdoor Air		<0.83 U	<0.83 U	<8.3 U	<0.83 U		<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.043 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U
N24409OAB	24409 NEPTUNE AVE	2012-05-03	08:17	Outdoor Air		<0.77 U	<0.77 U	<7.7 U	<0.77 U		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.039 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U
N24409IAB	24409 NEPTUNE AVE	2012-05-03	09:17	Bedroom		<0.84 U	<0.84 U	<8.4 U	0.57 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.19 U	<0.047 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U
N24409IAG	24409 NEPTUNE AVE	2012-05-03	09:17	Garage		<0.91 U	<0.91 U	<9.1 U	1.9		<0.91 U	<0.91 U	<0.91 U	0.41	<0.91 U	<0.36 U	<0.091 U	<0.91 U	<0.91 U	<0.91 U
N24409IAK	24409 NEPTUNE AVE	2012-05-03	09:18	Kitchen		<0.87 U	<0.87 U	<8.7 U	0.41		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.043 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U
P24410OAF	24410 PANAMA AVE	2012-07-18	08:00	Outdoor Air		<0.78 U	<0.78 U	<7.8 U	<0.78 U		<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.039 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U
P24410OAB	24410 PANAMA AVE	2012-07-18	08:06	Outdoor Air		<0.78 U	0.33 U	<7.8 U	<0.78 U		<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.039 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U
P24410IAG	24410 PANAMA AVE	2012-07-18	09:04	Garage		<0.84 U	<0.84 U	0.29 U	1.4		<0.84 U	<0.84 U	<0.84 U	0.35 U	<0.84 U	<0.17 U	<0.043 U	<0.84 U	<0.84 U	<0.84 U
P24410IAK	24410 PANAMA AVE	2012-07-18	09:05	Kitchen		<0.85 U	<0.85 U	<8.5 U	0.51		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
P24410IAB	24410 PANAMA AVE	2012-07-18	09:06	Bedroom		<0.85 U	<0.85 U	<8.5 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
M24411OAF	24411 MARBELLA AVE	2012-04-26	12:20	Outdoor Air		<0.75 U	<0.75 U	<7.5 U	<0.75 U		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.038 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U
M24411OAB	24411 MARBELLA AVE	2012-04-26	12:23	Outdoor Air		<0.77 U	<0.77 U	0.92 U	<0.77 U		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.039 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U
M24411IAG	24411 MARBELLA AVE	2012-04-26	13:20	Garage		<0.95 U	<0.95 U	<9.5 U	<0.95 U		5.4	<0.95 U	4.4	<0.95 U	<0.95 U	<0.19 U	<0.048 U	<0.95 U	<0.95 U	<0.95 U
M24411IAB	24411 MARBELLA AVE	2012-04-26	13:21	Bedroom		0.37 U	<0.69 U	0.21	<0.69 U		1.5	<0.69 U	1.1	<0.69 U	<0.69 U	<0.14 U	<0.034 U	<0.69 U	<0.69 U	<0.69 U
M24411IAK	24411 MARBELLA AVE	2012-04-26	13:22	Kitchen		<0.79 U	<0.79 U	<7.9 U	<0.79 U		0.76 U	<0.79 U	0.56 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
P14412OAF	24412 PANAMA AVE	2012-12-13	08:13	Outdoor Air		<0.94 U	<0.94 U	<9.4 U	0.37 U		<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.047 U	0.42 U	0.35 U	0.54 U	0.54 U
P24413OAB	24413 PANAMA AVE	2012-12-13	08:16	Outdoor Air		<1 U	<1 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.051 U	<1 U	<1 U	<1 U	<1 U
P24413IAB	24413 PANAMA AVE	2012-12-13	09:16	Kitchen		<1 U	<1 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.051 U	<1 U	<1 U	<1 U	<1 U
P24413IAG	24413 PANAMA AVE	2012-12-13	09:18	Bedroom		<0.97 U	<0.97 U	<9.7 U	<0.97 U		<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.19 U	<0.048 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U
P24413IAK	24413 PANAMA AVE	2012-12-13	09:18	Garage		<0.88 U	<0.88 U	<8.8 U	<0.88 U		<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.044 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U
N24413OAB	24413 NEPTUNE AVE	2012-10-10	13:06	Outdoor Air		<0.88 U	0.52 U	<8.8 U	<0.88 U		<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.044 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U
N24413OAF	24413 NEPTUNE AVE	2012-10-10	13:07	Outdoor Air		<0.89 U	<0.89 U	<8.9 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.045 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U
N24413IAB	24413 NEPTUNE AVE	2012-10-10	14:13	Bedroom		<0.84 U	<0.84 U	0.84 U	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.042 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U
N24413IAG	24413 NEPTUNE AVE	2012-10-10	14:24	Garage		<0.8 U	<0.8 U	2.5 U	<0.8 U		<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.16 U	<0.04 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U
N24413IAK	24413 NEPTUNE AVE	2012-10-10	14:24	Kitchen		<0.89 U	<0.89 U	0.87 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.19 U	<0.046 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U
R24413OAF	24413 RAVENNA AVE	2012-09-19	13:06	Outdoor Air		<0.93 U	0.45 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.046 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U
R24413OAB	24413 RAVENNA AVE	2012-09-19	13:08	Outdoor Air		<0.94 U	0.41 U	<9.4 U	<0.94 U		<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.047 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U
R24413IAK	24413 RAVENNA AVE	2012-09-19	14:06	Kitchen		<0.91 U	1.1	<9.1 U	0.37 U		<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.046 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U
R24413IAB	24413 RAVENNA AVE	2012-09-19	14:07	Bedroom		<1 U	<1 U	<10 U	0.35 U		<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.051 U	<1 U	<1 U	<1 U	<1 U
R24413IAG	24413 RAVENNA AVE	2012-09-19	14:07	Garage		<1 U	<1 U	<10 U	1.9		0.45 U	<1 U	<1 U	0.39 U	<1 U	<0.42 U	<0.1 U	<1 U	<1 U	<1 U
N24416OAF	24416 NEPTUNE AVE	2012-07-12	13:06	Outdoor Air		<0.94 U	<0.94 U	<9.4 U	<0.94 U		<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.047 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U
N24416OAB	24416 NEPTUNE AVE	2012-07-12	13:09	Outdoor Air		<0.88 U	0.51 U	0.36 U	<0.88 U		<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.044 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U
N24416IAG	24416 NEPTUNE AVE	2012-07-12	14:06	Garage		<0.85 U	1.3 U	0.21 U	<0.85 U		0.77 U	<0.85 U	<0.85 U	<0.85 U	<0.16 U	<0.04 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
N24416IAB	24416 NEPTUNE AVE	2012-07-12	14:06	Garage		<0.81 U	1.7 U	0.25 U	<0.81 U		<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.17 U	<0.041 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U
N24416IAG	24416 NEPTUNE AVE	2012-07-12	14:06	Garage		<0.79 U	<0.79 U	<7.9 U	<0.79 U		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.15 U	<0.037 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U
N24416IAB	24416 NEPTUNE AVE	2012-07-12	14:09	Bedroom		<1 U	0.69 U	0.43 U	<1 U		<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.051 U	<1 U	<1 U	<1 U	<1 U
P24416OAF	24416 PANAMA AVE	2012-05-17	08:11	Outdoor Air		<0.98 U	0.41 U	0.59 U	<0.98 U		<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.2 U	<0.049 U	<0.98 U	<0.98 U	<0.98 U	<0.98 U
P24416OAB	24416 PANAMA AVE	2012-05-17	08:12	Outdoor Air		<1.1 U	<1.1 U	<11 U	<1.1 U		<1.1 U	<1.1 U	<1.1 U	<1.1 U	<0.21 U	<0.053 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
P24416IAG	24416 PANAMA AVE	2012-05-17	09:12	Garage		<0.93 U	<0.93 U	<9.3 U	<0.93 U		0.28 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U
P24416IAB	24416 PANAMA AVE	2012-05-17	09:13	Bedroom		<0.78 U	<0.78 U	0.77 U	<0.78 U		<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.15 U	<0.038 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U
P24416IAK	24416 PANAMA AVE	2012-05-17	09:13	Kitchen		<1 U	<1 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.051 U	<1 U	<1 U	<1 U	<1 U
N24419OAB	24419 NEPTUNE AVE	2012-08-02	08:12	Outdoor Air		<1.1 U	0.56 U	<11 U	<1.1 U		<1.1 U	<1.1 U	<1.1 U	<1.1 U	<0.21 U	<0.053 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U
N24419OAF	24419 NEPTUNE AVE	2012-08-02	08:13	Outdoor Air		<0.85 U	<0.85 U	<8.5 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U
N24419IAB	24419 NEPTUNE AVE	2012-08-02	09:12	Kitchen		<0.95 U	0.45 U	0.25 U	<0.95 U		<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.048 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U
N24419IAG	24419 NEPTUNE AVE	2012-08-02	09:13	Bedroom		<0.84 U	0.46 U	0.81	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.19 U	<0.047 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U
N24419IAB	24419 NEPTUNE AVE	2012-08-02	09:13	Bedroom		<0.98 U	<0.98 U	1.2 U	<0.98 U		<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.2 U	<0.049 U	<0.98 U	<0.98 U	<0.98 U	<0.98 U
N24419IAG	24419 NEPTUNE AVE	2012-08-02	09:14	Garage		<0.95 U	<0.95 U	<9.5 U	<0.95											

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection															
					Analyte Units	Tetrahydrofuran	2-Hexanone	Carbon Disulfide	Propylbenzene	Vinyl Chloride	1,1,1-Trichloroethane	Bromomethane	Trichloroethene	Cumene (Isopropylbenzene)	Methyl-tert-Butyl Ether	1,1,2-Trichloroethane	1,1,2,2-Tetrachloroethane	1,2-Dichlorobenzene	o-1,2-Dichloroethene	Chloroethane
						UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
						31.26%	24.63%	23.59%	22.21%	20.00%	10.42%	8.07%	7.16%	3.02%	3.02%	2.67%	2.22%	0.97%	0.48%	0.19%
R24419IAB	24419 RAVENNA AVE	2012-06-14	14:15	Bedroom		<0.92 U	<0.92 U	0.26 J	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.16 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
R24419IAG	24419 RAVENNA AVE	2012-06-14	14:16	Garage		<0.9 U	<0.9 U	0.31 J	<0.9 U		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.045 U	<0.9 U	<0.9 U	<0.9 U
R24419IAK	24419 RAVENNA AVE	2012-06-14	14:16	Kitchen		<0.98 U	<0.98 U	0.37 J	<0.98 U		<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.2 U	<0.049 U	<0.98 U	<0.98 U	<0.98 U
P24420OAF	24420 PANAMA AVE	2012-12-06	08:06	Outdoor Air		<0.88 U	<0.88 U	0.43 J	<0.88 U		<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.044 U	<0.88 U	<0.88 U	<0.88 U
P24420OAB	24420 PANAMA AVE	2012-12-06	08:08	Outdoor Air		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.044 U	<0.87 U	<0.87 U	<0.87 U
P24420IAG	24420 PANAMA AVE	2012-12-06	09:13	Garage		<0.93 U	<0.93 U	<9.3 U	<0.93 U		<0.93 U	0.36 J	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U
P24420IAK	24420 PANAMA AVE	2012-12-06	09:14	Kitchen		<0.85 U	<0.85 U	<8.5 U	0.29 J		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.042 U	<0.85 U	<0.85 U	<0.85 U
P24420IAB	24420 PANAMA AVE	2012-12-06	09:15	Bedroom		<0.95 U	<0.95 U	0.27 J	<0.95 U		<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	0.0099 J	<0.048 U	<0.95 U	<0.95 U	<0.95 U
M24422OAF	24422 MARBELLA AVE	2012-07-11	08:10	Outdoor Air		<1 U	<1 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	<1 U	<0.21 U	<0.052 U	<1 U	<1 U	<1 U
M24422OAB	24422 MARBELLA AVE	2012-07-11	08:11	Outdoor Air		<0.92 U	<0.92 U	<9.2 U	<0.92 U		<0.92 U	0.28 J	<0.92 U	<0.92 U	<0.92 U	<0.16 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
M24422IAB	24422 MARBELLA AVE	2012-07-11	09:14	Bedroom		<0.96 U	<0.96 U	<9.6 U	<0.96 U		<0.96 U	0.46 J	0.88 J	<0.96 U	<0.96 U	<0.19 U	<0.048 U	<0.96 U	<0.96 U	<0.96 U
M24422IAG	24422 MARBELLA AVE	2012-07-11	09:15	Garage		0.6 J	<1.1 U	<11 U	<1.1 U		0.33 J	0.46 J	8.4	<1.1 U	<1.1 U	<0.22 U	<0.035 U	<1.1 U	<1.1 U	<1.1 U
M24422IAK	24422 MARBELLA AVE	2012-07-11	09:15	Kitchen		<0.95 U	0.88 J	<9.5 U	<0.95 U		<0.95 U	0.41 J	3.3	<0.95 U	<0.95 U	<0.19 U	<0.047 U	<0.95 U	<0.95 U	<0.95 U
N24422OAF	24422 NEPTUNE AVE	2011-01-19	13:19	Outdoor Air		0.85	<0.66	<6.6	<0.66		<0.66	<0.66	<0.66	<0.66	<0.66	<0.14	<0.035	<0.66	<0.66	<0.66
N24422OAB	24422 NEPTUNE AVE	2011-01-19	13:20	Outdoor Air		0.6	<0.6	<6	<0.6		<0.6	0.26 J	<0.6	<0.6	<0.6	<0.14	<0.034	<0.6	0.59 J	<0.6
N24422IAB	24422 NEPTUNE AVE	2011-01-19	14:40	Bedroom		0.72	0.94	0.38 J	0.44 J		1.2	<0.63	<0.63	<0.63	1.9	<0.13	<0.034	<0.63	<0.63	<0.63
N24422IAK	24422 NEPTUNE AVE	2011-01-19	14:40	Kitchen		0.78	0.67	0.53 J	0.39 J		1.2	<0.66	<0.66	<0.66	1.7	<0.14	<0.036	<0.66	<0.66	<0.66
M24423OAF	24423 NEPTUNE AVE	2011-01-19	14:41	Garage		0.92	<0.68	<6.8	0.45 J		3.2	<0.68	<0.68	<0.68	4	<0.14	<0.036	<0.68	<0.68	<0.68
P24423OAF	24423 RAVENNA AVE	2012-12-19	08:09	Outdoor Air		<0.82 U	<0.82 U	<8.2 U	<0.82 U		<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.16 U	<0.041 U	<0.82 U	<0.82 U	<0.82 U
P24423OAB	24423 RAVENNA AVE	2012-12-19	08:11	Outdoor Air		<0.89 U	<0.89 U	<8.9 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.045 U	<0.89 U	<0.89 U	<0.89 U
P24423IAB	24423 RAVENNA AVE	2012-12-19	09:11	Garage		<0.85 U	<0.85 U	<8.5 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U
P24423IAG	24423 RAVENNA AVE	2012-12-19	09:12	Kitchen		<0.93 U	<0.93 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U
P24423IAK	24423 RAVENNA AVE	2012-12-19	09:13	Bedroom		<0.79 U	<0.79 U	<7.9 U	<0.79 U		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.039 U	<0.79 U	<0.79 U	<0.79 U
M24423OAF	24423 MARBELLA AVE	2012-06-20	08:05	Outdoor Air		<0.93 U	<0.93 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U
M24423OAB	24423 MARBELLA AVE	2012-06-20	08:06	Outdoor Air		<0.84 U	<0.84 U	<8.4 U	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.042 U	<0.84 U	<0.84 U	<0.84 U
M24423IAB	24423 MARBELLA AVE	2013-06-20	09:05	Bedroom		<0.81 U	0.39 J	1.4 J	<0.81 U		0.28 J	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.041 U	<0.81 U	<0.81 U	<0.81 U
M24423IAK	24423 MARBELLA AVE	2013-06-20	09:06	Kitchen		<1.1 U	0.65 J	<11 U	<1.1 U		0.45 J	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<0.23 U	<0.057 U	<1.1 U	<1.1 U	<1.1 U
M24423IAG	24423 MARBELLA AVE	2012-06-20	09:07	Garage		<0.83 U	<0.83 U	0.23 J	<0.83 U		0.37 J	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.042 U	<0.83 U	<0.83 U	<0.83 U
N24423OAF	24423 NEPTUNE AVE	2012-10-11	13:09	Outdoor Air		<0.84 U	<0.84 U	0.23 J	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.042 U	<0.84 U	<0.84 U	<0.84 U
N24423OAB	24423 NEPTUNE AVE	2012-10-11	13:13	Outdoor Air		<0.79 U	<0.79 U	0.37 J	<0.79 U		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.039 U	<0.79 U	<0.79 U	<0.79 U
N24423IAB	24423 NEPTUNE AVE	2012-10-11	14:12	Garage		<0.97 U	0.61 J	0.37 J	<0.97 U		<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.19 U	<0.048 U	<0.97 U	<0.97 U	<0.97 U
N24423IAK	24423 NEPTUNE AVE	2012-10-11	14:14	Kitchen		<0.94 U	0.44 J	0.61 J	<0.94 U		<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.047 U	<0.94 U	<0.94 U	<0.94 U
N24423IAB	24423 NEPTUNE AVE	2012-10-11	14:15	Bedroom		<0.87 U	0.62 J	0.67 J	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.043 U	<0.87 U	<0.87 U	<0.87 U
P24423OAF	24423 RAVENNA AVE	2012-10-25	13:03	Outdoor Air		0.71 J	<0.94 U	2.5 J	<0.94 U		<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.047 U	<0.94 U	<0.94 U	<0.94 U
P24423OAB	24423 RAVENNA AVE	2012-10-25	13:05	Outdoor Air		<1.2 U	<1.2 U	<12 U	<1.2 U		<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<0.25 U	<0.062 U	<1.2 U	<1.2 U	<1.2 U
P24423IAB	24423 RAVENNA AVE	2012-10-25	14:04	Bedroom		<1.1 U	<1.1 U	<11 U	<1.1 U		<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<0.22 U	<0.055 U	<1.1 U	<1.1 U	<1.1 U
P24423IAG	24423 RAVENNA AVE	2012-10-25	14:04	Garage		<1.4 U	<1.4 U	<14 U	<1.4 U		<1.4 U	<1.4 U	<1.4 U	<1.4 U	<1.4 U	<0.27 U	<0.068 U	<1.4 U	<1.4 U	<1.4 U
P24423IAK	24423 RAVENNA AVE	2012-10-25	14:05	Kitchen		<0.93 U	<0.93 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U
M24426OAF	24426 MARBELLA AVE	2012-02-23	13:03	Outdoor Air		<0.83 U	<0.83 U	<8.3 U	<0.83 U		<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.042 U	<0.83 U	<0.83 U	<0.83 U
M24426OAB	24426 MARBELLA AVE	2012-02-23	13:04	Outdoor Air		<0.76 U	<0.76 U	<7.6 U	<0.76 U		<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.15 U	<0.038 U	<0.76 U	<0.76 U	<0.76 U
M24426IAB	24426 MARBELLA AVE	2012-02-23	14:03	Bedroom		0.67 J	<0.82 U	<8.2 U	0.27 J		<0.82 U	<0.82 U	<0.82 U	<0.82 U	0.4 J	<0.16 U	<0.041 U	<0.82 U	<0.82 U	<0.82 U
M24426IAK	24426 MARBELLA AVE	2012-02-23	14:04	Kitchen		0.35 J	<0.78 U	<7.8 U	0.23 J		<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.039 U	<0.78 U	<0.78 U	<0.78 U
M24426IAG	24426 MARBELLA AVE	2012-02-23	14:05	Garage		1.1	<0.88 U	<8.8 U	0.21 J		0.57 J	<0.88 U	<0.88 U	<0.88 U	1.4	<0.14 U	<0.038 U	<0.88 U	<0.88 U	<0.88 U
P24426OAF	24426 NEPTUNE AVE	2010-10-29	12:53	Outdoor Air		0.85	<0.68	<6.8	0.4 J		<0.68	<0.68	<0.68	<0.68	<0.68	<0.15	<0.038	<0.68	<0.68	<0.68
P24426OAB	24426 NEPTUNE AVE	2010-10-29	12:55	Outdoor Air		0.65	<0.64	<6.4	0.42 J		<0.64	<0.64	<0.64	<0.64	<0.64	<0.15	0.043 J	<0.64	<0.64	<0.64
P24426IAB	24426 NEPTUNE AVE	2010-10-29	13:59	Kitchen		0.91	<0.68	0.34 J	0.61 J		0.26 J	<0.68	<0.68	<0.68	<0.68	<0.15	<0.037	<0.68	<0.68	<0.68
P24426IAG	24426 NEPTUNE AVE	2010-10-29	14:00	Bedroom		0.94	<0.65	0.38 J	0.73		0.32 J	<0.65	<0.65	<0.65	<0.65	<0.14	<0.034	<0.65	<0.65	<0.65
N24426IAB	24426 NEPTUNE AVE	2010-10-29	14:02	Garage		0.92	<0.68	<6.8	1		<0.68	<0.68	<0.68	<0.68	<0.68	<0.14	<0.036	<0.68	<0.68	<0.68
P24426OAF	24426 PANAMA AVE	2012-12-05	08:05	Outdoor Air		<0.85 U	<0.85 U	<8.5 U	<0.85 U		<0.17 U	<0.17 U	<0.17 U	<0.17 U	<0.17 U	0.0075 J	<0.042 U	<0.17 U	<0.17 U	<0.17 U
P24426OAB	24426 PANAMA AVE	2012-12-05	08:10	Outdoor Air		<0.89 U	0.43 J	<8.9 U	<0.89 U											

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kast Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection														Analyte Units
					Tetrahydrofuran	2-Hexanone	Carbon Disulfide	Propylbenzene	Vinyl Chloride	1,1,1-Trichloroethane	Bromoethane	Trichloroethane	Camphor (isopropylbenzene)	Methyl-tert-Butyl Ether	1,1,2-Trichloroethane	1,1,2,2-Tetrachloroethane	1,2-Dichlorobenzene	cis-1,2-Dichloroethene	
					UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3	UG/M3
					31.28%	24.63%	23.59%	22.21%	20.00%	10.42%	8.07%	7.19%	8.02%	3.02%	2.67%	2.27%	0.97%	0.45%	0.29%
P24426AK	24426 PANAMA AVE	2012-12-05	09:10	Kitchen	<0.89 U	0.62 J	0.74 J	<0.89 U	<0.18 U	<0.18 U	<0.18 U	<0.89 U	<0.18 U	<0.18 U	<0.18 U	<0.044 U	<0.18 U	<0.18 U	<0.18 U
M24427OAB	24427 MARBELLA AVE	2012-04-05	08:22	Outdoor Air	<0.79 U	0.31 J	0.34 J	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.15 U	<0.039 U	<0.79 U	<0.79 U	<0.79 U
M24427OAF	24427 MARBELLA AVE	2012-04-05	08:23	Outdoor Air	<0.76 U	0.55 J	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.15 U	<0.039 U	<0.76 U	<0.76 U	<0.76 U
M24427IAG	24427 MARBELLA AVE	2012-04-05	09:22	Garage	<0.79 U	<0.79 U	0.28 J	0.28 J	2.4	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
M24427IAB	24427 MARBELLA AVE	2012-04-05	09:23	Bedroom	<0.7 U	0.51 J	<0.7 U	<0.7 U	0.43 J	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.14 U	<0.035 U	<0.7 U	<0.7 U	<0.7 U
M24427IAK	24427 MARBELLA AVE	2012-04-05	09:24	Kitchen	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.89 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.042 U	<0.85 U	<0.85 U	<0.85 U
N24429OAB	24429 NEPTUNE AVE	2011-01-13	13:23	Outdoor Air	1.3	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<1.6	<0.41	<0.75	<0.75	<0.75
N24429OAF	24429 NEPTUNE AVE	2011-01-13	13:24	Outdoor Air	1.5	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.67	<0.14	<0.036	<0.67	<0.67	<0.67
N24429IAB	24429 NEPTUNE AVE	2011-01-13	14:32	Kitchen	1.7	<0.68	<0.68	0.88	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	<0.14	<0.036	<0.68	<0.68	<0.68
N24429IAB	24429 NEPTUNE AVE	2011-01-13	14:33	Bedroom	1.5	<0.54	<0.54	0.78	<0.54	<0.54	<0.54	<0.54	<0.54	<0.54	<0.12	<0.031	<0.54	<0.54	<0.54
N24429IAG	24429 NEPTUNE AVE	2011-01-13	14:33	Garage	9	<0.58	<0.58	0.4	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58	<0.12	<0.031	<0.58	<0.58	<0.58
P24430OAB	24430 PANAMA AVE	2012-11-29	13:40	Outdoor Air	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.039 U	<0.77 U	<0.77 U	<0.77 U
P24430OAF	24430 PANAMA AVE	2012-11-29	13:40	Outdoor Air	<0.79 U	0.39 J	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
P24430IAB	24430 PANAMA AVE	2012-11-29	14:32	Kitchen	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.043 U	<0.91 U	<0.91 U	<0.91 U
P24430IAB	24430 PANAMA AVE	2012-11-29	14:33	Bedroom	0.52 J	0.35 J	<0.5 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U
P24430IAG	24430 PANAMA AVE	2012-11-29	14:33	Garage	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.19 U	<0.052	<0.96 U	<0.96 U	<0.96 U
M24432OAB	24432 MARBELLA AVE	2012-03-15	08:07	Outdoor Air	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	1.5	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.039 U	<0.78 U	<0.78 U	<0.78 U
M24432OAB	24432 MARBELLA AVE	2012-03-15	08:09	Outdoor Air	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	1.7	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.16 U	<0.04 U	<0.8 U	<0.8 U	<0.8 U
M24432IAB	24432 MARBELLA AVE	2012-03-15	09:21	Kitchen	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	1.7	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.041 U	<0.81 U	<0.81 U	<0.81 U
M24432IAB	24432 MARBELLA AVE	2012-03-15	09:22	Bedroom	<0.72 U	0.37 J	<0.72 U	<0.72 U	<0.72 U	1.6	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.036 U	<0.72 U	<0.72 U	<0.72 U
M24432IAB	24432 MARBELLA AVE	2012-03-15	09:24	Garage	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	1.8	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
M24433OAB	24433 MARBELLA AVE	2012-03-01	13:03	Outdoor Air	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	0.0095 J	<0.066 U	<0.71 U	<0.71 U	<0.71 U
M24433OAF	24433 MARBELLA AVE	2012-03-01	13:13	Outdoor Air	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.037 U	<0.73 U	<0.73 U	<0.73 U
M24433IAB	24433 MARBELLA AVE	2012-03-01	14:13	Garage	28	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	0.015 J	<0.033 U	<0.67 U	<0.67 U	<0.67 U
M24433IAB	24433 MARBELLA AVE	2012-03-01	14:14	Bedroom	4.5	<0.74 U	0.41 J	<0.74 U	<0.74 U	<0.74 U	1.4	<0.74 U	<0.74 U	<0.74 U	<0.15 U	<0.037 U	<0.74 U	<0.74 U	<0.74 U
M24433IAB	24433 MARBELLA AVE	2012-03-01	14:14	Kitchen	4.1	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	1.7	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.038 U	<0.77 U	<0.77 U	<0.77 U
P24435OAF	24436 PANAMA AVE	2012-06-27	08:04	Outdoor Air	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.045 U	<0.9 U	<0.9 U	<0.9 U
P24435OAB	24436 PANAMA AVE	2012-06-27	08:06	Outdoor Air	<0.85 U	<0.85 U	1.4 J	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.042 U	<0.85 U	<0.85 U	<0.85 U
P24436IAB	24436 PANAMA AVE	2012-06-27	09:08	Garage	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.042 U	<0.83 U	<0.83 U	<0.83 U
P24436IAB	24436 PANAMA AVE	2012-06-27	09:09	Kitchen	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.2 U	<0.049 U	<0.94 U	<0.94 U	<0.94 U
P24436IAB	24436 PANAMA AVE	2012-06-27	09:10	Bedroom	<0.82 U	<0.82 U	0.38 J	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.19 U	<0.047 U	<0.82 U	<0.82 U	<0.82 U
M24502OAF	24502 MARBELLA AVE	2012-05-03	13:08	Outdoor Air	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.045 U	<0.9 U	<0.9 U	<0.9 U
M24502OAB	24502 MARBELLA AVE	2012-05-03	13:09	Outdoor Air	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.045 U	<0.89 U	<0.89 U	<0.89 U
M24502IAB	24502 MARBELLA AVE	2012-05-03	14:09	Garage	2.5	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.045 U	<0.91 U	<0.91 U	<0.91 U
M24502IAB	24502 MARBELLA AVE	2012-05-03	14:10	Bedroom	0.58 J	0.43 J	<0.5 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.19 U	<0.048 U	<0.86 U	<0.86 U	<0.86 U
M24502IAB	24502 MARBELLA AVE	2012-05-03	14:10	Kitchen	0.66 J	0.51 J	<0.6 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.043 U	<0.84 U	<0.84 U	<0.84 U
R24502OAB	24502 RAVENNA AVE	2010-10-06	08:29	Outdoor Air	0.58 U	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.11	<0.028	<0.56	<0.56	<0.56
R24502OAF	24502 RAVENNA AVE	2010-10-06	08:29	Outdoor Air	1.9	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.63	<0.13	<0.031	<0.63	<0.63	<0.63
R24502IAB	24502 RAVENNA AVE	2010-10-06	09:49	Bedroom	2.4 U	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.11	<0.028	<0.56	<0.56	<0.56
R24502IAB	24502 RAVENNA AVE	2010-10-06	09:50	Kitchen	1.3 U	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.12	<0.03	<0.59	<0.59	<0.59
R24502IAB	24502 RAVENNA AVE	2010-10-06	09:53	Garage	0.77 U	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.75	<0.15	<0.037	<0.75	<0.75	<0.75
R24502OAF	24502 RAVENNA AVE	2012-07-25	13:06	Outdoor Air	<0.87 U	0.41 J	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.043 U	<0.87 U	<0.87 U	<0.87 U
R24502OAB	24502 RAVENNA AVE	2012-07-25	13:07	Outdoor Air	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.19 U	<0.048 U	<0.96 U	<0.96 U	<0.96 U
R24502IAB	24502 RAVENNA AVE	2012-07-25	14:07	Garage	<0.87 U	<0.87 U	2.1 J	<0.87 U	0.36 J	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.043 U	<0.87 U	<0.87 U	<0.87 U
R24502IAB	24502 RAVENNA AVE	2012-07-25	14:09	Kitchen	1.1	0.91	<0.91 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.047 U	<0.94 U	<0.94 U	<0.94 U
R24502IAB	24502 RAVENNA AVE	2012-07-25	14:10	Bedroom	0.88	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.042 U	<0.85 U	<0.85 U	<0.85 U
M24503OAF	24503 MARBELLA AVE	2012-03-29	13:00	Outdoor Air	<0.7 U	<0.7 U	0.47 J	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.14 U	<0.035 U	<0.7 U	<0.7 U	<0.7 U
M24503OAB	24503 MARBELLA AVE	2012-03-29	13:03	Outdoor Air	<0.77 U	0.41 J	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	0.018 J	<0.038 U	<0.77 U	<0.77 U	<0.77 U
M24503IAB	24503 MARBELLA AVE	2012-03-29	14:03	Garage	0.86	<0.71 U	<0.71 U												

Table D-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units	Frequency of Detection																		1,1,2,2-Tetrachloro-ethane	1,2-Dichloro-benzene	cis-1,2-Dichloro-ethane	Chloro-ethane
						UG/M3																					
						Tetrahydro-furan	2-Hexanone	Carbon Disulfide	Propyl-benzene	Vinyl Chloride	1,1,1-Trichloro-ethane	Bromo-methane	Trichloro-ethene	Cumene (Isopropyl-benzene)	Methyl-tert-Butyl Ether	1,1,2-Trichloro-ethane	1,1,2,2-Tetrachloro-ethane	1,2-Dichloro-benzene	cis-1,2-Dichloro-ethane	Chloro-ethane							
						31.26%	24.63%	23.59%	22.21%	20.00%	10.42%	8.07%	7.16%	8.02%	8.02%	2.67%	2.22%	0.97%	0.49%	0.29%							
N24503OAF	24503 NEPTUNE AVE	2012-04-12	08:01	Outdoor Air	<0.77 U	<0.77 U	<7.7 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.09 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U							
N24503OAB	24503 NEPTUNE AVE	2012-04-12	08:06	Outdoor Air	<0.72 U	<0.72 U	<7.2 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.09 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U							
N24503IAG	24503 NEPTUNE AVE	2012-04-12	09:06	Garage	<0.86 U	<0.86 U	<8.6 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.17 U	<0.04 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U							
N24503IAK	24503 NEPTUNE AVE	2012-04-12	09:07	Kitchen	<0.86 U	<0.86 U	<8.6 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.17 U	<0.04 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U							
N24503IAB	24503 NEPTUNE AVE	2012-04-12	09:08	Bedroom	<0.77 U	<0.77 U	<7.7 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U							
P24503OAB	24503 PANAMA AVE	2012-08-09	13:04	Outdoor Air	<0.91 U	<0.91 U	<9.1 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.04 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U							
P24503OAF	24503 PANAMA AVE	2012-08-09	13:04	Outdoor Air	<0.93 U	<0.93 U	<9.3 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.04 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U							
P24503IAG	24503 PANAMA AVE	2012-08-09	14:04	Garage	2.6	0.53	<9 U	<0.3 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U							
P24503IAB	24503 PANAMA AVE	2012-08-09	14:05	Bedroom	0.99	0.84	0.29	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.04 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U							
P24503IAK	24503 PANAMA AVE	2012-08-09	14:05	Kitchen	1	0.76	1.2	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.19 U	<0.04 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U							
R24503OAF	24503 RAVENNA AVE	2012-11-07	13:05	Outdoor Air	<0.86 U	<0.86 U	<8.6 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.16 U	<0.04 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U							
R24503OAB	24503 RAVENNA AVE	2012-11-07	13:07	Outdoor Air	<0.81 U	<0.81 U	<8.1 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U							
R24503IAG	24503 RAVENNA AVE	2012-11-07	14:07	Garage	<0.96 U	<0.96 U	<9.6 U	0.79 U	8.7	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.19 U	<0.04 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U							
R24503IAK	24503 RAVENNA AVE	2012-11-07	14:08	Kitchen	<0.95 U	0.5	<9.5 U	<0.95 U	1.1	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.04 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U							
R24503IAB	24503 RAVENNA AVE	2012-11-07	14:09	Bedroom	<0.92 U	<0.92 U	<9.2 U	<0.92 U	1.2	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.04 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U							
M24506OAF	24506 MARBELLA AVE	2012-03-14	09:24	Outdoor Air	<0.71 U	<0.71 U	<7.1 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.14 U	<0.03 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U							
M24506IAG	24506 MARBELLA AVE	2012-03-14	09:25	Kitchen	<0.74 U	<0.74 U	<7.4 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.15 U	<0.03 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U							
M24506IAB	24506 MARBELLA AVE	2012-03-14	09:26	Bedroom	<0.72 U	<0.72 U	<7.2 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.03 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U							
M24506IAG	24506 MARBELLA AVE	2012-03-14	09:27	Garage	<0.73 U	<0.73 U	<7.3 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.03 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U							
M24506OAB	24506 MARBELLA AVE	2012-03-14	10:03	Outdoor Air	<0.69 U	0.28 U	<6.9 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.14 U	<0.04 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U							
N24508OAB	24508 NEPTUNE AVE	2011-01-27	08:26	Outdoor Air	0.63 U	<0.77 U	<7.7 U	0.34 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.17 U	<0.04 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U							
N24508OAF	24508 NEPTUNE AVE	2011-01-27	08:27	Outdoor Air	0.61 U	<0.67 U	<6.7 U	0.33 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U	<0.15 U	<0.03 U	<0.67 U	<0.67 U	<0.67 U	<0.67 U							
N24508IAG	24508 NEPTUNE AVE	2011-01-27	09:32	Garage	0.59 U	<0.68 U	<6.8 U	0.2 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.15 U	<0.03 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U							
N24508IAK	24508 NEPTUNE AVE	2011-01-27	09:32	Kitchen	0.64 U	<0.68 U	<6.8 U	0.38 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.15 U	<0.03 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U							
N24508IAB	24508 NEPTUNE AVE	2011-01-27	09:34	Bedroom	0.61 U	<0.78 U	<7.8 U	0.35 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.17 U	<0.04 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U							
P24509OAF	24509 PANAMA AVE	2012-04-25	13:06	Outdoor Air	<0.9 U	<0.9 U	<9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U							
P24509OAB	24509 PANAMA AVE	2012-04-25	13:08	Outdoor Air	<0.77 U	<0.77 U	<7.7 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U							
P24509IAG	24509 PANAMA AVE	2012-04-25	14:05	Garage	<0.74 U	0.93 U	<7.4 U	<0.74 U	3.7	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.15 U	<0.03 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U							
P24509IAB	24509 PANAMA AVE	2012-04-25	14:06	Bedroom	<0.81 U	0.51 U	<8.1 U	<0.81 U	0.94	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U							
P24509IAK	24509 PANAMA AVE	2012-04-25	14:06	Kitchen	<0.74 U	0.45 U	0.26 U	<0.74 U	0.51 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.15 U	<0.03 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U							
N24509OAF	24509 NEPTUNE AVE	2012-07-05	08:05	Outdoor Air	<0.9 U	<0.9 U	<9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U							
N24509OAB	24509 NEPTUNE AVE	2012-07-05	08:07	Outdoor Air	<0.93 U	<0.93 U	<9.3 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.04 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U							
N24509IAB	24509 NEPTUNE AVE	2012-07-05	09:08	Bedroom	<0.81 U	1	<8.1 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U							
N24509IAK	24509 NEPTUNE AVE	2012-07-05	09:08	Kitchen	<0.85 U	<0.85 U	<8.5 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.04 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U							
N24509IAG	24509 NEPTUNE AVE	2012-07-05	09:10	Garage	<0.95 U	0.83 U	<9.5 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.04 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U							
R24509OAB	24509 RAVENNA AVE	2012-04-11	13:40	Outdoor Air	<0.72 U	<0.72 U	<7.2 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.03 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U							
R24509OAF	24509 RAVENNA AVE	2012-04-11	13:40	Outdoor Air	<0.81 U	<0.81 U	<8.1 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U							
R24509IAB	24509 RAVENNA AVE	2012-04-11	14:40	Garage	<0.91 U	<0.91 U	<9.1 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.17 U	<0.04 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U							
R24509IAG	24509 RAVENNA AVE	2012-04-11	14:42	Bedroom	<0.84 U	0.41 U	<8.4 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.04 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U							
R24509IAK	24509 RAVENNA AVE	2012-04-11	14:42	Kitchen	<0.73 U	0.51 U	<7.3 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.03 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U							
M24512OAF	24512 MARBELLA AVE	2012-01-19	09:07	Outdoor Air	<0.75 U	<0.75 U	<7.5 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.03 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U							
M24512IAB	24512 MARBELLA AVE	2012-01-19	09:17	Kitchen	0.45 U	<0.94 U	<9.4 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.04 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U							
M24512IAB	24512 MARBELLA AVE	2012-01-19	09:18	Bedroom	0.51 U	<0.75 U	<7.5 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.03 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U							
M24512IAG	24512 MARBELLA AVE	2012-01-19	09:18	Garage	<0.84 U	<0.84 U	<8.4 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.04 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U							
M24512IAB	24512 MARBELLA AVE	2012-01-19	09:19	Bedroom	0.39 U	<0.76 U	<7.6 U	0.23 U</																			

Table B-4
Indoor, Garage, and Outdoor Air Results
Former East Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Frequency of Detection															
					Analyste Units	Tetrahydro- furan UG/M3	2-Hexanone UG/M3	Carbon Disulfide UG/M3	Propyl- benzene UG/M3	Vinyl Chloride UG/M3	1,1,1-Trichloro- ethane UG/M3	Bromo- methane UG/M3	Trichloro- ethane UG/M3	Cumene (Isopropyl- benzene) UG/M3	Methyl-tert- butyl Ether UG/M3	1,1,2-Trichloro- ethane UG/M3	1,1,2,2- Tetrachloro- ethane UG/M3	1,2-Dichloro- benzene UG/M3	trans-1,2- Dichloro- ethane UG/M3	Chloro- ethane UG/M3
						31.26%	24.63%	23.59%	22.21%	20.00%	10.42%	8.07%	7.16%	3.02%	3.02%	2.67%	2.22%	0.97%	0.49%	0.29%
N24513AG	24513 NEPTUNE AVE	2012-08-01	14:01	Garage		<1.4 U	<1.4 U	<1.4 U	<1.4 U	40	<1.4 U	<1.4 U	<1.4 U	<1.4 U	<1.4 U	<0.27 U	<0.09 U	<1.4 U	<1.4 U	<1.4 U
N24513AB	24513 NEPTUNE AVE	2012-08-01	14:02	Bedroom		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.05 U	<0.89 U	<0.89 U	<0.89 U
N24513DAF	24513 RAVENNA AVE	2012-05-24	11:05	Outdoor Air		<0.83 U	<0.83 U	0.54 J	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.04 U	<0.88 U	<0.88 U	<0.88 U
R24513DAB	24513 RAVENNA AVE	2012-05-24	13:08	Outdoor Air		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.03 U	<0.79 U	<0.79 U	<0.79 U
R24513IAB	24513 RAVENNA AVE	2012-05-24	14:05	Garage		5.8	<0.88 U	0.24 J	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.04 U	<0.88 U	<0.89 U	<0.88 U
R24513IAK	24513 RAVENNA AVE	2012-05-24	14:07	Kitchen		0.97	0.35 J	0.27 J	<0.89 U	<0.89 U	<0.89 U	0.86 J	<0.89 U	<0.89 U	0.18 J	<0.04 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U
R24513IAB	24513 RAVENNA AVE	2012-05-24	14:08	Bedroom		1.1	<0.98 U	0.25 J	<0.98 U	<0.98 U	<0.98 U	2.1	<0.98 U	<0.98 U	0.37	<0.04 U	<0.98 U	<0.98 U	<0.98 U	<0.98 U
M24519DAF	24519 MARBELLA AVE	2012-05-23	13:10	Outdoor Air		<0.97 U	<0.97 U	1.2 J	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.19 U	<0.04 U	<0.97 U	<0.97 U	<0.97 U
M24519DAB	24519 MARBELLA AVE	2012-05-23	13:12	Outdoor Air		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.04 U	<0.87 U	<0.87 U	<0.87 U
M24519DAB	24519 MARBELLA AVE	2012-05-23	14:12	Garage		2.2	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.19 U	<0.04 U	<0.99 U	<0.99 U	<0.99 U
M24519IAK	24519 MARBELLA AVE	2012-05-23	14:12	Kitchen		<0.96 U	0.36 J	0.27 J	<0.96 U	<0.96 U	0.35 J	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.19 U	<0.04 U	<0.96 U	<0.96 U	<0.96 U
M24519IAB	24519 MARBELLA AVE	2012-05-23	14:19	Bedroom		0.9 J	<0.93 U	0.32 J	<0.93 U	<0.93 U	0.38 J	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.04 U	<0.93 U	<0.93 U	<0.93 U
M24517IAB	24517 MARBELLA AVE	2012-03-23	14:14	Garage		1.9	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.04 U	<0.77 U	<0.77 U	<0.77 U
M24517IAB	24517 MARBELLA AVE	2012-03-23	14:15	Bedroom		1.7	0.39 J	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.03 U	<0.72 U	<0.72 U	<0.72 U
M24517IAB	24517 MARBELLA AVE	2012-03-23	14:15	Kitchen		1.4	0.33 J	0.84 J	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.03 U	<0.75 U	<0.75 U	<0.75 U
M24517DAF	24517 MARBELLA AVE	2012-03-23	14:22	Outdoor Air		<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U	<0.15 U	<0.03 U	<0.76 U	<0.76 U	<0.76 U
M24517DAB	24517 MARBELLA AVE	2012-03-23	14:28	Outdoor Air		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.03 U	<0.75 U	<0.75 U	<0.75 U
R24518DAF	24518 RAVENNA AVE	2012-07-11	13:04	Outdoor Air		<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<1.3 U	<0.26 U	<0.06 U	<1.3 U	<1.3 U	<1.3 U
R24518DAF	24518 RAVENNA AVE	2012-07-11	13:05	Outdoor Air		<0.9 U	<0.9 U	0.94 J	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.18 U	<0.04 U	<0.94 U	<0.94 U	<0.94 U
R24518IAB	24518 RAVENNA AVE	2012-07-11	14:05	Garage		<0.88 U	0.8 J	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.04 U	<0.88 U	<0.88 U	<0.88 U
R24518IAK	24518 RAVENNA AVE	2012-07-11	14:06	Kitchen		<0.91 U	0.83 J	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.04 U	<0.91 U	<0.91 U	<0.91 U
R24518IAB	24518 RAVENNA AVE	2012-07-11	14:07	Bedroom		<0.96 U	0.98	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.19 U	<0.04 U	<0.96 U	<0.96 U	<0.96 U
N24519DAF	24519 NEPTUNE AVE	2012-06-28	13:03	Outdoor Air		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.04 U	<0.84 U	<0.84 U	<0.84 U
N24519DAB	24519 NEPTUNE AVE	2012-06-28	13:05	Outdoor Air		<0.91 U	0.35 J	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.04 U	<0.91 U	<0.91 U	<0.91 U
N24519IAB	24519 NEPTUNE AVE	2012-06-28	14:05	Garage		<0.88 U	<0.88 U	0.48 J	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.04 U	<0.88 U	<0.88 U	<0.88 U
N24519IAK	24519 NEPTUNE AVE	2012-06-28	14:07	Kitchen		<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.04 U	<0.95 U	<0.95 U	<0.95 U
N24519IAB	24519 NEPTUNE AVE	2012-06-28	14:08	Bedroom		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.04 U	<0.85 U	<0.85 U	<0.85 U
M24520DAF	24522 MARBELLA AVE	2012-04-19	08:30	Outdoor Air		<0.76 U	0.32 J	<0.76 U	<0.76 U	<0.76 U	0.22 J	<0.76 U	<0.76 U	<0.76 U	<0.15 U	<0.03 U	<0.76 U	<0.76 U	<0.76 U	<0.76 U
M24520DAB	24522 MARBELLA AVE	2012-04-19	08:32	Outdoor Air		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U
M24522IAB	24522 MARBELLA AVE	2012-04-19	09:24	Bedroom		0.52 J	<0.81 U	0.25 J	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U
M24522IAB	24522 MARBELLA AVE	2012-04-19	09:24	Garage		0.69 J	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.03 U	<0.78 U	<0.78 U	<0.78 U
M24522IAK	24522 MARBELLA AVE	2012-04-19	09:24	Kitchen		0.47 J	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.04 U	<0.83 U	<0.83 U	<0.83 U
N24522DAF	24522 NEPTUNE AVE	2012-04-04	08:02	Outdoor Air		<0.69 U	0.27 J	<0.69 U	<0.69 U	<0.69 U	0.31 J	<0.69 U	<0.69 U	<0.69 U	<0.69 U	0.032 J	0.023 J	<0.69 U	<0.69 U	<0.69 U
N24522DAB	24522 NEPTUNE AVE	2012-04-04	08:03	Outdoor Air		<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.15 U	<0.03 U	<0.74 U	<0.74 U	<0.74 U
N24522IAB	24522 NEPTUNE AVE	2012-04-04	09:02	Garage		<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.16 U	<0.04 U	<0.8 U	<0.8 U	<0.8 U
N24522IAK	24522 NEPTUNE AVE	2012-04-04	09:03	Kitchen		<0.77 U	0.37 J	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U
N24522IAB	24522 NEPTUNE AVE	2012-04-04	09:04	Bedroom		<0.77 U	0.42 J	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U
R24522DAF	24522 RAVENNA AVE	2012-08-22	13:21	Outdoor Air		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.04 U	<0.85 U	<0.85 U	<0.85 U
R24522DAB	24522 RAVENNA AVE	2012-08-22	13:24	Outdoor Air		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U
R24522IAB	24522 RAVENNA AVE	2012-08-22	14:24	Bedroom		<1 U	0.4 J	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<1 U	<0.21 U	<0.05 U	<1 U	<1 U	<1 U
R24522IAB	24522 RAVENNA AVE	2012-08-22	14:24	Garage		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U
R24522IAK	24522 RAVENNA AVE	2012-08-22	14:25	Kitchen		<0.99 U	0.39 J	0.27 J	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.2 U	<0.05 U	<0.99 U	<0.99 U	<0.99 U
M24523DAF	24523 MARBELLA AVE	2012-04-26	08:06	Outdoor Air		<0.8 U	<0.8 U	0.29 J	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.18 U	<0.04 U	<0.8 U	<0.8 U	<0.8 U
M24523DAB	24523 MARBELLA AVE	2012-04-26	08:09	Outdoor Air		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U
M24523IAB	24523 MARBELLA AVE	2012-04-26	09:06	Garage		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	2.2	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.03 U	<0.75 U	<0.75 U	<0.75 U
M24523IAK	24523 MARBELLA AVE	2012-04-26	09:06	Kitchen		<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.04 U	<0.83 U	<0.83 U	<0.83 U
M24523IAB	24523 MARBELLA AVE	2012-04-26	09:07	Bedroom		<0.85 U	0.4 J	0.27 J	<0.85 U	<0.85 U	0.25 J	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.04 U	<0.85 U	<0.85 U	<0.85 U
N24523DAF	24523 NEPTUNE AVE	2012-10-03	08:02	Outdoor Air		<0.73 U	<0.73 U</													

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units															
					Frequency of Detection	Tetrahydro- furan UG/M3	2-Hexanone UG/M3	Carbon Disulfide UG/M3	Propyl- benzene UG/M3	Vinyl Chloride UG/M3	1,1,1-Trichloro- ethane UG/M3	Bromo- methane UG/M3	Trichloro- ethane UG/M3	Cumene (isopropyl- benzene) UG/M3	Methyl-tert- Butyl Ether UG/M3	1,1,2-Trichloro- ethane UG/M3	1,1,2,2-Tetrachloro- ethane UG/M3	1,2-Dichloro- benzene UG/M3	di-1,2- Dichloro- ethane UG/M3	Chloro- ethane UG/M3
						81.28%	24.53%	23.55%	22.21%	20.00%	10.42%	8.07%	7.16%	3.02%	3.02%	2.67%	2.22%	0.97%	0.46%	0.29%
R24523-0AF	24523 RAVENNA AVE	2010-08-23	07:26	Outdoor Air		<0.66	<0.66	<6.6	0.74		<0.66	<0.66	<0.66	<0.66	<0.66	<0.15	<0.033	<0.66	<0.66	<0.66
R24523-0AB	24523 RAVENNA AVE	2010-08-23	07:30	Outdoor Air		<0.74	<0.74	<7.4	0.51		<0.74	<0.74	<0.74	<0.74	<0.74	<0.15	<0.037	<0.74	<0.74	<0.74
R24523-1AG	24523 RAVENNA AVE	2010-08-23	08:30	Garage		3.7	<0.79	0.463	16		<0.79	<0.79	<0.79	4.1	<0.79	<1.5	<0.36	<0.79	<0.79	<0.79
R24523-1AK	24523 RAVENNA AVE	2010-08-23	08:31	Kitchen		<0.72	0.571	4.72	0.74		<0.72	<0.72	<0.72	<0.72	<0.72	<0.14	<0.036	<0.72	<0.72	<0.72
R24523-1AB	24523 RAVENNA AVE	2010-08-23	08:32	Bedroom		<0.75	<0.75	<7.5	0.553		<0.75	<0.75	<0.75	<0.75	<0.75	<0.15	<0.037	<0.75	<0.75	<0.75
R24523-0AF	24523 RAVENNA AVE	2011-03-24	07:32	Outdoor Air		<1.1	0.441	<11	<1.1		<1.1	<1.1	<1.1	<1.1	<1.1	0.0911	0.0111	<1.1	<1.1	<1.1
R24523-0AB	24523 RAVENNA AVE	2011-03-24	07:34	Outdoor Air		<0.74	<0.74	<7.4	<0.74		<0.74	<0.74	<0.74	<0.74	<0.74	<0.15	<0.037	<0.74	<0.74	<0.74
R24523-1AB	24523 RAVENNA AVE	2011-03-24	08:33	Bedroom		<0.71	<0.71	0.281	0.231		<0.71	<0.71	<0.71	<0.71	<0.71	<0.14	<0.036	<0.71	<0.71	<0.71
R24523-1AK	24523 RAVENNA AVE	2011-03-24	08:34	Kitchen		<0.79	<0.79	<7.9	0.211		<0.79	<0.79	<0.79	<0.79	<0.79	<0.16	<0.039	<0.79	<0.79	<0.79
R24523-1AG	24523 RAVENNA AVE	2011-03-24	08:35	Garage		1	<0.71	<7.1	1.5		<0.71	<0.71	<0.71	0.391	<0.71	<0.14	<0.036	<0.71	<0.71	<0.71
R24523-0AF	24523 RAVENNA AVE	2012-04-15	08:11	Outdoor Air		<0.8 U	<0.8 U	<8 U	<0.8 U		<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.16 U	<0.04 U	<0.8 U	<0.8 U	<0.8 U
R24523-0AB	24523 RAVENNA AVE	2012-04-15	08:13	Outdoor Air		<0.81 U	<0.81 U	<8.1 U	<0.81 U		<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U
R24523-1AG	24523 RAVENNA AVE	2012-04-15	08:11	Garage		31	<0.79 U	<7.9 U	0.291		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.036 U	<0.79 U	<0.79 U	<0.79 U
R24523-1AB	24523 RAVENNA AVE	2012-04-15	08:12	Bedroom		4.5	<0.75 U	<7.5 U	<0.75 U		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.039 U	<0.75 U	<0.75 U	<0.75 U
R24523-1AK	24523 RAVENNA AVE	2012-04-15	08:13	Kitchen		4.7	<0.8 U	<8 U	<0.8 U		<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.16 U	<0.04 U	<0.8 U	<0.8 U	<0.8 U
R24523-0AB	24523 RAVENNA AVE	2012-03-07	08:24	Outdoor Air		<0.65 U	<0.65 U	<6.5 U	<0.65 U		<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.13 U	<0.033 U	<0.65 U	<0.65 U	<0.65 U
R24523-0AF	24523 RAVENNA AVE	2012-03-07	08:25	Outdoor Air		<0.72 U	<0.72 U	<7.2 U	<0.72 U		<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.036 U	<0.72 U	<0.72 U	<0.72 U
R24523-1AG	24523 RAVENNA AVE	2012-03-07	09:42	Garage		3.4	<1 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	<1 U	<0.21 U	<0.021 U	<1 U	<1 U	<1 U
R24523-1AB	24523 RAVENNA AVE	2012-03-07	09:43	Bedroom		0.71	<0.78 U	<7.8 U	<0.78 U		<0.78 U	<0.78 U	0.621	<0.78 U	<0.78 U	<0.16 U	<0.04 U	<0.78 U	<0.78 U	<0.78 U
R24523-1AK	24523 RAVENNA AVE	2012-03-07	09:44	Kitchen		0.451	<0.79 U	<7.9 U	<0.79 U		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
R24523-0AB	24523 RAVENNA AVE	2012-03-01	08:20	Outdoor Air		<0.73 U	<0.73 U	<7.3 U	<0.73 U		<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.035 U	<0.73 U	<0.73 U	<0.73 U
R24523-0AF	24523 RAVENNA AVE	2012-03-01	08:21	Outdoor Air		<0.69 U	<0.69 U	<6.9 U	<0.69 U		<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.14 U	<0.035 U	<0.69 U	<0.69 U	<0.69 U
R24523-1AG	24523 RAVENNA AVE	2012-03-01	09:20	Garage		11	<0.76 U	<7.6 U	2.5		<0.76 U	<0.76 U	0.411	<0.76 U	<0.76 U	<0.15 U	<0.038 U	<0.76 U	<0.76 U	<0.76 U
R24523-1AB	24523 RAVENNA AVE	2012-03-01	09:22	Bedroom		4.2	<0.72 U	<7.2 U	1.3		<0.72 U	<0.72 U	0.281	<0.72 U	<0.72 U	<0.14 U	<0.036 U	<0.72 U	<0.72 U	<0.72 U
R24523-1AK	24523 RAVENNA AVE	2012-03-01	09:23	Kitchen		2	<0.74 U	<7.4 U	0.82		<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.74 U	<0.15 U	<0.037 U	<0.74 U	<0.74 U	<0.74 U
R24523-0AF	24523 RAVENNA AVE	2012-05-15	08:12	Outdoor Air		<0.89 U	<0.89 U	<8.9 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.044 U	<0.89 U	<0.89 U	<0.89 U
R24523-0AB	24523 RAVENNA AVE	2012-05-15	08:15	Outdoor Air		<0.88 U	<0.88 U	<8.8 U	<0.88 U		<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.044 U	<0.88 U	<0.88 U	<0.88 U
R24523-1AG	24523 RAVENNA AVE	2012-05-15	09:12	Garage		<0.89 U	<0.89 U	<8.9 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.044 U	<0.89 U	<0.89 U	<0.89 U
R24523-1AB	24523 RAVENNA AVE	2012-05-15	09:13	Bedroom		<0.72 U	<0.72 U	<7.2 U	<0.72 U		<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.036 U	<0.72 U	<0.72 U	<0.72 U
R24523-1AK	24523 RAVENNA AVE	2012-05-15	09:13	Kitchen		<0.79 U	<0.79 U	<7.9 U	0.291		<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
R24523-0AF	24523 RAVENNA AVE	2011-08-17	12:22	Outdoor Air		<0.77 U	0.481	<7.7 U	<0.77 U		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.039 U	<0.77 U	<0.77 U	<0.77 U
R24523-0AB	24523 RAVENNA AVE	2011-08-17	12:23	Outdoor Air		<0.73 U	0.41	<7.3 U	<0.73 U		<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.037 U	<0.73 U	<0.73 U	<0.73 U
R24523-1AG	24523 RAVENNA AVE	2011-08-17	13:40	Garage		<0.77 U	<0.77 U	<7.7 U	1.6		<0.77 U	<0.77 U	0.461	<0.77 U	<0.77 U	<0.15 U	<0.038 U	<0.77 U	<0.77 U	<0.77 U
R24523-1AB	24523 RAVENNA AVE	2011-08-17	13:41	Bedroom		<0.79 U	0.82	<0.79 U	<0.79 U		<0.79 U	0.581	<0.79 U	<0.79 U	<0.79 U	<0.16 U	<0.04 U	<0.79 U	<0.79 U	<0.79 U
R24523-1AK	24523 RAVENNA AVE	2011-08-17	13:41	Kitchen		<0.81 U	0.611	0.911	<0.81 U		<0.81 U	0.351	<0.81 U	<0.81 U	<0.81 U	<0.17 U	<0.043 U	<0.81 U	<0.81 U	<0.81 U
R24523-0AF	24523 RAVENNA AVE	2012-04-04	13:35	Outdoor Air		<0.86 U	0.311	0.571	<0.86 U		<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.17 U	<0.043 U	<0.86 U	<0.86 U	<0.86 U
R24523-0AB	24523 RAVENNA AVE	2012-04-04	13:37	Outdoor Air		<0.81 U	<0.81 U	<8.1 U	<0.81 U		<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U
R24523-1AG	24523 RAVENNA AVE	2012-04-04	14:35	Garage		<0.75 U	<0.75 U	<7.5 U	<0.75 U		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.038 U	<0.75 U	<0.75 U	<0.75 U
R24523-1AB	24523 RAVENNA AVE	2012-04-04	14:36	Kitchen		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.044 U	<0.87 U	<0.87 U	<0.87 U
R24523-1AK	24523 RAVENNA AVE	2012-04-04	14:37	Bedroom		<0.84 U	<0.84 U	<8.4 U	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.043 U	<0.84 U	<0.84 U	<0.84 U
R24523-0AF	24523 RAVENNA AVE	2012-05-09	08:20	Outdoor Air		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.043 U	<0.87 U	<0.87 U	<0.87 U
R24523-0AB	24523 RAVENNA AVE	2012-05-09	08:21	Outdoor Air		<0.86 U	<0.86 U	<8.6 U	<0.86 U		<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.17 U	<0.043 U	<0.86 U	<0.86 U	<0.86 U
R24523-1AG	24523 RAVENNA AVE	2012-05-09	09:20	Garage		7.1	<0.91 U	0.31	0.471		<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.19 U	<0.049 U	<0.91 U	<0.91 U	<0.91 U
R24523-1AB	24523 RAVENNA AVE	2012-05-09	09:20	Kitchen		0.691	<0.97 U	<9.7 U	0.411		<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.19 U	<0.047 U	<0.97 U	<0.97 U	<0.97 U
R24523-1AK	24523 RAVENNA AVE	2012-05-09	09:21	Bedroom		1.3	<0.93 U	0.561	0.461		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U
R24523-0AF	24523 RAVENNA AVE	2012-11-15	13:08	Outdoor Air		<0.86 U	<0.86 U	<8.6 U	<0.86 U		<0.86 U	<0.86 U	0.411	<0.86 U	<0.86 U	<0.17 U	<0.043 U	<0.86 U	<0.86 U	<0.86 U
R24523-0AB	24523 RAVENNA AVE	2012-11-15	13:13	Outdoor Air		<0.98 U	0.611	<9.8 U	<0.98 U		<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.2 U	<0.049 U	<0.98 U	<0.98 U	<0.98 U
R24523-1AG	24523 RAVENNA AVE	2012-11-15	14:10	Garage		<1.1 U	<1.1 U	<11 U	<1.1 U		<1.1 U	<1.1 U	<1.1 U	<1.1 U	<1.1 U	<0.21 U	<0.053 U	<1.1 U	<1.1 U	<1.1 U
R24523-1AB	24523 RAVENNA AVE	2012-11-15	14:13	Kitchen		<0.92 U	<0.92 U	0.771	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
R24523-																				

Table B-4
Indoor, Garage, and Outdoor Air Results
Forster Kest Property
Carson, California

Sample ID	Address	Sample Date	Sample Time	Location	Analyte Units															
					Frequency of Detection	Tetrahydro- furan UG/M3	2-Hexanone UG/M3	Carbon Disulfide UG/M3	Propyl- benzene UG/M3	Vinyl Chloride UG/M3	1,1,1-Trichloro- ethane UG/M3	Bromo- methane UG/M3	Trichloro- ethane UG/M3	Cumene (isopropyl- benzene) UG/M3	Methyl-tert- Butyl Ether UG/M3	1,1,2-Trichloro- ethane UG/M3	1,1,2,2-Tetrachloro- ethane UG/M3	1,2-Dichloro- benzene UG/M3	cis-1,2- Dichloro- ethane UG/M3	Chloro- ethane UG/M3
						31.26%	24.63%	22.59%	22.21%	20.00%	10.42%	8.07%	7.16%	3.02%	3.02%	2.47%	2.22%	0.97%	0.49%	0.29%
P24533IAK	24533 PANAMA AVE	2012-09-19	09:55	Kitchen		<1 U	0.89 U	0.92 U	<1 U		<1 U	<1 U	<1 U	<1 U	<1 U	<0.21 U	<0.052 U	<1 U	<1 U	<1 U
P24533IAB	24533 PANAMA AVE	2012-09-19	09:56	Bedroom		<0.84 U	0.5 U	<8.4 U	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.042 U	<0.84 U	<0.84 U	<0.84 U
P24533IAG	24533 PANAMA AVE	2012-09-19	09:56	Garage		<0.97 U	0.43 U	1.6 U	<0.97 U		<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.19 U	<0.048 U	<0.97 U	<0.97 U	<0.97 U
R24533OAF	24533 RAVENNA AVE	2012-09-26	08:08	Outdoor Air		<0.97 U	<0.97 U	<9.7 U	<0.97 U		<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.97 U	<0.22 U	<0.065 U	<0.97 U	<0.97 U	<0.97 U
R24533OAB	24533 RAVENNA AVE	2012-09-26	08:10	Outdoor Air		<1 U	<1 U	<20 U	<1 U		<1 U	<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.051 U	<1 U	<1 U	<1 U
R24533IAB	24533 RAVENNA AVE	2012-09-26	09:10	Bedroom		<0.95 U	<0.95 U	1 U	<0.95 U		<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.047 U	<0.95 U	<0.95 U	<0.95 U
R24533IAK	24533 RAVENNA AVE	2012-09-26	09:10	Garage		<0.85 U	<0.85 U	0.27 U	<0.85 U		0.66 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U
R24533IAB	24533 RAVENNA AVE	2012-09-26	09:10	Kitchen		<0.85 U	<0.85 U	0.39 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.043 U	<0.85 U	<0.85 U	<0.85 U
M24602OAF	24602 MARBELLA AVE	2012-05-31	08:02	Outdoor Air		<0.93 U	<0.93 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.046 U	<0.93 U	<0.93 U	<0.93 U
M24602OAB	24602 MARBELLA AVE	2012-05-31	08:04	Outdoor Air		<0.91 U	0.4 U	<9.1 U	<0.91 U		<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.045 U	<0.91 U	<0.91 U	<0.91 U
M24602IAK	24602 MARBELLA AVE	2012-05-31	09:17	Garage		<0.95 U	<0.95 U	<9.5 U	<0.95 U		<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.048 U	<0.95 U	<0.95 U	<0.95 U
M24602IAB	24602 MARBELLA AVE	2012-05-31	09:18	Kitchen		<0.92 U	<0.92 U	<9.2 U	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
M24602IAB	24602 MARBELLA AVE	2012-05-31	09:19	Bedroom		<0.93 U	0.55 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	0.42 U	0.033 U	<0.93 U	<0.93 U	<0.93 U
M24602OAB	24602 NEPTUNE AVE	2011-03-03	13:36	Outdoor Air		0.28 U, b	0.29 U	<5.8 U	<0.58 U		<0.58 U	<0.58 U	<0.58 U	<0.58 U	<0.58 U	<0.12 U	<0.031 U	<0.58 U	<0.58 U	<0.58 U
M24602OAF	24602 NEPTUNE AVE	2011-03-03	13:39	Outdoor Air		0.28 U, b	<0.6 U	<6 U	<0.6 U		<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.13 U	<0.032 U	<0.6 U	<0.6 U	<0.6 U
M24602IAB	24602 NEPTUNE AVE	2011-03-03	14:30	Bedroom		0.39 U, b	0.69 U	0.21 U	<0.6 U		<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.13 U	<0.032 U	<0.6 U	<0.6 U	<0.6 U
M24602IAK	24602 NEPTUNE AVE	2011-03-03	14:39	Kitchen		0.45 U, b	0.57 U	<7.5 U	<0.75 U		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.16 U	<0.04 U	<0.75 U	<0.75 U	<0.75 U
M24602IAB	24602 NEPTUNE AVE	2011-03-03	14:40	Garage		0.36 U, b	0.49 U	<7 U	<0.7 U		<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.7 U	<0.15 U	<0.037 U	<0.7 U	<0.7 U	<0.7 U
M24602OAF	24602 NEPTUNE AVE	2012-06-28	08:11	Outdoor Air		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	0.027 U	0.035 U	<0.87 U	<0.87 U	<0.87 U
M24602OAB	24602 NEPTUNE AVE	2012-06-28	08:13	Outdoor Air		<0.85 U	<0.85 U	<8.5 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	0.024 U	0.031 U	<0.85 U	<0.85 U	<0.85 U
M24602IAB	24602 NEPTUNE AVE	2012-06-28	09:11	Bedroom		<0.86 U	<0.86 U	<8.6 U	<0.86 U		<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.14 U	<0.036 U	<0.86 U	<0.86 U	<0.86 U
M24602IAK	24602 NEPTUNE AVE	2012-06-28	09:12	Kitchen		<1 U	0.84 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	<1 U	<0.41 U	<0.11 U	<1 U	<1 U	<1 U
M24602IAB	24602 NEPTUNE AVE	2012-06-28	09:13	Garage		<0.86 U	<0.86 U	<8.6 U	<0.86 U		<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.14 U	<0.036 U	<0.86 U	<0.86 U	<0.86 U
M24602OAF	24602 RAVENNA AVE	2012-10-04	08:05	Outdoor Air		<0.85 U	<0.85 U	<8.5 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.042 U	<0.85 U	<0.85 U	<0.85 U
M24602OAB	24602 RAVENNA AVE	2012-10-04	08:09	Outdoor Air		<0.88 U	<0.88 U	<8.8 U	<0.88 U		<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.88 U	<0.18 U	<0.044 U	<0.88 U	<0.88 U	<0.88 U
M24602IAK	24602 RAVENNA AVE	2012-10-04	09:05	Garage		<0.92 U	<0.92 U	<9.2 U	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
B24602IAK	24602 RAVENNA AVE	2012-10-04	09:06	Kitchen		<0.91 U	<0.91 U	<9.1 U	<0.91 U		<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.91 U	<0.18 U	<0.045 U	<0.91 U	<0.91 U	<0.91 U
B24602IAB	24602 RAVENNA AVE	2012-10-04	09:07	Bedroom		<0.95 U	1 U	<9.5 U	<0.95 U		<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.95 U	<0.19 U	<0.047 U	<0.95 U	<0.95 U	<0.95 U
M24603-OAF	24603 MARBELLA AVE	2010-01-14	09:05	Outdoor Air		0.85 U	<0.66 U	<6.6 U	0.37 U		<0.66 U	0.31 U	<0.66 U	<0.66 U	<0.66 U	<0.13 U	<0.033 U	<0.66 U	<0.66 U	<0.66 U
M24603-OAB	24603 MARBELLA AVE	2010-01-14	09:10	Outdoor Air		1.2 U	<0.66 U	<6.6 U	0.35 U		<0.66 U	0.28 U	<0.66 U	<0.66 U	<0.66 U	<0.13 U	<0.033 U	<0.66 U	<0.66 U	<0.66 U
M24603-GA	24603 MARBELLA AVE	2010-01-14	09:16	Garage		0.8 U	<0.78 U	<7.8 U	1.4 U		<0.78 U	<0.78 U	<0.78 U	0.3 U	<0.78 U	<0.16 U	<0.039 U	<0.78 U	<0.78 U	<0.78 U
M24603-IAB	24603 MARBELLA AVE	2010-01-14	10:02	Bedroom		0.51 U	0.82 U	<5.8 U	0.53 U		<0.58 U	0.24 U	0.35 U	<0.58 U	<1.4 U	<0.36 U	<0.58 U	<0.58 U	<0.58 U	<0.58 U
M24603-IAB	24603 MARBELLA AVE	2010-01-14	10:04	Kitchen		0.66 U	1 U	<6.5 U	0.49 U		<0.65 U	<0.65 U	0.34 U	<0.65 U	<0.65 U	<0.13 U	<0.033 U	<0.65 U	<0.65 U	<0.65 U
M24603OAF	24603 MARBELLA AVE	2010-10-14	11:32	Outdoor Air		<0.63 U	<0.63 U	<6.3 U	<0.63 U		<0.63 U	<0.63 U	<0.63 U	<0.63 U	<0.63 U	<0.13 U	<0.031 U	<0.63 U	<0.63 U	<0.63 U
M24603OAB	24603 MARBELLA AVE	2010-10-14	11:33	Outdoor Air		<0.66 U	<0.66 U	<6.6 U	<0.66 U		<0.66 U	<0.66 U	<0.66 U	<0.66 U	<0.66 U	<0.13 U	<0.033 U	<0.66 U	<0.66 U	<0.66 U
M24603IAB	24603 MARBELLA AVE	2010-10-14	12:33	Bedroom		<0.61 U	0.51 U	<6.1 U	<0.61 U		<0.61 U	<0.61 U	<0.61 U	<0.61 U	<0.61 U	<0.13 U	<0.031 U	<0.61 U	<0.61 U	<0.61 U
M24603IAB	24603 MARBELLA AVE	2010-10-14	12:33	Garage		<0.72 U	0.6 U	<7.2 U	0.5 U		<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.72 U	<0.14 U	<0.035 U	<0.72 U	<0.72 U	<0.72 U
M24603IAK	24603 MARBELLA AVE	2010-10-14	12:34	Kitchen		<0.6 U	0.45 U	<6 U	<0.6 U		<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.13 U	<0.033 U	<0.6 U	<0.6 U	<0.6 U
P24603OAF	24603 PANAMA AVE	2012-10-18	08:17	Outdoor Air		<1.2 U	<1.2 U	<0.51 U	<1.2 U		<1.2 U	<1.2 U	<1.2 U	<1.2 U	<1.2 U	<0.25 U	<0.062 U	<1.2 U	<1.2 U	<1.2 U
P24603OAB	24603 PANAMA AVE	2012-10-18	08:19	Outdoor Air		<0.92 U	0.36 U	<9.2 U	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
P24603IAB	24603 PANAMA AVE	2012-10-18	09:17	Garage		5.6 U	<0.92 U	<9.2 U	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
P24603IAB	24603 PANAMA AVE	2012-10-18	09:18	Bedroom		1.1 U	<0.73 U	<7.3 U	<0.73 U		<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	0.2 U	<0.73 U	<0.73 U	<0.73 U
P24603IAK	24603 PANAMA AVE	2012-10-18	09:19	Kitchen		1.1 U	0.97 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.047 U	<0.93 U	<0.93 U	<0.93 U
R24603OAF	24603 RAVENNA AVE	2012-05-31	14:11	Outdoor Air		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.044 U	<0.87 U	<0.87 U	<0.87 U
R24603OAB	24603 RAVENNA AVE	2012-05-31	14:16	Outdoor Air		<0.86 U	<0.86 U	<8.6 U	<0.86 U		<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.17 U	<0.043 U	<0.86 U	<0.86 U	<0.86 U
R24603IAB	24603 RAVENNA AVE	2012-05-31	15:11	Garage		<0.92 U	<0.92 U	0.25 U	<0.92 U		<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.92 U	<0.18 U	<0.046 U	<0.92 U	<0.92 U	<0.92 U
R24603IAK	24603 RAVENNA AVE	2012-05-31	15:11	Kitchen		<0.85 U	<0.85 U	0.38 U	<0.85 U		<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.85 U	<0.17 U	<0.042 U	<0.85 U	<0.85 U	<0.85 U
R24603IAB	24603 RAVENNA AVE	2012-05-31	15:12	Bedroom		<0.99 U	<0.99 U	0.48 U	<0.99 U		<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.2 U	<0.05 U	<0.99 U	<0.99 U	<0.99 U
M24606OAB	24606 MARBELLA AVE	2012-01-12	10:10	Outdoor Air		0.66 U	<0.78 U	<7.8 U	0.29 U		<0.78 U	0.67 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.039 U	<0.78 U	<0.78 U	<0.78 U
M24606IAB	24606 MARBELLA AVE	2012-01-12	10:10	Outdoor Air																

Table B-4
Indoor, Garage, and Outdoor Air Results
Former Kist Property
Carson, California

					Analyte	Units															
					Frequency of Detection	Tetrahydrofuran UG/M3	2-Hexanone UG/M3	Carbon Disulfide UG/M3	Propylbenzene UG/M3	Vinyl Chloride UG/M3	1,1,1-Trichloroethane UG/M3	Bromomethane UG/M3	Trichloroethene UG/M3	Cumene (Isopropylbenzene) UG/M3	Methyl-tert-Butyl Ether UG/M3	1,1,2-Trichloroethane UG/M3	Tetrachloroethene UG/M3	1,2-Dichlorobenzene UG/M3	cis-1,2-Dichloroethene UG/M3	Chloroethane UG/M3	
						31.26%	24.63%	23.59%	22.21%	20.00%	10.42%	8.07%	7.16%	3.02%	3.02%	2.67%	2.22%	0.97%	0.49%	0.29%	
Sample ID	Address	Sample Date	Sample Time	Location																	
M24608IA	24608 MARBELLA AVE	2012-01-12	11:10	Kitchen		0.65 U	<0.81 U	<8.1 U	0.35 U		<0.81 U	0.83 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	
M24608OAF	24608 NEPTUNE AVE	2012-05-17	14:06	Outdoor Air		<0.93 U	<0.93 U	<9.3 U	<0.93 U		<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.93 U	<0.19 U	<0.04 U	<0.93 U	<0.93 U	<0.93 U	
M24608OAB	24608 NEPTUNE AVE	2012-05-17	14:06	Outdoor Air		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.04 U	<0.87 U	<0.87 U	<0.87 U	
M24608IAB	24608 NEPTUNE AVE	2012-05-17	14:19	Bedroom		<0.86 U	0.54 U	<8.6 U	<0.86 U		<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.86 U	<0.17 U	<0.04 U	<0.86 U	<0.86 U	<0.86 U	
M24608IAG	24608 NEPTUNE AVE	2012-05-17	14:19	Garage		<0.81 U	<0.81 U	<8.1 U	<0.81 U		<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	
M24608IAK	24608 NEPTUNE AVE	2012-05-17	14:19	Kitchen		<0.9 U	0.4 U	<9 U	<0.9 U		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	
P24608OAB	24608 PANAMA AVE	2012-04-05	13:10	Outdoor Air		<0.73 U	<0.73 U	<7.3 U	<0.73 U		<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.03 U	<0.73 U	<0.73 U	<0.73 U	
P24608OAF	24608 PANAMA AVE	2012-04-05	13:13	Outdoor Air		<0.99 U	<0.99 U	<9.9 U	<0.99 U		<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.2 U	<0.05 U	<0.99 U	<0.99 U	<0.99 U	
P24608IAG	24608 PANAMA AVE	2012-04-05	14:10	Garage		<0.82 U	0.4 U	<8.2 U	<0.82 U		<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.82 U	<0.16 U	<0.04 U	<0.82 U	<0.82 U	<0.82 U	
P24608IAK	24608 PANAMA AVE	2012-04-05	14:11	Kitchen		<0.84 U	1.5	<8.4 U	<0.84 U		<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.84 U	<0.17 U	<0.04 U	<0.84 U	<0.84 U	<0.84 U	
P24608IAB	24608 PANAMA AVE	2012-04-05	14:12	Bedroom		<0.78 U	0.42 U	<7.8 U	<0.78 U		<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.78 U	<0.16 U	<0.03 U	<0.78 U	<0.78 U	<0.78 U	
R24608OAF	24608 RAVENNA AVE	2012-05-16	13:12	Outdoor Air		<0.99 U	<0.99 U	<9.9 U	<0.99 U		<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.99 U	<0.18 U	<0.04 U	<0.99 U	<0.99 U	<0.99 U	
R24608OAB	24608 RAVENNA AVE	2012-05-16	13:14	Outdoor Air		<0.9 U	<0.9 U	<9 U	<0.9 U		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	
R24608IAB	24608 RAVENNA AVE	2012-05-16	14:12	Bedroom		<0.96 U	0.6 U	<9.6 U	<0.96 U		<0.96 U	<0.96 U	<0.96 U	<0.96 U	1.7	<1.9 U	<0.48 U	<0.96 U	<0.96 U	<0.96 U	
R24608IAK	24608 RAVENNA AVE	2012-05-16	14:13	Kitchen		<1.3 U	0.89 U	<13 U	<1.3 U		<1.3 U	<1.3 U	<1.3 U	<1.3 U	1.6	<0.9 U	<0.22 U	<1.3 U	<1.3 U	<1.3 U	
R24608IAG	24608 RAVENNA AVE	2012-05-16	14:14	Garage		<1 U	<1 U	<10 U	<1 U		<1 U	<1 U	<1 U	<1 U	4	<0.2 U	<0.05 U	<1 U	<1 U	<1 U	
M24609OAF	24609 NEPTUNE AVE	2010-12-09	13:13	Outdoor Air		<0.73 U	<0.73 U	<7.3 U	<0.73 U		<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.73 U	<0.15 U	<0.03 U	<0.73 U	<0.73 U	<0.73 U	
M24609OAB	24609 NEPTUNE AVE	2010-12-09	13:13	Bedroom		<0.66 U	<0.66 U	<6.6 U	<0.66 U		<0.66 U	<0.66 U	<0.66 U	<0.66 U	<0.66 U	<0.14 U	<0.03 U	<0.66 U	<0.66 U	<0.66 U	
M24609IAG	24609 NEPTUNE AVE	2010-12-09	14:16	Garage		0.32 U	<0.71 U	<7.1 U	0.31 U		<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.71 U	<0.15 U	<0.03 U	<0.71 U	<0.71 U	<0.71 U	
M24609IAB	24609 NEPTUNE AVE	2010-12-09	14:17	Bedroom		0.28 U	<0.6 U	<6 U	0.29 U		<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.6 U	<0.13 U	<0.03 U	<0.6 U	<0.6 U	<0.6 U	
M24609IAK	24609 NEPTUNE AVE	2010-12-09	14:17	Kitchen		<0.63 U	<0.63 U	<6.3 U	<0.63 U		<0.63 U	<0.63 U	<0.63 U	<0.63 U	<0.63 U	<0.13 U	<0.03 U	<0.63 U	<0.63 U	<0.63 U	
P24609OAB	24609 PANAMA AVE	2011-02-17	08:11	Outdoor Air		<0.68 U	<0.68 U	<6.8 U	<0.68 U		<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.14 U	<0.03 U	<0.68 U	<0.68 U	<0.68 U	
P24609OAF	24609 PANAMA AVE	2011-02-17	08:13	Outdoor Air		<0.69 U	0.64 U	<6.4 U	<0.69 U		<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.69 U	<0.14 U	<0.03 U	<0.69 U	<0.69 U	<0.69 U	
P24609IAK	24609 PANAMA AVE	2011-02-17	09:33	Kitchen		<0.65 U	<0.65 U	<6.5 U	<0.65 U		<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.14 U	<0.03 U	<0.65 U	<0.65 U	<0.65 U	
P24609IAB	24609 PANAMA AVE	2011-02-17	09:34	Bedroom		<0.68 U	0.61 U	<6.1 U	<0.68 U		<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.68 U	<0.14 U	<0.03 U	<0.68 U	<0.68 U	<0.68 U	
P24609IAG	24609 PANAMA AVE	2011-02-17	09:56	Garage		<0.65 U	<0.65 U	<6.5 U	<0.65 U		<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.14 U	<0.03 U	<0.65 U	<0.65 U	<0.65 U	
R24609OAF	24609 RAVENNA AVE	2012-09-20	13:10	Outdoor Air		<0.96 U	<0.96 U	<9.6 U	<0.96 U		<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.96 U	<0.19 U	<0.04 U	<0.96 U	<0.96 U	<0.96 U	
R24609OAB	24609 RAVENNA AVE	2012-09-20	13:11	Outdoor Air		<0.87 U	<0.87 U	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.04 U	<0.87 U	<0.87 U	<0.87 U	
R24609IAB	24609 RAVENNA AVE	2012-09-20	14:10	Kitchen		<0.9 U	0.92	<9.2 U	<0.9 U		<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.9 U	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	
R24609IAG	24609 RAVENNA AVE	2012-09-20	14:11	Bedroom		<1 U	0.64 U	<6.4 U	<1 U		<1 U	<1 U	<1 U	<1 U	<1 U	<0.2 U	<0.05 U	<1 U	<1 U	<1 U	
R24609IAK	24609 RAVENNA AVE	2012-09-20	14:12	Garage		<0.94 U	<0.94 U	<9.4 U	<0.94 U		<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.94 U	<0.19 U	<0.04 U	<0.94 U	<0.94 U	<0.94 U	
M24612OAF	24612 MARBELLA AVE	2012-05-09	13:07	Outdoor Air		<0.77 U	<0.77 U	<7.7 U	<0.77 U		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U	
M24612OAB	24612 MARBELLA AVE	2012-05-09	13:09	Outdoor Air		<0.8 U	<0.8 U	<8 U	<0.8 U		<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.8 U	<0.2 U	<0.05 U	<0.8 U	<0.8 U	<0.8 U	
M24612IAB	24612 MARBELLA AVE	2012-05-09	14:09	Bedroom		<0.75 U	<0.75 U	<7.5 U	<0.75 U		<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.75 U	<0.15 U	<0.03 U	<0.75 U	<0.75 U	<0.75 U	
M24612IAK	24612 MARBELLA AVE	2012-05-09	14:09	Kitchen		<0.87 U	1.4	<8.7 U	<0.87 U		<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.87 U	<0.17 U	<0.04 U	<0.87 U	<0.87 U	<0.87 U	
M24612IAG	24612 MARBELLA AVE	2012-05-09	14:10	Garage		<0.77 U	<0.77 U	<7.7 U	<0.77 U		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.17 U	<0.04 U	<0.77 U	<0.77 U	<0.77 U	
M24612OAB	24612 NEPTUNE AVE	2011-03-10	13:14	Outdoor Air		0.47 U	<0.77 U	<7.7 U	<0.77 U		<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.77 U	<0.15 U	<0.03 U	<0.77 U	<0.77 U	<0.77 U	
M24612OAF	24612 NEPTUNE AVE	2011-03-10	13:16	Outdoor Air		0.44 U	<0.81 U	<8.1 U	<0.81 U		<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.81 U	<0.16 U	<0.04 U	<0.81 U	<0.81 U	<0.81 U	
M24612IAG	24612 NEPTUNE AVE	2011-03-10	14:23	Garage		0.4 U	<0.89 U	<8.9 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.14 U	<0.03 U	<0.89 U	<0.89 U	<0.89 U	
M24612IAK	24612 NEPTUNE AVE	2011-03-10	14:25	Kitchen		0.5 U	0.53 U	<5.3 U	<0.53 U		<0.53 U	<0.53 U	<0.53 U	<0.53 U	<0.53 U	<0.15 U	<0.03 U	<0.53 U	<0.53 U	<0.53 U	
M24612IAB	24612 NEPTUNE AVE	2011-03-10	14:26	Bedroom		0.65 U	1.4	<8.5 U	<0.65 U		<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.65 U	<0.17 U	<0.04 U	<0.65 U	<0.65 U	<0.65 U	
M24612OAF	24612 RAVENNA AVE	2012-10-31	13:03	Outdoor Air		<0.83 U	<0.83 U	<8.3 U	<0.83 U		<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.83 U	<0.17 U	<0.04 U	<0.83 U	<0.83 U	<0.83 U	
M24612OAB	24612 RAVENNA AVE	2012-10-31	13:05	Outdoor Air		<0.89 U	<0.89 U	<8.9 U	<0.89 U		<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.89 U	<0.18 U	<0.04 U	<0.89 U	<0.89 U	<0.89 U	
M24612IAB	24612 RAVENNA AVE	2012-10-31	14:05	Bedroom		<1 U	0.79 U	0.44 U	<1 U		0.5 U	<1 U	<1 U	<1 U	0.45 U	<0.2 U	<0.05 U	<1 U	<1 U	<1 U	
M24612IAG	24612 RAVENNA AVE	2012-10-31	14:05	Garage		<0.9 U	<0.9 U	<9 U	<0.9 U		<0.9 U	<0.9 U	<0.9 U	<0.9 U	1.5	<0.18 U	<0.04 U	<0.9 U	<0.9 U	<0.9 U	
M24612IAK	24612 RAVENNA AVE	2012-10-31	14:05	Kitchen		<0.98 U	<0.98 U	<9.8 U	<0.98 U		<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.98 U	<0.2 U	<0.04 U	<0.98 U	<0.98 U		