



---

## North Coast Regional Water Quality Control Board

California North Coast Regional Water Quality Control Board  
5550 Skylane Boulevard, Suite A  
Santa Rosa, CA 95403  
(707) 576-2220

**Notice of Public Hearing  
of  
Order No. R1-2025-0024  
Rescission of National Pollutant Discharge Elimination System Permit,  
Waste Discharge Requirements Order No. R1-2000-0017**

for

**State of California Department of Fish and Game  
and  
PacifiCorp Iron Gate Hatchery**

**NPDES Permit No. CA0006688  
WDID No. 1A80052SIS**

**Siskiyou County**

On the basis of staff review and application of lawful standards and regulations, the North Coast Regional Water Quality Control Board (Regional Water Board) proposes to adopt Rescission of National Pollutant Discharge Elimination System (NPDES) Order No. R1-2000-0017 for the State of California Department of Fish and Game and PacifiCorp, Iron Gate Hatchery (Facility).

This item will be open for public comment between **June 4, 2025 and July 5, 2025**. Comments and questions regarding the draft Order should be directed to Justin McSmith at [Justin.McSmith@waterboards.ca.gov](mailto:Justin.McSmith@waterboards.ca.gov).

### ***Public Hearing Procedures***

A public hearing to consider comments and objections to the proposed Rescission Order is scheduled for the Regional Water Board's **August 14 & 15, 2025** Board Meeting, or as announced in the Regional Water Board's agenda. This public meeting is currently scheduled to take place in-person and via video and teleconference at 5550 Skylane Blvd. Suite A, Santa Rosa, CA 95403, but the format may be changed in the future. Please follow the North Coast Regional Water Quality Control Board website for

---

HECTOR BEDOLLA, CHAIR | VALERIE QUINTO, EXECUTIVE OFFICER

5550 Skylane Blvd., Suite A, Santa Rosa, CA 95403 | [www.waterboards.ca.gov/northcoast](http://www.waterboards.ca.gov/northcoast)

information on how to participate in the meeting and any updates regarding this agenda item.

Live video and audio broadcasts of the public hearing will be available via the internet and can be accessed at the [CalEPA Public Meeting Live Webcasts page](https://video.calepa.ca.gov/) (<https://video.calepa.ca.gov/>). The public hearing will be recorded.

Please be aware that dates and venues may change. You can access the current agenda for changes in dates and locations at [North Coast Regional Water Quality Control Board Meetings website](https://www.waterboards.ca.gov/northcoast/board_info/board_meetings/),

([https://www.waterboards.ca.gov/northcoast/board\\_info/board\\_meetings/](https://www.waterboards.ca.gov/northcoast/board_info/board_meetings/))

At the public hearing, the Regional Water Board will consider whether to affirm, reject, or modify the proposed Recission Order.

In order for the Regional Water Board to consider any written evidentiary material concerning this hearing, any documents, including written technical reports and other evidentiary material, must be submitted to the Regional Water Board email at [NorthCoast@waterboards.ca.gov](mailto:NorthCoast@waterboards.ca.gov) *attention: Justin McSmith*, **no later than 5:00 pm, on July 5, 2025**. All documents that are received timely will be distributed to the Regional Water Board members and interested persons. These records will also become a permanent part of the administrative record for this public hearing.

Except at the discretion of the Regional Water Board Chair, written material received after the above date will not be accepted. If the Chair chooses to accept late written material, that material will not be incorporated into the administrative record if doing so would prejudice any party or the Board. The Chair may choose to modify this rule upon a showing of severe hardship (California Code of Regulations, Title 23, sections 648.1 and 648.4).

The Regional Water Board will accept written comments and evidence, and oral testimony at this hearing. Written comments and evidence must be submitted to the Regional Water Board **no later than 5:00pm on July 5, 2025**. Oral comments or testimony at the hearing may summarize or explain timely submitted, or late-accepted written evidence but shall not introduce new evidence. The time limit for oral testimony or comments will be set by the Regional Water Board Chair and are subject to change. These time limits normally allow no more than 20 minutes each for Regional Water Board staff and Dischargers. Other interested persons may also provide testimony at this public hearing. However, any testimony given by someone other than staff or the Discharger is limited to 5 minutes. A timer may be used, and speakers are expected to honor time limits. Where speakers can be grouped by affiliation or interest, such groups will be expected to select a spokesperson to avoid unnecessary or repetitive testimony.

***Document Review***

The Proposed Recission Order and related documents are available at the [Regional Water Board's website for tentative orders for Board decisions](https://www.waterboards.ca.gov/northcoast/board_decisions/tentative_orders/)

([https://www.waterboards.ca.gov/northcoast/board\\_decisions/tentative\\_orders/](https://www.waterboards.ca.gov/northcoast/board_decisions/tentative_orders/)).

Additionally, the Proposed Recission Order and file may be inspected or copied at the Regional Water Board office, 5550 Skylane Blvd, Suite A, Santa Rosa, California. To make an appointment for document review, please call (707) 576-2220.

Valerie M. Quinto

Executive Officer

June 5, 2025

250604\_JCM\_IronGate\_PN