

California Regional Water Quality Control Board San Francisco Bay Region



1515 Clay Street, Suite 1400, Oakland, California 94612 (510) 622-2300 • FAX (510) 622-2460 http://www.waterboards.ca.gov/sanfranciscobay

January 14, 2013 CIWQS Place ID: 213195 (LW)

Phillips 66 Company Attn: Chris Swartz 1380 San Pablo Ave. Rodeo, CA 94572 (sent via email to Chris.Swartz@P66.com)

SUBJECT: Tentative Order Amending Waste Discharge Requirements for Phillips 66 Rodeo Carbon Plant, Rodeo, Contra Costa County

Dear Mr. Swartz:

Enclosed for your review is a Tentative Order to Amend Waste Discharge Requirements for the Phillips 66 Rodeo Carbon Plant. The Tentative Order is scheduled to be considered by the Water Board at its regular meeting on March 13, 2013. The hearing will be held at:

Elihu Harris State Building First Floor Auditorium 1515 Clay Street Oakland, CA 94612 March 13, 2013, 9:00 a.m.

Comments to the Tentative Order must be submitted in writing to this office by February 13, 2013. Comments received after the deadline may not be considered. Questions regarding this matter should be directed me at (510) 622-2363 or by e-mail at lwhalin@waterboards.ca.gov.

Sincerely,

Lindsay Whalin Engineering Geologist

CC: Water Boards Tentative Order Lyris List

Enclosures: Tentative Order

