Table 7.3.3-9 Required TMDL Implementation Measures for Sediment Discharges associated with Parks and Open Space and/or Municipal Public Works¹

Landowner Type	Performance Standards	Actions	Implementing Parties	Completion Dates
Parks and Open Space and Public Works	Roads: Road-related sediment delivery to channels ≤ 350 cubic yards per mile per 20-year period; and Minimize delivery of sediment to channels from unstable or potentially unstable areas: Manage existing roads and other infrastructure to prevent additional erosion of legacy sediment delivery sites, and/or delivery from other potentially unstable areas.	Submit a Report of Waste Discharge to the Water Board that provides, at a minimum, the following required actions: a) description of the road network and/or segments; b) identification of erosion and sediment control measures to achieve performance standard(s) specified in this table; c) a schedule for implementation of identified control measures; and d) development and implementation of guidelines for road maintenance, as needed to protect water quality, stream-riparian habitat, and salmonid fisheries	County of Marin, Public Works Department State of California, Department of Parks and Recreation, S.P. Taylor State Park U.S. National Park Service, Golden Gate National Recreation Area	Submit a report of waste discharge within five years of Basin Plan amendment adoption. Achieve performance standards within twenty years of Basin Plan amendment adoption.
		Comply with applicable WDRs or waiver of WDRs.	As above	As specified in applicable WDRs or waiver of WDRs
		Report progress on development and implementation of best management practices to control road-related erosion.	As above	As specified in applicable WDRs or waiver of WDRs