Attachment C. Direct Contact and Outdoor Air Exposure

The policy describes conditions where direct contact with contaminated soil or inhalation of contaminants volatized to outdoor air poses a low threat to human health. Release sites where human exposure may occur satisfy the media-specific criteria for direct contact and outdoor air exposure and shall be considered low-threat if they meet any of the following:

- a. Maximum concentrations of petroleum constituents in soil are less than or equal to those listed in Table 1 for the specified depth below ground surface (bgs). The concentration limits for 0 to 5 feet bgs protect from ingestion of soil, dermal contact with soil, and inhalation of volatile soil emissions and inhalation of particulate emissions. The 5 to 10 feet bgs concentration limits protect from inhalation of volatile soil emissions. Both the 0 to 5 feet bgs concentration limits and the 5 to 10 feet bgs concentration limits for the appropriate site classification (Residential or Commercial/Industrial) shall be satisfied. In addition, if exposure to construction workers or utility trench workers are reasonably anticipated, the concentration limits for Utility Worker shall also be satisfied; or
- Maximum concentrations of petroleum constituents in soil are less than levels that a site specific risk assessment demonstrates will have no significant risk of adversely affecting human health; or
- c. As a result of controlling exposure through the use of mitigation measures or through the use of institutional or engineering controls, the regulatory agency determines that the concentrations of petroleum constituents in soil will have no significant risk of adversely affecting human health.

Table 1Concentrations of Petroleum Constituents in Soil That Will Have No Significant Risk of Adversely Affecting Human Health

Chemical	Residential		Commercial/ Industrial		Utility Worker
	0 to 5 feet bgs	Volatilization to outdoor air (5 to 10 feet bgs)	0 to 5 feet bgs	Volatilization to outdoor air (5 to 10 feet bgs)	0 to 10 feet bgs
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Benzene	1.9	2.8	8.2	12	14
Ethylbenzene	21	32	89	134	314
Naphthalene	9.7	9.7	45	45	219
PAH ¹	0.063	NA	0.68	NA	4.5

Notes:

- 1. Based on the seven carcinogenic poly-aromatic hydrocarbons (PAHs) as benzo(a)pyrene toxicity equivalent [BaPe]. Sampling and analysis for PAH is only necessary where soil as affected by either waste oil or Bunker C fuel.
- 2. The area of impacted soil where a particular exposure occurs is 25 by 25 meters (approximately 82 by 82 feet) or less.
- 3. NA = not applicable
- 4. mg/kg = milligrams per kilogram