



EDMUND G. BROWN JR.  
GOVERNOR



MATTHEW RODRIGUEZ  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

## Los Angeles Regional Water Quality Control Board

August 1, 2016

Mr. David Steeves  
CB Richard Ellis  
2125 East Katella Avenue, Suite 100  
Anaheim, California 92806

### TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS – FORMER PALO VERDE CLEANERS, 2221 PALO VERDE AVENUE, LONG BEACH, CALIFORNIA (FILE NO. 14-076, ORDER NO. R4-2007-0019, SERIES NO. 257, CI-10072, GLOBAL ID. WDR 100018405)

Dear Mr. Steeves:

On August 4, 2014, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In a letter dated June 10, 2016, you notified the Regional Board that you ceased injection of potassium permanganate at the subject site and requested termination of the WDR.

Since you have no plan to inject potassium permanganate in the future, the coverage for the subject facility under Regional Board Order No. R4-2007-0019 is hereby terminated, with the exception of enforcement under the terms of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 ([ann.chang@waterboards.ca.gov](mailto:ann.chang@waterboards.ca.gov)), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 ([eric.wu@waterboards.ca.gov](mailto:eric.wu@waterboards.ca.gov)).

Sincerely,

  
Samuel Unger, P.E.  
Executive Officer  
*Chief Deputy E.O.  
for*

cc: Mr. Mark S. Leymaster, Leymaster Environmental Consulting, LLC