



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

July 7, 2017

Ms. Jo-Anne Alvarez
Tesoro Refining & Marketing Company LLC
400 Oceangate, Suite 600
Long Beach, California 90802

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– TESORO SERVICE STATION NO. 42055, 124 WEST PACIFIC COAST HIGHWAY, LONG
BEACH, CALIFORNIA (FILE NO. 17-016, ORDER NO. R4-2014-0187, SERIES NO. 093, CI-
10303, GLOBAL ID. WDR 100039633)**

Dear Ms. Alvarez,

On March 8, 2017, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2014-0187, which specifies your Waste Discharge Requirements (WDR).

In the letter dated June 28, 2017, you requested termination of the WDR coverage under Regional Board Order No. R4-2014-0187 because the injection of sodium persulfate was never implemented and is not planned in the future at the subject site. Therefore, you no longer need the WDR. The coverage under Regional Board Order No. R4-2014-0187 for the subject site is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,

Samuel Unger, P.E.
Executive Officer

cc: Mr. Gareth Roberts, Stantec