



# California Regional Water Quality Control Board Los Angeles Region



Matthew Rodriguez  
Secretary for  
Environmental Protection

320 W. 4<sup>th</sup> Street, Suite 200, Los Angeles, California 90013  
(213) 576-6600 • FAX (213) 576-6640  
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.  
Governor

October 31, 2011

Mr. Lee Hanley  
ExxonMobil Environmental Services  
1464 Madera Road, Suite N, #265  
Simi Valley, CA 93065

## TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT EXXONMOBIL OIL CORPORATION SERVICE STATION #18-H7A, 855 WENDY DRIVE, NEWBURY PARK, CALIFORNIA (ORDER NO. R4-2002-0030, SERIES NO. 006, CI-8470)

Dear Mr. Hanley:

In our letter dated October 2, 2002, we informed you that the subject discharge is regulated under Order No. R4-2002-0030, which specifies your Waste Discharge Requirements (WDR).

In the fax dated October 11, 2011, you requested the termination of the WDR coverage under Board Order No. R4-2002-0030 because the groundwater extraction and treatment system (GWET) has been shut down and there is no re-injection of treated groundwater at the subject site.

Since you have no plan to operate GEWT in the future, the coverage for the subject facility, under Board Order No. R4-2002-0030, is hereby terminated with the exception of enforcement under the terms of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 or the Chief of Groundwater Permitting Unit, Dr. Eric Wu, at (213) 576-6683.

Sincerely,

  
Samuel Unger, P.E.  
Executive Officer

cc: Mr. David Salter, Ventura County Environmental Health Division  
Mr. James Anderson, Cardno ERI

*California Environmental Protection Agency*