



California Regional Water Quality Control Board Los Angeles Region



Linda S. Adams
Acting Secretary for
Environmental Protection

320 West Fourth Street, Suite 200, Los Angeles, California 90013
(213) 576-6600 • Fax (213) 576-6640
<http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

March 11, 2011

Mr. Jon Gatewood
Ventura County General Services Agency
Fleet Services Division
11201 River Bank Drive, A-1
Oxnard, CA 93004-3266

TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT VENTURA COUNTY OJAI MAINTENANCE YARD, 1768 MARICOPA HIGHWAY OJAI, CALIFORNIA (WDR ORDER NO. R4-2002-0030, CI NO. 8664, FILE NO. 03-130)

Dear Mr. Gatewood:

In our letter dated December 19, 2003, we informed you that the subject discharge is regulated under Order No. R4-2002-0030, which specifies your Waste Discharge Requirements (WDR).

In a letter dated December 15, 2010, you notified the Regional Board that you ceased hydrogen peroxide and Fenton's Reagent injection for this site and that you requested termination of the WDR.

Because the ongoing remediation does not plan to continue to inject hydrogen peroxide and Fenton's Reagent, you no longer need the WDR. The coverage under Board Order No. R4-2002-0030, for the subject facility is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Mr. Gregg Kwey, at (213) 576-6702 or the Unit Chief of Groundwater Permitting, Dr. Eric Wu, at (213) 576-6683.

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. James Evans, Ventura County Environmental Health Division, Liquid Waste
Ms. Melinda Talent, Ventura County Environmental Health Division, Land Use Unit
Mr. K. Craig Klein, LUFT Program, Ventura County Environmental Health Division
Mr. J.F. Fakhoury, Ventura County Public Works

California Environmental Protection Agency