
Los Angeles Regional Water Quality Control Board

July 9, 2019

Mr. Raj Mehta
Soco West, Inc.
100 First Stamford Place
Stamford, Connecticut 06902

TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS FOR GROUNDWATER REMEDIATION AT PETROLEUM HYDROCARBON FUEL, VOLATILE ORGANIC COMPOUND AND/OR HEXAVALENT CHROMIUM IMPACTED SITES – SOCO WEST, INC., 3270 EAST WASHINGTON BOULEVARD, VERNON, CALIFORNIA (FILE NO. 03-174, ORDER NO. R4-2007-0019, SERIES NO. 194, CI NO. 8676, GLOBAL ID. WDR 100000077)


Dear Mr. Mehta:

On August 27, 2012, the Los Angeles Regional Water Quality Control Board authorized the proposed subsurface injection of materials under the General Waste Discharge Requirements (WDR) Order No. R4-2007-0019. The authorized discharge was part of an approved *Perched Groundwater Treatment Pilot Test Work Plan* for groundwater remediation of volatile organic compounds at the Soco West facility.

On June 4, 2019, you requested termination of coverage under the General WDR because injection of molasses solution and fluorescein dye was completed in February 2013 and no additional injection activities are planned in the future. Therefore, the WDR is no longer needed. Coverage under General WDR Order No. R4-2007-0019 for the subject site is hereby terminated except for enforcement purposes.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,



Renee Purdy
Executive Officer

cc: Dr. Anthony Smith, Geosyntec Consultants

IRMA MUÑOZ, CHAIR | RENEE PURDY, EXECUTIVE OFFICER