

California Regional Water Quality Control Board

Los Angeles Region

Recipient of the 2001 Environmental Leadership Award from Keep California Beautiful



Alan C. Lloyd, Ph.D.

Agency Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles

Arnold Schwarzenegger

Governor

January 19, 2006

Ms. Susan Damron, Manager
City of Los Angeles Department of Water and Power
111 North Hope Street, Room 1213
Los Angeles, CA 90012

CERTIFIED MAIL
RETURN RECEIPT REQUESTED
CLAIM NO. 7000 0520 0024 7127 9952

COVERAGE UNDER GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) AND WASTE DISCHARGE REQUIREMENTS – CITY OF LOS ANGELES DEPARTMENT OF WATER AND POWER, HANSEN AREA WATER RECYCLING PIPELINE CONSTRUCTION PROJECT, 11801 SHELDON STREET, SUN VALLEY, LOS ANGELES, CALIFORNIA (NPDES NO. CAG994004, CI-9014)

Dear Ms. Damron:

We have completed our review of your application for a permit to discharge waste under the National Pollutant Discharge Elimination System (NPDES). You propose to discharge up to 8,000 gallons per day (GPD) of groundwater from the above-referenced construction project.

Based on the information provided, the proposed discharge of groundwater meets the conditions to be regulated under General Permit No. CAG994004, Order No. R4-2003-0111; General National Pollutant Discharge Elimination System Permit and Waste Discharge Requirements for Discharges of Groundwater From Construction and Project Dewatering to Surface Waters in Coastal Watersheds of Los Angeles and Ventura Counties, adopted by this Board on August 7, 2003.

Enclosed are your Waste Discharge Requirements, which also serve as your General NPDES Permit, consisting of Order No. R4-2003-0111 and Monitoring and Reporting Program No. CI-9014. The discharge limitations in Part E.1.a. of Order No. R4-2003-0111 for the specific constituents listed on the Table with the enclosed Fact Sheet are applicable to your discharge. The groundwater discharge flows to Tujunga Wash which drains to the Los Angeles River (between Sepulveda Flood Control Basin and Figueroa Street). Therefore the discharge limitations listed in Attachment B.7.c. of Order No. R4-2003-0111 are applicable to your discharge. Prior to starting discharge, a representative sample of the effluent must be obtained and analyzed to determine compliance with the discharge limitations.

The Monitoring and Reporting Program requires you to implement the monitoring program on the effective date of coverage under this permit. All monitoring reports should be sent to the Regional Board, <u>ATTN: Information Technology Unit</u>. When submitting monitoring or technical reports to the Regional Board per these requirements, please include a reference to "Compliance File No. CI-9014 and NPDES No. CAG994004", which will assure that the reports are directed to the appropriate file and staff. Also, please do not combine other reports with your monitoring reports. Submit each type of report as a separate document.

California Environmental Protection Agency

(Hansen Area Water Recycling Pipeline Construction Project)

In order to avoid future annual fees, please submit written notification when the project has been completed and the permit is no longer needed.

We are sending Board Order No. R4-2003-0111 only to the applicant. For those on the mailing list, please refer to the Board Order sent to you previously or download a copy of the Order from our website at: http://www.waterboards.ca.gov/losangeles/html/permits/general_permits.html.

If you have any questions, please contact Dr. James Tang at (213) 576-6696.

Sincerely,

Jonathan S. Bishop Executive Officer

Enclosures

Fact Sheet

Monitoring and Reporting Program No. CI-9014 Order No. R4-2003-0111, General NPDES Permit No. CAG994004

cc: Environmental Protection Agency, Region 9, Clean Water Act Standards and Permits Office (WTR-5)

U.S. Army Corps of Engineers

NOAA, National Marine Fisheries Service

Department of Interior, U.S. Fish and Wildlife Service

Michael Levy, Office of the Chief Counsel, State Water Resources Control Board

Department of Fish and Game, Region 5

Los Angeles County Department of Public Works, Flood Control Division

Los Angeles County Environmental Programs Division

City of Sun Valley, Department of Public Works

Lee Solomon, Tetra Tech

/jt