



California Regional Water Quality Control Board Los Angeles Region



320 West Fourth Street, Suite 200, Los Angeles, California 90013

(213) 576-6600 • Fax (213) 576-6640

<http://www.waterboards.ca.gov/losangeles>

Linda S. Adams
Acting Secretary for
Environmental Protection

Edmund G. Brown Jr.
Governor

January 24, 2011

Mr. Richard S. Coburn
Property of Richard S. Coburn
408 Canada Street
Ojai, CA 93023-93024

TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT PROPERTY OF RICHARD S. COBURN, 877 408 CANADA STREET, OJAI, CALIFORNIA (ORDER NO. R4-2007-0019, SERIES NO. 002; CI NO. 9233)

Dear Mr. Coburn:


In our letter dated March 15, 2007, we informed you that the subject discharge is regulated under Order No. R4-2007-0019, (Series No. 002), which specifies your Waste Discharge Requirements (WDR).

In a letter dated January 10, 2011, you notified the Regional Board that you ceased nutrients solution (a blend of BioCrittters and BioBooster) injection for this site and that you requested termination of the WDR.

Because the ongoing remediation does not plan to continue to inject nutrients solution, you no longer need the WDR. The coverage under Board Order No. R4-2007-0019, (Series No. 002), for the subject facility is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Mr. Gregg Kwey, at (213) 576-6702 or the Chief of Groundwater Permitting and Land Disposal Section, Dr. Rebecca Chou, at (213) 576-6618.

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Ms. Erin O'Connell, Ventura County Division of Environmental Health
Mr. Rich Maertz, Tank Team, Inc.