

California Regional Water Quality Control Board

Los Angeles Region

th Street, Suite 200, Los Angeles, California 90013



Linda S. Adams
Cal/EPA Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles

Arnold Schwarzenegger

Governor

February 25, 2010

Mr. Roland Mora Chevron Environmental Management Company P.O. Box 2292 Brea, California 92822-2292

TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS – CHEVRON SITE NO. 21-1167, 3960 ARTESIA BOULEVARD, TORRANCE, CALIFORNIA (ORDER NO. R4-2007-0019, SERIES NO. 042, CI-9357, FILE NO. 905040052)

Dear Mr. Mora:

In our letter dated December 24, 2007, we informed you that the subject discharge is regulated under Order No. R4-2007-0019, (Series No. 042), which specifies your Waste Discharge Requirements (WDR).

In a letter dated February 17, 2010, you notified the Regional Board that you ceased hydrogen peroxide and activated persulfate (Klozur) injection for this site and that you requested termination of the WDR.

The monitoring results were provided to the Regional Board in quarterly monitoring reports. Since you have completed the in-situ remediation and no longer need the WDR, the coverage under Board Order No. R4-2007-0019, (Series No. 042), for the subject facility is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Arman Toumari, at (213) 576-6708 or the Chief of Groundwater Permitting Unit, Dr. Rebecca Chou, at (213) 620-6156.

Sincerely,

cc:

Tracy J. Egoscue Executive Officer

Ms. Yvonne Shanks, SWRCB, Underground Storage Tank Cleanup Fund

Nancy Matsumoto, Water Replenishment District of Southern California Ken Lew, City of Torrance Fire Department

Brian Lynn, Property Owner, brianlynn@mac.com

- Greg Leung, SAIC

Dan Truzzolino, ConocoPhillips