



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

June 19, 2015

Mr. Ruben D. Byerley
YRC Freight
10990 Roe Avenue
Overland Park, Kansas 66211

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– FORMER YELLOW FREIGHT TERMINAL, 2350 DOMINGUEZ STREET, CARSON,
CALIFORNIA (ORDER NO. R4-2007-0019, SERIES NO. 163, CI-9714, GLOBAL ID.
WDR100000067)**

Dear Mr. Byerley,

On June 22, 2011, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In a letter June 10, 2015, you notified the Regional Board that you ceased injection of Hydrogen Release Compound (HRC) at the subject site and requested termination of the WDR.

Since YRC Freight, has no plan to inject HRC in the future, the coverage for the subject facility under Regional Board Order No. R4-2007-0019 is hereby terminated, with the exception of enforcement under the terms of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,

A handwritten signature in blue ink that reads "Samuel Unger".

Samuel Unger, P.E.
Executive Officer

cc: Mr. Christopher P. D'Sa, Burns & McDonnell