



Los Angeles Regional Water Quality Control Board

January 28, 2013

Mr. Nick Puig
ExxonMobil Environmental Services Company
981 West Arrow Highway #473
San Dimas, California 91773

TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS AT FORMER EXXONMOBIL STATION 18JAR, 6762 NORTHBANK DRIVE, VENTURA, CALIFORNIA (ORDER NO. R4-2007-0019, SERIES NO. 174, CI-9726, GLOBAL ID. WDR 100001808)

Dear Mr. Puig:

On January 6, 2012, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2007-0019 which specifies your Waste Discharge Requirements (WDR).

In the letter dated January 8, 2013, you requested the termination of the WDR coverage under Regional Board Order No. R4-2007-0019 because the Ventura County Environmental Health Division, in August 29, 2012 letter, has determined that the subject site is eligible for low-risk regulatory case closure. The coverage under Regional Board Order No. R4-2007-0019 for the subject site is no longer needed and hereby terminated with the exception of enforcement actions that may be taken under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (achang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (ewu@waterboards.ca.gov).

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. Andy Nelson, Cardno ERI