



Los Angeles Regional Water Quality Control Board

November 25, 2013

Mr. Benny Dehghi
Honeywell International, Inc.
2525 West 190th Street
Torrance, California 90504

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– FORMER HONEYWELL EL SEGUNDO FACILITY (SOUTHWEST CORNER LOT), 850
SOUTH SEPULVEDA BOULEVARD, EL SEGUNDO, CALIFORNIA (ORDER NO. R4-2007-
0019, SERIES NO. 202, CI-9796, GLOBAL ID. WDR100001867)**

Dear Mr. Dehghi:

On January 14, 2013, the California Regional Water Quality Control Board, Los Angeles Region (Regional Board) enrolled you under the general WDRs Order No. R4-2007-0019 for the injection of pH buffer, organic substrates, and tracer for groundwater remediation of chlorinate volatile organic compounds at the Southwest Corner Lot of the former Honeywell El Segundo facility (Site).

The general WDRs Order No. R4-2007-0019 does not cover the use of bioaugmentation culture and anaerobic chase water. On November 7, 2013, the Regional Board at a public meeting adopted site-specific WDRs Order No. R4-2013-0171 which covers the injection of bioaugmentation culture, anaerobic chase water, and those chemicals originally covered by the general WDRs, including pH buffer, organic substrates, and tracer.

Since the subject discharge is now completely covered under WDRs Order No. R4-2013-0171, the coverage under general WDRs Order No. R4-2007-0019, Series No. 202 for the subject Site is no longer needed, and therefore is hereby terminated with the exception of enforcement actions that may be taken under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (achang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (ewu@waterboards.ca.gov).

Sincerely,


Samuel Unger, P.E.
Executive Officer

MARIA MEHRANIAN, CHAIR | SAMUEL UNGER, EXECUTIVE OFFICER

320 West 4th St., Suite 200, Los Angeles, CA 90013 | www.waterboards.ca.gov/losangeles