



EDMUND G. BROWN JR.  
GOVERNOR

MATTHEW RODRIGUEZ  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

---

## Los Angeles Regional Water Quality Control Board

February 23, 2018

Mr. Richard Wilson  
Colorama Wholesale Nursery  
1025 North Todd Avenue  
Azusa, CA 91702

**TERMINATION OF GENERAL WASTE DISCHARGE REQUIREMENTS FOR COLORAMA WHOLESALE NURSERY, 1025 NORTH TODD AVENUE, AZUSA, CALIFORNIA 90501 (FILE NO. 12-031, ORDER NO. 01-031, SERIES NO. 160, CI-9836, GLOBAL ID WDR100004944)**

Dear Mr. Wilson:

On August 20, 2012, the Los Angeles Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. 01-031, which specifies your Waste Discharge Requirements (WDR).

In a letter dated January 12, 2018, you requested the termination of the WDR coverage under Regional Board Order No. R4-2014-0187 because the facility was closed on June 30, 2017. Since then, there was no further discharge of wastewater and all activities associated with the WDR were terminated.

The subject property is now vacant. Therefore, the WDR is no longer needed. The coverage for the subject property, under Regional Board Order No. 01-031, is hereby terminated with the exception of enforcement under the term of the permit.

If you have any additional questions, please contact the Project Manager, Mr. David Koo at (213) 620-6155 ([david.koo@waterboards.ca.gov](mailto:david.koo@waterboards.ca.gov)) or the Groundwater Permitting Unit Chief, Dr. Eric Wu at (213) 576-6683 ([eric.wu@waterboards.ca.gov](mailto:eric.wu@waterboards.ca.gov)).

Sincerely,

A handwritten signature in blue ink that reads "Samuel Unger".

Samuel Unger, P.E.  
Executive Officer

cc: Ms. Michelle Tsiebos, Los Angeles County Department of Public Health