



California Regional Water Quality Control Board

Los Angeles Region



Linda S. Adams
Acting Secretary for
Environmental
Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

Ms. Norma Camacho
Ventura County Watershed Protection District
800 S. Victoria Avenue
Ventura, CA 93009

WATER QUALITY CERTIFICATION FOR PROPOSED CAMARILLO HILLS DRAIN IMPROVEMENT PROJECT (Corps' Project No. 2005-1903-MWV), CAMARILLO HILLS DRAIN TRIBUTARY TO BEARDSLEY WASH, CITY OF CAMARILLO; VENTURA COUNTY (File No. 10-127)

Dear Ms. Camacho:

Board staff has reviewed your request on behalf of Ventura County Watershed Protection District (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on January 19, 2011.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo, Lead, Section 401 Program, at (213) 576-6759.

Samuel Unger
Samuel Unger, P.E.
Executive Officer

3-18-11
Date

California Environmental Protection Agency



Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

DISTRIBUTION LIST

Zoe Carlson (via electronic copy)
Ventura County Watershed Protection District
800 S. Victoria Avenue
Ventura, CA 93009

Vicki Clark, Staff Attorney
Environmental Defense Center
906 Garden Street
Santa Barbara, CA 93101

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Jessie Altstatt
Santa Barbara Channel Keeper
714 Bond Street
Santa Barbara, CA 93103

Jeff Humble (via electronic copy)
California Department of Fish and Game
Streambed Alteration Team
4949 View Ridge Avenue
San Diego, CA 92123

Matthew Vandersande
U.S. Army Corps of Engineers
Regulatory Branch, Ventura Field Office
2151 Alessandro Drive, Suite 255
Ventura, CA 93001

Eric Raffini (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Diane Noda
U.S. Fish and Wildlife Service
2493 Portola Road, Suite B
Ventura, CA 93003

3-12-11
Date

[Signature]

ATTACHMENT A

Project Information File No. 10-127

1. Applicant: Ms. Norma Camacho
Ventura County Watershed Protection District
800 S. Victoria Avenue
Ventura, CA 93009
Phone: (805) 654-2040 Fax: (805) 654-3350

2. Applicant's Agent: Ms. Zoe Carlson
Ventura County Watershed Protection District
800 S. Victoria Avenue
Ventura, CA 93009
Phone: (805) 654-2040 Fax: (805) 654-3350

3. Project Name: Camarillo Hills Drain Improvement Project Phase II

4. Project Location: Camarillo, Ventura County

<u>Latitude</u>	<u>Longitude</u>
34° 13' 25"	119° 03' 46"
34° 13' 24"	119° 03' 38"
34° 13' 25"	119° 03' 04"
34° 13' 25"	119° 03' 01"
34° 13' 24"	119° 03' 01"
34° 13' 24"	119° 03' 04"
34° 13' 24"	119° 03' 38"
34° 13' 24"	119° 03' 46"

5. Type of Project: Channel improvement (replacement) project

6. Project Purpose: The purpose of the project is to increase channel and road culvert capacity so that the 100-year flow will be contained within the channel and will pass under existing road crossings.

7. Project Description: Phase I of the Camarillo Hills Drain project was certified under 401 Certification No. 05-163 (Certification 05-163). Certification 05-

ATTACHMENT A

Project Information

File No. 10-127

163 expired on September 16, 2010; however, the entire project was not yet completed. This project was for the replacement of a 3,800 linear-foot segment of the existing, reinforced-concrete trapezoidal channel with a reinforced-concrete, open rectangular channel from west of Rosewood Avenue to Carmen Drive. The temporary impacts were all to be within 2.79 acres. In addition, this project included the replacement of three reinforced box culverts at various road crossings in order to increase capacity and reduce flooding. One of these culverts (the culvert under Rosewood Avenue) was replaced during the project. In addition, during final design, it was determined that the Lantana Street culvert would not need to be replaced; therefore, only one additional culvert is included during Phase II, under this new Certification.

This Certification is specifically to cover the outstanding work which was not completed. The work activities covered under this Certification are exactly the same as what was previously permitted, with the exception of replacing two reinforced box culverts instead of three.

From 2005 to 2010, 2,320 linear feet of the concrete trapezoidal channel was replaced. The section of Camarillo Hills Drain that was completed under Phase I extends from just west of the Rosewood Avenue culvert to the Lantana Street culvert. In addition, the reinforced box culvert under Rosewood Avenue was replaced, and 2,320 linear feet of access road was resurfaced with asphalt concrete pavement. Appurtenant facilities were replaced in-kind along the 2,320-linear feet of channel, including the fencing, curb and gutter, sidewalk and v-ditch.

The remaining work to be completed during Phase II encompasses approximately 2.05 acres and includes the replacement of 1,450 linear feet of reinforced-concrete trapezoidal channel with reinforced-concrete rectangular channel from Lantana Street to Carmen Drive, and replacement of an existing reinforced concrete box culvert at the Carmen Drive crossing. Concreted riprap lines an approximately 350-foot segment of this channel immediately west of the Mission Drain confluence (as a result of previous repairs). The concreted riprap segment will be removed along with the trapezoidal channel and will be replaced with reinforced-concrete open rectangular channel; no new concreted riprap will be installed. Appurtenant facilities to be replaced in-kind include: 200 linear feet

ATTACHMENT A

Project Information

File No. 10-127

of concrete sidewalk; 1,450 linear feet of chain-link fence; 102 linear feet of ornamental fence; and 335 linear feet of v-ditch. Other accessory structure improvements include: installing 10 drainage flapgates; 5 channel ladders; 62 linear feet of reinforced concrete planter wall; and 85 linear feet of 3-inch irrigation pipe. The access road paralleling the south side of the channel will be resurfaced with asphalt concrete pavement.

Stream flow within the Camarillo Hills Drain channel will be temporary diverted around the work area during construction. The water diversion will be installed and maintained in accordance with the Ventura County Watershed Protection District's Water Diversion Guide (December 2007). The water diversion to be installed will likely consist of a bypass check dam (cofferdam) and a pipeline to divert water through the work area in the open channel.

8. Federal Agency/Permit: U.S. Army Corps of Engineers
NWP Nos. 3, 31, and 33 (Permit No. 2005-1903-MWV)
9. Other Required Regulatory Approvals: California Department of Fish and Game
Streambed Alteration Agreement
10. California Environmental Quality Act Compliance: The proposed project is Categorical Exempt from CEQA pursuant to the CEQA Guidelines, Section 15302 Replacement or Reconstruction.
11. Receiving Water: Camarillo Hills Drain tributary to Beardsley Wash (Hydrologic Unit No. 403.61)
12. Designated Beneficial Uses: MUN*, FRSH, REC-1, REC-2, WARM, WILD
*Conditional beneficial use
13. Impacted Waters of the United States: Non-wetland waters (streambed): 2.05 permanent acres (1,450 linear feet)
14. Dredge Volume: None

ATTACHMENT A

Project Information

File No. 10-127

15. Related Projects Implemented/to be Implemented by the Applicant: The related first portion of this project from Rosewood Avenue to Lantana Street was completed in 2008. All construction activities were within the footprint of the existing concrete structure and there were no adverse impacts associated with the project.
- The Applicant completed another small repair project at the confluence of South Camarillo Hills Drain and Ponderosa Drain. This project was also constructed within the footprint of the existing concrete structure and there were no adverse impacts.
- There are no further activities planned for the next five years that may impact the same receiving body of water at this time.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- The contractor will be required to prepare and submit a SWPPP that will include standard water control procedures and best management practices to address construction and potential spill responses;
 - Work will be conducted under dry working conditions to the extent feasible (the channel receives nuisance flows from adjacent urban areas);
 - The Applicant will obtain a Waste Discharge Requirement from the SWRCB if it is determined that groundwater will be encountered or if nuisance flows are to be diverted and discharged to surface water; and
 - A District inspector will be on site periodically throughout the construction period to ensure conditions and the SWPPP are enforced.
17. Proposed Compensatory Mitigation: The Applicant has not proposed any compensatory mitigation due to the in-kind replacement project located within a completely concrete-lined channel.

ATTACHMENT A

Project Information
File No. 10-127

18. Required
Compensatory
Mitigation:

The proposed project will be replacing a trapezoidal channel with a concrete rectangular channel, which will reduce available habitat. Therefore, the Applicant shall provide 2.05 acres of compensatory mitigation for project impacts (ratio of 1:1).

See Attachment B Conditions of Certifications, Additional Conditions for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 10-127

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, the approved maintenance plan, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

ATTACHMENT B

Conditions of Certification

File No. 10-127

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit, at (213) 620-6119 for further information.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the

ATTACHMENT B

Conditions of Certification

File No. 10-127

target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2004-0008-DWQ and 2004-0009-DWQ.

14. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
15. If rain is predicted after operations have begun, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
16. The grading, stabilization and re-vegetation will be phased to limit the exposed or working face such that the graded area can be stabilized within 24 hours after the first prediction of rain during the 5-day forecast or within 24 hours after final grading of the phased area.
17. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.

No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge (ROWD)** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.

18. All project/maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
19. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls,

ATTACHMENT B

Conditions of Certification

File No. 10-127

and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:

- pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

20. The Applicant shall restore any areas of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
21. The Applicant shall provide COMPENSATORY MITIGATION to offset the proposed temporary loss of **2.05** acres waters of the United States by creating or restoring riparian habitat at a minimum **1:1** area replacement ratio (**2.05 acres**). The mitigation site shall be located within the watershed unless otherwise approved by this Regional Board. The Applicant shall submit a **Proposed Mitigation Report** which shall include:
 - (a) The boundary of the mitigation site shall be clearly identified on a map of suitable resolution and quality and shall also be defined by latitude and longitude.
 - (b) The type(s) of mitigation shall be described (e.g., removal of exotics and/or replanting with native species, etc.)

ATTACHMENT B

Conditions of Certification

File No. 10-127

(c) Success criteria shall be established.

This information shall be submitted to this Regional Board for approval prior to any disturbance within waters of the United States and shall include copies of all agreements made between the Applicant and a third party organization regarding compensatory mitigation efforts.

22. If the Applicant proposes funding to a third-party organization for the creation or restoration of a total of **2.05 acres** of streambed riparian habitat within waters of the United States/Federal jurisdictional wetlands, then funding shall apply to mitigation acreage only, exclusive of administrative costs. The mitigation site shall be located within the (Name of) Watershed unless otherwise approved by this Regional Board. The Applicant shall submit a **Proposed Mitigation Report** which shall include:

(d) Documentation from the third party indicating that funds have been used for mitigation acreage only, which do not include administrative costs.

(e) The boundary of the mitigation site shall be clearly identified on a map of suitable resolution and quality and shall also be defined by latitude and longitude.

(f) The type(s) of mitigation shall be described (e.g., removal of exotics and/or replanting with native species, etc.)

(g) Success criteria shall be established.

This information shall be submitted to this Regional Board for approval prior to any disturbance within waters of the United States and shall include copies of all agreements made between the Applicant and a third party organization regarding compensatory mitigation efforts.

23. The Applicant shall submit to this Regional Board **Annual Mitigation Monitoring Reports** (Annual Reports) by **January 1st** of each year for a minimum period of **five (5) years** following this issuance of 401 Certification or until mitigation success has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. The Annual Reports shall describe the status of other agreements (e.g., mitigation banking) or any delays in the mitigation process. At a minimum the Annual Reports shall include the following documentation and answered appropriately whether or not mitigation has been performed:

(a) Color photo documentation of the pre- and post-project and mitigation site conditions;

(b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;

(c) The overall status of project including a detailed schedule of work;

ATTACHMENT B

Conditions of Certification File No. 10-127

- (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
 - (f) A certified Statement of “no net loss” of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and
 - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
24. Prior to any subsequent maintenance activities within the subject drainages/basin, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the drainage’s/basin’s existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (d) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (e) any proposed compensatory mitigation. Notifications must be submitted a minimum of **three (3) weeks** prior to commencing work activities.
25. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
26. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:
- “I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true,

ATTACHMENT B

Conditions of Certification

File No. 10-127

accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _____ day of _____ at _____.

(Signature)

(Title)"

- 27. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **10-127**. Submittals shall be sent to the attention of the 401 Certification Unit.
- 28. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
- 29. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Ventura County and co-permittees under NPDES No. CAS004002 and Waste Discharge Requirements Order No. R4-2010-0108. This includes the Stormwater Quality Urban Impact Mitigation Plan (SQUIMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2009-009-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
- 30. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
- 31. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.

ATTACHMENT B

Conditions of Certification File No. 10-127

32. *Enforcement:*

- (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.

33. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.

