



## Central Valley Regional Water Quality Control Board

31 January 2021

Toby Wells City of Turlock 156 South Broadway, Suite 270 Turlock, CA 95380

NOTICE OF TERMINATION OF COVERAGE UNDER STATEWIDE WASTE DISCHARGE REQUIREMENTS FOR DISCHARGES TO LAND WITH A LOW THREAT TO WATER QUALITY, ORDER 2003-0003-DWQ; CITY OF TURLOCK, TURLOCK PIPELINE DEWATERING PROJECT (CITY PROJECT #17-22A), STANISLAUS COUNTY

On 15 August 2019, the Executive Officer of the Central Valley Regional Water Quality Control Board issued a Notice of Applicability granting coverage under the State Water Resources Control Board's *Statewide General Waste Discharge Requirements for Discharges to Land with a Low Threat to Water Quality* (Order 2003-0003-DWQ) to City of Turlock (Discharger) for discharges to land from construction dewatering for the Turlock Pipeline Dewatering Project (City Project #17-22A).

The discharge was completed by 31 October 2019. On 23 December 2020 the Discharger submitted a notice of termination (NOT) dated 18 December 2020, along with a NOT submittal letter, to terminate coverage of the above-described discharge under Order 2003-0003-DWQ. According to the NOT and supporting submittal document, no discharge took place after October 2019 and no further discharge is planned. Based on that information, coverage under Order 2003-0003-DWQ-0198 is hereby rescinded.

for Patrick Pulupa Executive Officer

CC:

Dan Alamo, Alamo Farms, 1854 W. Monte Vista Avenue, Modesto, CA 95358
Arthur Silva, The Silva Dairy, 12626 W. Main St., Crows Landing, CA 95313
Albert Mendes, Albert Mendes Dairy, 1100 Ruble Road, Crows Landing, CA 95313
Justin Gioletti, Robert Gioletti & Sons, Inc., 118 N. Blaker Rd., Turlock, CA 95380
Pui Kwong Ng, Ng Family Trust, 1602 Roberta Drive, San Mateo, CA 94403
Stanislas County Environmental Health Department, Modesto
Nicholas Kollerer, Stevens, Ferrone & Bailey Engineering Company, Inc. (via email: nkollerer@sfandb.com)

KARL E. LONGLEY SCD, P.E., CHAIR | PATRICK PULUPA, ESQ., EXECUTIVE OFFICER