Central Valley Regional Water Quality Control Board

9 November 2026

Michael D. Naumes
Naumes, Inc.
PO Box 996
Medford, OR 97501

SENT VIA EMAIL:
ffischer@naumes.com

TENTATIVE RESCISSION OF WASTE DISCHARGE REQUIREMENTS
FOR
NAUMES, INC.
YUBA COUNTY

Enclosed is a Notice of Public Hearing (Notice) for the proposed rescission of Waste Discharge Requirements (WDRs) Order 92-076. As stated in the Notice, the Central Valley Regional Water Quality Control Board's (Central Valley Water Board) will consider adoption of the subject Order at a public meeting scheduled for:

DATE:	**10/11 February 2027**
TIME:	To be Determined
PLACE:	Regional Water Quality Control Board, Rancho Cordova 11020 Sun Center Drive, Suite 200 Rancho Cordova, CA 95670

The date, time, and location of the public meeting may change after this Notice is issued. A Final Agenda will be made available at least ten days before the public meeting and will provide final date, time, location, and other details. Please review the Notice carefully for information, including how to obtain the Final Agenda and how to provide comments on the proposed Order.

Written comments on the proposed rescission must be submitted by 5:00 p.m. on 9 December 2026. Comments should be emailed to dina.calanchini@waterboards.ca.gov with the subject line "Tentative Order – Naumes, Inc."
Alternatively, comments may be mailed to the following address:

Attention: Dina Calanchini
Central Valley Regional Water Quality Control Board
11020 Sun Center Drive, Suite 200
Rancho Cordova, CA 95670

If you have any questions concerning this matter, please contact Dina Calanchini at (916) 464-4740 or dina.calanchini@waterboards.ca.gov.

Scott Armstrong
Digitally signed by Scott Armstrong
Date: 2026.11.09 13:37:24 -08'00'

Scott Armstrong, PG., C.HG.
Senior Engineering Geologist
Groundwater Quality Protection Program

Enclosures:

Notice of Public Hearing

cc w/encl: Howard Hold, Central Valley Water Board (via email)
cc w/o encl: Yuba County Environmental Health Department