

Schwall, Kristin@Waterboards

From: Alano, Michele <MAlano@sandiego.gov>
Sent: Monday, March 11, 2013 11:48 AM
To: Schwall, Kristin@Waterboards
Cc: McFadden, Kris; Jones, Allen; Sturdevan, Kip; Stroud, Heather; Kolb, Ruth
Subject: Comment-Tentative Order No. R9-2013-0026, Place Id: 785854; Tentative Boatyard NPDES Permit
Attachments: San Diego Water Board TO R9-2013-0026.pdf

Ms. Schwall:

Please find the enclosed response from the City of San Diego for the Tentative Order No. R9-2013-2026, Place ID: 785854; Tentative Boatyard NPDES Permit. Please contact Ruth Kolb at (858) 541-4328 if you have additional questions.

Thank you

Michele Alano
Transportation & Storm Water Department



April 10, 2013
Item No. 7
Supporting Document No. 6

March 11, 2013

THE CITY OF SAN DIEGO

VIA EMAIL TO: kschwall@waterboards.ca.gov

Ms. Kristin Schwall,
San Diego Water Board
9174 Sky Park Court, Suite 100
San Diego, CA 92123

Subject: Comment – Tentative Order No. R9-2013-0026, Place ID: 785854; Tentative Boatyard NPDES Permit

Dear Ms. Schwall:

Thank you for the opportunity to comment on the San Diego Regional Water Quality Control Board's Tentative Order No. R9-2013-002 (General Waste Discharge Requirements for Discharges from Boatyards and Boat Maintenance and Repair Facilities Adjacent to Surface Waters within the San Diego Region). The City of San Diego, Transportation & Storm Water Department (City) is committed to protecting and improving water quality in our region. The City believes that implementing chronic toxicity testing on samples collected prior to the point of discharge during qualifying storm events as described in Attachment E Section IV.A.1 is not representative of the impact of storm water runoff on marine species. Freshwater discharges to marine environments will create conditions in the immediate zone of influence that cannot be tolerated by marine species, regardless of storm water cleanliness. A receiving water dilution zone should be considered for compliance purposes in marine receiving water environments influenced by freshwater runoff, as done in the California Ocean Plan Appendix I Definition of Terms. The City recommends that the sample location be moved into the receiving water mixing zone where marine species can tolerate the receiving water salinity.

If you have additional questions, please contact Ruth Kolb at (858) 541-4328 or at rkolb@sandiego.gov.

Sincerely,

Kris McFadden
Deputy Director

KM/rk

cc: Allen Jones, Deputy Chief of Staff, Office of the Mayor
Garth K. Sturdevan, Director, Transportation & Storm Water Department
Ruth Kolb, Program Manager, Transportation & Storm Water Department
Heather Stroud, Deputy City Attorney, City Attorney's Office

Page 1



Transportation & Storm Water Department

9370 Chesapeake Drive, Suite 100, MS 1900 • San Diego, CA 92123

Hotline (619) 235-1000 Fax (858) 541-4350

