

Station	Collection Date	Analyte	Result	Units
DPR2	11/30/2007	pH	7	
DPR2	12/7/2007	pH	7.4	
DPR2	2/3/2008	pH	7.8	
DPR2	10/5/2008	pH	7.4	
DPR2	11/4/2008	pH	7.4	
DPR2	2/6/2009	pH	7.5	
DPR2	11/29/2009	pH	7.1	
DPR2	12/7/2009	pH	7.7	
DPR2	2/6/2010	pH	7.2	
DPR2	10/6/2010	pH	7.7	
DPR2	10/19/2010	pH	7.5	
DPR2	2/16/2011	pH	7.7	
SD8(1)	2/19/2007	pH	8.4	
SD8(1)	11/30/2007	pH	6.83	
SD8(1)	11/30/2007	pH	6.9	
SD8(1)	12/7/2007	pH	7.2	
SD8(1)	2/3/2008	pH	7.59	
SD8(1)	2/3/2008	pH	7.8	
SD8(1)	3/5/2008	pH	7.9	
SD8(1)	3/5/2008	pH	7.1	
SD8(1)	6/3/2008	pH	9.07	
SD8(1)	6/3/2008	pH	8.2	
SD8(1)	10/5/2008	pH	7.05	
SD8(1)	10/5/2008	pH	7.05	
SD8(1)	11/4/2008	pH	7.4	
SD8(1)	2/6/2009	pH	7.4	
SD8(1)	11/28/2009	pH	7.65	
SD8(1)	11/28/2009	pH	7.65	
SD8(1)	12/7/2009	pH	7.7	
SD8(1)	1/6/2010	pH	10.02	
SD8(1)	2/6/2010	pH	6.98	
SD8(1)	2/6/2010	pH	6.98	
SD8(1)	10/6/2010	pH	7.19	
SD8(1)	10/19/2010	pH	7.6	
SD8(1)	2/16/2011	pH	7.74	
SD8(1)	10/5/2011	pH	7.62	
SD8(1)	10/6/2011	pH	7.31	
SD8(1)	11/5/2011	pH	7	
SD8(1)	11/5/2011	pH	7.38	
SD8(1)	2/7/2012	pH	7.73	
SD8(1)	2/7/2012	pH	6.94	
SD8(1)	10/11/2012	pH	7.53	
SD8(1)	10/12/2012	pH	7.11	
SD8(1)	12/13/2012	pH	7.22	
SD8(1)	2/8/2013	pH	7.76	
SD8(1)	2/8/2013	pH	7.76	

SD8(1)	2/9/2013	pH	7.25
SD8(1)	10/9/2013	pH	7.99
SD8(1)	10/10/2013	pH	6.77
SD8(1)	10/29/2013	pH	7.1
SD8(1)	2/3/2014	pH	7.71
SD8(1)	2/3/2014	pH	7.71
SD8(1)	2/3/2014	pH	7
SD8(1)	11/1/2014	pH	7.69
SD8(1)	11/1/2014	pH	7.69
SD8(1)	3/1/2015	pH	7.67
SD8(1)	3/1/2015	pH	7.67
SD8(1)	10/5/2015	pH	7.11
SD8(1)	10/20/2015	pH	8.8
SD8(1)	11/4/2015	pH	7.89
SD8(1)	11/4/2015	pH	7.14
SD8(1)	12/29/2015	pH	7.59
SD8(1)	1/9/2016	pH	7.89
SD8(1)	3/6/2016	pH	7.25
SD8(1)	5/23/2016	pH	8.8
SD8(1)	8/3/2016	pH	8.5
SD8(1)	8/24/2016	pH	9.5
SD8(1)	8/31/2016	pH	9.5
SD8(1)	9/19/2016	pH	7.7
SD8(1)	10/24/2016	pH	6.62
SD8(1)	11/21/2016	pH	7.27
SD8(1)	2/7/2017	pH	7.31
DPR2 WER	2/27/2010	pH	7.65
DPR2 WER	4/2/2014	pH	7.33
DPR2 WER	4/1/2010	pH	7.15
DPR2 WER	10/30/2010	pH	7.3
DPR2 WER	12/20/2010	pH	6.96
SD8(1) WER	2/27/2010	pH	7.51
SD8(1) WER	4/2/2014	pH	7.21
SD8(1) WER	4/1/2010	pH	7.36
SD8(1) WER	10/30/2010	pH	7.31
SD8(1) WER	12/20/2010	pH	6.93
CC-NF54	5/26/2010	pH	7.75
CC-NF54	9/23/2010	pH	8.12
CC-NF54	5/11/2011	pH	8.21
CC-NF54	9/12/2011	pH	7.77
DPR3	10/6/2011	pH	7.08
DPR3	11/5/2011	pH	7.03
DPR3	2/8/2012	pH	7.12
CC-NF54	5/8/2012	pH	8.42
CC-NF54	9/12/2012	pH	8.04
DPR3	12/13/2012	pH	7.4
DPR3	12/31/2012	pH	7.65

DPR3	2/9/2013	pH	7.49
CC-NF54	5/14/2013	pH	7.66
CC-NF54	9/17/2013	pH	7.81
DPR3	10/10/2013	pH	6.8
DPR3	12/8/2013	pH	7.18
DPR3	2/7/2014	pH	7.36
CC-NF54	5/1/2014	pH	7.8
CC-NF54	9/23/2014	pH	7.46
CC-NF54	5/13/2015	pH	8
ZST	10/4/2015	pH	7.54
ZST	11/4/2015	pH	7.7
ZST	11/4/2015	pH	7.26
ZST	12/2/2015	pH	7.9
ZST	12/29/2015	pH	7.36
ZST	1/9/2016	pH	6.94
ZST	1/12/2016	pH	7.1
ZST	3/6/2016	pH	7.38
ZST	3/16/2016	pH	7.9
ZST	11/21/2016	pH	7.25
ZST	11/27/2016	pH	7.48
ZST	2/7/2017	pH	7.62
DPR2	11/30/2007	DOC	11.8 mg/L
DPR2	12/7/2007	DOC	9.9 mg/L
DPR2	2/3/2008	DOC	5.9 mg/L
DPR2	10/5/2008	DOC	69.2 mg/L
DPR2	11/4/2008	DOC	41.3 mg/L
DPR2	2/6/2009	DOC	17.1 mg/L
DPR2	10/6/2010	DOC	21 mg/L
DPR2	10/19/2010	DOC	8.5 mg/L
DPR2	2/16/2011	DOC	16 mg/L
SD8(1)	2/19/2007	DOC	9.67 mg/L
SD8(1)	11/30/2007	DOC	18.2 mg/L
SD8(1)	12/7/2007	DOC	9.7 mg/L
SD8(1)	2/3/2008	DOC	5.4 mg/L
SD8(1)	3/5/2008	DOC	518 mg/L
SD8(1)	6/3/2008	DOC	35.8 mg/L
SD8(1)	10/5/2008	DOC	96.5 mg/L
SD8(1)	11/4/2008	DOC	53.7 mg/L
SD8(1)	10/6/2010	DOC	13 mg/L
SD8(1)	10/19/2010	DOC	9.3 mg/L
SD8(1)	2/16/2011	DOC	11 mg/L
SD8(1)	10/5/2011	DOC	12 mg/L
SD8(1)	10/6/2011	DOC	14 mg/L
SD8(1)	11/5/2011	DOC	11 mg/L
SD8(1)	2/7/2012	DOC	14 mg/L
SD8(1)	2/7/2012	DOC	14 mg/L
SD8(1)	10/12/2012	DOC	31 mg/L

SD8(1)	10/12/2012	DOC	37	mg/L
SD8(1)	12/13/2012	DOC	6.8	mg/L
SD8(1)	2/8/2013	DOC	11	mg/L
SD8(1)	2/9/2013	DOC	7.1	mg/L
SD8(1)	10/10/2013	DOC	57	mg/L
SD8(1)	10/10/2013	DOC	45	mg/L
SD8(1)	10/29/2013	DOC	21	mg/L
SD8(1)	2/3/2014	DOC	24	mg/L
SD8(1)	2/3/2014	DOC	29	mg/L
SD8(1)	11/1/2014	DOC	41	mg/L
SD8(1)	11/1/2014	DOC	47	mg/L
SD8(1)	12/3/2014	DOC	14	mg/L
SD8(1)	2/23/2015	DOC	18	mg/L
SD8(1)	3/1/2015	DOC	9.2	mg/L
SD8(1)	10/5/2015	DOC	28	mg/L
SD8(1)	11/4/2015	DOC	11	mg/L
SD8(1)	3/6/2016	DOC	14	mg/L
SD8(1)	10/24/2016	DOC	59	mg/L
SD8(1)	11/21/2016	DOC	25	mg/L
SD8(1)	2/7/2017	DOC	6.3	mg/L
DPR2 WER	2/27/2010	DOC	8.5	mg/L
DPR2 WER	4/2/2014	DOC	21	mg/L
DPR2 WER	4/1/2010	DOC	28.5	mg/L
DPR2 WER	10/30/2010	DOC	11	mg/L
DPR2 WER	12/20/2010	DOC	4.5	mg/L
SD8(1) WER	4/2/2014	DOC	12	mg/L
SD8(1) WER	2/27/2010	DOC	8	mg/L
SD8(1) WER	4/1/2010	DOC	25.2	mg/L
SD8(1) WER	10/30/2010	DOC	8.2	mg/L
SD8(1) WER	12/20/2010	DOC	3.9	mg/L
DPR3	10/6/2011	DOC	24	mg/L
DPR3	11/5/2011	DOC	13	mg/L
DPR3	2/8/2012	DOC	14	mg/L
CC-NF54	9/13/2012	DOC	6.8	mg/L
DPR3	12/13/2012	DOC	8.9	mg/L
DPR3	12/31/2012	DOC	9.2	mg/L
DPR3	2/9/2013	DOC	13	mg/L
CC-NF54	5/15/2013	DOC	2.8	mg/L
CC-NF54	9/18/2013	DOC	7.1	mg/L
DPR3	10/10/2013	DOC	58	mg/L
DPR3	12/8/2013	DOC	20	mg/L
DPR3	2/7/2014	DOC	14	mg/L
CC-NF54	5/2/2014	DOC	5.3	mg/L
CC-NF54	9/24/2014	DOC	4.2	mg/L
DPR3	11/1/2014	DOC	65	mg/L
DPR3	12/3/2014	DOC	20	mg/L
DPR3	2/23/2015	DOC	26	mg/L

CC-NF54	5/14/2015	DOC	8.1	mg/L
ZST	10/4/2015	DOC	40	mg/L
ZST	11/4/2015	DOC	9.7	mg/L
ZST	3/6/2016	DOC	23	mg/L
ZST	11/21/2016	DOC	35	mg/L
ZST	11/27/2016	DOC	19	mg/L
ZST	2/7/2017	DOC	6.4	mg/L
DPR2	11/30/2007	Alkalinity	48	mg/L
DPR2	12/7/2007	Alkalinity	40	mg/L
DPR2	2/3/2008	Alkalinity	44	mg/L
DPR2	10/5/2008	Alkalinity	48	mg/L
DPR2	11/4/2008	Alkalinity	46	mg/L
DPR2	2/6/2009	Alkalinity	92	mg/L
DPR2	11/29/2009	Alkalinity	48	mg/L
DPR2	12/7/2009	Alkalinity	32	mg/L
DPR2	2/6/2010	Alkalinity	32	mg/L
DPR2	10/6/2010	Alkalinity	46	mg/L
DPR2	10/19/2010	Alkalinity	29	mg/L
DPR2	2/16/2011	Alkalinity	79	mg/L
SD8(1)	11/30/2007	Alkalinity	38	mg/L
SD8(1)	12/7/2007	Alkalinity	22	mg/L
SD8(1)	2/3/2008	Alkalinity	22	mg/L
SD8(1)	3/5/2008	Alkalinity	260	mg/L
SD8(1)	6/3/2008	Alkalinity	196	mg/L
SD8(1)	10/5/2008	Alkalinity	48	mg/L
SD8(1)	11/4/2008	Alkalinity	46	mg/L
SD8(1)	2/6/2009	Alkalinity	64	mg/L
SD8(1)	12/7/2009	Alkalinity	20	mg/L
SD8(1)	2/6/2010	Alkalinity	44	mg/L
SD8(1)	10/6/2010	Alkalinity	33	mg/L
SD8(1)	10/19/2010	Alkalinity	27	mg/L
SD8(1)	2/16/2011	Alkalinity	42	mg/L
SD8(1)	10/6/2011	Alkalinity	24	mg/L
SD8(1)	11/5/2011	Alkalinity	39	mg/L
SD8(1)	11/5/2011	Alkalinity	39	mg/L
SD8(1)	2/7/2012	Alkalinity	45	mg/L
SD8(1)	10/12/2012	Alkalinity	58	mg/L
SD8(1)	12/13/2012	Alkalinity	34	mg/L
SD8(1)	2/9/2013	Alkalinity	49	mg/L
SD8(1)	10/10/2013	Alkalinity	41	mg/L
SD8(1)	10/29/2013	Alkalinity	45	mg/L
SD8(1)	2/3/2014	Alkalinity	49	mg/L
SD8(1)	10/5/2015	Alkalinity	39	mg/L
SD8(1)	11/4/2015	Alkalinity	24	mg/L
SD8(1)	3/6/2016	Alkalinity	37	mg/L
SD8(1)	10/24/2016	Alkalinity	35	mg/L
SD8(1)	11/21/2016	Alkalinity	66	mg/L

SD8(1)	2/7/2017	Alkalinity	65	mg/L
DPR2 WER	2/27/2010	Alkalinity	48	mg/L
DPR2 WER	4/2/2014	Alkalinity	53	mg/L
DPR2 WER	4/1/2010	Alkalinity	47	mg/L
DPR2 WER	10/30/2010	Alkalinity	66	mg/L
DPR2 WER	12/20/2010	Alkalinity	38	mg/L
SD8(1) WER	4/2/2014	Alkalinity	31	mg/L
SD8(1) WER	2/27/2010	Alkalinity	32	mg/L
SD8(1) WER	4/1/2010	Alkalinity	31	mg/L
SD8(1) WER	10/30/2010	Alkalinity	35	mg/L
SD8(1) WER	12/20/2010	Alkalinity	33	mg/L
DPR3	10/6/2011	Alkalinity	40	mg/L
DPR3	11/5/2011	Alkalinity	40	mg/L
DPR3	2/8/2012	Alkalinity	60	mg/L
DPR3	12/13/2012	Alkalinity	60	mg/L
DPR3	12/31/2012	Alkalinity	63	mg/L
DPR3	2/9/2013	Alkalinity	73	mg/L
DPR3	10/10/2013	Alkalinity	51	mg/L
DPR3	12/8/2013	Alkalinity	66	mg/L
DPR3	2/7/2014	Alkalinity	79	mg/L
ZST	10/4/2015	Alkalinity	111	mg/L
ZST	11/4/2015	Alkalinity	28	mg/L
ZST	3/6/2016	Alkalinity	80	mg/L
ZST	11/21/2016	Alkalinity	48	mg/L
ZST	11/27/2016	Alkalinity	58	mg/L
ZST	2/7/2017	Alkalinity	78	mg/L
DPR2	11/30/2007	Hardness	48	mg/L
DPR2	12/7/2007	Hardness	31	mg/L
DPR2	2/3/2008	Hardness	27.8	mg/L
DPR2	10/5/2008	Hardness	202.7	mg/L
DPR2	11/4/2008	Hardness	122.1	mg/L
DPR2	2/6/2009	Hardness	148.6	mg/L
DPR2	11/29/2009	Hardness	130.1	mg/L
DPR2	12/7/2009	Hardness	48	mg/L
DPR2	2/6/2010	Hardness	48.9	mg/L
DPR2	10/6/2010	Hardness	87	mg/L
DPR2	10/19/2010	Hardness	76	mg/L
DPR2	2/16/2011	Hardness	170	mg/L
SD8(1)	2/19/2007	Hardness	60	mg/L
SD8(1)	11/30/2007	Hardness	22.4	mg/L
SD8(1)	12/7/2007	Hardness	20	mg/L
SD8(1)	2/3/2008	Hardness	17.2	mg/L
SD8(1)	3/5/2008	Hardness	371.2	mg/L
SD8(1)	6/3/2008	Hardness	214.1	mg/L
SD8(1)	10/5/2008	Hardness	143.8	mg/L
SD8(1)	11/4/2008	Hardness	112.1	mg/L
SD8(1)	11/4/2008	Hardness	160	mg/L

SD8(1)	2/6/2009	Hardness	160	mg/L
SD8(1)	11/28/2009	Hardness	127.6	mg/L
SD8(1)	12/7/2009	Hardness	39.8	mg/L
SD8(1)	2/6/2010	Hardness	79.2	mg/L
SD8(1)	2/6/2010	Hardness	88	mg/L
SD8(1)	10/6/2010	Hardness	68	mg/L
SD8(1)	10/19/2010	Hardness	47	mg/L
SD8(1)	2/16/2011	Hardness	68	mg/L
SD8(1)	10/5/2011	Hardness	120	mg/L
SD8(1)	10/6/2011	Hardness	110	mg/L
SD8(1)	11/5/2011	Hardness	59	mg/L
SD8(1)	11/5/2011	Hardness	40	mg/L
SD8(1)	11/5/2011	Hardness	40	mg/L
SD8(1)	2/7/2012	Hardness	140	mg/L
SD8(1)	2/7/2012	Hardness	140	mg/L
SD8(1)	10/12/2012	Hardness	82.1	mg/L
SD8(1)	10/12/2012	Hardness	123	mg/L
SD8(1)	10/12/2012	Hardness	156	mg/L
SD8(1)	12/13/2012	Hardness	51	mg/L
SD8(1)	2/8/2013	Hardness	107	mg/L
SD8(1)	2/9/2013	Hardness	81.5	mg/L
SD8(1)	10/10/2013	Hardness	189	mg/L
SD8(1)	10/10/2013	Hardness	158	mg/L
SD8(1)	10/29/2013	Hardness	114	mg/L
SD8(1)	2/3/2014	Hardness	75.4	mg/L
SD8(1)	2/3/2014	Hardness	108	mg/L
SD8(1)	11/1/2014	Hardness	126	mg/L
SD8(1)	11/1/2014	Hardness	122	mg/L
SD8(1)	12/3/2014	Hardness	63.9	mg/L
SD8(1)	2/23/2015	Hardness	89.9	mg/L
SD8(1)	3/1/2015	Hardness	49.1	mg/L
SD8(1)	10/5/2015	Hardness	147	mg/L
SD8(1)	11/4/2015	Hardness	93	mg/L
SD8(1)	3/6/2016	Hardness	103	mg/L
SD8(1)	10/24/2016	Hardness	96.1	mg/L
SD8(1)	11/21/2016	Hardness	118	mg/L
SD8(1)	2/7/2017	Hardness	62.4	mg/L
DPR2 WER	2/27/2010	Hardness	74	mg/L
DPR2 WER	4/2/2014	Hardness	101	mg/L
DPR2 WER	4/1/2010	Hardness	103.4	mg/L
DPR2 WER	10/30/2010	Hardness	93	mg/L
DPR2 WER	12/20/2010	Hardness	53	mg/L
SD8(1) WER	2/27/2010	Hardness	36.6	mg/L
SD8(1) WER	4/2/2014	Hardness	58.8	mg/L
SD8(1) WER	4/1/2010	Hardness	49.9	mg/L
SD8(1) WER	10/30/2010	Hardness	52	mg/L
SD8(1) WER	12/20/2010	Hardness	39	mg/L

DPR3	10/6/2011	Hardness	170	mg/L
DPR3	11/5/2011	Hardness	82	mg/L
DPR3	11/5/2011	Hardness	94	mg/L
DPR3	2/8/2012	Hardness	140	mg/L
CC-NF54	9/13/2012	Hardness	910	mg/L
DPR3	12/13/2012	Hardness	69.5	mg/L
DPR3	12/31/2012	Hardness	127	mg/L
DPR3	2/9/2013	Hardness	151	mg/L
CC-NF54	5/15/2013	Hardness	642	mg/L
CC-NF54	9/18/2013	Hardness	1330	mg/L
DPR3	10/10/2013	Hardness	262	mg/L
DPR3	12/8/2013	Hardness	194	mg/L
DPR3	2/7/2014	Hardness	139	mg/L
CC-NF54	5/2/2014	Hardness	1260	mg/L
CC-NF54	9/24/2014	Hardness	1440	mg/L
DPR3	11/1/2014	Hardness	190	mg/L
DPR3	12/3/2014	Hardness	118	mg/L
DPR3	2/23/2015	Hardness	192	mg/L
CC-NF54	5/14/2015	Hardness	1240	mg/L
ZST	10/4/2015	Hardness	277	mg/L
ZST	11/4/2015	Hardness	56	mg/L
ZST	3/6/2016	Hardness	237	mg/L
ZST	11/21/2016	Hardness	200	mg/L
ZST	11/27/2016	Hardness	56.6	mg/L
ZST	2/7/2017	Hardness	70.1	mg/L