



# California Regional Water Quality Control Board San Diego Region



Matthew Rodriguez  
Secretary for Environmental  
Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties  
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Edmund G. Brown, Jr.  
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353  
(858) 467-2952 • Fax (858) 571-6972  
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

March 15, 2012

In reply refer to:  
631608: CMEANS

Mr. Christopher McKinney  
City of Escondido  
201 North Broadway  
Escondido, CA 92025

Dear Mr. McKinney:

**SUBJECT: Notification of Category 1 Sanitary Sewer Overflow (SSO) Violations  
City of Escondido Collection System WDID 9SSO10668**

The California Regional Water Quality Board, San Diego Region (San Diego Water Board) has completed a review of Category 1 SSO events in the California Integrated Water Quality System (CIWQS) Online SSO Reporting Database to verify violations of Discharge Prohibitions contained in the State Water Resources Control Board Order No. 2006-0003-DWQ, Statewide Waste Discharge Requirements for Sanitary Sewer Systems. This review covered SSO events certified during the period from April to December 2011.

Order No. 2006-0003-DWQ prohibits the discharge of untreated or partially treated wastewater that creates a nuisance or results in a discharge to waters of the United States. Therefore, Category 1 SSO events generally violate the prohibitions. The San Diego Water Board has updated CIWQS records associated with the following certified Category 1 SSO events to show these as violations.

CIWQS EVENT ID	CIWQS VIOLATION ID	SSO LOCATION	SSO DATE
770406	907161	Pineapple St. crossing Cherry Tree Ln.	08/28/2011

CIWQS violation reports are publicly available at  
[http://www.waterboards.ca.gov/water\\_issues/programs/ciwqs/publicreports.shtml](http://www.waterboards.ca.gov/water_issues/programs/ciwqs/publicreports.shtml)

*California Environmental Protection Agency*



Mr. Christopher McKinney  
Category 1 SSO Violations

- 2 -

March 15, 2012

Please continue to take steps necessary to ensure that violations of this type do not occur in the future. These violations are subject to possible further enforcement action by the San Diego Water Board, including administrative enforcement orders, administrative assessment of civil liability in amounts up to \$10,000 per day, referral to the State Attorney General for injunctive relief, and referral to the District Attorney for criminal prosecution.

For questions pertaining to the subject matter, please contact Christopher Means at (858) 637-5581 or by email at [cmeans@waterboards.ca.gov](mailto:cmeans@waterboards.ca.gov).

**PLEASE INCLUDE "631608:CMEANS" IN THE SUBJECT LINE  
OF FUTURE CORRESPONDENCE.**

Respectfully,



Christopher Means  
Environmental Scientist  
Compliance and Assurance Unit

CJM:dj

cc via email:

James Fischer, State Water Board, Office of Enforcement, [jfischer@waterboards.ca.gov](mailto:jfischer@waterboards.ca.gov)  
Russell Norman, State Water Board, SSO Program, [rnorman@waterboards.ca.gov](mailto:rnorman@waterboards.ca.gov)

CIWQS Place ID      631608  
Reg. Measure No.    383435  
Party ID              14960