

# Affidavit of Publication

CALIFORNIA NEWSPAPER SERVICE

ATTN: IRENE ANDAL

P.O. BOX 60460

LOS ANGELES, CA 90060

STATE OF CALIFORNIA) ss.  
County of San Diego)

The Undersigned, declares under penalty of perjury under the laws of the State of California: That...She is a resident of the County of San Diego.

THAT...She is and at all times herein mentioned was a citizen of the United States, over the age of twenty-one years, and that ..... She is not a party to, nor interested in the above entitled matter; that ....She is..... Chief Clerk for the publisher of .....

## The San Diego Union-Tribune

a newspaper of general circulation, printed and published daily in the City of San Diego, County of San Diego, and which newspaper is published for the dissemination of local news and intelligence of a general character, and which newspaper at all the times herein mentioned had and still has a bona fide subscription list of paying subscribers, and which newspaper has been established, printed and published at regular intervals in the said City of San Diego, County of San Diego, for a period exceeding one year next preceding the date of publication of the notice hereinafter referred to, and which newspaper is not devoted to nor published for the interests, entertainment or instruction of a particular class, profession, trade, calling, race, or denomination, or any number of same; that the notice of which the annexed is a printed copy, has been published in each regular and entire issue of said newspaper and not in any supplement thereof on the following date, to-wit:

NOVEMBER 08, 2007

Irene Andal  
Chief Clerk for the Publisher

## Affidavit of Publication of

### Legal Classified Advertisement

Ad # 2490137

Ordered by: IRENE ANDAL

## NOTICE OF PUBLIC HEARING CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD SAN DIEGO REGION

The California Regional Water Quality Control Board, San Diego Region (Regional Water Board) will consider the following actions:

1. NPDES Permit Reissuance: General Waste Discharge Requirements for Discharge of Groundwater Extraction Waste to Surface Waters Within The San Diego Region Except For San Diego Bay. NPDES No. CAGP18002. Tentative Order No. RS-2007-0071.
2. NPDES Permit Revision: SeaWorld San Diego. The Regional Board will consider amending SeaWorld's existing NPDES permit to establish waste discharge requirements for discharges of waste from SeaWorld's animal displays to Mission Bay, San Diego. (Alternative Addendum No. 1 to Order No. RS-2005-0091, NPDES No. GA107336).
3. Imposition of Civil Liability recommended in Administrative Civil Litigation (ACL) Complaint No. RS-2007-0083, against the North County Transit District in the amount of \$100,000 for alleged construction storm water violations of State Water Resources Control Board Order No. RS-06-DWQ, from the Sprinter Rail Project.
4. Imposition of civil liability recommended in ACL Complaint No. RS-2007-0099, against the Cities of Vista and Carlsbad in the amount of \$1,000,000 for a 7.3 million-gallon sanitary sewer overflow discharge to Buena Vista Lagoon between March 31 and April 8, 2007, in violation of SWRCB Order No. 2006-0003-DWQ: Statewide General Waste Discharge Requirements for Sanitary Sewer Systems.
5. Imposition of civil liability recommended in ACL Complaint No. RS-2007-0101, against the Fallbrook Unified District in the amount of \$20,300 for a 14,625-gallon sanitary sewer overflow discharge to Fallbrook Creek from a manhole located at 528 Aviation Road between June 17 and 20, 2006, in violation of Regional Water Board Order No. RS-04-General Waste Discharge Requirements Prohibiting Sanitary Sewer Overflows by Sewage Collection Agencies.
6. Imposition of civil liability recommended in ACL Complaint No. RS-2007-0096, against Eastern Municipal Water District in the amount of \$53,500 for a 1.07 million-gallon sanitary sewer overflow discharge to Mummich Creek from a ruptured 10-inch sewer force main located in the City of Temecula at 20079 Casa Real on November 14, 2006, in violation of SWRCB Order No. 2006-0003-DWQ: Statewide General Waste Discharge Requirements for Sanitary Sewer Systems, and Regional Water Board Order No. RS-04-General Waste Discharge Requirements Prohibiting Sanitary Sewer Overflows by Sewage Collection Agencies.
7. Imposition of civil liability recommended in ACL Complaint No. RS-2007-0064, against Ashby USA, LLC, Rockleigh Ranch Residential Development: in the amount of \$54,250 for disturbing Long Valley Wash in unauthorized areas, failing to submit a timely mitigation plan, failing to implement mitigation for impacts to Santa Gertrude Creek and Long Valley Wash, and failing to adequately design a detention basin implementing post-construction best management in violation of Water Quality Certification No. 01C-091 which was issued in response to impacts to waters of the United States resulting from an 804 acre residential construction site in Temecula, Riverside County.

The Regional Water Board wishes to obtain public input on these matters. For Item Nos. 3 through 7 above, if the discharger elects to waive their right to a hearing, the Regional Board will consider comments received during the public review period and decide on an order accepting payment of the proposed penalty and waiver of hearing. The Regional Water Board will hear oral testimony and consider written comments associated with all of the above listed proposed actions at its meeting on December 12, 2007 beginning at 9:00 a.m. in the Regional Water Board Meeting room located at the address listed below.

Interested persons are invited to attend to present testimony. Oral statements will be heard, but for the accuracy of the record, important testimony should be in writing.

We encourage written comments to be submitted to the Regional Water Board's office by November 26, 2007. Written comments received after 5:00 p.m. on December 5, 2007 will not be provided to the Regional Water Board members prior to the hearing. Written testimony must be mailed, faxed, or delivered to the Regional Water Board's office at:

9174 Sky Park Court  
Suite 100  
San Diego, CA 92123  
Phone: (619) 467-2952  
FAX: (619) 671-8972

Testimony may also be submitted by e-mail subject to the above time deadlines and as long as the total submittal (including attachments) does not exceed five printed pages in length. E-mail testimony must be submitted to: RBDspends@waterboards.ca.gov to ensure consideration by the Regional Water Board. Insert the word "Agenda" in the subject line.

Pursuant to Title 23, California Code of Regulations, Section 646.3, the Regional Water Board may refuse to admit written testimony into evidence if it is not submitted to the Regional Water Board in a timely manner, unless the proponent can demonstrate why he or she was unable to submit the material on time or that compliance with the deadline would create an unreasonable hardship.

Information related to these matters is currently available and may be reviewed at the Regional Water Board's office or on the Regional Water Board's web page at <http://www.waterboards.ca.gov/sandiego>.

For additional information regarding Item No. 1 above, please contact Mr. Vicente Rodriguez at (619) 467-3940 or e-mail at vrodriguez@waterboards.ca.gov.

For additional information regarding Item No. 2 above, please contact Ms. Michelle Mata at (619) 467-2961 or e-mail at mmata@waterboards.ca.gov.

For additional information regarding Item No. 3 above, please contact Mr. Ben Nall at (619) 467-2968 or e-mail at bnall@waterboards.ca.gov.

For additional information regarding Item No. 4 above, please contact Mr. Eric Becker at (619) 467-1785 or e-mail at checker@waterboards.ca.gov.

For additional information regarding Item No. 5 above, please contact Ms. Joann Ciminoceo at (619) 837-6559 or e-mail at jciminoceo@waterboards.ca.gov.

For additional information regarding Item No. 6 above, please contact Mr. Charles Chang at (619) 467-3930 or e-mail at cchang@waterboards.ca.gov.

For additional information regarding Item No. 7, please contact Ms. Rebecca Stewart at (619) 467-2988 or rstewart@waterboards.ca.gov.

Please bring the foregoing to the attention of any persons you know who would be interested in these matters.

JOHN E. ROBERTUS

Executive Officer

November 6, 2007

11/8/07

CNS-12286604 THE SAN DIEGO UNION

2490137 11-08-07



\* A 0 0 0 0 0 0 3 3 6 6 8 3 \*

# THE REGISTER

This space for filing stamp only

625 N GRAND AVE, SANTA ANA, CA 92701  
Telephone (714) 796-7000 / Fax (714) 796-6059

## PROOF OF PUBLICATION

(2015.5 C.C.P.)

State of California )  
County of ORANGE ) ss

Notice Type: GPN - GOVT PUBLIC NOTICE

Ad Description: December 12, 2007 RB Mtg NPDES Public Notice

I am a citizen of the United States and a resident of the State of California; I am over the age of eighteen years, and not a party to or interested in the above entitled matter. I am the principal clerk of the printer and publisher of the THE REGISTER, a newspaper published in the English language in the city of SANTA ANA, county of ORANGE, and adjudged a newspaper of general circulation as defined by the laws of the State of California by the Superior Court of the County of ORANGE, State of California, under date 11/19/1905, Case No. A21046. That the notice, of which the annexed is a printed copy, has been published in each regular and entire issue of said newspaper and not in any supplement thereof on the following dates, to-wit:

11/08/2007

Executed on 11/08/2007  
At SANTA ANA, California

I certify (or declare) under penalty of perjury that the foregoing is true and correct.

*Adolfo Ruiz*

Signature



\* A 0 0 0 0 0 0 3 0 6 4 6 0 \*

CNS #: 12286B1

NOTICE OF PUBLIC  
HEARING  
CALIFORNIA REGIONAL  
WATER QUALITY  
CONTROL BOARD  
SAN DIEGO REGION

Order No. 96-04, General  
Waste Discharge  
Requirements Prohibiting  
Sanitary Sewer Overflows by  
Sewage Collection Agencies.

The California Regional  
Water Quality Control Board,  
San Diego Region (Regional  
Water Board) will consider  
the following actions:

1. NPDES Permit Reissuance: General Waste Discharge Requirements for Discharge of Groundwater Extraction Waste to Surface Waters Within The San Diego Region Except For San Diego Bay. (NPDES No. CAG913002, Tentative Order No. R9-2007-007).

2. NPDES Permit Revision: SeaWorld, San Diego. The Regional Board will consider amending SeaWorld's existing NPDES permit to establish waste discharge requirements for discharges of waste from SeaWorld's aerial fireworks displays to Mission Bay, San Diego. (Tentative Addendum No. 1 to Order No. 2008-0091, NPDES No. CA0107336).

3. Imposition of civil liability recommended in Administrative Civil Liability (ACL) Complaint No. R9-2007-0093, against the North County Transit District in the amount of \$160,000 for alleged construction storm water violations of State Water Resources Control Board (SWRCB) General Order No. 99-08-DWQ, from the Sprinter Rail Project.

4. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0095, against the Cities of Vista and Carlsbad in the amount of \$1,055,000 for a 7.3 million-gallon sanitary sewer overflow discharge to Buena Vista Lagoon between March 31 and April 3, 2007, in violation of SWRCB Order No. 2006-0003-DWQ: Statewide General Waste Discharge Requirements for Sanitary Sewer Systems.

5. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0101, against the Fallbrook Utilities District in the amount of \$29,300 for a 146,625-gallon sanitary sewer overflow discharge to Fallbrook Creek from a manhole located at 528 Aviation Road between June 17 and 20, 2006 in violation of Regional Water Board

Order No. R9-2007-0096, against Eastern Municipal Water District in the amount of \$53,500 for a 1.07 million-gallon sanitary sewer overflow discharge to Murrind Creek from a ruptured 10-inch sewer force main located in the City of Temecula at 28079 Diaz Road on November 14, 2006, in violation of SWRCB Order No. 2006-0003-DWQ: Statewide General Waste Discharge Requirements for Sanitary Sewer Systems, and Regional Water Board Order No. 96-04, General Waste Discharge Requirements Prohibiting Sanitary Sewer Overflows by Sewage Collection Agencies.

6. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0084, against Ashby USA, LLC, Ronbaugh Ranch Residential Development in the amount of \$546,250 for disturbing Long Valley Wash in unauthorized areas, failing to submit a timely mitigation plan, failing to implement mitigation for impacts to Santa Gertrudis Creek and Long Valley Wash, and failing to adequately design a detention basin implementing post-construction best management in violation of Water Quality Certification No. 01C-091 which was issued in response to impacts to waters of the United States resulting from an 804 acre residential construction site in Temecula, Riverside County.

The Regional Water Board wishes to obtain public input on these matters. For item Nos. 3 through 7 above, if the discharger elects to waive their right to a hearing, the Regional Board will consider comments received during the public review period and decide on an order accepting payment of the proposed liability and waiver of hearing. The Regional Water Board will hear oral testimony and consider written comments associated with all of the above listed proposed actions at its meeting on December 12, 2007 beginning at 9:00 a.m. in the Regional Water Board

Meeting room located at the address listed below.

Interested persons are invited to attend to present testimony. Oral statements will be heard, but for the accuracy of the record, important testimony should be in writing.

We encourage written comments to be submitted to the Regional Water Board's office by November 26, 2007. Written comments received after 5:00 p.m. on December 5, 2007 will not be provided to the Regional Water Board members prior to the hearing. Written testimony must be mailed, faxed, or delivered to the Regional Water Board's office at:

9174 Sky Park Court  
Suite 100  
San Diego, CA 92123  
Phone: (858) 467-2952  
FAX: (858) 571-8972

Testimony may also be submitted by e-mail subject to the above time deadlines and as long as the total submittal (including attachments) does not exceed five printed pages in length. E-mail testimony must be submitted to: RB9agenda@waterboards.ca.gov to ensure consideration by the Regional Water Board. Insert the word "Agenda" in the subject line.

Pursuant to Title 23, California Code of Regulations, Section 648.2, the Regional Water Board may refuse to admit written testimony into evidence if it is not submitted to the Regional Water Board in a timely manner, unless the proponent can demonstrate why he or she was unable to submit the material on time or that compliance with the deadline would create an unreasonable hardship.

Information related to these matters is currently available and may be reviewed at the Regional Water Board's office or on the Regional Water Board's web page at <http://www.waterboards.ca.gov/san diego>.

For additional information regarding Item No. 1 above, please contact Mr. Vicente Rodriguez at (858) 627-3940 or e-mail at [vrodriguez@waterboards.ca.gov](mailto:vrodriguez@waterboards.ca.gov).

For additional information regarding Item No. 2 above, please contact Ms. Michelle Mata at (858) 467-2981 or e-mail at [mmata@waterboards.ca.gov](mailto:mmata@waterboards.ca.gov).

For additional information regarding Item No. 3 above, please contact Mr. Ben Neill at (858) 467-2983 or e-mail at [bneill@waterboards.ca.gov](mailto:bneill@waterboards.ca.gov).

For additional information regarding Item No. 4 above, please contact Mr. Eric Becker at (858) 492-1785 or e-mail at [etbecker@waterboards.ca.gov](mailto:etbecker@waterboards.ca.gov).

For additional information regarding Item No. 5 above, please contact Ms. Joaquin Cofranceco at (858) 637-5589 or e-mail at [jcofranceco@waterboards.ca.gov](mailto:jcofranceco@waterboards.ca.gov).

For additional information regarding Item No. 6 above, please contact Mr. Charles Cheng at (858) 627-3930 or e-mail at [ccheng@waterboards.ca.gov](mailto:ccheng@waterboards.ca.gov).

For additional information regarding Item No. 7, please contact Ms. Rebeca Stewart at (858) 467-2966 or e-mail at [rstewart@waterboards.ca.gov](mailto:rstewart@waterboards.ca.gov).

Please bring the foregoing to the attention of any persons you know who would be interested in these matters.

JOHN H. ROBERTUS  
Executive Officer  
November 6, 2007  
11/8/07  
CNS-122B681#  
THE REGISTER

# THE PRESS-ENTERPRISE

3512 Fourteenth Street  
Riverside CA 92501-3878  
951-684-1200  
951-368-9018 FAX

## PROOF OF PUBLICATION (2010, 2015.5 C.C.P.)

Press-Enterprise

### PROOF OF PUBLICATION OF


Ad Desc.: NPDES /1228679

I am a citizen of the United States. I am over the age of eighteen years and not a party to or interested in the above entitled matter. I am an authorized representative of THE PRESS-ENTERPRISE, a newspaper of general circulation, printed and published daily in the County of Riverside, and which newspaper has been adjudicated a newspaper of general circulation by the Superior Court of the County of Riverside, State of California, under date of April 25, 1952, Case Number 54446, under date of March 29, 1957, Case Number 65673 and under date of August 25, 1995, Case Number 267864; that the notice, of which the annexed is a printed copy, has been published in said newspaper in accordance with the instructions of the person(s) requesting publication, and not in any supplement thereof on the following dates, to wit:

11-08-07

I Certify (or declare) under penalty of perjury that the foregoing is true and correct.

Date: Nov. 8, 2007  
At: Riverside, California



CALIF NEWSPAPER SERV BUREAU

PO BOX 60460  
LOS ANGELES CA 90060

ED #: 8915321

PO #: CNS 1228679

Agency #: -----

### Ad Copy:

#### NOTICE OF PUBLIC HEARING CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD SAN DIEGO REGION

The California Regional Water Quality Control Board, San Diego Region (Regional Water Board) will consider the following actions:

1. NPDES Permit Reissuance: General Waste Discharge Requirements for Discharge of Groundwater Extraction Waste to Surface Waters Within The San Diego Region Except For San Diego Bay. (NPDES No. CAG919002 Tentative Order No. R9-2007-007).

2. NPDES Permit Revision: SeaWorld San Diego. The Regional Board will consider amending SeaWorld's existing NPDES permit to establish waste discharge requirements for discharges of waste from SeaWorld's aerial fireworks displays to Mission Bay, San Diego. (Tentative Addendum No. 1 to Order No. 2005-0091, NPDES No. CA0107336).

3. Imposition of civil liability recommended in Administrative Civil Liability (ACL) Complaint No. R9-2007-0093, against the North County Transit District in the amount of \$160,000 for alleged construction storm water violations of State Water Resources Control Board (SWRCB) General Order No. 99-08-DWQ, from the Sprinter Rail Project.

4. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0099, against the Cities of Vista and Carlsbad in the amount of \$1,095,000 for a 7.3 million-gallon sanitary sewer overflow discharge to Buena Vista Lagoon between March 31 and April 3, 2007, in violation of SWRCB Order No. 2006-0003-DWQ: Sidewide General Waste Discharge Requirements for Sanitary Sewer Systems.

5. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0101, against the Fallbrook Utilities District in the amount of \$29,000 for a 146,425-gallon sanitary sewer overflow discharge to Fallbrook Creek from a manhole located at 526 Aviation Road between June 17 and 20, 2006, in violation of Regional Water Board Order No. 96-04 General Waste Discharge Requirements Prohibiting Sanitary Sewer Overflows by Sewage Collection Agencies.

6. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0096, against Eastern Municipal Water District in the amount of \$53,500 for a 1,07 million-gallon sanitary sewer overflow discharge to Murrieta Creek from a ruptured 10-inch sewer force main located in the City of Temecula on 28079 Diaz Road on November 14, 2006, in violation of SWRCB Order No. 2006-0000-DWQ: Sidewide General Waste Discharge Requirements for Sanitary Sewer Systems, and Regional Water Board Order No. 96-04 General Waste Discharge Requirements Prohibiting Sanitary Sewer Overflows by Sewage Collection Agencies.

7. Imposition of civil liability recommended in ACL Complaint No. R9-2007-0064, against Ashby USA, LLC, Rockleigh Ranch Residential Development, in the amount of \$546,250 for disturbing Long Valley Wash in unauthorized areas, failing to submit a timely mitigation plan, failing to implement mitigation for impacts to Santa Gertrudis Creek and Long Valley Wash, and failing to adequately design a detention basin imple-

\* A 0 0 0 0 0 0 0 3 2 0 9 2 8 \*

meaning post-construction best management in violation of Water Quality Certification No. OTC-091 which was issued in response to impacts to waters of the United States resulting from an 804-acre residential construction site in Temecula, Riverside County. The Regional Water Board wishes to obtain public input on these matters. For Item Nos. 3 through 7 above, if the discharger elects to waive their right to a hearing, the Regional Board will consider comments received during the public review period and decide on an order accepting payment of the proposed liability and waiver of hearing. The Regional Water Board will hear oral testimony and consider written comments associated with all of the above listed proposed actions at its meeting on December 12, 2007 beginning at 9:00 a.m. in the Regional Water Board Meeting room located at the address listed below.

Interested persons are invited to attend to present testimony. Oral statements will be heard, but for the accuracy of the record, important testimony should be in writing.

We encourage written comments to be submitted to the Regional Water Board's office by November 28, 2007. Written comments received after 5:00 p.m. on December 5, 2007 will not be provided to the Regional Water Board members prior to the hearing. Written testimony must be mailed, faxed, or delivered to the Regional Water Board's office at:

9174 Sky Park Court  
Suite 100  
San Diego, CA 92123

Phone: (858) 467-2952  
FAX: (858) 571-6972

Testimony may also be submitted by e-mail subject to the above time deadlines and as long as the total submission (including attachments) does not exceed five printed pages in length. E-mail testimony must be submitted to: R.B.9@waterboards.ca.gov to ensure consideration by the Regional Water Board. Insert the word "Agenda" in the subject line.

Pursuant to Title 23, California Code of Regulations, Section 648.2, the Regional Water Board may refuse to admit written testimony into evidence if it is not submitted to the Regional Water Board in a timely manner, unless the proponent can demonstrate why he or she was unable to submit the material on time or that compliance with the deadline would create an unreasonable hardship.

Information related to these matters is currently available and may be reviewed at the Regional Water Board's office or on the Regional Water Board's web page at <http://www.waterboards.ca.gov/sandiego>.

For additional information regarding Item No. 1 above, please contact Mr. Vicente Rodriguez at (858) 467-2940 or e-mail at [vrdriguez@waterboards.ca.gov](mailto:vrdriguez@waterboards.ca.gov).

For additional information regarding Item No. 2 above, please contact Ms. Michelle Mait at (858) 467-2981 or e-mail at [mmait@waterboards.ca.gov](mailto:mmait@waterboards.ca.gov).

For additional information regarding Item No. 3 above, please contact Mr. Ben Neill at (858) 467-2983 or e-mail at [bneill@waterboards.ca.gov](mailto:bneill@waterboards.ca.gov).

For additional information regarding Item No. 4 above, please contact Mr. Eric Becker at (858) 492-1785 or e-mail at [eb Becker@waterboards.ca.gov](mailto:eb Becker@waterboards.ca.gov).

For additional information regarding Item No. 5 above, please contact Ms. Joann Conrancesco at (858) 637-5389 or e-mail at [jconrancesco@waterboards.ca.gov](mailto:jconrancesco@waterboards.ca.gov).

For additional information re-

garding Item No. 4 above  
please contact Mr. Charles  
Cheng at (958) 627-3930 or e-  
mail [ccheng@waterboards.ca.gov](mailto:ccheng@waterboards.ca.gov).  
For additional information re-  
garding Item No. 7 please  
contact Ms. Rebecca Stewart  
at (860) 447-2968 or  
[r.stewart@water-  
boards.ca.gov](mailto:r.stewart@water-<br/>boards.ca.gov).  
Please bring the foregoing to  
the attention of any persons  
you know who would be inter-  
ested in these matters.  
JOHN H. ROBERTUS  
Executive Officer  
November 6, 2007  
11/8/07  
CNS-1228679#  
THE PRESS ENTERPRISE