

California Regional Water Quality Control Board

San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



9174 Sky Park Court, Suite 100, San Diego, California 92123-4353 (858) 467-2952 * Fax (858) 571-6972 http:// www.waterboards.ca.gov/sandiego

SUPPORTING DOCUMENT 2

July 14, 2008

CERTIFIED MAIL 7006 0810 0000 6389 0213

-CRU: 9 000000275: MVALD

In reply refer to:

Mr. Alan Langworthy
Deputy Director
Metropolitan Wastewater Department
City of San Diego
2392 Kincaid Road
San Diego, California 92101

Dear Mr. Langworthy:

SUBJECT: TENTATIVE ADDENDUM NO. 2 TO ORDER NO. R9-2002-0025, NPDES

PERMIT NO. CA0107409 FOR THE CITY OF SAN DIEGO POINT LOMA WASTEWATER TREATMENT PLANT DISCHARGE TO THE PACIFIC

OCEAN VIA THE POINT LOMA OCEAN OUTFALL

Enclosed is a copy of tentative Addendum No. 2 to Order No. R9-2002-0025, which Regional Board staff intends to present to the Regional Board for adoption at their regularly scheduled meeting on August 13, 2008.

If adopted, Addendum No. 2 to Order No. R9-2002-0025 would update waste discharge requirements for the discharge of advanced primary treated wastewater to the Pacific Ocean via the Point Loma Ocean Outfall. Tentative Addendum No. 2 to Order No. R9-2002-0025 contains modifications associated with the proposed prototype disinfection at the City of San Diego Point Loma Wastewater Treatment Plant.

The August 13, 2008 meeting will begin promptly at 9:00 a.m. and will be held at the following location:

Regional Water Quality Control Board Regional Board Meeting Room 9174 Sky Park Court, Suite 100 San Diego, CA 92123

Please review and comment on the tentative addendum at your earliest convenience. It is recommended that written comments be submitted as soon as possible to enable staff to amend the tentative addendum, if necessary, and allow changes to the tentative addendum to be fully reviewed by the Regional Board and interested parties. To ensure that the Regional Board has the opportunity to fully study and consider written

OOON APPAR





material, comments should be received by the Regional Board no later than 5:00 p.m. on Wednesday, July 30, 2008. The final deadline for submittal of written comments, however, is August 6, 2008. Per Regional Board direction, written material submitted to the Regional Board office after the submittal deadline date will not be provided to the Regional Board. Also, it is not likely that written material will be accepted by the Regional Board on the day of the meeting.

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to:" In order to assist us in the processing of your correspondence, please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions or comments, please contact Melissa Valdovinos at (858) 467-2724 or via email at myaldovinos@waterboards.ca.gov.

Respectfully.

David T. Barker Supervising Engineer

DTB:bdk:mv

cc: Robyn Stuber USEPA Region 9

75 Hawthorne Street Mail Code WTR-5

San Francisco, CA 94105

Dan Connally

PG Environmental

447-B Carlisle Drive

Herndon, VA 20170

cc by email only:

Sandy Vissman, United States Fish and Wildlife Service

Bob Hoffman, National Marine Fisheries Service

Diana Lilly, California Coastal Commission

Steve Juarez, California Department of Fish and Game

Clay Clifton, County of San Diego Department of Environmental Health

Ben McCue, WiLDCOAST

Gabriel Solmer, Coastkeeper

Jim Peugh, San Diego Audubon Society

Ed Kimura, Sierra Club

Marco Gonzalez, Surfrider Foundation

California Environmental Protection Agency