


WARREN D. WILLIAMS  
General Manager-Chief Engineer

SAN DIEGO REGIONAL  
WATER QUALITY  
CONTROL BOARD



AMY MECKLENBORG  
1995 MARKET STREET  
RIVERSIDE, CA 92501  
951.955.1200  
FAX 951.788.9965  
www.floodcontrol.co.riverside.ca.us

2008 APR 29 P 1:28  
RIVERSIDE COUNTY FLOOD CONTROL  
AND WATER CONSERVATION DISTRICT  
April 24, 2008

Ms. Amy Mecklenborg  
San Diego Regional Water Quality Control Board  
9174 Sky Park Court, Suite 100  
San Diego, CA 92123

Dear Ms. Mecklenborg:

Re: RSAA/NSEA Implementation  
Provisions for Fecal Indicator Bacteria  
Comments on Proposed Basin Plan  
Amendment


Thank you for this opportunity to comment on the proposed revisions to the Basin Plan Amendment establishing the RSAA and NSEA for Fecal Indicator Bacteria (FIB). The District has reviewed the document and would like to provide the following comments:

1. The District concurs with Orange County's comments.
2. The District would like to see Section 5.3.3 conclude with the following statement:

"The Water Quality Standards for Coastal and Great Lakes Recreational Waters is intended for use on waterbodies subject to the Beach Act. Inland water bodies are not subject to the requirements of the Beach Act. Further, due to limited recreational usage rates, there are limited opportunities to support site-specific epidemiological studies for inland waterbodies in the San Diego Region. For this reason, alternative and simplified approaches to demonstrating maintenance of health risks may need to be considered for inland waterbodies."

Please feel free to call me at 951.955.1273 if you have any questions or comments.

Very truly yours,

  
JASON UHLEY  
Senior Civil Engineer

Doc Scanned On: 4-29-2008  
S. Bourche Time: 2:35

JEU:bjp  
P8/118932

2008 APR 29 P 1:28  
SAN DIEGO REGIONAL  
WATER QUALITY  
CONTROL BOARD