



Linda S. Adams  
Secretary for  
Environmental Protection

# California Regional Water Quality Control Board

## San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties  
Recipient of the 2004 Environmental Award for Outstanding Achievement from EPA



Item No. 13  
Supporting Document No. 25

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353  
(858) 467-2952 • Fax (858) 571-6972  
<http://www.waterboards.ca.gov/sandiego>

December 10, 2009

In reply refer to:  
**CRU: Reg Measure ID 367377: MMATA**

To: Enrollees and Interested Persons

Dear Enrollees and Interested Persons:

**SUBJECT: REVISED RESPONSE TO COMMENTS AND ERRATA TO REVISED TENTATIVE ORDER NO. R9-2009-0094; NPDES PERMIT NO. CAG679001; GENERAL WASTE DISCHARGE REQUIREMENTS FOR DISCHARGES OF HYDROSTATIC TEST WATER AND POTABLE WATER TO SURFACE WATERS AND STORM DRAINS OR OTHER CONVEYANCE SYSTEMS WITHIN THE SAN DIEGO REGION**


The San Diego Regional Water Quality Control Board has reviewed comments received regarding tentative Order No. R9-2009-0094. Comments were received from San Diego County Water Authority on behalf of the Technical Advisory Committee (TAC), the Metropolitan Water District of Southern California, City of Del Mar, Olivenhain Municipal Water District, Padre Dam, Eastern Municipal Water District, Irvine Ranch Water District, Helix Water District, Sweetwater Authority, Carlsbad Municipal Water District, Ramona Municipal Water District, Vista Irrigation District, Otay Water District, and Vallecitos Water District.

Enclosed are the Regional Board's Revised Response to Comments Document and corresponding Errata to the Revised Tentative Order. These documents cover all written and oral comments received since the first draft of the tentative Order was released on June 25, 2009. Additional modifications were made to correct and clarify language in the tentative Order. These modifications are also indicated in the enclosed Errata. Full copies of comment letter(s) will be available at the Regional Boards website at

[http://www.waterboards.ca.gov/sandiego/board\\_info/agendas/2009/dec/dec09.shtml](http://www.waterboards.ca.gov/sandiego/board_info/agendas/2009/dec/dec09.shtml)

The comments and Regional Boards Revised Responses to Comments Document and Errata to the Revised Tentative Order will be provided to the Regional Board for consideration prior to the December 16, 2009 Regional Board regularly scheduled meeting. Regional Board staff will present the tentative Order with Errata to the Regional Board at the December 16, 2009 meeting. The meeting will begin promptly at 9:00 a.m. and will be held at the following location:

*California Environmental Protection Agency*



December 10, 2009

San Diego Regional Water Quality Control Board  
9174 Sky Park Court, Suite 100  
San Diego, CA 92123

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to:" In order to assist us in the processing of your correspondence, please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions or comments, please contact Michelle Mata at (858) 467-2981 or via email at [mmata@waterboards.ca.gov](mailto:mmata@waterboards.ca.gov).

Respectfully,



David T. Barker  
Supervising Engineer

DTB:bdk:mm

Enclosure

cc: Interested Parties List