Item No. 08 Doc. No. 11

SUPPLEMENTAL ERRATA SHEET

TENTATIVE ORDER NO. R9-2009-0081 NPDES NO. CA0109185 WASTE DISCHARGE REQUIREMENTS FOR THE UNITED STATES DEPARTMENT OF THE NAVY NAVAL BASE CORONADO SAN DIEGO COUNTY

The following revisions will be made to tentative Order No. R9-2009-0080. Some changes/corrections below are shown in **bold and underline**/strikeout format to indicate added and removed language, respectively.

Errata	SECTION	REVISION					
#							
1.	Limitations and Discharge Requirement s Section V.A.	 V. RECEIVING WATER LIMITATIONS The discharge of waste shall not cause, have the reasonable potential to cause, or contribute to an excursion above the following water quality objectives in the receiving water: A. Surface Water Limitation 					
	Page 26						
2.	Monitoring and Reporting Program Section V.B Page E-15	B. Marine and Estuarine Species and Test Methods Species and short-term test methods for estimating the acute toxicity of NPDES effluents are found in the fifth edition of Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms (EPA/821/R-02/012, 2002; Table IA, 40 CFR Part 136). In a 96-hour static renewal test, the renewal shall be made at 48-hours using the original effluent sample. The Discharger shall conduct 96-hour static renewal toxicity tests with the following vertebrate species:					
		 The topsmelt, Atherinops affinis [-(Larval Survival and Growth Test Method 1006.0 (Daily observations for mortality make it possible to calculate acute toxicity for 					

		desired exposure periods (i.e., 96-hour Pass-Fail test) in the first edition of Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to West Coast Marine and Estuarine Organisms (EPA/600/R-95/136, 1995) (specific to Pacific Coast waters)); • The Inland silverside, Menidia beryllina, only if Atherinops affinis is not available. (Acute Toxicity Test Method 2006.0)								
3.	Monitoring and Reporting Program Section VII.A.1 Table E-12	VIII. RECEIVING WATER MONITORING REQUIREMENTS – SURFACE WATER A. Monitoring Location RSW-001 and RSW-002 1. The Discharger shall monitor the San Diego Bay at RSW-001 and the Pacific Ocean at RSW-002 as follows: Table E-12. Receiving Water Monitoring Requirements								
	Page E-18	Parameter Priority Pollutai			Units	Sample Type	Minimum Sampling Frequency		Required Analytical Test Method	
			TCDD- Equivalents ¹		μg/L	Grab	1/Year		2	
		Priority Pollutar			μg/L	Grab	1/Year		2	
		-	Non-Convention	nal			4 / \		2	
1		Temperature °F Grab 1/MonthQuarter 2 Table E-14. Monitoring Periods and Reporting Schedule								
4.	Monitoring and Reporting		Sampling Frequency	onitoring Periods a Monitoring Period Begins On		Monitori ng Period	SMR Due Date			
	Program Section X.B.3 Table E-14 Page E-24		1/Month effectiv permit			t day of calendar of the following permit ctive date or on mit effective date if date is first day of month		Quarterly on: May 1 August 1 November 1 February 130 days following the end of the monitoring period		