



California Regional Water Quality Control Board San Diego Region



Matthew Rodriguez
Secretary for Environmental
Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Edmund G. Brown Jr.
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

January 23, 2012

In reply refer to:
222754:JLIM
WDID: 9 000000030

Ms. Debbie Biggs
Director of Environmental Compliance
Encina Wastewater Authority
6200 Avenida Encinas
Carlsbad, CA 92011

Dear: Ms. Biggs:

SUBJECT: TENTATIVE ADDENDUM NO. 1 TO ORDER NO. R9-2011-0019, NPDES PERMIT NO. CA0107395

Enclosed is a copy of Tentative Addendum No. 1 to Order No. R9-2011-0019, NPDES Permit No. CA0107395, *Waste Discharge Requirements for the Encina Wastewater Authority, Encina Water Pollution Control Facility and Satellite Wastewater Treatment Plants, Discharge to the Pacific Ocean via the Encina Ocean Outfall*. The tentative addendum is scheduled to be considered by the California Regional Water Quality Control Board, San Diego Region (San Diego Water Board) for adoption at their regularly scheduled meeting on March 14, 2012. If adopted, the tentative addendum would incorporate the Encina Wastewater Authority's Local Limits that is schedule to be considered by their Board of Directors on February 22, 2012.

The March 14, 2012 meeting will begin promptly at 9:00 a.m. and is currently scheduled to be held at the following location:

San Diego Regional Water Quality Control Board
9174 Sky Park Court, Suite 100
San Diego, CA 92123

The location, however, may be changed prior to the meeting. The meeting agenda, which will indicate any changes, will be posted at http://www.waterboards.ca.gov/sandiego/board_info/agendas/ at least two weeks prior to the meeting date.

Ms, Biggs
 Encina Wastewater Authority
 Tentative Addendum No. 1

- 2 -

January 23, 2012

Please review and comment on the tentative addendum at your earliest convenience. It is recommended that written comments be submitted as soon as possible to enable staff to amend the tentative addendum, if necessary, and allow changes to the tentative addendum to be fully reviewed by the San Diego Water Board and interested parties. The final deadline for submittal of written comments is February 22, 2012. Written material submitted to the staff after the final submittal deadline date will not be provided to the San Diego Water Board. Also it is not likely that written material will be accepted by the San Diego Water Board on the day of the meeting.

For questions pertaining to the subject matter, please contact Joann Lim at 858-637-5589.

Respectfully,



DAVID BARKER
 Supervising WRC Engineer

DTB:rwm;jll

Enclosure: Tentative Addendum No. 1 to Order No. R9-2011-0019

Order Nos.	R9-2011-0019
NPDES No.	CA0107395
CIWQS Place ID	222754 (Encina Ocean Outfall)
WDID	9 000000030
CIWQS Reg. Measure No.	378933 (R9-2010-0019)