

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
SAN DIEGO REGION**

TENTATIVE ORDER NO. R9-2015-0105

AN ORDER RESCINDING ORDERS NOS. 88-65, 94-06, 94-34, AND 94-63

The California Regional Water Quality Control Board, San Diego Region, (hereinafter San Diego Water Board), finds that:

1. On June 6, 1988, the San Diego Water Board adopted Order No. 88-65, *Waste Discharge Requirements for Nelson & Sloan Channel Road Plant near Lakeside*. Order No. 88-65 established requirements for a sand and gravel processing plant located near Lakeside in San Diego County.
2. On February 10, 1994, the San Diego Water Board adopted Order No. 94-06, *Waste Discharge Requirements for Asphalt, Inc. Slaughterhouse Canyon Plant, San Diego County*. Order No. 94-06 established requirements for the discharge of wastes from a rock crushing and asphalt operation facility located in Lakeside in San Diego County.
3. On August 10, 1995, the San Diego Water Board adopted Order No. 94-34, *Waste Discharge Requirements for H.G. Fenton Pre-Mix Concrete Company Escondido Plant, San Diego County*. Order No. 94-34 established requirements for the discharge of truck washwater and the operation of a concrete batching plant located in Escondido in San Diego County.
4. On October 13, 1994 the San Diego Water Board adopted Order No. 94-63, *Waste Discharge Requirements for Sim J. Harris Company Miramar Plant, San Diego County*. Order No. 94-63 established requirements for a discharge from the Sim J. Harris Company's Miramar Plant.
5. By letters dated January 30, 2015, Hanson Aggregates Pacific Southwest Inc. (Hanson), the current owner of the property, requested rescission of Orders Nos. 88-65, 94-06, 94-34, and 94-63; and proposed that each operation be:
 - a. enrolled in Order No. R9-2014-0041, *Conditional Waiver of Waste Discharge Requirements for Low Threat Discharges in the San Diego Region: Waiver No. 9, Discharge of Slurries to Land* (Slurry Waiver), and
 - b. enrolled in Order No. 2014-0057-DWQ, *National Pollutant Discharge Elimination System General Permit for Storm Water Discharges Associated with Industrial Activities* (statewide Industrial Storm Water Permit).¹

¹ Industrial Storm Water Permit:

http://www.waterboards.ca.gov/board_decisions/adopted_orders/water_quality/2014/wqo2014_0057_dwq_rev_mar2015.pdf

Enrollment of the facilities in the Slurry Waiver and statewide Industrial Storm Water Permit will provide a level of water quality protection equal to that provided by the individual waste discharge requirements in Orders Nos. 88-65, 94-06, 94-34, AND 94-63.

6. On April 3, 2015 and April 10, 2015, San Diego Water Board staff inspected the operations and verified that the operations were eligible for enrollment in the Slurry Waiver.²
7. The San Diego Water Board in a public meeting heard and considered all comments pertaining to the rescission of Orders Nos. 88-65, 94-06, 94-34, and 94-63.

IT IS HEREBY ORDERED that Orders Nos. 88-65, 94-06, 94-34, and 94-63 are rescinded.

I, David W. Gibson, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, San Diego Region, on November 18, 2015.

TENTATIVE

Davis W. Gibson, Executive Officer

² Waiver No. 9 of Order No. R9-2014-0041:
http://www.waterboards.ca.gov/sandiego/water_issues/programs/waivers/docs/w/WaiverNo9.pdf