

California Regional Water Quality Control Board

San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Arnold Schwarzenegger

Linda S. Adams
Secretary for
Environmental Protection

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353 (858) 467-2952 • Fax (858) 571-6972 http://www.waterboards.ca.gov/sandiego

Certified Return Receipt Requested 7008 1140 0002 4060 6708

May 18, 2009

IN THE MATTER OF:

Mr. Graham Mitchell, City Manager City of Lemon Grove 3232 Main Street Lemon Grove, CA 91945

Subject: City of Lemon Grove Jurisdictional Urban Runoff Management Program NOTICE OF VIOLATION R9-2009-0086

In reply refer to: CIWIQS No. 236851:carias

The City of Lemon Grove is Hereby Notified of a Violation of:


California Regional Water Quality Control Board, San Diego Region (Regional Board) Order No. R9-2007-0001, National Pollutant Discharge Elimination System (NPDES) Permit No. CAS0108758, Waste Discharge Requirements for Discharges of Urban Runoff from the Municipal Separate Storm Sewer Systems (MS4s) Draining the Watersheds of the County of San Diego, the Incorporated Cities of San Diego County, the San Diego Unified Port District, and the San Diego County Regional Airport (Order No. R9-2007-0001).

A. Background

On April 11, 2008, the Regional Board received a Jurisdictional Urban Runoff Management Plan (JURMP) for the City of Lemon Grove (City). The JURMP was received 18 days after the March 24, 2008 due date.

After review of the JURMP, Regional Board staff met with City storm water staff on May 5, 2009, to discuss the City's JURMP and JURMP program and evaluate compliance with Order No. R9-2007-0001. The violation described below is based on the information contained in the City's JURMP dated April 11, 2008, and confirmed at the subsequent meeting with the City.

California Environmental Protection Agency



るのののできることで

B. Alleged Violation

Failure To Provide an Adequate Jurisdictional Urban Runoff Management Plan (JURMP) As Required By Standard Provision J.1.a (1) and (3) of Order No. R9-2007-0001. Standard Provision J.1.a (1) states: "Copermittees - The written account of the overall program to be conducted by each Copermittee to meet the jurisdictional requirements of section D of this Order is referred to as the Jurisdictional Urban Runoff Management Plan (JURMP). Each Copermittee shall revise and update its JURMP so that it describes all activities the Copermittee will undertake to implement the requirements of each component of Jurisdictional Urban Runoff Management Program section D of this Order.

Standard Provision J.1.a (3) states: "At a minimum, each Copermittee's JURMP shall be updated and revised to contain the following information:

- (a).Non-Storm Water Discharges
- (b). Administrative and Legal Procedures
- (c). Development Planning
- (d). Construction
- (e).Municipal
- (f). Industrial and Commercial
- (g).Residential
- (h). Illicit Discharge Detection and Elimination
- (i). Education
- (i). Public Participation
- (k). Fiscal Analysis
- (I). Program Effectiveness Assessment
- (m). JURMP Modification

The City's JURMP dated April 11, 2008 does not adequately describe all activities the City of Lemon Grove is undertaking to implement the requirements of each component of section D of Order No. R9-2007-0001. The City's failure to provide an adequate JURMP is a violation of Order No. R9-2007-0001.

C. Potential Civil Liability

Such a violation subjects the City to possible enforcement action by the Regional Board, including administrative enforcement orders requiring the City to cease and desist from violations, or to clean up waste and abate existing or threatened conditions of pollution or nuisance: administrative civil liability in amounts of up to \$10,000 per day per violation; referral to the State Attorney General for injunctive relief; and, referral to the District Attorney for criminal prosecution.



Notice of Violation No. R9-2009-0086

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to." In order to assist us in the processing of your correspondence please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter. Please contact Christina Arias at (858) 627-3931 or carias@waterboards.ca.gov if you have any questions regarding this matter.

DAVID BARKER, P.E.

Supervising Engineer


MM:db:eb:ca

CIWQS Entries
Place ID: 236851
WDID: 9 000510S9
Regulatory Measure IDs:

NOV R9-2009-0086 (ID: 365127)

Party ID: 25775

Cc: Cora Long, City of Lemon Grove



SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiec or on the front if space permits. 	B. Received by (Printed Name) C. Date of Delive
1. Article Addressed to: Graham Mitchell City of Lenon Grove 3232 Mouin St.	If YES, enter delivery address below: No
3232 Mann St. Lenon Grove, CA 9194	3. Service Type Certified Mail Registered Insured Mail C.O.D. 4. Restricted Delivery? (Extra Fee) Yes
1. , i.	in restricted pointery, (Extra, etc)

RIGHT LINE	6708	U.S. Postal Service IIA CERTIFIED MAIL TEA RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) For delivery information visit our website at www.usps.com	
A TO THE T	4060		USE
CE STICKER AT TOP OF ENVELOR SERTIFIED IN	1,140 0002 4 4 4 0002 4	Certified Fee Return Receipt Fee (Endorsement Required) Restricted Delivery Frie (Endorsement Required) Total Postage & Feils \$.5.54	Postmark Here
37d	2008	Sent To Joham Mitchell Street, Apt. No.; or PO Box No. 3232 Main City, Signe, ZIP+4 PS Form 3800, August 2006	Street 91945 See Reverse for Instructions

ì