



Find out how to access preview-only content

Look Inside Get Access

Estuaries and Coasts

August 2013


A Regional Survey of the Extent and Magnitude of Eutrophication in Mediterranean Estuaries of Southern California, USA

368 Downloads 200 Citations 9 Comments

Abstract

The magnitude and extent of eutrophication was assessed at 27 segments in 23 estuaries in the Southern California Bight (SCB) between October 2008 and 2009. We applied thresholds from the existing assessment frameworks from both the European Union and the U.S. National Eutrophication Assessment to measurements of three indicators [macroalgae biomass and cover, phytoplankton biomass, and dissolved oxygen (DO) concentration] to categorize eutrophic condition in each estuary. Based on these frameworks, a large fraction of segments had moderate or worse eutrophic condition—78 % based on macroalgae, 39 % for phytoplankton, and 63 % for DO. Macroalgal biomass exceeding 70 g dw m^{-2} and 25 % cover was found at 52 % of sites during any sampling event and in 33 % of segments for 8 weeks or longer, a duration found to negatively impact benthic infauna. Duration of hypoxic events ($\text{DO} < 4 \text{ mg L}^{-1}$) was typically short, with most events less than one day; although 53 % of segments had at least one event longer than 24 h. Assessment frameworks of eutrophic condition are likely to evolve over time as the body of literature on eutrophication grows, including aspects such as the applicability of indicators in specific habitat types, indicator thresholds, and how event frequency and duration are incorporated. This paper informs this debate by discussing how eutrophic conditions in SCB estuaries are categorized using different indicators and thresholds. To this end, categorization of estuarine eutrophic condition was found to be very sensitive to the type of threshold, how data are integrated to represent duration or spatial extent, and how indicators are used as multiple lines of evidence.

Communicated by Holly Greening



- Coastal and Estuarine Research Federation

Within this Article

1. Introduction
2. Methods
3. Results
4. Discussion
5. Conclusions
6. References
7. References

Related Content



References (100)

1. Ackerman, D., and K. Schiff. 2003. Modeling stormwater mass emissions to the southern California bight. *J Environ Eng* 129: 308–317. CrossRef
2. Ackerman, D., and S.B. Weisberg. 2003. Relationship between rainfall and beach bacterial concentrations on Santa Monica Bay beaches. *J Water Health* 01(2): 85–89.
3. Ærtebjerg, G., J. Carstensen, K. Dahl, J. Hansen, K. Nygaard, B. Rygg, K. Sørensen, G. Severinsen, S. Casartelli, W. Schrimpf, C. Schiller, J.N. Druon, and A. Küntitzer. 2001. *Eutrophication in Europe's Coastal Waters*. Copenhagen, Denmark: European Environment Agency.
4. Andersen, J.H., P. Axe, H. Backer, J. Carstensen, U. Claussen, V. Fleming-Lehtinen, M. Jarvinen, H. Kaartokallio, S. Knuutila, S. Korpinen, A. Kubiliute, M. Laamanen, E. Lysiak-Pastuszak, G. Martin, C. Murray, F. Mohlenberg, G. Nausch, A. Norkko, and A. Villnas. 2011. Getting the measure of eutrophication in the Baltic Sea: towards improved assessment principles and methods. *Biogeochemistry* 106: 137–156. CrossRef
5. Best, M.A., A.W. Wither, and S. Coates. 2007. Dissolved oxygen as a physico-chemical supporting element in the Water Framework Directive. *Mar Pollut Bull* 55: 53–64. CrossRef
6. Birk, S., W. Bonne, A. Borja, S. Brucet, A. Courrat, S. Poikane, A. Solimini, W.V. van de Bund, N. Zampoukas, and D. Hering. 2012. Three hundred ways to assess Europe's surface waters: an almost complete overview of biological methods to implement the Water Framework Directive. *Ecol Indic* 18: 31–41. CrossRef
7. Bolam, S.G., T.F. Fernandes, P. Read, and D. Raffaelli. 2000. Effects of macroalgal mats on intertidal sandflats: an experimental study. *J Exp Mar Biol Ecol* 249: 123–137. CrossRef
8. Bona, F. 2006. Effect of seaweed proliferation on benthic habitat quality assessed by sediment profile imaging. *J Mar Syst* 62: 142–151. CrossRef
9. Borja, A., J. Bald, J. Franco, J. Larreta, I. Muxika, M. Revilla, J.G. Rodriguez, O. Solaun, A. Uriarte, and V. Valencia. 2009a. Using multiple ecosystem components, in assessing ecological status in Spanish (Basque Country) Atlantic marine waters. *Mar Pollut Bull* 59: 54–64. CrossRef

10. Borja, A., A. Bassett, S. Bricker, J.-C. Dauvin, M. Elliot, T. Harrison, J.-C. Marques, S.B. Weisberg, and R. West. 2011a. *Classifying ecological quality and integrity of estuaries*. In: E. Wolanski and D. S. McLusky, editors. *Treatise on Estuarine and Coastal Science*, 125–162. Waltham: Academic Press. CrossRef
11. Borja, A., and D.M. Dauer. 2008. Assessing the environmental quality status in estuarine and coastal systems: comparing methodologies and indices. *Ecol Indic* 8: 331–337. CrossRef
12. Borja, A., J. Franco, V. Valencia, J. Bald, I. Muxika, M.J. Belzunce, and O. Solaun. 2004. Implementation of the European water framework directive from the Basque country (northern Spain): a methodological approach. *Mar Pollut Bull* 48: 209–218. CrossRef
13. Borja, A., I. Galparsoro, X. Irigoien, A. Iriondo, I. Menchaca, I. Muxika, M. Pascual, I. Quincoces, M. Revilla, J.G. Rodriguez, M. Santurtun, O. Solaun, A. Uriarte, V. Valencia, and I. Zorita. 2011b. Implementation of the European Marine Strategy Framework Directive: a methodological approach for the assessment of environmental status, from the Basque Country (Bay of Biscay). *Mar Pollut Bull* 62: 889–904. CrossRef
14. Borja, A., I. Galparsoro, O. Solaun, I. Muxika, E.M. Tello, A. Uriarte, and V. Valencia. 2006. The European Water Framework Directive and the DPSIR, a methodological approach to assess the risk of failing to achieve good ecological status. *Estuarine Coastal Shelf Sci* 66: 84–96. CrossRef
15. Borja, A., A. Ranasinghe, and S.B. Weisberg. 2009b. Assessing ecological integrity in marine waters, using multiple indices and ecosystem components: challenges for the future. *Mar Pollut Bull* 59: 1–4. CrossRef
16. Borja, A., and J.G. Rodriguez. 2010. Problems associated with the 'one-out, all-out' principle, when using multiple ecosystem components in assessing the ecological status of marine waters. *Mar Pollut Bull* 60: 1143–1146. CrossRef
17. Bricker, S. B., C. G. Clement, D. E. Pirhalla, S. P. Orlando, and D. R. G. Farrow. 1999. National estuarine eutrophication assessment: effects of nutrient enrichment in the nation's estuaries. NOAA, National Ocean Service, Special Projects Office and National Centers for Coastal Ocean Science, Silver Springs, MD
18. Bricker, S.B., J.G. Ferreira, and T. Simas. 2003. An integrated methodology for assessment of estuarine trophic status. *Ecol Model* 169: 39–60. CrossRef

19. Bricker, S.B., B. Longstaf, W. Dennison, A. Jones, K. Boicourt, C. Wicks, and J. Woerner. 2008. Effects of nutrient enrichment in the nation's estuaries: a decade of change. *Harmful Algae* 8: 21–32. CrossRef
20. Brown, C. A., W. G. Nelson, B. L. Boese, T. H. DeWitt, P. M. Eldridge, J. E. Kaldy, H. L. II, J. H. Power, and D. R. Young. 2007. An approach to developing nutrient criteria for Pacific Northwest estuaries: a case study of Yaquina Estuary, Oregon. USEPA Office of Research and Development, National Health and Environmental Effects Laboratory, Western Ecology Division
21. Brownlie, W.R., and B.D. Taylor. 1981. *Sediment Management for Southern California Mountains*. Coastal Plains and Shoreline: Part C, Coastal Sediment Delivery by Major Rivers in Southern California. California Institute of Technology, Pasadena, CA.
22. Cardoso, P.G., M.A. Pardal, D. Raffaelli, A. Baeta, and J.C. Marques. 2004. Macroinvertebrate response to different species of macroalgal mats and the role of disturbance history. *J Exp Mar Biol Ecol* 308: 207–220. CrossRef
23. Cloern, J.E. 1996. Phytoplankton bloom dynamics in coastal ecosystems: a review with some general lessons from sustained investigation of San Francisco Bay, California. *Rev Geophys* 34: 127–168. CrossRef
24. Cloern, J.E. 2001. Our evolving conceptual model of the coastal eutrophication problem. *Mar Ecol Prog Ser* 210: 223–253. CrossRef
25. Cloern, J.E., and A.D. Jassby. 2008. Complex seasonal patterns of primary producers at the land–sea interface. *Ecol Lett* 11: 1294–1303. CrossRef
26. Cloern, J.E., and F.H. Nicols. 1985. Time scales and mechanisms of estuarine variability, a synthesis from studies of the San Francisco Bay. *Hydrobiologia* 129: 229–237. CrossRef
27. Cummins, S.P., D.E. Roberts, and K.D. Zimmerman. 2004. Effects of the green macroalga *Enteromorpha intestinalis* on macrobenthic and seagrass assemblages in a shallow coastal estuary. *Mar Ecol Prog Ser* 266: 77–87. CrossRef
28. Day, J.W. 1989. *Estuarine Ecology*. New York: John Wiley and Sons.
29. Dettmann, E.H. 2001. Effect of water residence time on annual export and denitrification of nitrogen in estuaries: a model analysis. *Estuaries* 24: 481–490. CrossRef

30. Devlin, M., S. Bricker, and S. Painting. 2011. Comparison of five methods for assessing impacts of nutrient enrichment using estuarine case studies. *Biogeochemistry* 106: 177–205. CrossRef
31. Devlin, M., S. Painting, and M. Best. 2007. Setting nutrient thresholds to support an ecological assessment based on nutrient enrichment, potential primary production and undesirable disturbance. *Mar Pollut Bull* 55: 65–73. CrossRef
32. Diaz, R. J., R. J. Neubauer, L. C. Schaffner, L. Phil, and S. P. Baden. 1992. Continuous monitoring of dissolved oxygen in an estuary experience periodic hypoxia and the effects of hypoxia on macrobenthos and fish. *Science of the Total Environment* supplement
33. Diaz, R. J. and R. Rosenberg. 1995. Marine benthic hypoxia: a review of its ecological effects and the behavioural responses of benthic macrofauna. Pages 245–303 *Oceanography and Marine Biology—an Annual Review*, Vol 33
34. Domingues, R.B., A. Barbosa, and H. Galvao. 2008. Constraints on the use of phytoplankton as a biological quality element within the Water Framework Directive in Portuguese waters. *Mar Pollut Bull* 56: 1389–1395. CrossRef
35. Duarte, C.M. 2009. Coastal eutrophication research: a new awareness. *Hydrobiologia* 629: 263–269. CrossRef
36. Duarte, C.M., D.J. Conley, J. Carstensen, and M. Sanchez-Camacho. 2009. Return to Neverland: shifting baselines affect eutrophication restoration targets. *Estuar Coasts* 32: 29–36. CrossRef
37. Ferreira, J.G., J.H. Andersen, A. Borja, S.B. Bricker, J. Camp, M.C. da Silva, E. Garces, A.S. Heiskanen, C. Humborg, L. Ignatiades, C. Lancelot, A. Menesguen, P. Tett, N. Hoepffner, and U. Claussen. 2011. Overview of eutrophication indicators to assess environmental status within the European Marine Strategy Framework Directive. *Estuarine Coastal Shelf Sci* 93: 117–131. CrossRef
38. Ferreira, J.G., S.B. Bricker, and T.C. Simas. 2007. Application and sensitivity testing of a eutrophication assessment method on coastal systems in the United States and European Union. *J Environ Manag* 82: 433–445. CrossRef
39. Flindt, M.R., J.A. Pardal, A.I. Lillebo, I. Martins, and J.C. Marques. 1999. Nutrient cycling and plant dynamics in estuaries: a brief review. *Acta Oecol-Int J Ecol* 20: 237–248. CrossRef

40. Fong, P., T.C. Foin, and J. Zedler. 1994. A simulation model of lagoon algae based on nitrogen competition and internal storage. *Ecol Monogr* 64: 225–247. CrossRef
41. Fong, P., and J.B. Zedler. 1993. Competition with macroalgae and benthic cyanobacterial mats limits phytoplankton abundance in experimental microcosms. *Mar Ecol Prog Ser* 100: 97–102. CrossRef
42. Fong, P., and J.B. Zedler. 2000. Sources, sinks and fluxes of nutrients (N + P) in a small highly modified urban estuary in southern California. *Urban Ecosyst* 4: 125–144. CrossRef
43. Garmendia, M., S. Bricker, M. Revilla, A. Borja, J. Franco, J. Bald, and V. Valencia. 2012. Eutrophication assessment in Basque estuaries: comparing a North American and a European method. *Estuar Coasts* 35: 991–1006. CrossRef
44. Gilbert, P.M. 2010. Long-term changes in nutrient loading and stoichiometry and their relationships with changes in the food web and dominant pelagic fish species in San Francisco Estuary, California. *Rev Fish Sci* 18: 211–323. CrossRef
45. Green, L., M. Sutula, and P. Fong. 2013. How much is too much? Identifying benchmarks of adverse effects of macroalgae on the macrofauna in intertidal flats. *Ecological Applications* doi:10.1890/13-0524.1.
46. Hering, D., A. Borja, J. Carstensen, L. Carvalho, M. Elliott, C.K. Feld, A.S. Heiskanen, R.K. Johnson, J. Moe, D. Pont, A.L. Solheim, and W. Van De Bund. 2010. The European Water Framework Directive at the age of 10: a critical review of the achievements with recommendations for the future. *Sci Total Environ* 408: 4007–4019. CrossRef
47. Hillman, K., R. Lukatelich, and A. McComb. 1990. The impact of nutrient enrichment on nearshore and estuarine ecosystems in Western Australia. *Proc Ecol Soc Aust* 16: 39–53.
48. Horn, M. H. and L. G. Allen. 1985. Fish community ecology in southern California bays and estuaries, Chapter 8. Pages 169–190 in A. Yanez-Arancibia, editor. *Fish Community Ecology in Estuaries and Coastal Lagoons: Toward an Ecosystem Integration*. DR (R) UNAM Press Mexico, Mexico City
49. Howard, M. D. A., G. Robertson, M. Sutula, B. Jones, N. Nezlin, Y. Chao, H. Frenzel, M. Mengel, D. A. Caron, B. Seegers, A. Sengupta, E. Seubert, D. Diehl, and S. B. Weisberg. 2012. Southern California Bight 2008 Regional Monitoring Program: Volume

VII. Water Quality. Technical Report 710. . Southern California Coastal Water Research Project. Costa Mesa, CA

50. Huntington, B.E., and K.E. Boyer. 2008. Effects of red macroalgal (*Gracilaria* sp.) abundance on eelgrass *Zostera marina* in Tomales Bay, California, USA. *Mar Ecol Prog Ser* 367: 133–142. CrossRef
51. Janicki, A., M. Dema, and R. Nijbroek. 2009. *Seagrass Targets for the Sarasota Bay Estuary Program*. Inc: Janicki Environmental.
52. Janicki, A.J., D. Wade, and J.R. Pribble. 2000. *Establishing a process for tracking chlorophyll-a concentrations and light attenuation in Tampa Bay*. Inc: Janicki Environmental.
53. Jaworski, N. A. 1981. Sources of nutrients and the scale of eutrophication problems in estuaries. . In: B. J. Nielson and L. E. Cronin, editors. *Estuaries and Nutrients*. Humana Press, Clifton
54. Jones, M., and E. Pinn. 2006. The impact of a macroalgal mat on benthic biodiversity in Poole Harbour. *Mar Pollut Bull* 53: 63–71. CrossRef
55. Kamer, K., K.A. Boyle, and P. Fong. 2001. Macroalgal bloom dynamics in a highly eutrophic southern California estuary. *Estuaries* 24: 623–635. CrossRef
56. Kamer, K., and E. Stein. 2003. Dissolved oxygen concentration as a potential indicator of water quality in Newport Bay: a review of scientific research, historical data, and criteria development. Southern California Coastal Water Research Project. CA: Westminster.
57. Kemp, W.M., W.R. Boynton, J.E. Adolf, D.F. Boesch, W.C. Boicourt, G. Brush, J.C. Cornwell, T.R. Fisher, P.M. Glibert, J.D. Hagy, L.W. Harding, E.D. Houde, D.G. Kimmel, W.D. Miller, R.I.E. Newell, M.R. Roman, E.M. Smith, and J.C. Stevenson. 2005. Eutrophication of Chesapeake Bay: historical trends and ecological interactions. *Mar Ecol Prog Ser* 303: 1–29. CrossRef
58. Kennison, R., K. Kamer, and P. Fong. 2003. Nutrient dynamics and macroalgal blooms: a comparison of five southern California estuaries. Southern California Coastal Water Research Project
59. Largier, J. L., C. J. Hearn, and D. B. Chadwick. 1996. Density structures in low-inflow "estuaries". Pages 227–241. In: D. G. Aubrey and C. T. Friederichs, editors. *Coastal and Estuarine Studies*

60. Largier, J. L., J. H. Slinger, and S. Taljaard. 1991. The stratified hydrodynamics of the Palmiet—a prototypical bar-built estuary. Pages 135–153 in D. Prandle, editor. *Dynamics and Exchanges in Estuaries and the Coastal Zone*. American Geophysical Union, Washington D.C.
61. McLaughlin, K., M. Sutula, L. Busse, S. Anderson, J. Crooks, R. Dagit, D. Gibson, K. Johnston, N. Nezlin, and L. Stratton. 2012. Southern California Bight 2008 Regional Monitoring Program VIII: Estuarine Eutrophication Assessment. Costa Mesa, CA: Southern California Coastal Water Research Project.
62. Moore, K.A., and R.L. Wetzel. 2000. *Zostera* reductions after 4–6 weeks (Seasonal variations in eelgrass (*Zostera marina* L.) responses to nutrient enrichment and reduced light availability in experimental ecosystems. *J Exp Mar Biol Ecol* 244: 1–28. CrossRef
63. Nelson, W.G., H. Lee, and J.O. Lamberson. 2005. *Condition of Estuaries of California for 1999: A Statistical Summary*. Washington, D.C.: U.S. Environmental Protection Agency.
64. Nezlin, N.P., K. Kamer, J. Hyde, and E.D. Stein. 2009. Dissolved oxygen dynamics in a eutrophic estuary, Upper Newport Bay, California. *Estuarine Coastal Shelf Sci* 82: 139–151. CrossRef
65. Nezlin, N.P., and E.D. Stein. 2005. Spatial and temporal patterns of remotely-sensed and field-measured rainfall in southern California. *Remote Sens Environ* 96: 228–245. CrossRef
66. Nixon, S., B. Buckley, S. Granger, and J. Bintz. 2001. Responses of very shallow marine ecosystems to nutrient enrichment. *Hum Ecol Risk Assess* 7: 1457–1481. CrossRef
67. Nobre, A.M., J.G. Ferreira, A. Newton, T. Simas, J.D. Icely, and R. Neves. 2005. Management of coastal eutrophication: integration of field data, ecosystem-scale simulations and screening models. *J Mar Syst* 56: 375–390. CrossRef
68. Norkko, A., and E. Bonsdorff. 1996. Rapid zoobenthic community responses to accumulations of drifting algae. Marine ecology progress series. *Oldendorf* 131: 143–157.
69. NRC. 1990. *Monitoring Southern California's Coastal Waters*. Washington, D.C.: National Academy Press.
70. Paerl, H. 2008. Nutrient and other environmental controls of harmful cyanobacterial blooms along the freshwater–marine continuum. Pages 217–237 *Cyanobacterial harmful algal blooms: state of the science and research needs*. Springer

71. Painting, S.J., M.J. Devlin, S.J. Malcolm, E.R. Parker, D.K. Mills, C. Mills, P. Tett, A. Wither, J. Burt, R. Jones, and K. Winpenny. 2007. Assessing the impact of nutrient enrichment in estuaries: susceptibility to eutrophication. *Mar Pollut Bull* 55: 74–90. CrossRef
72. Patrício, I., J.M. Neto, H. Teixeira, and J.C. Marques. 2007. Opportunistic macroalgae metrics for transitional waters. Testing tools to assess ecological quality status in Portugal. *Mar Pollut Bull* 54: 1887–1896. CrossRef
73. Patton, C. and J. R. Kryskalla. 2003. Methods of Analysis by the U.S. Geological Survey National Water Quality Laboratory—Evaluation of Alkaline Persulfate Digestion as an Alternative to Kjeldahl Digestion for Determination of Total and Dissolved Nitrogen and Phosphorus in Water, Water-Resources Investigations Report 03-4174. U.S. Department of the Interior, U.S. Geological Survey, Denver, CO
74. Pihl, L., G. Magnusson, I. Isaksson, and I. Wallentinus. 1996. Distribution and growth dynamics of ephemeral macroalgae in shallow bays on the Swedish west coast. *J Sea Res* 35: 169–180. CrossRef
75. Pihl, L., A. Svenson, P.O. Moksnes, and H. Wennhage. 1999. Distribution of green algal mats throughout shallow soft bottoms of the Swedish Skagerrak archipelago in relation to nutrient sources and wave exposure. *J Sea Res* 41: 281–294. CrossRef
76. Pinckney, J.L., H.W. Paerl, P. Tester, and T.L. Richardson. 2001. The role of nutrient loading and eutrophication in estuarine ecology. *Environ Heal Perspect* 109: 699–706.
77. Rabalais, N., R. Diaz, L. Levin, R. Turner, D. Gilbert, and J. Zhang. 2010. Dynamics and distribution of natural and human-caused hypoxia. *Biogeosciences* 7: 585–619. CrossRef
78. Rabalais, N. N. and D. Harper, editors. 1992. Studies of benthic biota in areas affected by moderate and severe hypoxia. NOAA Coastal Ocean Program, Texas A&M Sea Grant, College Station, TX
79. Rabalais, N.N., W.J. Wiseman Jr., and R.E. Turner. 1994. Comparison of continuous records of near-bottom dissolved oxygen from the hypoxia zone along the Louisiana coast. *Estuaries* 17: 850–861. CrossRef
80. Ruiz, J.M., and J. Romero. 2001. Effects of in situ experimental shading on the Mediterranean seagrass *Posidonia oceanica*. *Mar Ecol Prog Ser* 215: 107–120. CrossRef

81. Scanlan, C.M., J. Foden, E. Wells, and M.A. Best. 2007. The monitoring of opportunistic macroalgal blooms for the Water Framework Directive. *Mar Pollut Bull* 55: 162–171. CrossRef
82. Scanlan, D.J., and W.H. Wilson. 1999. Application of molecular techniques to addressing the role of P as a key effector in marine ecosystems. *Hydrobiologia* 401: 149–175. CrossRef
83. Sengupta, A., M. A. Sutula, K. McLaughlin, M. Howard, L. Tiefenthaler, T. VonBitner, C. Cash, G. Gonzales, and A. Anslem. submitted. (2013) Riverine nutrient loads and fluxes into the Southern California bight (in press)
84. Sheldon, J. E. and M. Alber. 2010. The condition of Georgia's coastal waters: development and analysis of water quality indicators. Georgia Coastal Research Council, Univ. of Georgia, Athens, GA
85. Short, F.T., D.M. Burdick, and J.E. Kaldy. 1995. Mesocosm experiments quantify the effects of eutrophication on eelgrass, *Zostera marina*. *Limnol Oceanogr* 40: 740–749. CrossRef
86. Smith, V.H., G.D. Tilman, and J.C. Nekola. 1999. Eutrophication: impacts of excess nutrient inputs on freshwater, marine, and terrestrial ecosystems. *Environ Pollut* 100: 179–196. CrossRef
87. Sohma, A., Y. Sekiguchi, T. Kuwae, and Y. Nakamura. 2008. A benthic-pelagic coupled ecosystem model to estimate the hypoxic estuary including tidal flat—model description and validation of seasonal/daily dynamics. *Ecol Model* 215: 10–39. CrossRef
88. Souchu, P., M. C. Ximenes, M. Lauret, A. Vaquer, and E. Dutrieux. 2000. Mise à jour d'indicateurs du niveau d'eutrophisation des milieux lagunaaires méditerranéens. Ifremer-Creocéan-Université Montpellier II
89. Sousa-Dias, A., and R.A. Melo. 2008. Long-term abundance patterns of macroalgae in relation to environmental variables in the Tagus Estuary (Portugal). *Estuarine Coastal Shelf Sci* 76: 21–28. CrossRef
90. Stevenson, J.C., L.W. Staver, and K.W. Staver. 1993. Water quality associated with survival of submersed aquatic vegetation along an estuarine gradient. *Estuaries* 16: 346–361. CrossRef
91. Sutula, M., H. Bailey, and S. Poucher. 2012. Science supporting dissolved oxygen objectives in California estuaries. Southern California Coastal Water Research Project. Technical Report 684. Costa Mesa, CA. 86pp.

92. TetraTech. 2006. Technical approach to develop nutrients numeric endpoints for California. Prepared for: U.S. EPA Region IX (Contract No. 68-C-02-108-To-111)
93. Twilley, R.R. 1985. The exchange of organic carbon in basin mangrove forests in a southwest Florida estuary. *Estuarine Coastal Shelf Sci* 20: 543–557. CrossRef
94. Valiela, I., K. Foreman, M. LaMontagne, D. Hersh, J. Costa, P. Peckol, B. DeMeo-Andreson, C. D'Avanzo, M. Babione, C. Sham, J. Brawley, and K. Lajtha. 1992. Couplings of watersheds and coastal waters: sources and consequences of nutrient enrichment in Waquoit Bay, Massachusetts. *Estuaries* 15: 433–457.
95. Vaquer-Sunyer, R., and C.M. Duarte. 2008. Thresholds of hypoxia for marine biodiversity. *Proc Natl Acad Sci U S A* 105: 15452–15457. CrossRef
96. Vaquer-Sunyer, R., and C.M. Duarte. 2011. Temperature effects on oxygen thresholds for hypoxia in marine benthic organisms. *Glob Chang Biol* 17: 1788–1797. CrossRef
97. Walker, W.W. 1985. Statistical bases for mean chlorophyll a criteria. *Lakes Reserv Manag* 1: 57–62.
98. Webb, C.K., D.A. Stow, and H.H. Chang. 1991. Morphodynamics of Southern California inlets. *J Coast Res* 7: 167–187.
99. Zaldivar, J.-M., A.C. Cardoso, P. Viaroli, A. Newton, R. deWit, C. Ibanez, S. Reizopoulou, F. Somma, A. Razinkovas, A. Bassett, M. Jolmer, and N. Murray. 2008. Eutrophication in transitional waters: an overview. *Transit Waters Monogr* 1: 1–78.
100. Zedler, J.B. 1996. Coastal mitigation in Southern California: the need for a regional restoration strategy. *Ecol Appl* 6: 84–93. CrossRef

About this Article

Title

A Regional Survey of the Extent and Magnitude of Eutrophication in Mediterranean Estuaries of Southern California, USA

Journal

Estuaries and Coasts

DOI

10.1007/s12237-013-9670-8

Print ISSN

1559-2723

Online ISSN

1559-2731

Publisher

Springer US

Additional Links

- Register for Journal Updates
- Editorial Board
- About This Journal
- Manuscript Submission

Topics

- Environment, general
- Ecology
- Freshwater & Marine Ecology
- Environmental Management
- Nature Conservation
- Coastal Sciences

Keywords

- Eutrophication
- Estuary
- Assessment
- Eutrophic indicator
- Mediterranean

Industry Sectors

- Energy, Utilities & Environment
- Oil, Gas & Geosciences

Authors

- K. McLaughlin ⁽¹⁾
- M. Sutula ⁽¹⁾
- L. Busse ⁽²⁾
- S. Anderson ⁽³⁾
- J. Crooks ⁽⁴⁾

- R. Dagit ⁽⁵⁾
- D. Gibson ⁽⁶⁾
- K. Johnston ⁽⁷⁾
- L. Stratton ⁽⁸⁾

Author Affiliations

- 1. Southern California Coastal Water Research Project, Costa Mesa, CA, USA
- 2. San Diego Regional Water Quality Control Board, San Diego, CA, USA
- 3. California State University, Channel Islands, Camarillo, CA, USA
- 4. Tijuana River National Estuarine Research Reserve, Imperial Beach, CA, USA
- 5. Resource Conservation District of the Santa Monica Mountains, Agoura Hills, CA, USA
- 6. San Elijo Lagoon Conservancy, Encinitas, CA, USA
- 7. Santa Monica Bay Restoration Commission, Los Angeles, CA, USA
- 8. Cheadle Center for Biodiversity and Ecological Restoration, Santa Barbara, CA, USA

Continue reading...

To view the rest of this content please follow the download PDF link above.

Our Philosophy:
Author Satisfaction!

94% Would
Publish With
Us Again!

