Attachment F

Checklist Form for Assessing Grazing Operations in the Napa River and Sonoma Creek Watersheds

IN COMPLIANCE WITH RESOLUTION No. R2-2017-0043

Date:W	eather:	
Name of Person Completing check	list:	
Ranch Info	mation	
Ranch Name:	Owner Name & Address (if different):	
Address:	Nearest Water Body:	
Operator Name &Address:	Number of Animals:	
Operator Telephone Number:	Type of Animals:	
Acreage:	Animal Density:	
Ranch Assessor's Parcel Number (number of parcels):		

Erosion and Sediment Sources

Sediment from Sheet, Rill, and Gully Erosion: Sheet and Rill erosion generally occurs on cropfields or overgrazed pastures and corrals. Gullies can occur from these same conditions, or can be caused by natural occurrences, such as from burrowing animals.

Rangeland & Pasture	Yes	No
Upon close inspection, is bare soil visible in pastures?		
At a distance of 20 feet, can you distinguish small		
objects such as roots and cow pies?		
Is rill or sheet erosion present?		
Are gullies, slumps, or headcuts present?		
Crop Fields		
Do cropfields have rill or other signs of surface erosion?		

Attachment F: Checklist Form for Assessing Grazing Operations in the Napa River and Sonoma Creek Watersheds

Are cropfields clean cultivated so that all plant residue is tilled under? Road Erosion Do ranch roads show signs of surface erosion such as rills or gullies? Are there any gullies caused by unprotected culverts? Are drainage ditches eroding? Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted: Suggestions for correcting problems indicated by yes answers above:	Crop Fields	Yes	No
Road Erosion Do ranch roads show signs of surface erosion such as rills or gullies? Are there any gullies caused by unprotected culverts? Are drainage ditches eroding? Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted:	•		
Do ranch roads show signs of surface erosion such as rills or gullies? Are there any gullies caused by unprotected culverts? Are drainage ditches eroding? Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted:	illed under?		
rills or gullies? Are there any gullies caused by unprotected culverts? Are drainage ditches eroding? Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted:	Road Erosion		
rills or gullies? Are there any gullies caused by unprotected culverts? Are drainage ditches eroding? Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted:	Do ranch roads show signs of surface erosion such as		
Are drainage ditches eroding? Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted:	rills or gullies?		
Are drainage ditches partially filled with sediment after winter? Do road surfaces consist of bare soil? Other types of erosion noted:	Are there any gullies caused by unprotected culverts?		
winter? Do road surfaces consist of bare soil? Other types of erosion noted:	Are drainage ditches eroding?		
Other types of erosion noted:	·		
	Do road surfaces consist of bare soil?		
Suggestions for correcting problems indicated by yes answers above:			
	Suggestions for correcting problems indicated by yes ans	swers abo	ve:

Nutrients and Pathogens

Pollution from animal waste: This generally occurs where animals congregate or are confined, or where animals have access to creeks. Nutrient pollution problems are best evaluated during the rainy season when water testing can be used to locate problems.

Pollution from animal waste	Yes	No
Are there possible sources of nutrients and pathogens		
from direct animal access to creeks?		
Are feeding areas, water troughs, or salting areas near creeks?		
Are manure stock piles located where runoff could flow		
into creeks?		
Is manure applied to pastures less than 2 weeks		
before a runoff generating rain storm?		

Attachment F: Checklist Form for Assessing Grazing Operations in the Napa River and Sonoma Creek Watersheds
Locations of problem areas:
Other types of animal waste pollution noted:
Suggestions for correcting problems indicated by yes answers above:
Rinarian Areas

Condition of Creek and Streams: Riparian areas are sensitive to damage from livestock. Livestock should be excluded from or carefully managed in riparian areas. Condition of riparian areas can be evaluated at any time of the year.

Condition of Creek and Streams	Yes	No
Do creek banks lack good cover of grasses trees and		
shrubs?		
Are creeks exposed to full sun?		
Is there excessive growth of algae in creeks?		
Are creek banks actively eroding or trampled?		
Do livestock have access to riparian areas?		
Is there cattle exclusion fencing?		
If cattle fencing exists is it for seasonal exclusion?		
Do livestock congregate in riparian areas?		
Are waterway crossings secure and bermed?		
Are water troughs located away from riparian areas?		

Attachment F: Checklist Form for Assessing Grazing Operations in the Napa River and Sonoma Creek Watersheds

Describe cattle grazing seasonality (which seasons, how long, cattle density, trigger to let cattle in riparian area):
Vegetation types in riparian areas (full riparian, sporadic riparian, wetland, grasses, bare dirt):
Location of problem areas:
Other types of degradation observed in riparian areas:
Suggestions for correcting problems indicated by yes answers above:

Attachment F: Checklist Form for Assessing Grazing Operations in the Napa River and Sonoma Creek Watersheds

Ranch/Farm Site Map