ATTACHMENT B - NOTICE OF INTENT FORM

NOTICE OF INTENT must be completed and submitted to apply for Authorization or Reauthorization with NPDES Permit No. CAG912002 (VOC and Fuel General Permit), to discharge or reclaim extracted and treated groundwater resulting from the cleanup of groundwater at active or closed cleanup sites, such as fuel stations or construction sites, to waters of the United States. These facilities are in operation to treat groundwater polluted by volatile organic compounds (VOCs), fuel leaks, fuel additives, and other related wastes (e.g., semi-volatile organic compounds [SVOCs], polycyclic aromatic hydrocarbons [PAHs], and metals).

This Notice of	Intent form is fo	r the Groundwa	ter Treatment Fa	cility located at (p	rovide street address)

I. CERTIFICATION

This certification shall be signed in accordance with Attachment D section V.B.2. The Discharger hereby agrees to comply with and be responsible for all the conditions specified in NPDES Permit No. CAG912002.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						
Signature Date						
Printed Name						
Title						
Company / Organization		ner Type (Check One)				
	□Pul	blic				
	□Pri	vate				
	□Otl	her, specify the type:				
Address	-					
Email		Phone No.				

II. APPLICATION FEE AND MAILING INSTRUCTIONS

Submit a check payable to "State Water Resources Control Board" for the appropriate application fee to the following address:

San Francisco Bay Regional Water Quality Control Board Attn: NPDES Wastewater Division 1515 Clay Street, Suite 1400 Oakland, CA 94612 VOC and Fuel General Permit

Order No. R2-2012-0012 NPDES No. CAG912002

Submit this form (with signature and attachments) via email to RB2-VOC-Fuel@waterboards.ca.gov, or as otherwise indicated at

www.waterboards.ca.gov/sanfranciscobay/water_issues/programs/general_permits.shtml.

II. DISCHARGE TYPE	
Select one: ☐ This is a new discharge ☐ This discharge is currently authorized under this Order (VOC and Fuel General Modern M	D:
☐ This discharge is currently authorized under this Order (VOC and Fuel Gene Dischargers who need to continue discharging after December 31, 2023, to April 7, 2023. CIWQS Place ID:	
V. PROJECT INFORMATION	
Type of Site or Project: (e.g., closed fuel station, short-term construction dewate cleanup site)	ering project, closed groundwater
Project Tentative Completion Date:	
V. UTILITY INFORMATION	
I have contacted the local sanitary sewer agency serving the above named address the local sanitary sewer system is not technically and economically feasible.	ess and determined that discharging to
Please check one (if No or Not Applicable, please explain) ☐Yes	
□No:	
□Not Applicable:	
Contact Person's Name and Title	
Contact Person's Email	Contact Person's Phone No.
I have contacted the local agencies having jurisdiction over the use of the storm informed them about this proposed discharge.	drain system or watercourse and
Please check one (if No or Not Applicable, please explain) ☐ Yes	
□No:	
□ Not Applicable:	
Contact Person's Name and Title	
Contact Person's Email	Contact Person's Phone No.

VI. FACILITY INFORMATION

A. Facility Name:							
Street Address							
City	State	Zip Code	Phone No.				
Contact Person's Name and Title							
Contact Person's Email		Contact Perso	Contact Person's Phone No.				
B. Duly Authorized Representative: The formay act as the facility's duly authorized Attachment D section V.B.3. The indivision environmental matters. IMPORTANT: Name	representative and may dual shall be responsible	sign and certify subn for the overall opera	nittals in accordance with ation of the facility or for facil				
Title							
Company/Organization							
Street Address							
City	State	Zip Code	Phone No.				
Email							
C. Billing Information							
Name							
Street Address							
City	State	Zip Code	Phone No.				
Email							
D. Design Professional Engineer's Inform	nation (see Section XI.F.	4 for further instruct	ions)				
Name	California I Expiration 1	License Number Date					
Street Address							
City	State	Zip Code	Phone No.				
Email		·					
E. Operation and Maintenance Profession	nal Engineer's Informa	tion (see Section XI	F.5 for further instructions)				
Name	California I Expiration	License Number Date					
Street Address	,						
City	State	Zip Code	Phone No.				
Email	<u> </u>	I	l				

VII. DISCHARGE LOCATION INFORMATION Discharge path to Receiving Water - describe the complete path of the discharge from the exit point of the treatment.

	eceiving water – list streets, land						
Discharge Points	Latitude ¹	Longitue	de ¹	Receiving Water Name			
Effluent Monitoring Point (EFF-001 through EFF- <i>n</i>)				Not Applicable			
Storm Drain (if applicable)				Not Applicable			
Receiving Water (directly of via storm drain system)							
Upstream Receiving Water Monitoring Location (RSW-001U through RSW-nU)	Is access unrestricted? ☐ Yes ☐ No If No, provide details:			At a point 50 feet upstream from the point of discharge into the receiving water, or if access is limited, at the first point upstream which is accessible.			
Downstream Receiving Water Monitoring Location (RSW-001D through RSW-nD)	Is access unrestricted? ☐ Yes ☐ No. If No, provide details:						
☐ Check here if information	ngitude coordinates in decimal degrees wion for additional outfalls is attached to the	is form.	the right of the de	ecimal point.			
Groundwater Treatment De	sign Capacity (gpm) as certified	oy a Professional En	gineer license	d to practice in California.			
Discharge description (desc	ribe discharge and potential pollu	ntants of concern. At	tach additiona	l sheets if needed:			
Discharge Frequency:	Continuous □Daily □	Intermittent	Emergency (ex	plain):			
Estimated Total Water Recl Provide reasons if reclamati	aimed (%): on is not technically and econom	ically feasible:	Type of Reccontrol):	lamation (e.g., dust			

Туре	Number	Description (e.g., depth, size, capacity, dosage)
Extraction well(s) or sump pump(s)		
Extraction well(s) with dedicated treatment unit(s)		
Settling tank(s) in series		
Settling tank(s) in parallel		
Oil-water separator(s)		
Filter(s) for particulates in groundwater		
Air stripper(s) with air filtration ¹		
Air stripper(s) without air filtration ¹		
Other treatment units (e.g., oxidation systems, ion exchange, reverse osmosis)		
Granular activated carbon (GAC) vessel(s) in series		
Granular activated carbon (GAC) vessel(s) in parallel		
Chemical additive(s) (e.g., coagulants)		
Other tank(s) (e.g., equalization tank)		
Water reclamation tank(s)		

^{1.} Attach applicable copy of approved BAAQMD permit to this form.

IX. DISCHARGE WATER QUALITY

For existing dischargers, summarize influent, and discharge water monitoring data collected during the past five years. Provide a separate data summary table for each discharge point (outfall). New applicants shall summarize influent data.

A. INFLUENT DISCHARGE DATA

Conventional and Non-Conventional Pollutants

Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
Total Dissolved Solids (for construction and dewatering projects)	mg/L							
Chlorine Residual	mg/L							
1,4-Dioxane	μg/L							
Ethylene Dibromide	μg/L							
Trichloro- trifluoroethane	μg/L							

Priority Pollutants

CTR No.	Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
1	Antimony	μg/L							
2	Arsenic	μg/L							
3	Beryllium	μg/L							
4	Cadmium	μg/L							
5a	Chromium (III)	μg/L							
5b	Chromium (VI)	μg/L							
6	Copper	μg/L							
7	Lead	μg/L							
8	Mercury	μg/L							
9	Nickel	μg/L							
10	Selenium	μg/L							
11	Silver	μg/L							
12	Thallium	μg/L							
13	Zinc	μg/L							
14	Cyanide	μg/L							
15	Asbestos	fibers/L							
16	2,3,7,8-TCDD (Dioxin)	μg/L							
17	Acrolein	μg/L							
18	Acrylonitrile	μg/L							
19	Benzene	μg/L							
20	Bromoform	μg/L							
21	Carbon Tetrachloride	μg/L							
22	Chlorobenzene	μg/L							
23	Chlorodibromomethane	μg/L							
24	Chloroethane	μg/L							
25	2-Chloroethylvinyl ether	μg/L							
26	Chloroform	μg/L							
27	Dichlorobromomethane	μg/L							
28	1,1-Dichloroethane	μg/L							
29	1,2-Dichloroethane	μg/L							
30	1,1-Dichloroethylene	μg/L							
31	1,2-Dichloropropane	μg/L							
32	1,3-Dichloropropylene	μg/L							
33	Ethylbenzene	μg/L							

CTR No.	Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
34	Methyl Bromide	μg/L							
35	Methyl Chloride	μg/L							
36	Methylene Chloride	μg/L							
37	1,1,2,2-Tetrachloroethane	μg/L							
38	Tetrachloroethylene	μg/L							
39	Toluene	μg/L							
40	1,2-Trans- Dichloroethylene	μg/L							
41	1,1,1-Trichloroethane	μg/L							
42	1,1,2-Trichloroethane	μg/L							
43	Trichloroethylene	μg/L							
44	Vinyl Chloride	μg/L							
45	2-Chlorophenol	μg/L							
46	2,4-Dichlorophenol	μg/L							
47	2,4-Dimethylphenol	μg/L							
48	2-Methyl- 4,6- Dinitrophenol	μg/L							
49	2,4-Dinitrophenol	μg/L							
50	2-Nitrophenol	μg/L	1			1	1		
51	4-Nitrophenol	μg/L μg/L	1			1	1	<u> </u>	
52	3-Methyl 4-Chlorophenol	μg/L							
53	Pentachlorophenol	μg/L	1			1	1		
54	Phenol	μg/L	1			1	1		
55	2,4,6-Trichlorophenol	μg/L							
56	Acenaphthene	μg/L							
57	Acenaphthylene	μg/L							
58	Anthracene	μg/L							
59	Benzidine	μg/L							
60	Benzo(a)Anthracene	μg/L							
61	Benzo(a)Pyrene	μg/L							
62	Benzo(b)Fluoranthene	μg/L							
63	Benzo(ghi)Perylene	μg/L							
64	Benzo(k)Fluoranthene	μg/L							
65	Bis(2- Chloroethoxy)Methane	μg/L							
66	Bis(2-Chloroethyl)Ether	μg/L							
00	Bis(2-								
67	Chloroisopropyl)Ether	μg/L							
68	Bis(2- Ethylhexyl)Phthalate	μg/L							
69	4-Bromophenyl Phenyl Ether	μg/L							
70	Butylbenzyl Phthalate	μg/L							
71	2-Chloronaphthalene	μg/L							
72	4-Chlorophenyl Phenyl Ether	μg/L							
73	Chrysene	μg/L						İ	
74	Dibenzo(a,h)Anthracene	μg/L							
75	1,2-Dichlorobenzene	μg/L							
76	1,3-Dichlorobenzene	μg/L							
77	1,4-Dichlorobenzene	μg/L							
78	3,3 Dichlorobenzidine	μg/L							
79	Diethyl Phthalate	μg/L							
80	Dimethyl Phthalate	μg/L							
81	Di-n-Butyl Phthalate	μg/L							
82	2,4-Dinitrotoluene	μg/L							
83	2,6-Dinitrotoluene	μg/L							
84	Di-n-Octyl Phthalate	μg/L							
85	1,2-Diphenylhydrazine	μg/L							
86	Fluoranthene	μg/L							
87	Fluorene	μg/L							
88	Hexachlorobenzene	μg/L							
89	Hexachlorobutadiene	μg/L							
90	Hexachlorocyclopentadie ne	μg/L							

CTR No.	Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
91	Hexachloroethane	μg/L							
92	Indeno(1,2,3-cd)Pyrene	μg/L							
93	Isophorone	μg/L							
94	Naphthalene	μg/L							
95	Nitrobenzene	μg/L							
96	N-Nitrosodimethylamine	μg/L							
97	N-Nitrosodi-n- Propylamine	μg/L							
98	N-Nitrosodiphenylamine	μg/L							
99	Phenanthrene	μg/L							
100	Pyrene	μg/L							
101	1,2,4-Trichlorobenzene	μg/L							
102	Aldrin	μg/L							
103	alpha-BHC	μg/L							
104	beta-BHC	μg/L							
105	gamma-BHC	μg/L							
106	delta-BHC	μg/L							
107	Chlordane (303d listed)	μg/L							
108	4,4'-DDT (303d listed)	μg/L							
109	4,4'-DDE	μg/L							
110	4,4'-DDD	μg/L							
111	Dieldrin (303d listed)	μg/L							
112	alpha-Endosulfan	μg/L							
113	beta-Endolsulfan	μg/L							
114	Endosulfan Sulfate	μg/L							
115	Endrin	μg/L							
116	Endrin Aldehyde	μg/L							
117	Heptachlor	μg/L							
118	Heptachlor Epoxide	μg/L							
119- 125	PCBs sum (303d listed)	μg/L							
126	Toxaphene	μg/L							

Other Pollutants

Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
TPH as gasoline	μg/L							
TPH as diesel	μg/L							
TPHs (other than gasoline and diesel)	μg/L							
Sulfate	mg/L							
Manganese	μg/L							

B. EFFLUENT DISCHARGE DATA (for existing dischargers only)

Discharge Point No. - Conventional and Non-Conventional Pollutants

Discharge I ome I to								
Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
pН	s.u.							
Turbidity	NTU							
Total Dissolved Solids (for construction and dewatering projects)	mg/L							
Dissolved Oxygen	mg/L							
Chlorine Residual	mg/L							
Acute Toxicity	% survival							
1,4-Dioxane	μg/L							
Ethylene Dibromide	μg/L							
Trichloro-trifluoroethane	μg/L							

Discharge Point No. - Priority Pollutants

	marge rome ivo.		ority I onto	T COLLEGE					
CTR No.	Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
1	Antimony	μg/L							
2	Arsenic	μg/L							
3	Beryllium	μg/L							
4	Cadmium	μg/L							
5a	Chromium (III)	μg/L							
5b	Chromium (VI)	μg/L							
6	Copper	μg/L							
7	Lead	μg/L							
8	Mercury	μg/L							
9	Nickel	μg/L							
10	Selenium	μg/L							
11	Silver	μg/L							
12	Thallium	μg/L							
13	Zinc	μg/L							
14	Cyanide	μg/L							
15	Asbestos	fibers/L							
16	2,3,7,8-TCDD (Dioxin)	μg/L							
17	Acrolein	μg/L							
18	Acrylonitrile	μg/L							
19	Benzene	μg/L							
20	Bromoform	μg/L							
21	Carbon Tetrachloride	μg/L							
22	Chlorobenzene	μg/L							
23	Chlorodibromomethane	μg/L							
24	Chloroethane	μg/L							
25	2-Chloroethylvinyl ether	μg/L							
26	Chloroform	μg/L							
27	Dichlorobromomethane	μg/L							
28	1,1-Dichloroethane	μg/L							
29	1,2-Dichloroethane	μg/L							
30	1,1-Dichloroethylene	μg/L							
31	1,2-Dichloropropane	μg/L							
32	1,3-Dichloropropylene	μg/L							
33	Ethylbenzene	μg/L			1	1	1		
34	Methyl Bromide	μg/L μg/L	1		†				
35	Methyl Chloride	μg/L			1				
36	Methylene Chloride	μg/L μg/L			+		+		
37	1,1,2,2-Tetrachloroethane	μg/L μg/L					+		
38	Tetrachloroethylene	μg/L μg/L			1				

CTR No.	Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
39	Toluene	μg/L							
40	1,2-Trans-Dichloroethylene	μg/L							
41	1,1,1-Trichloroethane	μg/L							
42	1,1,2-Trichloroethane	μg/L							
43	Trichloroethylene	μg/L							
44	Vinyl Chloride	μg/L							
45	2-Chlorophenol	μg/L							
46	2,4-Dichlorophenol	μg/L							
47	2,4-Dimethylphenol	μg/L							
48	2-Methyl- 4,6- Dinitrophenol	μg/L							
49	2,4-Dinitrophenol	μg/L							
50	2-Nitrophenol	μg/L							
51	4-Nitrophenol	μg/L							
52	3-Methyl 4-Chlorophenol	μg/L							
53	Pentachlorophenol	μg/L							
54	Phenol	μg/L μg/L						1	
55	2,4,6-Trichlorophenol	μg/L μg/L							
56	Acenaphthene	μg/L μg/L			+			 	
57	Acenaphthylene	μg/L μg/L						+	
58	Anthracene	μg/L μg/L						+	
59	Benzidine	μg/L μg/L							
60	Benzo(a)Anthracene	μg/L μg/L		1				 	
61	Benzo(a)Pyrene	μg/L μg/L							
62	Benzo(b)Fluoranthene								
		μg/L							
63	Benzo(ghi)Perylene	μg/L							
64	Benzo(k)Fluoranthene	μg/L							
65	Bis(2- Chloroethoxy)Methane	μg/L							
66	Bis(2-Chloroethyl)Ether	μg/L							
67	Bis(2- Chloroisopropyl)Ether	μg/L							
68	Bis(2-Ethylhexyl)Phthalate	μg/L							
69	4-Bromophenyl Phenyl Ether	μg/L							
70	Butylbenzyl Phthalate	μg/L							
71	2-Chloronaphthalene	μg/L							
72	4-Chlorophenyl Phenyl Ether	μg/L							
73	Chrysene	μg/L							
74	Dibenzo(a,h)Anthracene	μg/L μg/L							
75	1,2-Dichlorobenzene	μg/L μg/L							
76	1,3-Dichlorobenzene	μg/L μg/L		1				1	
77	1,4-Dichlorobenzene	μg/L μg/L		1				 	
78	3,3 Dichlorobenzidine	μg/L μg/L		1	<u> </u>				1
79	Diethyl Phthalate	μg/L μg/L						+	
80	Dimethyl Phthalate	μg/L μg/L						+	
81	Di-n-Butyl Phthalate	μg/L μg/L						1	
	2,4-Dinitrotoluene							-	
82	2,4-Dinitrotoluene 2,6-Dinitrotoluene	μg/L						1	
83		μg/L						1	
84	Di-n-Octyl Phthalate	μg/L						1	
85	1,2-Diphenylhydrazine	μg/L						1	
86	Fluoranthene	μg/L		 				1	-
87	Fluorene	μg/L		1				1	
88	Hexachlorobenzene	μg/L		-				 	
89	Hexachlorobutadiene	μg/L						ļ	ļ
90	Hexachlorocyclopentadiene	μg/L						ļ	
91	Hexachloroethane	μg/L						1	
92	Indeno(1,2,3-cd)Pyrene	μg/L		ļ				ļ	ļ
93	Isophorone	μg/L						1	
94	Naphthalene	μg/L						ļ	
95	Nitrobenzene	μg/L		ļ				ļ	ļ
96	N-Nitrosodimethylamine	μg/L						ļ	
97	N-Nitrosodi-n-Propylamine	μg/L						ļ	
98	N-Nitrosodiphenylamine	μg/L]	

CTR No.	Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
99	Phenanthrene	μg/L							
100	Pyrene	μg/L							
101	1,2,4-Trichlorobenzene	μg/L							
102	Aldrin	μg/L							
103	alpha-BHC	μg/L							
104	beta-BHC	μg/L							
105	gamma-BHC	μg/L							
106	delta-BHC	μg/L							
107	Chlordane (303d listed)	μg/L							
108	4,4'-DDT (303d listed)	μg/L							
109	4,4'-DDE	μg/L							
110	4,4'-DDD	μg/L							
111	Dieldrin (303d listed)	μg/L							
112	alpha-Endosulfan	μg/L							
113	beta-Endolsulfan	μg/L							
114	Endosulfan Sulfate	μg/L							
115	Endrin	μg/L							
116	Endrin Aldehyde	μg/L							
117	Heptachlor	μg/L							
118	Heptachlor Epoxide	μg/L							
119- 125	PCBs sum (303d listed)	μg/L							
126	Toxaphene	μg/L							

Discharge Point No. - Other Pollutants

Parameter	Units	Average Monthly Effluent Limitation	Maximum Daily Effluent Limitation	Maximum Concentration	Range	Method Detection Limit	Test Method	Number of Samples
TPH as gasoline	μg/L							
TPH as diesel	μg/L							
TPHs (other than gasoline and diesel)	μg/L							
Sulfate	mg/L							
Foaming Agents	μg/L							
Electric conductivity	mmhos/cm							
Manganese	μg/L							

X. ENGINEERING CERTIFICATION REPORT

Attach the engineering certification report signed and stamped by the Design Professional Engineer licensed to practice in California and as identified in section VI.D. The Engineering Certification Report shall include a location map, discharge flow path map, process flow diagram, unit spec sheets, and a description of operation and maintenance procedures. Please see the next section for further details of the documents *required* as part of the Engineering Certification Report and NOI application package.

XI. INSTRUCTIONS FOR NOTICE OF INTENT FORM

These instructions explain how to complete the NOI. Submittal of an NOI indicates a Discharger's commitment to comply with the terms of this Order.

A. Certification

The person certifying the NOI form must meet the requirements described in Attachment D section V.B.2. *Review these requirements carefully*. Specific requirements apply to corporations, partnerships, sole proprietorships, and public agencies.

B. Application Fee and Mailing Instructions

The NOI is incomplete without the applicable permit fee. Submit the fee by sending a check payable to "State Water Resources Control Board" to the Regional Water Board address indicated on the NOI form. A separate fee is required for each non-contiguous site. At the time of permit reissuance, the application fee was \$11,877. The State Water Resources Control Board may modify the fee at any time. For the current fee, see http://www.waterboards.ca.gov/resources/fees/water_quality/#npdes).

Submit this form (with signatures and attachments) <u>via email to RB2-VOC-Fuel@waterboards.ca.gov</u>, or as otherwise indicated at www.waterboards.ca.gov/sanfranciscobay/water issues/programs/general permits.shtml.

C. Discharge Type

Select one of the three options to: (1) obtain coverage under this Order as a new discharger, (2) modify the NOI as an existing discharger, or (3) renew permit coverage. Please note that the discharger shall file with the Executive Officer an amended NOI at least 30 days before making any material change in the character, location, or volume of the discharge. Requests to renew permit coverage shall be submitted no later than April 7, 2023.

D. Project Information

Provide a brief description of the project and activities to be covered by this Order, including its completion date, if any.

E. Utility Information

Provide information of the local utility agencies that were contacted for the proposed discharge. Please note that Resolution No. 88-160, adopted by the Regional Water Board on October 19, 1988, urges dischargers of extracted groundwater to reclaim their effluent and that when reclamation is not technically and/or economically feasible, to discharge to a POTW.

F. Facility Information

- **1. Facility name.** Provide the name of the treatment facility, street address or a description of the facility location, and information of the contact person for the facility.
- **2. Duly Authorized Representative.** The person described in Attachment D section V.B.2 and signing the certification in section I of the NOI form may designate a duly authorized representative to sign permit-related submittals in accordance with Attachment D section V.B.3. Alternatively, a duly authorized representative may be designated through separate

correspondence, particularly if the NOI form language does not sufficiently limit the delegated authority. For applicants, please note that if a duly authorized representative is designated, a written authorization shall be submitted to the Regional Water Board along with the NOI. If any changes occur to the authorization, a new authorization satisfying the requirements under Attachment D section V.B.3 must be submitted to the Regional Water Board prior to or together with any reports, information, or applications signed by a duly authorized representative.

- **3. Billing information.** Indicate to whom the annual permit fee should be billed.
- **4. Design Professional Engineer's Information.** Provide the name and contact information of the practicing professional engineer licensed to practice in California who designed the groundwater treatment system and certified the Engineering Certification Report. The Design Professional Engineer is also responsible for certifying any proposed changes to the groundwater treatment system.
- **5. Operation and Maintenance Professional Engineer's Information.** Provide the name and contact information of the professional engineer licensed to practice in California who is responsible for the operations and maintenance procedures of the treatment facility and certification of its Operations and Maintenance Manual.

G. Discharge Location Information

Provide a brief description of the discharge flow path from the exit point of the treatment system to the outfall(s) in the receiving water(s). Identify all points where the facility discharges wastewater to surface waters or storm drains, and provide latitudes and longitudes (using decimal degrees with at least five decimal places). Identify the receiving waters to which discharges flow into (permitted discharges may flow through storm drains if authorized by storm drain system owners) and confirm if access to the receiving water(s) are unrestricted. Attach additional pages as necessary.

H. Treatment System Information


- 1. General information. Provide the groundwater treatment design capacity as certified by the Design Professional Engineer licensed to practice in California and as identified in section VI.D. Additionally, provide a narrative description of potential pollutants in the discharge. Finally, specify the frequency of discharge and estimated percentage of total effluent reclaimed for any applicable activities such as dust suppression, soil compaction, irrigation of landscape or agriculture, and industrial water supply. Please note that water reclamation consisting of recharge or reinjection is not authorized under this Order.
- **2. Unit information.** Provide information on the quantity and type of units in the groundwater extraction and treatment system including any applicable characteristics such as size, capacity, ratings, depth, dosages, etc.

I. Engineering Certification Report

The Engineering Certification Report is a comprehensive report detailing the process and components of the groundwater extraction and treatment system. It provides a background of the site project and a narrative summary of environmental investigations regarding groundwater impacts at the site, if any. Description of treatment system components may include dewatering wells, groundwater pumps, conveyance systems, storage tanks, settling tanks, process pumps, filtering vessels, granular activated

carbon tanks, chemical injection systems, and pH adjustment equipment (common in concrete pour operations). Additionally, it shall include:

- 1. Location map. A topographic map (or maps) showing the legal facility boundaries; location of treatment units and processes; intake and discharge point locations; and receiving waters (or storm drains).
- 2. **Discharge flow path map.** An aerial map or satellite image illustrating the proposed path of the discharge from the point of exit of the treatment system to the point of discharge in the receiving water. All applicable streets, land features, points of entry in the storm drain system, receiving water(s), and distances should be labeled and displayed on the map.
- **3. Process flow diagram.** A diagram showing the water flow from intake to discharge including all treatment system components and applicable sampling ports (see example below). Indicate how the discharge flows from where it is generated to where it exits the treatment system. Estimate approximate flows, as necessary.



- **4.** Unit spec sheets. Datasheets that provide engineering characteristics of treatment system units.
- **5. Operation and maintenance procedures.** A copy of the Table of Contents from the Operation and Maintenance Manual of the treatment system. <u>Please note that the Operation and Maintenance Manual of the facility shall be submitted in the Start-up Phase Report.</u>

The Engineering Certification Report shall certify that the proposed treatment system will treat the proposed dewatering discharge and comply with the Order's requirements. Finally, as required by the California Business and Professions Code section 6735, the report shall be prepared by, or under the supervision of, a Professional Engineer licensed to practice in California and shall be signed and stamped by the same.