

ATTACHMENT I - NOTICE OF TERMINATION

A PDF electronic copy of this Form shall be uploaded on GeoTracker and after GeoTracker upload a confirmation email shall be sent to the responsible staff member at this office, currently Lourdes Gonzales, at lgonzales@waterboards.ca.gov.

For Facilities Permitted to Discharge Treated Groundwater under the Requirements of
ORDER NO. R2-2006-XXXX
NPDES PERMIT NO. CAG912002 (FUEL)

For Groundwater Treatment Facility located at:

Type or Print Facility Address above the line
File No: 1210.44

WDID No.
Please refer to Authorization Letter

Table 1. Mark only one as applicable

1	Groundwater cleanup works have been completed	
2	Method of groundwater cleanup has been changed with no need to discharge treated groundwater	
3	Extract and treat method of groundwater cleanup will be stopped for a while and only groundwater will be monitored at this site. In this case, documentation shall be attached to this Notice that the cleanup overseeing agency has no objection to have this authorization rescinded. Otherwise complete Notice Temporary Shut Down (Attachment H)	
4	Dewatering cleanup project has been completed	
5	Other reasons such as discharge to POTW has been granted	

Table 2. If you have marked number one in Table 1, please add the name, address, and phone number of the agency and agency staff finding the clean up work to be complete and you have also provided a copy of this termination notice:

	Name, address, and phone number of the agency and agency staff finding your clean up work to be complete	Have you provided a copy of this termination notice to this staff? (Yes/No. If No, please explain the reason)
1		
2		

I certify under penalty of law that this notice is prepared under my direction or supervision and the effective termination date of this Discharge is _____. I am aware that discharging without a discharge authorization is in violation of California Water Code.

Name (print)

Signature and Date

Title/Organization

Address

Note: The Regional Water Board may modify this form at any time to reflect the new requirements and other needed improvements.