

Table 7.8.2-3 Density-Based Pollutant Load Allocations and Wasteload Allocations^a for Pathogen Dischargers in the Napa River Watershed

Categorical Pollutant Source	<i>E. coli</i>		Fecal coliform ^b		Total coliform ^b	
	Geometric mean ^c	90 th percent-ile ^c	Geometric mean ^c	90 th percent-ile	Median ^c	Single sample maximum
On-site sewage disposal systems	0	0	0	0	0	0
Sanitary sewer systems	0	0	0	0	0	0
Municipal runoff	< 113	< 368	< 180	< 360	< 216	9,000
Grazing lands	< 113	< 368	< 180	< 360	< 216	9,000
Confined animal facilities	< 113	< 368	< 180	< 360	< 216	9,000
Wildlife^d	< 113	< 368	< 180	< 360	< 216	9,000

^a These allocations are applicable year-round. Wasteload allocations apply to any sources (existing or future) subject to regulation by a NPDES permit. Allocations reflect a 10% margin of safety. Wasteload allocations for wastewater treatment facilities are shown in Table 7.8.2-4.

^bThe allocations for total coliform and fecal coliform shall sunset and shall no longer be effective upon the replacement of the total and fecal coliform water quality objectives in the Basin Plan with *E.coli*-based water quality objectives for contact recreation.

^cBased on a minimum of five consecutive samples collected at approximately equal intervals over a 30-day period.

^dWildlife are not believed to be a significant source of pathogens and their contribution is considered natural background; therefore, no management measures are required.