

California Regional Water Quality Control Board
Santa Ana Region

ORDER NO. R8-2005-0117


Rescission of Waste Discharge Requirements
for
Specific Facilities

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The Orders listed in Attachment "A" were issued by the Board at various times for the facilities described therein. Attachment "A" is hereby made a part of this Order. Waste discharge requirements for the facilities listed in Attachment "A" are no longer necessary because the facilities will be regulated pursuant to the terms and conditions of the General Permit for Storm Water Discharges Associated with Industrial Activities, or because discharges from the facilities have ceased.
2. This action is based on the fact that specific discharges are now covered under other waste discharge requirements, or that discharges from the facilities have ceased. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061 (b) (3), Chapter 3, Title 14 of the California Code of Regulations.
3. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the Orders for the facilities listed in Attachment "A", and has provided them with an opportunity to submit written comments and recommendations.
4. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

IT IS HEREBY ORDERED that the Orders listed in Attachment "A" be rescinded.

I, Gerard J. Thibeault, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on November 18, 2005.


Gerard J. Thibeault
Executive Officer

California Regional Water Quality Control Board
Santa Ana Region

November 18, 2005

STAFF REPORT

ITEM: 9

SUBJECT: Rescission of Waste Discharge Requirements, Order No. R8-2005-0117

DISCUSSION:

Waste discharge requirements for the facilities listed in Attachment "A" of Order No. R8-2005-0117 are no longer necessary because the facilities will be regulated pursuant to the terms and conditions of the General Permit for Storm Water Discharges Associated with Industrial Activities, or because discharges from the facilities have ceased.

RECOMMENDATION:

Adopt Order No. R8-2005-0117, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

U.S. Environmental Protection Agency, Permits Issuance Section (WTR-5) – Doug Eberhardt
State Water Resources Control Board, Office of the Chief Counsel – Jorge Leon
State Water Resources Control Board, Division of Water Quality – Jim Maughan
California Department of Health Services, San Diego – Steve Williams
State Department of Water Resources - Glendale
State Department of Fish and Game – Long Beach
Orange County Water District – Nira Yamachika
Orange County Resources and Development Management Department – Chris Crompton
Riverside County Department of Environmental Health Services
Riverside County Transportation/Flood Control Department

ORDER NO. R8-2005-0117**Attachment "A"**

ORANGE COUNTY			
	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
1	98-4	Adams Steel, Anaheim	Facility to be covered under General Permit for Storm Water Discharges Associated with Industrial Activities, Order No. 97-03-DWQ
RIVERSIDE COUNTY			
	<u>ORDER NO.</u>	<u>Facility and Location</u>	<u>Reason for Rescission</u>
2	00-40	B.F. Goodrich Aerospace (Formerly Rohr, Inc.)	Discharges have been eliminated